

Collection and Processing Report

Owner:	Macquarie Wagyu
Collected By:	Ced Wise AB Services
Storage @:	Rocky Repro

Bull ID	Macquarie Wagyu N0099
----------------	------------------------------

Date	Batch #	% Normal Morphology	Post Thaw % Motility	Density Mil/Straw	Normal Motile cells/straw (million)	Quality Comments / Recommendations	Score out of 10	Number of Straws
11/06/19	COLL #1	77%	25%	30.4	6	Discarded - failed post thaw testing	0	0
11/06/19	162.2019 2	78%	55%	34.5	15	Good quality semen	7+	46
11/06/19	162.2019 3	81%	50%	35	14	Good quality semen	7	89
					0			
Total	<i>Note: Total number of straws may not reflect the true number of straws in storage i.e. sales ,transfers etc</i>							135

If you have any questions please don't hesitate to call the office on 07 49 341 964.

NOTE 1 : Rocky Repro's recommendation that there be a minimum of 8-10 Million LPM (LPM-Live Progressively Motile) sperm per straw on thaw to achieve good results.

NOTE 2 : LPM/straw calculated by density (million) per straw before thaw, multiplied by %LPM after thaw.
eg. 40 million x 50%LPM = 20 Million Live Progressively Motile sperm per straw