

## Bundara Downs Predicted EBV's of Lambs ( SGA Mating Predictor )

These figures are based on 01-2-20 and will change with each run every month

### WHITE SUFFOLK EWES

LOT	Dam ID	Ram ID	SIL	Bwt	Wwt	Pwwt	Pfat	Pemd	Carcase +	TCP
1	3310tw	AS 180080	single	0.49	12.0	19.7	-0.10	2.6	227	159.5
2	3414	LH54	twin	0.29	11.0	17.9	-0.10	3.2	225	151.0
3	3285tw	AS 180080	twin	0.47	12.1	19.5	-0.10	2.5	226	155.3
4	3608	AS 180080	single	0.51	11.7	18.9	0.00	2.5	222	157.5
5	3274	LH54	twin	0.34	11.2	18.0	-0.10	3.0	223	151.9
6	3963	BD1596	single	0.30	10.7	17.2	-0.30	3.0	220	151.5
7	4180	G 170470	single	0.36	11.4	18.4	0.40	3.7	231	156.8
8	4288	LH54	single	0.24	10.5	17.1	0.00	3.5	225	151.0
9	3249tw	S279	twin	0.48	10.7	17.2	-0.10	2.6	214	149.9
10	4295	LH54	single	0.23	11.0	18.2	0.10	3.4	228	153.4
11	3197tw	AS 180080	twin	0.49	12.0	19.4	0.00	2.6	226	156.7
12	3814tp	G 170470	single	0.35	12.5	19.9	0.00	2.9	232	156.1
13	3729tw	BD1596	twin	0.31	11.5	18.8	-0.10	2.7	224	151.5
14	4259tw	G 170470	single	0.31	11.8	18.7	0.40	3.4	231	154.9
15	4298tw	LH54	single	0.21	11.3	18.4	0.00	3.6	231	155.0
16	3611	LH54	single	0.21	11.1	18.3	-0.30	3.5	231	155.9
17	3219tw	G 170470	single	0.27	11.4	18.3	0.10	3.0	225	154.3
18	3928tw	AS 180080	single	0.47	11.2	18.0	-0.20	2.6	219	152.7
19	4152	LH54	single	0.24	10.7	17.4	0.10	3.7	228	153.3
20	4141tw	BD1596	twin	0.36	10.9	18.0	0.20	3.3	225	156.1
21	1402tw	EM 180100	twin	0.28	10.9	17.4	0.00	3.0	219	151.3
22	3118tw	AS 180080	twin	0.45	12.2	19.7	-0.10	2.7	228	156.2
23	2904	AS 180080	single	0.48	11.3	18.1	-0.20	2.4	217	150.1
24	1919	AS 180080	single	0.48	11.3	17.7	-0.30	2.3	214	148.0
25	1315	EM 180100	twin	0.22	10.4	16.0	0.10	2.6	209	143.5
26	1247tw	AS 180080	twin	0.39	11.6	18.4	-0.30	2.6	221	153.2
27	1170tw	EM 180100	twin	0.26	10.7	16.8	0.30	2.7	212	144.2
28	1818tw	G 170470	twin	0.33	12.1	19.1	0.30	3.3	226	152.8
29	2014tw	AS 180080	twin	0.40	11.3	18.0	0.20	2.9	222	152.3
30	1212tw	AS 180080	single	0.44	12.0	19.2	-0.30	2.3	222	156.2
31	2303	BD181462	twin	0.33	11.0	16.9	0.00	3.4	223	146.6
32	1834tw	AS 180080	single	0.46	11.0	17.7	-0.30	2.1	212	147.7
33	1311	AS 180080	twin	0.47	11.4	18.4	-0.30	2.6	220	155.3
34	1096tw	EM 180100	triplet	0.23	11.2	17.5	0.20	2.7	216	146.2
35	1525tw	BD181462	twin	0.37	11.5	18.1	0.20	3.2	226	147.1
36	2798	BD181462	single	0.31	11.1	17.3	0.00	3.4	224	148.1
37	1940	BD 181462	twin	0.30	10.3	16.1	-0.10	3.2	218	143.8
38	2340tw	AS 180080	single	0.46	11.1	18.0	-0.10	2.4	215	154.4
39	1318tw	BD181462	single	0.39	10.5	16.0	0.10	3.3	218	147.3
40	2477	BD181462	single	0.22	10.8	17.2	0.10	3.6	225	148.1
41	2749tp	AS 180080	twin	0.39	11.7	18.9	-0.30	2.5	222	154.9
42	1800	AS 180080	single	0.42	11.0	17.6	-0.20	2.6	218	153.0
43	1284tw	AS 180080	twin	0.45	11.7	18.8	-0.20	2.4	221	153.9
44	1143	BD 181462	single	0.39	10.4	15.9	-0.20	2.8	212	141.5
45	2678	BD181462	single	0.43	10.8	16.8	0.20	3.4	220	148.7
46	2250tp	BD181462	twin	0.28	11.0	17.5	0.00	3.2	223	146.9
47	2172tw	EM 180100	single	0.14	10.5	16.3	0.30	2.9	212	144.1
48	1485tw	AS 180080	single	0.44	10.9	17.5	-0.30	2.4	214	148.5
49	1763	G 170470	twin	0.38	11.4	18.1	0.40	3.1	224	154.6
50	1151tw	AS 180080	single	0.45	11.8	19.4	-0.30	2.2	220	154.6
51	1796tw	G 170470	single	0.38	11.4	17.8	0.40	3.1	231	154.4
52	2143	G 170470	single	0.4	11.3	17.8	0.70	3.5	226	157.0
53	2463	AS 180080	single	0.42	10.6	17.1	-0.30	2.2	210	146.1
54	1355	AS 180080	single	0.47	11.0	17.3	0.00	2.4	213	152.3
55	2358	AS 180080	single	0.41	11.5	18.7	-0.30	2.5	221	154.8
56	1084tw	AS 180080	twin	0.49	11.4	18.1	-0.10	2.3	217	152.5

LOT	Dam ID	Ram ID	SIL	Bwt	Wwt	Pwwt	Pfat	Pemd	Carcase +	TCP
57	2908tw	EM 180100	single	0.14	10.0	16.1	0.30	2.9	210	144.5
58	1782	BD181462	single	0.32	10.7	16.5	0.20	3.3	219	144.5
59	2935tw	EM 180100	single	0.29	10.6	16.5	0.10	2.8	213	145.3
60	1848tw	AS 180080	twin	0.46	11.2	17.7	-0.20	2.3	214	153.5
61	3034tw	AS 180080	twin	0.49	11.8	18.9	-0.10	2.7	224	157.4
62	2381tw	BD181462	single	0.23	10.7	16.5	-0.30	3.1	218	145.0
63	1786tw	G 170470	twin	0.28	10.8	17.3	0.30	3.2	221	149.2
64	2905	AS 180080	single	0.47	12.1	19.5	-0.30	2.4	225	156.1
65	2644tw	BD 181462	single	0.36	10.2	15.5	-0.10	3.0	212	142.1
66	2327	EM 180100	twin	0.28	10.8	16.6	0.00	2.4	210	143.9
67	2417tw	AS 180080	single	0.43	11.4	18.1	-0.10	3.0	225	155.0
68	2323tw	AS 180080	single	0.49	11.7	18.7	-0.30	2.3	220	154.4
69	2410tw	G 170470	twin	0.35	12.1	18.8	0.20	3.1	227	154.5
70	3066tw	AS 180080	single	0.49	11.8	18.7	-0.30	2.2	219	152.0
71	2096tw	EM 180100	twin	0.25	10.6	16.4	0.30	2.9	213	145.7
72	2616	EM 180100	single	0.24	10.2	16.3	0.50	3.2	214	150.5
73	2579tw	BD181462	single	0.34	10.7	16.8	0.10	3.5	222	149.8
74	1540tp	BD181462	twin	0.29	11.0	17.6	-0.10	3.1	222	149.6
75	2448tw	AS 180080	twin	0.40	11.3	18.4	-0.30	2.2	216	152.0
76	2219tw	AS 180080	twin	0.45	11.9	18.7	-0.50	2.4	220	151.1
77	1811tw	AS 180080	twin	0.41	11.6	18.6	-0.10	2.6	222	153.5
78	1771tw	G 170470	single	0.40	11.5	18.2	0.30	3.0	223	156.3
79	3001	AS 180080	single	0.48	12.4	19.5	-0.30	2.4	224	154.6
80	2669tw	BD181462	single	0.33	10.8	17.2	0.20	3.7	226	151.8
81	2211tw	AS 180080	single	0.46	11.3	18.0	-0.30	2.3	216	151.8
82	2913tw	EM 180100	twin	0.19	10.2	16.2	0.30	2.9	211	144.4
83	2482tw	AS 180080	twin	0.42	10.6	17.1	-0.30	2.2	210	146.1
84	1744tw	EM 180100	twin	0.21	10.4	16.2	0.10	2.8	211	144.7
85	2130tp	EM 180100	twin	0.20	10.7	16.9	0.20	3.0	216	146.3
86	2363tw	AS 180080	twin	0.48	11.3	18.0	-0.20	2.2	214	150.6
87	2706tw	AS 180080	single	0.43	11.7	19.4	0.10	3.3	233	162.9
88	1181tw	G 170470	single	0.33	11.2	17.8	0.40	3.3	231	154.4
89	2123	G 170470	single	0.35	11.2	17.8	0.50	3.5	226	152.8
90	2714tw	G 170470	single	0.24	11.1	17.9	0.20	3.3	225	155.4
91	727	G 170470	twin	0.32	11.6	18.5	0.40	3.6	229	156.1
92	9501	AS 180080	twin	0.51	11.2	18.2	-0.10	2.3	216	150.8
93	9906	AS 180080	twin	0.53	11.1	17.8	-0.30	2.2	215	151.2
94	9966tw	EM 180100	single	0.19	10.1	16.0	0.20	2.6	208	143.5
95	184	EM 180100	twin	0.27	10.4	16.2	0.10	2.3	206	145.1
96	9867tw	AS 180080	triplet	0.44	12.3	19.9	-0.30	2.5	228	158.1
97	9990	EM 180100	single	0.28	10.4	16.2	0.10	2.5	208	144.8
98	911	AS 180080	twin	0.40	10.9	17.8	-0.10	2.4	216	150.3
99	9624tw	AS 180080	single	0.46	12.0	19.3	-0.40	2.2	223	157.3
100	647tw	EM 180100	twin	0.15	10.0	16.0	0.20	2.9	210	144.2
101	740	G 170470	twin	0.30	11.6	18.4	0.30	3.5	230	156.3
102	237tp	EM 180100	twin	0.24	10.0	16.1	0.20	2.7	208	143.6
103	70	AS 180080	single	0.46	10.9	17.4	-0.30	2.4	214	149.1
104	840	AS 180080	triplet	0.45	11.3	18.2	0.00	2.4	218	151.2
105	291tw	EM 180100	twin	0.19	10.6	16.8	0.20	2.7	212	148.0
106	631	AS 180080	twin	0.42	11.2	18.1	-0.20	2.5	218	151.1
107	1006	G 170470	twin	0.34	11.9	18.6	0.20	3.3	228	155.4
108	535tw	AS 180080	single	0.46	11.6	18.8	-0.50	2.1	218	152.1
109	9466tw	G 170470	single	0.32	11.1	18.1	0.60	3.5	226	154.9
110	9654tw	AS 180080	twin	0.47	11.0	18.0	-0.10	2.2	213	149.0
111	520tw	G 170470	twin	0.33	10.9	17.3	0.20	2.9	217	150.4
112	971	EM 180100	twin	0.25	10.9	17.1	0.30	2.9	215	147.5
113	9866	AS 180080	triplet	0.49	11.5	18.7	-0.20	2.3	219	154.2
114	852	AS 180080	single	0.43	11.0	17.5	-0.30	2.3	214	151.6
115	455tw	G 170470	twin	0.33	11.3	18.3	0.50	3.1	224	154.0
116	848tw	BD 181462	single	0.26	10.1	15.9	-0.20	3.0	213	143.1

LOT	Dam ID	Ram ID	SIL	Bwt	Wwt	Pwwt	Pfat	Pemd	Carcase +	TCP	
117	953tw	AS 180080	twin	0.48	12.0	19.7	-0.20	2.6	227	157.1	
118	9486tw	EM 180100	single	0.20	11.2	17.8	0.30	2.9	220	150.9	
119	505tw	G 170470	triplet	0.27	11.2	17.6	0.20	2.9	219	148.7	
120	750	AS 180080	twin	0.49	12.0	19.5	-0.10	2.4	224	153.9	
121	9900tw	BD 181462	twin	0.29	10.9	17.1	-0.50	2.9	219	146.9	
122	9889	AS 180080	single	0.54	11.4	18.6	-0.20	2.2	218	154.6	
123	9682tw	EM 180100	twin	0.24	10.3	16.4	0.20	2.7	210	146.2	
124	936tp	AS 180080	twin	0.44	11.5	18.5	-0.30	2.4	220	154.3	
125	9565tw	AS 180080	twin	0.44	11.7	19.0	-0.40	2.4	223	156.3	
126	9903tw	G 170470	twin	0.35	11.6	18.4	0.00	2.9	223	154.5	
127	1017	AS 180080	single	0.46	11.6	18.4	-0.30	2.4	221	152.3	
128	190tw	EM 180100	twin	0.19	10.0	15.7	0.30	2.7	207	142.7	
129	1040tw	BD 181462	twin	0.30	11.8	18.4	-0.30	3.1	223	154.0	
130	382	AS 180080	twin	0.46	11.1	17.8	0.00	2.5	216	153.7	
131	801	EM 180100	twin	0.18	10.6	17.1	0.40	3.1	217	149.6	
132	9868tw	EM 180100	triplet	0.21	11.1	17.8	0.40	3.0	220	150.7	
133	118tw	G 170470	twin	0.30	10.9	16.9	0.10	2.9	216	147.5	
134	85	G 170470	single	0.33	10.5	16.6	0.30	3.0	216	150.7	
135	698	EM 180100	single	0.16	10.5	16.8	0.30	2.9	215	148.4	
136	553tw	BD 181462	twin	0.36	10.7	16.2	-0.30	2.8	214	143.4	
137	9633tw	EM 180100	twin	0.16	11.0	17.4	0.20	2.8	217	147.9	
138	9957	BD181462	twin	0.29	11.2	17.3	0.00	3.1	223	147.9	
139	856tw	EM 180100	single	0.20	11.0	17.8	0.40	3.0	219	148.5	
140	209tw	AS 180080	twin	0.43	11.4	18.2	-0.30	2.3	217	151.6	
141	9524tw	G 170470	single	0.36	10.8	17.1	0.20	2.8	217	149.5	
142	9623tw	EM 180100	twin	0.22	10.9	17.1	0.00	2.7	215	150.4	
143	821tw	EM 180100	twin	0.21	11.2	18.0	0.20	2.8	219	148.5	
144	689tw	EM 180100	single	0.17	10.2	16.0	0.20	2.9	212	145.7	
145	219tw	G 170470	single	0.37	11.5	18.1	0.40	3.0	223	155.7	
146	642	AS 180080	single	0.47	11.1	18.0	-0.20	2.4	218	152.0	
147	263tw	AS 180080	twin	0.47	11.4	18.1	-0.30	2.1	216	150.5	
148	9316tp	G 170470	single	0.26	11.0	17.2	0.40	3.2	220	148.4	
149	8985tw	AS 180080	single	0.44	11.6	18.3	-0.10	2.5	220	152.0	
150	8379tw	AS 180080	single	0.41	11.2	18.2	-0.10	2.3	216	150.5	
151	8748	EM 180100	twin	0.22	10.1	16.1	0.40	2.8	209	145.3	
152	9045tw	AS 180080	single	0.47	11.9	18.8	-0.10	2.3	220	151.5	
153	8295	AS 180080	triplet	0.47	11.1	18.0	-0.20	2.2	215	149.5	
154	9159tp	G 170470	twin	0.25	10.9	17.7	0.30	3.2	223	150.0	
155	9095tw	AS 180080	single	0.46	12.3	20.2	-0.10	2.5	228	158.0	
156	9098	AS 180080	single	0.45	10.7	17.2	-0.30	2.4	214	150.7	
157	8802	AS 180080	twin	0.36	11.7	19.0	-0.30	2.1	225	156.6	
158	9391	BD 181462	single	0.31	10.9	17.2	-0.20	3.3	224	149.0	
159	9401	G 170470	single	0.23	11.5	18.1	0.30	3.4	228	156.6	
			<b>POLL DORSETS</b>								
LOT	Dam ID	Ram ID	SIL	Bwt	Wwt	Pwwt	Pfat	Pemd	Carcase +	TCP	
160	1675	BD 170180	twin	0.49	12.4	19.7	0.00	3.8	241	156.1	
161	2464	BD 181548	single	0.52	11.8	19.0	0.10	3.4	233	153.2	
162	1736	BD 181548	single	0.54	11.6	18.3	0.10	3.4	229	151.3	
163	1668	BD 181548	twin	0.45	11.1	17.5	0.10	3.2	223	147.3	
164	1138	BD 181548	single	0.49	11.2	18.1	-0.10	3.3	227	157.3	
165	2690	BD 181548	single	0.48	11.6	18.5	0.10	3.5	232	158.4	
166	1959tw	BD 181548	twin	0.47	11.7	18.8	0.10	3.5	233	153.8	
167	2489tw	BD 181548	single	0.52	11.7	18.2	0.00	3.2	228	150.8	
168	1978tw	BD 170180	single	0.42	12.0	18.7	0.20	3.6	234	152.2	
169	1995tw	BD 181548	twin	0.49	11.9	18.7	0.00	3.2	230	151.2	
170	2023tw	BD 170180	single	0.44	12.3	19.1	0.10	3.3	233	152.6	
171	2067tw	BD 181548	single	0.45	11.5	18.2	0.00	3.2	227	148.3	
172	1178tw	BD 170180	single	0.37	11.9	18.0	0.20	3.5	229	147.5	
173	1958tw	BD 170180	twin	0.41	11.9	18.6	0.10	3.5	232	152.6	
174	1920	BD 181548	single	0.46	10.9	17.6	0.00	3.1	223	151.5	



			SUFFOLK							
LOT	Dam ID	Ram ID	SIL	Bwt	Wwt	Pwwt	Pfat	Pemd	Carcase +	TCP
230	2701tw	KR180501	twin	0.45	9.0	13.9	-0.20	0.9	181	134.5
231	2944	LY 170125	single	0.16	7.5	12.8	0.30	0.9	171	125.1
232	2634tw	KR180501	single	0.48	8.8	13.6	-0.40	0.5	175	132.0
233	2540tw	AF177373	single	0.41	7.4	11.3	-0.30	0.8	167	127.1
234	2654tw	KA188123	single	0.52	8.7	14.4	-0.10	0.7	179	136.1
235	2803tw	LY 170125	single	0.23	7.5	12.9	0.50	1.0	172	126.7
236	2814tw	AF177373	single	0.44	7.8	11.5	-0.50	0.4	165	125.9
237	2943tw	KR180501	twin	0.41	8.9	13.5	-0.40	0.6	176	131.2
238	2815tw	LY 170125	twin	0.24	7.7	12.9	0.50	0.5	168	124.6
239	3086tw	LY 170125	twin	0.22	8.2	13.6	0.40	1.0	177	128.4
240	2629tw	KR180501	twin	0.46	9.1	14.2	-0.30	0.6	178	133.8
241	3117	LY 170125	triplets	0.22	7.5	13.1	0.50	0.9	172	126.9
242	2608tw	KA188123	single	0.57	9.1	14.6	-0.10	0.9	183	136.8
243	2891tw	LY 170125	twin	0.18	7.2	12.9	0.20	0.8	168	124.9
244	2655tp	KA188123	single	0.52	8.7	14.7	0.10	0.9	181	135.2
245	2802tw	LY 170125	single	0.22	7.4	12.8	0.50	1.1	172	126.5
246	2526tw	KA188123	single	0.51	8.9	14.5	0.10	1.5	188	140.4
247	2630tw	AF177373	single	0.42	8.0	12.1	-0.30	0.9	173	130.5
248	862	KA188123	twin	0.57	8.7	14.3	-0.10	0.8	179	136.1
249	949	LY 170125	single	0.24	7.6	12.9	0.30	0.8	171	126.9
250	767tw	KA188123	single	0.54	8.7	14.4	0.00	0.9	181	136.8
251	9285tw	LY 170125	twin	0.24	7.9	13.2	0.00	0.1	165	123.1
252	9200tw	LY 170125	twin	0.23	7.9	13.2	0.30	0.8	172	125.5
253	9197	KR180501	twin	0.39	8.4	13.1	-0.60	0.2	170	129.3
254	9239tw	LY 170125	twin	0.15	7.5	12.5	0.10	1.0	172	126.9
255	9137tw	LY 170125	twin	0.19	7.7	12.5	0.10	0.7	169	124.6
256	9013tw	LY 170125	twin	0.23	7.8	13.1	0.30	0.7	170	125.2
257	9207tw	KR180501	twin	0.40	8.7	13.4	-0.30	0.6	175	131.1
258	9101tw	LY 170125	twin	0.21	7.7	12.9	0.20	0.7	170	125.5
259	8982tw	LY 170125	twin	0.24	7.9	13.6	0.40	0.9	175	127.6
260	9245tw	KR180501	twin	0.43	8.8	13.4	-0.30	0.6	175	131.7
261	9341tw	LY 170125	twin	0.18	7.5	13.0	0.40	0.9	172	125.0