



# JAROBEE

• ANGUS •



## SPRING BULL SALE

**FRIDAY 15TH OCTOBER 2021 at 1:00pm**

• **50 HBR BULLS** •

Alan & Jan Robinson  
Ph/Fax: 02 6032 4124 Mobile: 0429 324 124  
or Greg White 0417 215 883  
Email: [jarobee@bigpond.com](mailto:jarobee@bigpond.com)

**INSPECTION WELCOME ANY TIME BY APPOINTMENT - COVID COMPLIANT**

# Jarobee Angus Stud

**Contact**

Alan & Jan Robinson Phone 02 6032 4124, Mobile 0429 324 124  
Greg White 0417 215 883  
Email: jarobee@bigpond.com

**Agents****Elders Limited (Albury)**

Stephen Street 0428 579 338 Brett Shea 0428 691 489

**Peter Ruaro Livestock & Real Estate (Wodonga)**


Peter Ruaro 0447 600 825

**Auctioneer****Michael Glasser** 0403 526 702**Phone Bidding**

Please contact Elders Albury Office 24 hours prior to the sale or one of the agents listed.

**Directions**

Jarobee Angus is 4.5km west of Beechworth on the Wangaratta Road.  
Turn left into Robinsons Road.

**Sale Terms**

All lots to be governed by the usual sale conditions available on sale day - 4% rebate is offered to outside agents introducing buyers prior to the sale. For this rebate they must do two things.

1. Introduce the client in writing to the vendor or agents via fax or email prior to the sale.
2. Settle within 7 days.

Agents not meeting the above terms will be entitled to 1% rebate.

**Disclaimer**

All reasonable care and attention has been paid to accuracy in the compilation of this catalogue, neither the vendors nor the selling agents or representatives thereof resume any responsibility what so ever for the correctness use or interpretation of the information on animals included in this sale catalogue.

# **JAROBEE ANGUS SPRING BULL SALE INTRODUCTION**

Dear Fellow Producers ,

On the 15 of October 2021 at Beechworth sale complex at 1pm Jarobee is offering 50 HBR bulls that have been selected to adhere to Jarobee's breeding philosophies. Blending sires with genetics when coupled with our strong and consistent female base will produce market toppers. Bulls have been scanned and thoroughly assessed by Jim Green.

Vet checked by Dr Joshua Berryman, for breeding soundness and again assessed and pestivirus tested. As in normal practice had vibriomax, ultravac 7 in 1, D. Max pour on drench and two shots of pestiguard. Comments from all outside people conducting these inspections have highly praised the bull's temperaments.

Jarobees sale will strictly adhere to all COVID 19 guidelines and protocol. We are living in a changed world with COVID 19 implications, creating changes we have not experienced.

What an exceptional year, ongoing rains, amazing growth feed wise rewarding the pasture improvement efforts that are an ongoing important part of our programs. Crops are also enjoying the conditions.

With markets exceeding levels we have not seen before we are very encouraged and excited to be part of these times, as are the younger generations enthusiastic about the future of JAROBEE ANGUS. Preferring to schedule droving jobs to be weekends when they can become weekend ringers on horseback.

The JAROBEE Team look forward to meeting you on sale day and welcome you to discuss your breeding programs.

Kind Regards

**The JAROBEE TEAM.**

# Sale Information

## Pre Sale Inspection

We invite you to come to Jarobee at Beechworth, Pre Sale Inspections welcome by appointment by contacting Alan or Jan 0429 324 124 or Greg 0417 215 883.

## Sale Day Inspection

Bulls will be penned for inspection from 10am on day of sale.

## Animal Health

All bulls have received regular vaccinations of 7 in 1 over their life.

2 Injections of Vibrovax

2 Injections of Pestigard

Drenched with Bomectin

Drenched with ID Max Pour on drench

## Scanned & Assessed

Bulls scanned and assessed by Jim Green 0402 003 137



Beef Xcel  
[www.c2cbeef.com.au](http://www.c2cbeef.com.au)



**AuctionsPlus®**

*Australia's Livestock Marketplace*

## Fertility Examination including Animal Health

All bulls have passed a thorough fertility examination conducted by Dr. Josh Berryman, Holbrook Vet Centre. This examination included an assessment of structural soundness, palpation of reproductive organs and penile inspection. The bulls have been tested to be Pestivirus (PI, or carrier state) free and have received their full course of 7-in-1, vibrovax and Pestigard vaccinations.



In the unlikely event of a bull proving to be infertile or incapable of natural service, the vendor will offer to supply a suitable replacement, if available or credit the purchase price, less the salvage value of the bull. This is, provided the problem is not caused by injury, disease, mismanagement or negligence which was contracted since taking delivery of the bull. Any claim must be lodged to the vendor accompanied by a relevant veterinary certificate within 12 months of purchase.

## Delivery

Free delivery offered by Jarobee within 200km.

## Guarantee

### JAROBEE 2 YEAR GUARANTEE

All breeding cattle sold by Jarobee are fertile and structurally sound to the best of our knowledge. If an animal becomes infertile or breaks down due to reason other than injury or misadventure at anytime in the 24 months we will:

1. Provide you with a satisfactory replacement if available, or
2. Issue you with a credit equal to the purchase price less the salvage value that may be used to purchase an animal from Jarobee.

Any claims are to be accompanied by a certificate from a registered vet.

All vet cost are the responsibility of the purchaser.

## Refreshments

Complimentary morning tea and lunch.

## Accommodation

Newton Park Motel, Ph: 03 5728 2244

Golden Heritage Motor Inn, Ph: 03 5728 1404

# UNDERSTANDING THE TRANSTASMAN ANGUS CATTLE EVALUATION (TACE)



**TACE**   
TransTasman Angus Cattle Evaluation

## What is the TransTasman Angus Cattle Evaluation?

The TransTasman Angus Cattle Evaluation is the genetic evaluation program adopted by Angus Australia for Angus and Angus influenced beef cattle. The TransTasman Angus Cattle Evaluation uses Best Linear Unbiased Prediction (BLUP) technology to produce Estimated Breeding Values (EBVs) of recorded cattle for a range of important production traits (e.g. weight, carcase, fertility).

The TransTasman Angus Cattle Evaluation is an international genetic evaluation and includes pedigree, performance and genomic information from the Angus Australia and Angus New Zealand databases, along with selected information from the American and Canadian Angus Associations.

The TransTasman Angus Cattle Evaluation utilises a range of genetic evaluation software, including the internationally recognised BLUPF90 family of programs, and BREEDPLAN® beef genetic evaluation analytical software, as developed by the Animal Genetics and Breeding Unit (AGBU), a joint institute of NSW Agriculture and the University of New England, and Meat and Livestock Australia Limited (MLA).

## What is an EBV?

An animal's breeding value can be defined as its genetic merit for each trait. While it is not possible to determine an animal's true breeding value, it is possible to estimate it. These estimates of an animal's true breeding value are called EBVs (Estimated Breeding Values).

EBVs are expressed as the difference between an individual animal's genetics and a historical genetic level (i.e. group of animals) within the TACE genetic evaluation, and are reported in the units in which the measurements are taken.

## Using EBVs to Compare the Genetics of Two Animals

TACE EBVs can be used to estimate the expected difference in the genetics of two animals, with the expected difference equating to half the difference in the EBVs of the animals, all other things being equal (e.g. they are joined to the same animal/s).

For example, a bull with a 200 Day Growth EBV of +60 would be expected to produce progeny that are, on average, 10 kg heavier at 200 days of age than a bull with a 200 Day Growth EBV of +40 kg (i.e. 20 kg difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

Or similarly, a bull with an IMF EBV of +3.0 would be expected to produce progeny with on average, 1% more intramuscular fat in a 400 kg carcase than a bull with a IMF EBV of +1.0 (i.e. 2% difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

## Using EBVs to Benchmark an Animal's Genetics with the Breed

EBVs can also be used to benchmark an animal's genetics relative to the genetics of other Angus or Angus infused animals in Australia.

To benchmark an animal's genetics relative to other Angus animals, an animal's EBV can be compared to the EBV reference tables, which provide:

- the breed average EBV
- the percentile bands table

The current breed average EBV is listed on the bottom of each page in this publication, while the current EBV reference tables are included at the end of these introductory notes. For easy reference, the percentile band in which an animal's EBV ranks is also published in association with the EBV.

## Considering Accuracy

An accuracy value is published with each EBV, and is usually displayed as a percentage value immediately below the EBV.

The accuracy value provides an indication of the reliability of the EBV in estimating the animal's genetics (or true breeding value), and is an indication of the amount of information that has been used in the calculation of the EBV.

EBVs with accuracy values below 50% should be considered as preliminary or of low accuracy, 50-74% as of medium accuracy, 75-90% of medium to high accuracy, and 90% or greater as high accuracy.

## Description of TACE EBVs

EBVs are calculated for a range of traits within TACE, covering calving ease, growth, fertility, maternal performance, carcase merit, feed efficiency and structural soundness. A description of each EBV included in this publication is provided on the following page.

# UNDERSTANDING ESTIMATED BREEDING VALUES (EBVs)

Birth	CEDir	%	Genetic differences in the ability of a sire's calves to be born unassisted from 2 year old heifers.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
	CEDtrs	%	Genetic differences in the ability of a sire's daughters to calve unassisted at 2 years of age.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
	GL	days	Genetic differences between animals in the length of time from the date of conception to the birth of the calf.	Lower EBVs indicate shorter gestation length.
	BW	kg	Genetic differences between animals in calf weight at birth.	Lower EBVs indicate lighter birth weight.
Growth	200 Day	kg	Genetic differences between animals in live weight at 200 days of age due to genetics for growth.	Higher EBVs indicate heavier live weight.
	400 Day	kg	Genetic differences between animals in live weight at 400 days of age.	Higher EBVs indicate heavier live weight.
	600 Day	kg	Genetic differences between animals in live weight at 600 days of age.	Higher EBVs indicate heavier live weight.
	MCW	kg	Genetic differences between animals in live weight of cows at 5 years of age.	Higher EBVs indicate heavier mature weight.
	Milk	kg	Genetic differences between animals in live weight at 200 days of age due to the maternal contribution of its dam.	Higher EBVs indicate heavier live weight.
Fertility	DtC	days	Genetic differences between animals in the time from the start of the joining period (i.e. when the female is introduced to a bull) until subsequent calving.	Lower EBVs indicate shorter time to calving.
	SS	cm	Genetic differences between animals in scrotal circumference at 400 days of age.	Higher EBVs indicate larger scrotal circumference.
Carcase	CWT	kg	Genetic differences between animals in hot standard carcase weight at 750 days of age.	Higher EBVs indicate heavier carcase weight.
	EMA	cm <sup>2</sup>	Genetic differences between animals in eye muscle area at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate larger eye muscle area.
	Rib Fat	mm	Genetic differences between animals in fat depth at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more fat.
	P8 Fat	mm	Genetic differences between animals in fat depth at the P8 rump site in a 400 kg carcase.	Higher EBVs indicate more fat.
	RBY	%	Genetic differences between animals in boned out saleable meat from a 400 kg carcase.	Higher EBVs indicate higher yield.
	IMF	%	Genetic differences between animals in intramuscular fat (marbling) at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more intramuscular fat.
Other	NFI-F	kg/day	Genetic differences between animals in feed intake at a standard weight and rate of weight gain when animals are in a feedlot finishing phase.	Lower EBVs indicate more feed efficiency.
	Doc	%	Genetic differences between animals in temperament.	Higher EBVs indicate better temperament.
Structure	Foot Angle	score	Genetic differences in foot angle (strength of pastern, depth of heel).	Lower EBVs indicate more desirable foot angle.
	Claw Set	score	Genetic differences in claw set structure (shape and evenness of claws).	Lower EBVs indicate more desirable claw structure.
Selection Index	ABI	\$	Genetic differences between animals in net profitability per cow joined in a typical commercial self replacing herd using Angus bulls. This selection index is not specific to a particular production system or market end-point, but identifies animals that will improve overall profitability in the majority of commercial grass and grain finishing beef production systems.	Higher selection index values indicate greater profitability.
	DOM	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting the domestic supermarket trade.	Higher selection index values indicate greater profitability.
	HGRN	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture grown steers with a 250 day feedlot finishing period for the grain fed high quality, highly marbled markets.	Higher selection index values indicate greater profitability.
	HGRS	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture finished steers.	Higher selection index values indicate greater profitability.





**RS JAROBEE JUDD M17<sup>SV</sup> (HBR)****CROM17**

DOB: 30/04/2016

Mating Type: Natural

TE MANIA AMBASSADOR A134<sup>SV</sup>  
 TUWHARETOA REGENT D145<sup>PV</sup>  
 LAWSONS HENRY VIII Y5<sup>SV</sup>

**SIRE: HKFJ5 PARINGA JUDD J5<sup>PV</sup>**

TE MANIA BERKLEY B1<sup>PV</sup>  
 STRATHEWEN BERKLEY WILPENA F30<sup>PV</sup>  
 STRATHEWEN IN FOCUS WILPENA B41<sup>PV</sup>

Traits Observed: BWT,400WT,SC,Scan(EMA,Rib,Rump,IMF)

TE MANIA BARTEL B219<sup>PV</sup>  
 AYRVALE BARTEL E7<sup>PV</sup>  
 EAGLEHAWK JEDDA B32<sup>SV</sup>

**DAM: CROK40 JAROBEE BARTEL K40#**

TE MANIA BERKLEY B1<sup>PV</sup>  
 JAROBEE BERKLEY F108#  
 JAROBEE S.S.TRAVELER T 510 Z24#

TACE	October 2021 TransTasman Angus Cattle Evaluation													Genetic Status: AMFU,CAFU,DDFU,NHFU					
	Calving Ease		Birth		Growth					Fertility		Carcase					Other		
Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
<b>EBVs</b>	<b>+10.8</b>	<b>+7.0</b>	<b>-5.9</b>	<b>+1.4</b>	<b>+47</b>	<b>+88</b>	<b>+112</b>	<b>+91</b>	<b>+23</b>	<b>+2.6</b>	<b>-9.3</b>	<b>+76</b>	<b>+8.2</b>	<b>+1.4</b>	<b>+2.0</b>	<b>+0.0</b>	<b>+2.7</b>	<b>+0.35</b>	-
Acc	67%	54%	86%	86%	76%	76%	77%	73%	64%	79%	50%	68%	68%	69%	70%	67%	64%	58%	-
Perc	2	11	27	5	58	44	52	63	10	21	2	14	17	13	6	70	22	72	-

Selection Indexes							
Angus Breeding		Domestic		Heavy Grain		Heavy Grass	
\$149	5	\$129	6	\$164	8	\$139	5

Statistics: Number of Herds: 1, Prog Analysed: 26, Genomic Prog: 0

**RS TEXAS DISCOVERY NO31<sup>PV</sup> (HBR)****DXTN031**

DOB: 2/02/2017

Mating Type: ET

MYTTY IN FOCUS#  
 A A R TEN X 7008 S A<sup>SV</sup>  
 A A R LADY KELTON 5551#

**SIRE: USA17262835 V A R DISCOVERY 2240<sup>PV</sup>**

SITZ UPWARD 307R<sup>SV</sup>  
 DEER VALLEY RITA 0308#  
 G A R OBJECTIVE 2345#

Traits Observed: BWT,200WT,400WT(x2),SC,Scan(EMA,Rib,Rump,IMF),DOC

TE MANIA UNLIMITED U3271#  
 TE MANIA 09 450#  
 TE MANIA 03 34#

**DAM: DXTJ605 TEXAS TOQUE J605<sup>SV</sup>**

ARDROSSAN DIRECTION W109<sup>PV</sup>  
 TEXAS TOQUE DO35<sup>PV</sup>  
 TEXAS TOQUE Z008<sup>SV</sup>

TACE	October 2021 TransTasman Angus Cattle Evaluation													Genetic Status: AMFU,CAFU,DDFU,NHFU					
	Calving Ease		Birth		Growth					Fertility		Carcase					Other		
Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
<b>EBVs</b>	<b>-5.2</b>	<b>-0.2</b>	<b>-6.1</b>	<b>+5.5</b>	<b>+62</b>	<b>+118</b>	<b>+160</b>	<b>+148</b>	<b>+16</b>	<b>+2.5</b>	<b>-1.3</b>	<b>+86</b>	<b>+4.0</b>	<b>-1.3</b>	<b>-2.6</b>	<b>+0.7</b>	<b>+2.4</b>	<b>+0.26</b>	<b>+5</b>
Acc	65%	51%	78%	80%	74%	74%	74%	71%	67%	75%	45%	68%	66%	69%	67%	66%	65%	55%	60%
Perc	92	77	24	79	4	1	1	2	56	25	94	3	79	84	93	40	31	62	56

Selection Indexes							
Angus Breeding		Domestic		Heavy Grain		Heavy Grass	
\$131	24	\$115	34	\$150	18	\$126	21

Statistics: Number of Herds: 1, Prog Analysed: 8, Genomic Prog: 0



# REFERENCE Sires



ESSLEMONT LOTTO L3 WWEL3



GRANITE RIDGE KAISER SJKK26



TEXAS DISCOVERY DXTN031



LAWSONS MOMENTOUS VLYM518



PATHFINDER MAGNUM SMPM778



BRUNS BLASTER USA17991528

# TransTasman Angus Cattle Evaluation - October 2021 Reference Tables



## BREED AVERAGE EBVs

	Calving Ease CEDir	Birth BW	200 400	600 MCV	Milk SS	Fertility DTC	Carcass CWT	RIB P8	RBY P8	IMF	NFLF	Other DOC	Structure Angle	Claw	ABI	DOM	GRN	GRS							
Brd Avg	+1.9	+2.4	-4.5	+4.1	+4.8	+87	+113	+97	+17	+2.0	-4.6	+64	+6.0	+0.0	-0.4	+0.5	+2.0	+0.18	+6	+0.98	+0.84	+115	+108	+120	+112

\* Breed average represents the average EBV of all 2019 drop Australian Angus and Angus-influenced seedstock animals analysed in the October 2021 TransTasman Angus Cattle Evaluation.

## PERCENTILE BANDS TABLE

% Band	Calving Ease CEDir	Birth BW	200 400	600 MCV	Milk SS	Fertility DTC	Carcass CWT	RIB P8	RBY P8	IMF	NFLF	Other DOC	Structure Angle	Claw	ABI	DOM	GRN	GRS								
1%	+11.0	+9.8	-10.4	+0.0	+0.0	+66	+116	+156	+28	+4.3	-9.6	+91	+12.6	+3.4	+3.3	+2.8	+4.5	-0.57	+32	+0.60	+0.42	+161	+139	+189	+149	
5%	+9.0	+8.2	-8.5	+1.4	+1.4	+60	+107	+142	+24	+3.5	-8.1	+82	+10.4	+2.2	+2.1	+2.1	+3.7	-0.33	+24	+0.72	+0.54	+149	+130	+170	+139	
10%	+7.8	+7.2	-7.6	+2.0	+2.0	+57	+102	+135	+23	+3.1	-7.3	+78	+9.2	+1.7	+1.5	+1.7	+3.3	-0.22	+20	+0.76	+0.60	+142	+126	+160	+133	
15%	+6.9	+6.4	-6.9	+2.5	+2.5	+56	+99	+130	+22	+2.9	-6.8	+75	+8.5	+1.3	+1.1	+1.5	+3.0	-0.14	+17	+0.80	+0.64	+137	+123	+153	+130	
20%	+6.1	+5.8	-6.5	+2.8	+2.8	+54	+96	+127	+21	+2.7	-6.4	+73	+7.9	+1.0	+0.8	+1.3	+2.8	-0.08	+15	+0.84	+0.68	+134	+120	+148	+127	
25%	+5.4	+5.2	-6.1	+3.1	+3.1	+53	+94	+124	+20	+2.5	-6.0	+71	+7.4	+0.8	+0.6	+1.1	+2.6	-0.03	+14	+0.86	+0.72	+130	+118	+143	+124	
30%	+4.8	+4.7	-5.7	+3.3	+3.3	+52	+93	+121	+19	+2.4	-5.7	+70	+7.1	+0.6	+0.4	+1.0	+2.5	+0.02	+12	+0.88	+0.74	+127	+117	+139	+122	
35%	+4.3	+4.2	-5.4	+3.5	+3.5	+51	+91	+119	+105	+19	+2.3	-5.4	+68	+6.7	+0.4	+0.2	+0.9	+2.3	+0.06	+10	+0.90	+0.76	+125	+115	+135	+120
40%	+3.7	+3.8	-5.1	+3.7	+3.7	+50	+89	+117	+102	+18	+2.2	-5.1	+67	+6.4	+0.3	+0.0	+0.7	+2.2	+0.10	+9	+0.92	+0.78	+122	+113	+131	+118
45%	+3.1	+3.3	-4.8	+3.9	+3.9	+49	+88	+115	+100	+17	+2.1	-4.8	+66	+6.1	+0.1	-0.2	+0.6	+2.0	+0.13	+8	+0.94	+0.82	+120	+112	+127	+116
50%	+2.5	+2.8	-4.5	+4.1	+4.1	+48	+87	+113	+97	+17	+1.9	-4.6	+64	+5.8	+0.0	-0.5	+1.9	+0.17	+6	+0.96	+0.84	+117	+110	+123	+114	
55%	+1.9	+2.3	-4.2	+4.3	+4.3	+47	+85	+111	+94	+16	+1.8	-4.3	+63	+5.5	-0.2	-0.6	+0.4	+1.8	+0.21	+5	+0.98	+0.86	+115	+108	+119	+112
60%	+1.2	+1.8	-3.9	+4.5	+4.5	+46	+84	+109	+92	+16	+1.7	-4.1	+62	+5.2	-0.4	-0.7	+0.3	+1.7	+0.25	+3	+1.00	+0.88	+112	+107	+115	+110
65%	+0.6	+1.3	-3.6	+4.8	+4.8	+46	+82	+107	+89	+15	+1.6	-3.8	+60	+4.9	-0.5	-0.9	+0.2	+1.6	+0.29	+2	+1.04	+0.90	+109	+105	+111	+108
70%	-0.2	+0.7	-3.3	+4.5	+4.5	+45	+81	+104	+86	+15	+1.5	-3.5	+59	+4.6	-0.7	-1.1	+0.0	+1.4	+0.33	+0	+1.06	+0.94	+106	+103	+107	+105
75%	-1.0	+0.1	-3.0	+5.2	+5.2	+44	+79	+102	+83	+14	+1.4	-3.2	+57	+4.3	-0.9	-1.3	-0.1	+1.3	+0.38	-2	+1.08	+0.96	+103	+101	+102	+103
80%	-1.9	-0.6	-2.6	+5.5	+5.5	+42	+77	+99	+80	+13	+1.2	-2.8	+56	+3.9	-1.1	-1.6	-0.3	+1.2	+0.43	-4	+1.12	+1.00	+98	+98	+96	+100
85%	-3.1	-1.5	-2.1	+5.8	+5.8	+41	+75	+96	+76	+12	+1.1	-2.4	+53	+3.5	-1.3	-1.9	-0.5	+1.0	+0.50	-6	+1.14	+1.04	+93	+95	+98	+96
90%	-4.6	-2.7	-1.6	+6.2	+6.2	+39	+72	+91	+70	+11	+0.8	-1.8	+50	+2.9	-1.7	-2.3	-0.7	+0.8	+0.58	-9	+1.20	+1.08	+86	+91	+79	+90
95%	-7.0	-4.5	-0.6	+6.9	+6.9	+36	+67	+84	+61	+10	+0.5	-0.9	+46	+2.1	-2.2	-2.9	-1.1	+0.4	+0.71	-14	+1.26	+1.16	+74	+83	+62	+80
99%	-12.3	-8.6	+1.3	+8.3	+8.3	+29	+56	+69	+43	+7	-0.3	+1.2	+36	+0.3	+0.3	-3.2	-4.1	-0.1	-0.96	+21	+1.40	+1.32	+0	+0	+0	+0

\* The percentile bands represent the distribution of EBVs across the 2019 drop Australian Angus and Angus-influenced seedstock animals analysed in the October 2021 TransTasman Angus Cattle Evaluation.

## EBV Quick Reference for Jarobee Angus Spring Bull Sale

Animal Ident	Calving Ease		Birth		Growth		Fertility		Carcass		Other		Structural		Selection Indexes										
	CEDir	CEDtrs	GL	BWT	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	RIB	P8	RBY	IMF	NFI-F	DOC	Angle	Claw	ABI	DOM	GRN	GRS
1 CROQ289	+5.5	+0.3	-6.7	+3.4	+54	+90	+123	+109	+14	+2.0	-6.6	+75	+7.8	+1.2	+0.2	+0.1	+2.5	+0.38	-	-	\$138	\$119	\$151	\$131	
2 CROQ160	-0.1	+0.3	-5.2	+6.0	+54	+93	+126	+118	+2.6	-6.3	+73	+7.9	+0.8	+0.2	+0.4	+1.8	+0.06	-	-	\$125	\$110	\$133	\$120		
3 CROQ311	+5.9	+6.2	-5.9	+3.7	+49	+92	+121	+123	+17	+2.1	-8.1	+66	+7.5	+0.2	-0.7	+0.2	+2.5	+0.37	-	-	\$143	\$123	\$162	\$132	
4 CROQ268	+3.5	+2.4	-6.6	+3.7	+50	+86	+117	+113	+12	+2.0	-7.2	+73	+7.9	+0.8	-0.5	+0.5	+2.3	+0.22	-	-	\$135	\$117	\$149	\$126	
5 CROQ252	-3.2	-3.1	-5.6	+4.6	+50	+90	+117	+100	+21	+2.0	-3.8	+64	+6.7	-0.2	+0.8	-0.3	+3.3	+0.54	-	-	\$117	\$105	\$131	\$110	
6 CROQ530	+5.6	+3.1	-5.0	+3.8	+64	+109	+146	+127	+16	+2.3	-5.1	+79	+4.6	-1.3	+0.7	+1.3	+0.2	+0.32	-	-	\$151	\$132	\$167	\$143	
7 CROQ339	+4.4	-1.9	-4.8	+4.6	+54	+98	+123	+94	+20	+2.6	-3.2	+73	+5.9	+0.5	-0.2	+0.9	+1.2	+0.25	-	-	\$117	\$116	\$114	\$119	
8 CROQ101	+7.9	+5.4	-8.6	+3.4	+47	+84	+111	+107	+12	+2.6	-6.3	+59	+2.6	+0.6	-0.2	-0.3	+2.4	+0.37	-	-	\$123	\$112	\$135	\$116	
9 CROQ404	+4.9	+5.6	-5.5	+3.1	+49	+91	+119	+107	+19	+2.1	-7.1	+76	+6.1	+0.4	+0.5	+0.4	+1.5	-0.08	-	-	\$132	\$119	\$137	\$128	
10 CROQ353	+10.7	+9.4	-8.5	+1.9	+43	+77	+103	+106	+12	+2.3	-6.9	+55	+4.1	+1.1	+1.2	-0.1	+2.2	+0.18	-	-	\$125	\$112	\$134	\$119	
11 CROQ375	+5.2	+4.6	-5.0	+3.6	+55	+100	+119	+114	+16	+1.4	-7.1	+74	+6.8	+0.4	-0.7	+0.4	+1.5	+0.13	-	-	\$129	\$125	\$133	\$125	
12 CROQ345	+6.0	+2.9	-5.5	+2.8	+56	+94	+118	+99	+18	+2.0	-6.9	+63	+3.9	+0.3	+0.3	+0.2	+2.0	+0.21	-	-	\$129	\$121	\$135	\$125	
13 CROQ223	+2.0	+1.9	-5.2	+4.1	+50	+91	+114	+103	+23	+2.5	-3.6	+66	+10.3	+0.7	-0.5	+0.6	+3.1	+0.55	-	-	\$127	\$118	\$142	\$120	
14 CROQ225	+2.0	+0.1	-5.2	+4.8	+52	+93	+123	+112	+18	+2.6	-5.3	+69	+8.1	+0.9	+0.0	-0.3	+3.7	+0.51	-	-	\$138	\$118	\$162	\$126	
15 CROQ195	-2.6	-1.9	-4.5	+4.8	+55	+98	+122	+102	+23	+1.9	-3.0	+65	+9.4	+0.4	-0.3	+0.5	+3.0	+0.34	-	-	\$122	\$115	\$134	\$117	
16 CROQ337	+0.7	+1.4	-4.8	+4.1	+60	+100	+125	+113	+15	+1.9	-6.0	+70	+4.0	-1.0	-0.4	+0.5	+2.1	+0.22	-	-	\$127	\$120	\$135	\$122	
17 CROQ262	+1.7	-1.0	-5.2	+5.4	+53	+91	+123	+120	+20	+2.1	-7.0	+76	+6.8	+0.8	+0.2	+0.3	+2.3	+0.02	-	-	\$130	\$112	\$143	\$122	
18 CROQ190	+3.3	+2.5	-5.5	+2.9	+51	+88	+112	+79	+25	+2.0	-2.7	+61	+10.0	+0.2	-0.3	+0.7	+3.2	+0.45	-	-	\$128	\$120	\$140	\$123	
19 CROQ159	+2.0	+1.0	-6.9	+5.2	+50	+84	+107	+110	+17	+1.8	-6.0	+61	+7.9	+0.6	+0.1	+0.6	+1.9	+0.03	-	-	\$114	\$109	\$120	\$110	
20 CROQ322	+4.5	+2.5	-6.9	+3.7	+44	+81	+108	+98	+18	+1.0	-6.8	+64	+8.3	+0.0	-0.7	+0.5	+2.5	+0.37	-	-	\$130	\$114	\$144	\$121	
21 CROQ532	+2.6	+3.3	-6.2	+4.0	+49	+89	+115	+94	+20	+2.7	-3.0	+60	+10.3	-0.1	-0.3	+0.8	+2.9	+0.34	-	-	\$130	\$120	\$143	\$124	
22 CROQ362	+1.6	+4.8	-4.8	+4.4	+61	+104	+134	+130	+17	+2.2	-5.7	+73	+1.9	-1.2	-1.7	+0.6	+1.7	-0.32	-	-	\$126	\$118	\$135	\$122	
23 CROQ246	+3.1	-1.7	-6.0	+4.0	+53	+96	+120	+89	+24	+2.3	-3.4	+69	+10.4	+0.7	+0.0	+0.6	+3.2	+0.50	-	-	\$135	\$124	\$149	\$128	
24 CROQ413	-6.4	-2.4	-5.3	+4.8	+50	+92	+115	+104	+14	+1.6	-2.7	+65	+6.7	-0.7	-1.9	+0.9	+2.4	+0.25	-	-	\$103	\$102	\$113	\$100	
25 CROQ256	+6.6	+4.4	-4.9	+3.7	+49	+91	+117	+109	+20	+2.4	-8.0	+73	+7.0	+0.5	+0.7	+0.3	+1.9	+0.05	-	-	\$136	\$121	\$146	\$129	
	CEDir	CEDtrs	GL	BWT	200	400	600	MCW	Milk	SS	DTC	CWT	Ema	RIB	P8	RBY	IMF	NFI-F	DOC	Angle	Claw	ABI	DOM	GRN	GRS
	+1.9	+2.4	-4.5	+4.1	+48	+87	+113	+97	+17	+2.0	-4.6	+64	+6.0	+0.0	-0.4	+0.5	+2.0	+0.18	+6	+0.98	+0.84	+115	+108	+120	+112

## EBV Quick Reference for Jarobee Angus Spring Bull Sale

Animal Ident	Calving Ease		Birth		Growth		Fertility		Carcass		Other		Structural		Selection Indexes									
	CEDir	CEDtrs	GL	BWT	200	400	MCW	Milk	SS	DTC	CWT	EMA	RIB	P8	RBY	IMF	NFI-F	DOC	Angle	Claw	ABI	DOM	GRN	GRS
26 CROQ405	+5.2	+5.6	-5.1	+3.5	+47	+84	+106	+88	+17	+2.1	-6.5	+66	+8.2	+0.8	+0.7	+0.9	+1.9	+0.25	-	-	\$131	\$122	\$137	\$126
27 CROQ202	+1.6	+0.7	-6.4	+4.4	+52	+94	+120	+104	+23	+2.6	-3.4	+69	+10.7	+0.7	-0.3	+0.5	+3.5	+0.71	-	-	\$134	\$121	\$154	\$125
28 CROQ263	+0.3	+2.6	-4.6	+4.5	+52	+91	+119	+119	+20	+2.0	-6.1	+67	+7.5	-0.2	-1.0	+0.5	+2.1	-0.14	-	-	\$121	\$111	\$132	\$115
29 CROQ347	+8.1	+5.5	-8.7	+2.8	+48	+85	+111	+100	+14	+2.3	-6.6	+64	+5.7	+1.3	+0.2	+0.0	+2.2	+0.50	-	-	\$128	\$117	\$137	\$123
30 CROQ368	+5.3	+5.2	-5.4	+3.7	+52	+93	+115	+97	+18	+2.2	-5.5	+67	+4.0	+0.9	+0.3	-0.2	+2.0	+0.34	-	-	\$122	\$117	\$126	\$119
31 CROQ294	-2.5	-2.4	-4.4	+4.4	+53	+97	+130	+120	+15	+1.7	-2.7	+72	+5.0	-1.2	-1.8	+0.6	+2.5	+0.35	-	-	\$118	\$108	\$132	\$113
32 CROQ211	+2.3	+1.5	-5.3	+4.4	+51	+91	+120	+106	+20	+2.7	-2.3	+63	+9.5	-0.4	-0.7	+0.6	+3.2	+0.39	-	-	\$128	\$116	\$145	\$122
33 CROQ359	-2.2	-0.4	-3.9	+5.4	+58	+100	+129	+115	+19	+1.8	-4.7	+70	+6.0	-0.1	-0.3	+0.8	+1.0	-0.27	-	-	\$113	\$109	\$110	\$114
34 CROQ344	+5.2	+3.1	-4.4	+3.2	+58	+98	+126	+106	+15	+1.7	-5.4	+68	+4.7	-0.9	-1.1	+0.4	+2.3	+0.25	-	-	\$134	\$124	\$145	\$129
35 CROQ315	+1.7	-0.6	-5.4	+4.7	+45	+83	+110	+105	+17	+1.8	-6.6	+64	+8.4	-0.2	-1.1	+0.8	+2.8	+0.42	-	-	\$129	\$113	\$149	\$118
36 CROQ338	+3.7	+0.7	-4.6	+4.1	+54	+95	+121	+106	+15	+0.9	-4.9	+71	+5.9	-0.2	-1.0	+0.6	+1.8	+0.25	-	-	\$123	\$117	\$129	\$121
37 CROQ409	+5.7	+0.1	-4.1	+3.1	+45	+82	+105	+92	+19	+2.3	-8.0	+70	+7.1	+1.2	+1.4	+0.0	+2.7	+0.32	-	-	\$132	\$117	\$145	\$123
38 CROQ364	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
39 CROQ358	+1.9	+3.0	-3.6	+4.2	+62	+102	+133	+117	+15	+2.3	-4.8	+69	+4.5	-0.5	-0.6	+0.2	+2.4	+0.25	-	-	\$132	\$121	\$143	\$127
40 CROQ291	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
41 CROQ423	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
42 CROQ253	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
43 CROQ331	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
44 CROQ499	+1.1	+0.5	-6.3	+4.6	+53	+95	+121	+106	+22	+2.6	-3.4	+70	+10.7	+0.6	-0.3	+0.5	+3.5	+0.70	-	-	\$134	\$121	\$154	\$125
45 CROQ226	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
46 CROQ396	+1.7	+3.2	-6.3	+5.2	+54	+96	+131	+121	+21	+2.7	-5.2	+72	+7.4	+0.4	+0.1	+0.4	+1.7	-0.09	-	-	\$129	\$114	\$135	\$125
47 CROQ213	+2.5	+2.1	-6.4	+4.0	+50	+88	+113	+95	+21	+2.6	-2.8	+60	+10.2	+0.5	+0.2	+0.7	+2.9	+0.36	-	-	\$126	\$117	\$137	\$121
48 CROQ324	+8.9	+5.0	-8.7	+2.5	+47	+85	+110	+105	+13	+2.2	-6.3	+61	+3.6	+0.9	+0.0	-0.2	+2.2	+0.36	-	-	\$122	\$113	\$132	\$117
49 CROQ286	+0.2	+1.2	-5.6	+5.5	+52	+92	+124	+135	+19	+1.9	-6.3	+71	+5.6	+0.4	-0.3	+0.6	+1.2	-0.33	-	-	\$115	\$105	\$120	\$113

# BEEFCLASS STRUCTURAL ASSESSMENT

## How to use:

The Beef Class Structural Assessment System uses a 1-9 scoring system for feet and leg structure:

- A score of 5 is ideal
- 4 and 6 show slight variation from ideal, but this includes most animals. Any animal scoring 4 and 6 would be acceptable in any breeding program
- 3 and 7 shows greater variation, but would be acceptable in most commercial breeding programs, however seedstock producers should be wary
- 2 and 8 are low scoring animals and should be looked at carefully before purchasing

A 1-5 scoring system is used for sheath attachment. For feet and leg assessment, animals need to be on a hard, flat and even surface where animal can move/stand naturally.


## Traits:

	<i>Scoring Range</i>	<i>Description</i>
<b>Front Feet Claw Set</b>	1 - 9	1 - open divergent; 5 - good; 9 - extreme scissor claw
<b>Rear Feet Claw Set</b>	1 - 9	1 - open divergent; 5 - good; 9 - extreme scissor claw




Reference: Shape (primarily curl) and evenness of the claw set.

<b>Front Feet Angle</b>	1 - 9	1 - steep (stubbled toe); 5 - good; 9 - shallow heel
<b>Rear Feet Angle</b>	1 - 9	1 - steep (stubbled toe); 5 - good; 9 - shallow heel




Reference: Strength of pastern, depth of heel and length of foot.

<b>Rear Legs Side View</b>	1 - 9	1 - straight (post legged); 5 - good; 9 - sickle hocked
----------------------------	-------	---



Reference: Angle measured at the front of the hock.

<b>Rear Leg Hind View</b>	1 - 9	1 - bow legged; 5 - good (parallel); 9 - cow hocked
---------------------------	-------	---



Reference: Direction of the feet when viewed from the rear.

---

**Muscle Score:** A - E (includes + and - )

A+ = Double-muscled

A = Extremely heavy muscle

- pronounced creasing between muscles

B = Heavily muscled

- well rounded hindquarter

C = Average muscle

- hindquarter slightly rounded


D = Poor muscle

- narrow concave hindquarter

E = Extremely poor muscle

- angular

Reference: Primarily hindquarter roundness or convexity, width across the stifle and width of stance. Also width and muscle expression across the back, particularly behind the shoulder and in the loin. Jump muscle (about the P8 site) and forearm bulge may be taken into consideration.

**Sheath and Naval Scores** 5 - 1 5 - extremely clean/tight to body; 1 - extremely pendulous

Reference: Sheath attachment

**Temperament**

Reference: 1-5 (half scores permitted) using yard test scale below:

1. Docile  
The animal is easily held in the corner and the handler can get close enough to put their stick on the animal.
2. Restless  
The animal can be held in the corner but exhibits some restlessness and flicking of the tail. The handler cannot get close enough to put their stick on the animal before it moves away.
3. Nervous  
The animal is not easily held in the corner even when the handler is some distance back from the animal, continual movement and tail flicking.
4. Flighty (wild)  
The animal cannot be held in the corner, frantically runs the fence line and may jump when penned individually, exhibits long flight distance.
5. Aggressive  
Similar behavior to score 4 but is also aggressive towards the handler, stares at the handler and threatens to charge or charges (Handler is advised to exit the yard before the animal actually charges).

# LOTS



LOT3 - Q311



LOT7 - Q339



LOT4 - Q268



LOT14 - Q225



LOT6 - Q530



LOT29 - Q347



**LOT45- Q226**



**LOT12 - Q345**



**LOT26 - Q405**



**LOT39 - Q358**



**LOT31- Q294**





<b>Lot 7</b>	<b>JAROBEE THOMAS UP RIVER Q339 # (HBR)</b>	<b>CROQ339</b>
DOB: 12/09/2019	Mating Type: AI	Traits Observed: GL,CE,BWT,600WT,SC,Scan(EMA,Rib,Rump,IMF)
		Genetic Status: AMFU,CAFU,DDFU,NHFU
	CONNEALY ONWARD#	IRELANDS FLETCHER F1 <sup>PV</sup>
	SITZ UPWARD 307R <sup>SV</sup>	JAROBEE FLETCHER J246 <sup>SV</sup>
	SITZ HENRIETTA PRIDE 81M#	JAROBEE NEUTRON B133#
SIRE: USA17091363 THOMAS UP RIVER 1614 <sup>PV</sup>	DAM: CROL221 JAROBEE FLETCHER L221 <sup>#</sup>	
RITO 1I2 OF 2536 RITO 6I6#	B T ULTRAVOX 297E <sup>#</sup>	
THOMAS CAROL 7595#	JAROBEE ULTRAVOX Z9 <sup>#</sup>	
THOMAS CAROL 1246#	JAROBEE KRUGER MAXINE V10#	

TACE	October 2021 TransTasman Angus Cattle Evaluation																		
	Calving Ease		Birth		Growth				Fertility		Carcase					Other			
Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	+4.4	-1.9	-4.8	+4.6	+54	+98	+123	+94	+20	+2.6	-3.2	+73	+5.9	+0.5	-0.2	+0.9	+1.2	+0.25	-
Acc	58%	48%	84%	73%	66%	65%	69%	65%	58%	70%	42%	59%	58%	60%	60%	58%	57%	51%	-
Perc	34	87	44	61	19	17	27	55	24	21	75	22	48	32	44	32	78	60	-

Selection Indexes											Raw Structural Assessments - 27th January 2021																	
Angus Breeding		Domestic			Heavy Grain		Heavy Grass		F		R		F		R		L		H		Muscle		Temp.					
\$117	50	\$116	31	\$114	62	\$119	37	5	5	6	6	6	6	6	6	C+	1	5	5	5	5	5	5	5	5	5	5	5

Notes: This Thomas Up River son oozes with depth and muscle, has positive fats.

Purchaser:.....\$.....

TACE	October 2021 TransTasman Angus Cattle Evaluation																		
	Calving Ease		Birth		Growth				Fertility		Carcase					Other			
Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	+7.9	+5.4	-8.6	+3.4	+47	+84	+111	+107	+12	+2.6	-6.3	+59	+2.6	+0.6	-0.2	-0.3	+2.4	+0.37	-
Acc	51%	40%	59%	72%	64%	64%	70%	63%	48%	54%	38%	55%	55%	55%	57%	53%	49%	43%	-
Perc	10	23	5	32	55	60	54	32	89	21	21	71	93	30	44	80	31	74	-

Selection Indexes											Raw Structural Assessments - 27th January 2021															
Angus Breeding		Domestic			Heavy Grain		Heavy Grass		F		R		F		R		L		H		Muscle		Temp.			
\$123	38	\$112	43	\$135	34	\$116	44	7	6	6	6	6	6	5	6	6	C	1	5	5	5	5	5	5	5	5

Notes: Standout bull also suited for heifer mating. Positive rib and rump fats.

Purchaser:.....\$.....

TACE	October 2021 TransTasman Angus Cattle Evaluation																		
	Calving Ease		Birth		Growth				Fertility		Carcase					Other			
Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	+7.9	+5.4	-8.6	+3.4	+47	+84	+111	+107	+12	+2.6	-6.3	+59	+2.6	+0.6	-0.2	-0.3	+2.4	+0.37	-
Acc	51%	40%	59%	72%	64%	64%	70%	63%	48%	54%	38%	55%	55%	55%	57%	53%	49%	43%	-
Perc	10	23	5	32	55	60	54	32	89	21	21	71	93	30	44	80	31	74	-

Selection Indexes											Raw Structural Assessments - 27th January 2021															
Angus Breeding		Domestic			Heavy Grain		Heavy Grass		F		R		F		R		L		H		Muscle		Temp.			
\$123	38	\$112	43	\$135	34	\$116	44	7	6	6	6	6	6	5	6	6	C	1	5	5	5	5	5	5	5	

Notes: Sired by M17 JAROBEE JUDD, A great heifer bull.

Purchaser:.....\$.....



















<b>Lot 37</b>	<b>JAROBEE JUDD Q409 # (HBR)</b>	<b>CROQ409</b>																	
DOB: 1/09/2019	Mating Type: AI	Traits Observed: GL,CE,BWT																	
HFR	TUWHARETOA REGENT D145 <sup>PV</sup> PARINGA JUDD J5 <sup>PV</sup> STRATHWEN BERKLEY WILPENA F30 <sup>PV</sup>	Genetic Status: AMFU,CAFU,DDFU,NHFU TE MANIA AMBASSADOR A134 <sup>SV</sup> TUWHARETOA REGENT D145 <sup>PV</sup> LAWSONS HENRY VIII Y5 <sup>SV</sup>																	
	SIRE: CROM17 JAROBEE JUDD M17 <sup>SV</sup> AYRVALE BARTEL E7 <sup>PV</sup> JAROBEE BARTEL K40# JAROBEE BERKLEY F108#	DAM: CROJ65 JAROBEE REGENT J65# B T ULTRAVOX 297E# JAROBEE ULTRA LASSIE W19# STRATHTAY LASSIE L35+91#																	
<b>TACE</b>	October 2021 TransTasman Angus Cattle Evaluation																		
	Calving Ease	Birth		Growth						Fertility		Carcase						Other	
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc
<b>EBVs</b>	+5.7	+0.1	-4.1	+3.1	+45	+82	+105	+92	+19	+2.3	-8.0	+70	+71	+1.2	+1.4	+0.0	+2.7	+0.32	-
Acc	55%	44%	84%	72%	59%	57%	58%	57%	50%	54%	41%	53%	52%	55%	53%	54%	51%	46%	-
Perc	23	75	56	25	69	67	69	60	33	32	6	29	29	16	11	70	22	69	-
	Selection Indexes																		
	Angus Breeding	Domestic		Heavy Grain		Heavy Grass													
	\$132	22	\$117	28	\$145	23	\$123	27											
	Raw Structural Assessments - 27th January 2021																		
	F	R	F	R	F	R	F	R	F	R	F	R	F	R	F	R	Muscle	Temp.	Foot
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes: Q409 is ideally suited for heifer joining.

Purchaser: \$.....

<b>Lot 38</b>	<b>JAROBEE BLASTER Q364 # (HBR)</b>	<b>CROQ364</b>																	
DOB: 10/09/2019	Mating Type: AI	Traits Observed: None																	
HFR	MOGCK SURE SHOT# MOGCK BULLSEYE <sup>PV</sup> MOGCK MARY 1255#	Genetic Status: AMFU,CAFU,DDFU,NHFU TE MANIA YORKSHIRE Y437 <sup>PV</sup> TE MANIA BERKLEY B1 <sup>PV</sup> TE MANIA LOWAN Z53#																	
	SIRE: USA17991528 BRUNS BLASTER <sup>PV</sup> CONNEALY RIGHT ANSWER 746# BALDRIDGE BLACKBIRD 11 BAF# BALDRIDGE BLACKBIRD 549 BAF#	DAM: CROH59 JAROBEE BERKLEY H59# TE MANIA ULONG U41 <sup>SV</sup> HIDDEN-VALE ALLANA A27# HIDDEN-VALE VISION V30#																	
<b>TACE</b>	October 2021 TransTasman Angus Cattle Evaluation																		
	Calving Ease	Birth		Growth						Fertility		Carcase						Other	
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc
<b>EBVs</b>	+6.5	+4.8	-6.5	+3.6	+54	+94	+119	+110	+15	+1.1	-6.5	+66	+5.5	+0.7	+0.3	+0.1	+1.8	+0.07	+5
Acc	63%	49%	86%	86%	79%	80%	79%	76%	71%	79%	50%	74%	73%	75%	72%	71%	71%	59%	48%
Perc	17	29	20	38	21	26	35	26	64	85	19	43	56	29	46	69	57	35	55
	Selection Indexes																		
	Angus Breeding	Domestic		Heavy Grain		Heavy Grass													
	\$127	31	\$119	24	\$132	38	\$123	28											
	Raw Structural Assessments - 27th January 2021																		
	F	R	F	R	F	R	F	R	F	R	F	R	F	R	F	R	Muscle	Temp.	Foot
	5	5	6	6	5	5	5	5	5	5	C	2	4						

Notes: A great mix of genetics, Bruns Blaster and a very proven Berkley Dam. This young bull has super thickness and growth. Another handy heifer bull.

Purchaser: \$.....

<b>Lot 39</b>	<b>JAROBEE BEAST MODE Q358 # (HBR)</b>	<b>CROQ358</b>																	
DOB: 29/08/2019	Mating Type: AI	Traits Observed: GL,CE,BWT																	
	C R A BEXTOR 872 5205 608# G A R PROPHET <sup>SV</sup> G A R OBJECTIVE 1885#	Genetic Status: AMFU,CAFU,DDFU,NHFU THOMAS GRADE UP 6849 <sup>SV</sup> GRANITE RIDGE THOMAS F223 <sup>PV</sup> THE GRANGE IMRAN ROSEBUD D81 <sup>PV</sup>																	
	SIRE: USA17960722 BALDRIDGE BEAST MODE B074 <sup>PV</sup> DAM: CROL60 JAROBEE THOMAS L60# STYLES UPGRADE J59# BALDRIDGE ISABEL Y69# BALDRIDGE ISABEL T935#	DAM: CROL60 JAROBEE THOMAS L60# LAWSONS INVINCIBLE C402 <sup>PV</sup> JAROBEE INVINCIBLE F90# JAROBEE ULTRAVOX Z16#																	
<b>TACE</b>	October 2021 TransTasman Angus Cattle Evaluation																		
	Calving Ease	Birth		Growth						Fertility		Carcase						Other	
	Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc
<b>EBVs</b>	+1.9	+3.0	-3.6	+4.2	+62	+102	+133	+117	+15	+2.3	-4.8	+69	+4.5	-0.5	-0.6	+0.2	+2.4	+0.25	-
Acc	59%	44%	85%	73%	63%	63%	63%	60%	57%	61%	38%	58%	57%	60%	57%	57%	57%	48%	-
Perc	55	48	65	51	4	10	12	18	69	32	45	35	72	64	55	62	31	60	-
	Selection Indexes																		
	Angus Breeding	Domestic		Heavy Grain		Heavy Grass													
	\$132	22	\$121	18	\$143	25	\$127	19											
	Raw Structural Assessments - 27th January 2021																		
	F	R	F	R	F	R	F	R	F	R	F	R	F	R	F	R	Muscle	Temp.	Foot
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes: Another thick Beastmode son with impressive growth figures.

Purchaser: \$.....







**Lot 49 JAROBEE KAISER Q286 # (HBR)**
**CROQ286**

DOB: 31/08/2019

Mating Type: AI

Traits Observed: GL,CE,BWT,600WT,Scan(EMA,Rib,Rump,IMF)

Genetic Status: AMFU,CAFU,DDFU,NHFU

**HFR**
 TE MANIA CALAMUS C46<sup>sv</sup>  
 TE MANIA FOE F734<sup>sv</sup>  
 TE MANIA DANDLOO D700\*

 BT EQUATOR 395M<sup>#</sup>  
 MILLAH MURRAH EQUATOR D78<sup>PV</sup>  
 MILLAH MURRAH RADO Y119\*

**SIRE: SJKK26 GRANITE RIDGE KAISER K26<sup>sv</sup>**  
 NICHOLS QUIET LAD T9<sup>#</sup>  
 GRANITE RIDGE SUPREME F158<sup>#</sup>  
 GRANITE RIDGE SUPREME D85<sup>#</sup>
**DAM: CROL238 JAROBEE D78 L238#**  
 B T ULTRAVOX 297E<sup>#</sup>  
 JAROBEE ULTRAVOX Z52<sup>#</sup>  
 JAROBEE PRINCESS MAXINE S24<sup>#</sup>

TACE	October 2021 TransTasman Angus Cattle Evaluation																		
	Calving Ease		Birth		Growth				Fertility		Carcase						Other		
Dir	Dtrs	Gest	BW	200 W	400 W	600 W	MCW	Milk	Scrot.	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	
EBVs	+0.2	+1.2	-5.6	+5.5	+52	+92	+124	+135	+19	+1.9	-6.3	+71	+5.6	+0.4	-0.3	+0.6	+1.2	-0.33	-
Acc	58%	46%	85%	74%	68%	68%	72%	66%	59%	61%	38%	60%	60%	60%	61%	57%	56%	48%	-
Perc	68	66	31	79	28	32	25	5	36	50	21	26	53	35	47	45	78	5	-

Selection Indexes				Raw Structural Assessments - 27th January 2021														
Angus Breeding		Domestic		Heavy Grain		Heavy Grass		F	R	F	R				Muscle	Temp.		
\$115	54	\$105	64	\$120	54	\$113	52	5	5	6	6	5	6	C	1	4		

Notes: Q286 is a meaty Kaiser son. The Kaisers have bred well for us always in the heavier groups in their mobs.

Purchaser: ..... \$.....



# NATIONAL VENDOR DECLARATION (CATTLE) AND WAYBILL

C0720 24226325

This form cannot be used where eligibility for the EU market is required.

**Part A To be completed by the owner or person who is responsible for the husbandry of the cattle.**

Owner of cattle **A.C. & J.A. Robins** **79 Rossinson Road**  
 ADDRESS (CONTINUED)  
 Property/place where the journey commenced **79 Rossinson Road**  
 (TOWN/CITY/STATE)  
**3747** **Vic.** (FULL TRADING NAME)

Property Identification Code (PIC) of this property **3INTK002**  
 This MUST be the PIC of the property that the stock is being moved from

Description of cattle

Number	Description (BREED, SEX, E.G. HEREFORD CROSS STEERS)	Brands or Earmarks (IF PRESENT OR REQUIRED)
<b>50</b>	<b>Angus Bulls</b>	<b>50</b>

**50 Total** Use the Attachment Forms for consignments that require more lines to describe the stock. (See Explanatory Notes)

Consigned to **F.H.D.E.R.S.** (NAME OF PERSON OR BUSINESS)  
 ADDRESS (CONTINUED)  
**Albury** (TOWN/SUBURB)

Destination (if different) of cattle  
 Destination PIC (REQ: WA & TAS) \_\_\_\_\_

NILS devices used on these cattle Number of ear tags **50** Number of rumen devices \_\_\_\_\_

Details of other statutory documents relating to this movement e.g. health statement  
 DOCUMENT TYPE NUMBER / EXPIRY DATE / OFFICE OF ISSUE /

- 1 Have any of the cattle in this consignment ever in their lives been treated with a hormonal growth promotant (HGP)?** (Use a second document for mixed consignments.)  
 Yes  No  (See Explanatory Notes)
- 2 Have the cattle in this consignment ever in their lives been fed feed containing animal fats?**  
 Yes  No  (See Explanatory Notes)

- 3 Has the owner stated above owned these cattle since their birth?**  
 Yes  No  If No, how long were the cattle obtained or purchased?  
 (If purchased at different times, tick the box corresponding to the time of the most recent purchase.)  
 A. Less than 2 months  B. 2-6 months  C. 6-12 months  D. more than 12 months
- 4 In the past 60 days, have any of these cattle been fed by-product stockfeeds?**  
 Yes  No  If Yes, attach a list of the by-product stockfeeds, date when

LPA

If Yes, give details: (Record additional details in question 9)  
 CHEMICAL PRODUCT / DATE APPLIED / 20 / WHP / If Yes, give details: (Record additional details in question 9)  
 CHEMICAL PRODUCT / DATE FIRST GRAZED / 20 / GRAZING WHP / DATE FEEDING/GRAZING CEASED

**7 In the past 60 days, have any of the cattle in this consignment consumed any material that was still within a withholding period when harvested, collected or first grazed?**  
 Yes  No  If Yes, give details:  
 CHEMICAL PRODUCT / DATE APPLIED / 20 / GRAZING WHP / DATE FIRST GRAZED / 20 / DATE FEEDING/GRAZING CEASED

**8 In the past 42 days, were any of these cattle**  
 a) grazed in a spray risk area; or  
 b) fed fodders cut from a spray drift risk area? (See Explanatory Notes for definition of spray drift risk area.)  
 Yes  No  If Yes, Date sprayed: **/20**

**9 Please include any additional information below**  
 eg: vaccination programs, animal health certification, additional declarations, etc.  
**Allen C. Robinson**  
 Signature \* **15/10/2021** Date \*  
 \*Only the person whose name appears above may sign this declaration, or make amendments which must be initialled.

Tel no. **0429 324 124** Fax no.  
 Email: **jadeee@bigpond.com**

**Part B To be completed by the person in charge of the cattle while they are being moved.**

Completion of this part is optional in SA and VIC.

Movement commenced: **15/10/2021**  
 Vehicle registration number(s): **55-1** (amt/pm)

**Allen C. Robinson** am the person in charge of the cattle during the movement and declare all the information in Part B is true and correct.  
 Signature **Allen C. Robinson** Date **10/10/2021** Tel no. **0427471121**

## Recommendations for the introduction and management of your new bull:



### 1. UPON ARRIVAL:

- a) Ensure your new bulls socialises with a group of animals, (anything except other bulls) in the yards, when they arrive.
- b) Run the new bulls with a small group of empty females, (he has come from a different herd and may not have had exposure to some of the normal pathogens present in your herd – see further information below).
  - i. **This MUST be done with the empty females, for a period of 2 to 4 weeks.** Ideally the bull can then be rested for 6-8 weeks prior to joining.
  - ii. **Ideally give the cows prostaglandin every 2 weeks so they continue to cycle.**
- c) Ideally bulls should be insured for their first year as standard.

### 2. PRE-JOINING:

- a) We recommend a breeding soundness examination (BSE), including structural assessment, testicular palpation, and a service ability test. This is mandatory for second joining and older bulls each year. It will improve the fertility performance of the herd, by removing infertile bulls from the joining group. If bulls are not service tested it is essential that you observe the bulls serve in the first week on joining.
  - i. These bulls will be given a risk rating and mating potential which will influence joining bull teams.
- b) **Keep vaccinations up to date;** Vibrovac, Leptospirosis 7-in-1, Pestigard and an annual drench, 4-6 weeks prior to joining.

### 3. JOINING - new bulls have the highest risk of breakdown in the herd, this risk can be reduced by:

- a) **PROTECT a new bull by not over-joining, 30 females per virgin bull maximum.**
- b) **Recommended to multi-sire join.**
  - i. Ideally mixing bulls of different age groups, experience levels and risk ratings.
- c) **It is recommended, IF single sire joining with a new bull, to rotate him with a proven bull for at least one cycle. Also, it is good practice to rotate proven bulls for the last cycle with all new bulls.**

**"Most new bull fertility issues develop or are acquired during the joining period, rather than being pre-existing problems, this means that bull observation during the joining period is essential!"**

### ONCE THE JOINING PROGRAM IS SET UP, MONITORING IS ESSENTIAL TO IDENTIFY ISSUES AS THEY DEVELOP.

Your new bulls need to be run in mobs that are easily monitored, keep them close to promote observation, check them 2 to 3 times a week for the first three weeks and then weekly thereafter. This involves looking for,

1. The bull serving, (this has not been successful until the bull thrusts). If bulls are continually mounting without serving it is often a sign the bull has developed a penile infection and needs to be rested and replaced immediately. Sound bulls should serve every 1 to 2 mounts.
2. Lameness.
3. Evidence of penile or preputial swelling or inflammation.
4. Signs of ill health, lethargy, etc.
5. Estimate the number of females cycling, (for every 20 females, one cycles each day at the commencement of joining). After three weeks of joining, there should only be one cow cycling every three days in 20 females.



[www.holbrookvetcentre.com.au](http://www.holbrookvetcentre.com.au)

#### **4. POST-JOINING:**

- a. **Annual breeding soundness evaluation is a non-negotiable procedure.**
- b. Good management of bulls is a year-round procedure.
  - i. Keep bulls in working body condition – they should be in body condition score 3/5 at the start of mating, which will involve removing weight following the joining period.
  - ii. Manage bulls in groups of joining teams to establish stable social hierarchies and minimise bull fighting.
- ✓ Bulls need to be removed from the cows, at the same time, to create their mobs. This will limit the number of potential injuries by reducing the number of bull interactions.
- ✓ Bull paddock management is very important to minimize injury between joinings. The bulls need enough room to reduce fighting, restricted feed and water will increase interaction. Paddocks will require co-grazing with sheep, or crash-grazing by other mobs to manage feed quality and quantity on offer for the bulls.
- ✓ The target between joining is to restrict weight gain in older bulls to prevent breakdowns. Ideally young bulls have access to a higher level of nutrition as they continue to grow.
- ✓ Early pregnancy testing is essential for good female management and detection of surprises. The earlier the pregnancy testing is undertaken, the more likely the cause of the problem will be identified. This will not only give you early notice of the problem but also help in formulating a plan to help reduce the chance of the problem occurring again in the future.

#### **PENILE INFECTIONS IN BULLS – “Balanoposthitis”:**

Penile infections are a common disease in young bulls during their first joining season in any new herd. Mitigating the risk of this disease as outlined above is essential to reduce the number of breakdowns and optimise bull cost per calf.

These infections are caused by a range of bacterial, viral and other organisms (“pathogens”). The genital form of infectious bovine rhinotracheitis (IBR; herpes virus) is commonly implicated. The issue is that any given property has its own population of reproductive tract pathogens and if the new bulls make their first contact with these pathogens at the time of high workload (such as joining) they are at a high risk of developing a penile injury.

These injuries typically involve a reddened inflamed penis, developing to ulceration and pustules. Some bulls will stop serving due to pain (will continue to mount, but not serve), but other high libido bulls will continue to serve and create significant inflammation commonly leading to preputial tears, abscesses and prolapses. These are often perceived to be a “broken penis”, which they are not and **IF treated promptly may regain normal function!**

Treatment involves prompt removal of the affected bull from the joining mob, sexual rest (typically for the remainder of the joining) and treatment with antibiotics and anti-inflammatories. Preputial prolapses require surgical replacement.

If undetected these injuries commonly cause a significant decrease in pregnancy rate and commonly result in permanent infertility in the bull. **Observation and intervention are essential!**

Prevention of this condition is best achieved as outlined above, by deliberate pre-exposure of new bulls to a small number of females (low workload) well before the joining so that they are exposed and can develop immunity to the herds’ pathogens prior to the high workload of the joining period.

Positive fertility outcomes are a significant driver of profitability in beef breeding enterprises, but this requires informed and active management!

Dr. Shane Thomson BVetBio. BVSc. MAnSc. for HOLBROOK VETERINARY CENTRE.



[www.holbrookvetcentre.com.au](http://www.holbrookvetcentre.com.au)

# DISCLAIMER AND PRIVACY INFORMATION

## Attention Buyer

Animal details included in this catalogue, including but not limited to pedigree, DNA information, Estimated Breeding Values (EBVs) and Index values, are based on information provided by the breeder or owner of the animal. Whilst all reasonable care has been taken to ensure that the information provided in this catalogue was correct at the time of publication, Angus Australia will assume no responsibility for the accuracy or completeness of the information, nor for the outcome (including consequential loss) of any action taken based on this information.

## Parent Verification Suffixes

The animals listed within this catalogue including its pedigree, are displaying a Parent Verification Suffix which indicates the DNA parent verification status that has been conducted on the animal. The Parent Verification Suffixes that will appear at the end of each animal's name.

The suffix displayed at the end of each animal's name indicates the DNA parentage verification that has been conducted by Angus Australia.

PV : both parents have been verified by DNA.

SV : the sire has been verified by DNA.

DV : the dam has been verified by DNA.

# : DNA verification has not been conducted.

E : DNA verification has identified that the sire and/or dam may possibly be incorrect, but this cannot be confirmed conclusively.

## Privacy Information

In order for Angus Australia to process the transfer of a registered animal in this catalogue, the vendor will need to provide certain information to Angus Australia and the buyer consents to the collection and disclosure of that information by Angus Australia in certain circumstances. If the buyer does not wish for his or her information to be stored and disclosed by Angus Australia, the buyer must complete the form included below and forward it to Angus Australia. If the form is not completed, the buyer will be taken to have consented to the disclosure of such information.

.....

## BUYERS OPTION TO OPT OUT OF DISCLOSING PERSONAL INFORMATION TO ANGUS AUSTRALIA

If you do not complete this form, you will be taken to have consented to Angus Australia using your name, address and phone number for the purposes of effecting a change of registration of the animal(s) that you have purchased, maintaining its database and disclosing that information to its members on its website.

I, the buyer of animals with the following idents.....

.....

from member.....(name) do not consent to Angus Australia using my name, address and phone number for the purposes of effecting a change of registration of the animals I have mentioned above that I have purchased, maintaining its database and disclosing that information to its members on its website.

Name: ..... Signature: .....

Date: .....

Please forward this completed consent form to Angus Australia, 86 Glen Innes Road, Armidale NSW 2350.

.....



If you have any questions or queries regarding any of the above, please contact Angus Australia on (02) 6773 4600 or email [office@angusaustralia.com.au](mailto:office@angusaustralia.com.au)

Updated 25/11/2020

JAROBEE  
• ANGUS •

## NOTES

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

**We thank our valued clients,  
purchasers, underbidders and  
visitors for their support.**

# JAROBEE

• ANGUS •



BJS  
WESTOCK PHOTOGRAPHY