

Tomorrow's Rams Today!

AND MARIE

Ram Sale Monday 11th October 2021, 1pm on Property

1861 KANGAROO FLAT ROAD, GLENCOE SA.

132 Poll Dorset and 36 White Suffolk Rams

Abiding by Covid19 regulations and interfaced with Auctions Plus.
All rams selected for sound conformation, moderate BWT, excellent growth, muscle and worm resistance.
Young rams bred for commercial use.
Performance backed by 49 years of breeding.



3% rebate for outside agents. Inspection from 11:30am. Lunch Provided.

OB Free Acc: 580

AJAR

ORSET STUD 1886 🐚 WHITE SUFFOLK STUD 540

0.ID MN3 V

CONTACT: DALE & RUTH PRICE 0428 394 300 ADAM PRICE 0428 230 100 EMAIL: majardah@bigpond.com



ELDERS BEN GREGORY 0418 498 587



MILLER WHAN & JOHN PETER CREEK 0428 838 332 rma network. Accredited Member

MAJARDAH POLL DORSET STUD 1886 WHITE SUFFOLK STUD 540

Majardah Rams supply Poll Dorset and White Suffolk rams to stud and commercial producers throughout Australia. Whilst the majority of rams stay within the Limestone Coast, we also supply producers in Eastern and South-West Victoria, Eyre Peninsula and Western Australia. We breed terminal sires designed to produce lambs exhibiting the essential traits of lambing ease, growth, ideal fat cover, muscle and worm resistance. By focusing on these key economic drivers, while maintaining the superior eating qualities of prime lamb, our clients have enjoyed excellent results from their prime lamb enterprises.

As participants in world class Research and Development initiatives in collaboration with Sheep Genetics Australia and Gundagai Lamb, we are excited that Gundagai Meat Processors achieved a world-first lamb grid. That is, they are paying producers a premium for lean meat yield, weight and intramuscular fat that protects the premium status of lamb as a source of protein. They believe this is a natural progression for the industry. GMP launched its grid in May and were offering a 50c/kg cents premium for lambs with an intramuscular fat measurement of 5 % or higher.

To us this provides validation of the work that we undertake everyday to ensure accurate pedigrees, along with weaning weights, birthweights, dna tests, correctly assigned management groups etc. Not only do we want to be successful but more importantly we want you to achieve excellent results

MAJARDAH

thereby maintaining consumer satisfaction when eating their tender juicy lamb.


Whilst we would love you to attend our annual sale in person, we understand that border crossings and general travel is not so easy with Covid19 continuing to drag on. For this reason, our sale is again available via the Auctions Plus sale platform. We have just completed individual videos of each ram, a slow and tedious job. As is evident by the videos, the rams are just hitting their straps with plenty of zest and mobility. No regular handling means they were a bit camera shy, unlike some of their pampered cousins. We have a strict policy of breeding sheep to survive and thrive under commercial conditions and stocking intensity. There is no preferential treatment for any sub groups or individuals.

We work hard to obtain some of the best ASBV's in the country as is evident when you examine our catalogue.


Any ram requiring a stud registration transfer will have a startup price of \$3000 with 50% of semen sale proceeds retained. Please note that not all rams are registerable with the APDA, so please do your homework first.

On behalf of Dale, Ruth and Jodie, I extend an invitation to our valued clients and all interested producers to join us on Monday October 11th at 1pm for our annual sale.


Adam Price




8 6 4 2 0 2011 2013 2015 2017 2019 2021




SHEEP GENETICS




Post Weaning Weight averages by







Page 1

Terminal -	16							
	Bwt	Wwt	Pwwt	Pfat	Pemd	TCP	LEQ	Counts
2012	0.37	7.24	10.66	-0.82	1.09	124.6	118.3	48365
2013	0.37	7.51	11.13	-0.80	1.18	126.0	119.4	47513
2014	0.37	7.79	11.56	-0.78	1.28	127.3	120.6	47538
2015	0.39	8.06	11.97	-0.72	1.40	128.6	121.7	48581
2016	0.39	8.37	12.48	-0.71	1.50	130.4	123.3	48222
2017	0.39	8.66	12.98	-0.68	1.65	132.4	125.1	50094
2018	0.40	8.93	13.38	-0.64	1.75	134.1	126.9	47203
2019	0.40	9.12	13.69	-0.61	1.87	135.5	128.2	46080
2020	0.41	9.40	14.16	-0.59	2.01	137.5	130.3	48481
2021	0.41	9.91	15.06	-0.60	2.27	142.3	135.7	11720
MAJARDA	H 16-1886							
	Bwt	Wwt	Pwwt	Pfat	Pemd	TCP	LEQ	Counts
2012	0.36	7.58	11.60	-0.66	1.48	127.9	121.5	534
2013	0.38	8.07	12.28	-0.58	1.63	128.9	122.0	675
2014	0.38	8.23	12.49	-0.46	1.92	130.0	120.6	804
2015	0.42	8.84	13.38	-0.53	1.94	131.8	121.8	740
2016	0.38	8.90	13.53	-0.41	1.94	132.0	124.3	947
2017	0.38	9.18	13.97	-0.40	2.18	134.4	126.3	1151
2018	0.37	9.27	14.13	-0.40	2.54	138.9	132.5	899
2019	0.40	9.42	14.48	-0.36	2.62	140.8	134.8	904
2020	0.37	9.65	14.89	-0.33	2.84	144.7	140.3	909
2021								0





Reports are prepared using data supplied by breeders and/or accredited operators for the analysis. SheepGenetics cannot guarantee the accuracy of this data. ASBV's are designed to estimate genetic merit of animals from the data supplied. Reports are provided to assist breeders but no liability is accepted for the outcome resulting from the use of this information.



MAJARDAH 23-0540

Dated : 15 August 2021

LEQ index averages by year

2013

Terminal - 23

150

130

110


2011





Terminal


2010

2021










2017


2015



Terminal - 23 TCP Bwt Wwt Pfat Pwwt Pemd LEQ Counts 2012 0.30 7.43 11.55 -0.56 0.76 126.8 123.0 48360 2013 0.30 7.76 12.06 -0.55 0.87 128.4 124.3 46790 2014 0.31 8.08 12.55 -0.54 1.02 130.1 125.7 45236 2015 0.30 8.35 12.98 -0.51 1.14 131.4 126.7 47543 13.46 -0.48 1 27 49150 2016 0.30 8.66 133.0 128.2 0.31 14.06 -0.45 56168 9.02 135.2 130.5 2017 1.43 0.32 14.52 -0.42 1.57 132.3 53612 2018 9.30 137.2 2019 0.33 9.62 15.01 -0.39 1.72 139.3 134.4 51750 2020 0.33 9.88 15.50 -0.33 1.90 141.9 137.0 55576 2021 0.33 10.50 16.63 -0.19 2.28 147.4 143.7 13555

	Bwt	Wwt	Pwwt	Pfat	Pemd	TCP	LEQ	Counts
2012	0.28	7.15	11.38	-0.85	0.99	126.1	120.7	258
2013	0.17	7.13	11.72	-0.63	1.13	127.5	123.8	131
2014	0.14	8.37	13.24	-0.77	1.10	130.1	125.1	176
2015	0.22	8.66	13.41	-0.69	1.44	134.7	130.0	172
2016	0.06	7.84	13.21	0.11	2.22	136.0	134.8	154
2017	0.29	9.56	15.34	-0.31	1.90	139.1	136.0	161
2018	0.24	9.74	15.70	-0.29	1.82	138.6	135.5	179
2019	0.21	9.40	15.32	-0.32	2.08	141.3	138.2	166
2020	0.35	10.84	17.61	-0.03	2.66	149.5	147.0	193
2021								0





Reports are prepared using data supplied by breeders and/or accredited operators for the analysis. SheepGenetics cannot guarantee the accuracy of this data. ASBV's are designed to estimate genetic merit of animals from the data supplied. Reports are provided to assist breeders but no liability is accepted for the outcome resulting from the use of this information.

Linkage Sur	nmary
MAJARD	AH 23-0540
Weights	Yes
Carcase	Yes
WEC	Yes
Reproduction	No
Site Code	230540



	-1	All rams sele
68		
- 1		
133		
ots		
um 1		
Re		
folk		
Suf		
ite		
Wh		
Ś		
132		
1-		
Lots		
Ram		
Dorset		
poll		


ajaruan				24		White Suffolk Ram Lots 133	Adm LOU		20T										sound conformation,
							Tol	Top 1%			Top 10%			Top 20%			Trial Mated	ated	moderate BWT, growth, muscle and worm
																			resistance.
Lot No.	Tag ID	Br.	SIRE	BT	RT	DOB	BWT	WWT	PWWT	r pfat	PEMD	PFEC	IMF	SHRF5	DRESS	LMY	TCP	LEQ	\$ / Buyer
1	1142	PD	Felix 180201	2	2	6/3/20	0.26	11.38	17.83	-1.26	2.81	-46	-0.88	7.30	2.68	5.38	150.23	143.58	
2	1537	DD	Maj 190001	1	1	6/28/20	0.39	11.48	17.47	0.15	3.54	-58	-0.41	2.44	2.69	4.28	154.65	154.06	
æ	1881	D	Maj 190028	2	2	7/12/20	0.53	11.71	17.68	-0.70	2.26	-51	-0.50	4.13	2.44	4.53	151.05	149.05	
4	1699	D	Linton 160123	2	2	7/2/20	0.42	10.30	16.79	-0.23	2.13	-20	0.02	-0.57	2.17	2.78	148.03	149.41	
S	1437	DD	Bruan 170146	1	1	6/24/20	0.45	9.99	15.31	-0.83	3.54	-67	-0.81	3.90	2.55	4.99	156.59	152.16	
9	1926	PD	Bruan 170146	1	1	7/19/20	0.43	9.20	14.19	-0.11	4.33	-27	-0.56	2.36	2.82	4.37	156.98	151.81	
7	1660	PD	Felix 181398	2	2	6/30/20	0.61	12.18	19.03	-1.19	2.03	-36	-0.71	5.58	2.46	4.93	151.04	145.45	
80	1107	PD	Pep. 180118	2	1	6/1/20	0.50	10.98	16.35	-0.34	2.66	-34	-0.36	3.41	2.15	3.85	146.76	144.90	
6	1888	PD	Maj 190028	1	1	7/13/20	0.59	11.43	17.67	-0.40	3.70	-51	-0.69	2.02	2.98	4.89	162.28	158.18	
10	1299	DD	Maj 190028	1	1	6/17/20	0.38	10.24	16.44	-0.07	3.41	-52	-0.18	0.98	2.94	3.77	156.20	157.85	
11	1334	PD	Linton 160123	2	2	6/19/20	0.52	10.37	15.95	-0.51	2.18	2-	-0.03	0.79	2.08	3.37	148.10	147.63	
12	1580	PD	Maj 177555	2	2	6/29/20	0.64	12.13	18.01	-1.19	1.82	-27	-0.92	7.29	1.97	5.05	144.87	136.06	
13	1187	Dd	Bruan 170146	Ч	1	6/5/20	0.42	9.54	15.06	-0.49	4.13	-58	-0.45	2.49	2.61	4.77	158.57	157.49	
14	1270	DD	Bruan 170146	2	2	6/15/20	0.38	8.44	13.63	-0.08	3.58	-21	-0.37	1.30	2.48	3.57	152.49	149.06	
15	1436	D	Maj 190028	1	1	6/24/20	0.29	10.45	16.20	-0.47	2.87	-36	-0.15	2.37	2.58	4.15	151.96	152.52	
16	1128	DD	Pep. 180118	7	-	6/3/20	0.28	10.26	15.91	0.14	3.53	-19	-0.48	4.43	2.76	3.97	147.97	143.30	
17	2045	DD	Maj 190098	2	2	8/4/20	0.37	10.85	17.09	-0.49	3.10	-18	-0.28	3.08	2.70	4.13	152.80	150.34	
18	1420	D	Felix 181398	2	2	6/23/20	0.49	11.51	17.52	-0.88	3.02	-60	-0.97	6.61	2.67	5.20	150.67	144.09	
19	1145	DD	Wool. 184993	1	1	6/3/20	0.34	11.39	17.37	-0.77	2.58	-52	-0.45	4.78	2.46	4.67	150.71	149.49	
20	1140	DD	Wool. 184874	2	2	6/3/20	0.34	9.85	15.59	-0.34	2.62	23	-0.32	2.16	2.30	3.32	148.19	141.85	
21	1477	PD	Bruan 170146	1	1	6/26/20	0.35	8.80	13.59	-0.56	3.81	-24	-0.52	2.47	2.39	4.25	153.69	148.79	
22	2141	D	Linton 160123	2	2	8/1/20	0.45	10.29	15.89	-0.22	2.92	-25	0.12	-0.04	2.29	3.43	151.79	154.43	
23	2224	D	Maj 190568	1	1	8/31/20	0.52	9.35	14.17	-0.19	3.65	-43	-0.30	0.43	2.36	3.74	155.22	154.44	
24	1526	PD	Bruan 170146	1	1	6/27/20	0.38	9.71	14.89	-0.13	3.62	-26	-0.47	2.76	2.56	3.91	152.38	148.15	
25	1345	DD	Maj 188764	-	1	6/19/20	0:30	11.85	18.40	-0.21	2.68	-64	-0.61	5.74	2.70	4.55	146.59	144.38	
36	1105	4		1															

uyer																																Page 4
\$ / Buyer																																ΗY
LEQ	144.39	148.82	150.50	154.62	149.46	147.38	154.92	136.70	146.42	149.43	146.68	135.81	153.13	150.13	150.95	145.47	148.57	140.37	134.85	130.50	142.14	151.66	146.96	146.38	149.26	137.93	149.66	143.94	153.95	145.23	146.74 140.77	
TCP	151.86	147.37	153.29	158.85	150.82	149.48	157.01	144.11	148.05	146.52	153.25	145.42	154.93	152.50	150.70	150.17	151.27	145.90	143.09	141.37	147.73	157.10	147.66	151.29	153.48	147.22	154.11	154.57	154.05	146.55	146.74	¶ Ω
ΓМΥ	4.65	3.93	3.96	4.73	4.00	4.31	4.64	4.06	3.97	2.63	4.42	4.22	4.04	4.04	4.33	4.35	3.99	4.06	4.56	4.73	3.70	4.86	3.67	4.42	3.96	4.74	3.76	4.92	4.24	3.55	4.15	۲ ۱
DRESS	2.25	1.61	2.67	2.91	2.48	2.33	3.16	2.29	2.28	1.98	2.71	1.92	2.91	2.57	2.07	2.40	2.65	1.80	1.96	1.99	2.27	3.25	2.02	2.64	2.38	2.38	2.82	2.45	2.65	2.18	2.38	MAJAR
SHRF5	4.77	1.64	1.28	2.70	2.49	3.32	3.37	5.09	4.09	-1.18	3.76	5.75	1.82	2.31	2.46	3.26	3.08	4.42	6.36	7.66	2.59	4.78	1.32	3.78	1.85	5.27	2.16	5.53	1.00	1.76	4.61	2
IMF	-0.74	0.05	-0.50	-0.58	-0.43	-0.53	-0.48	-0.74	-0.49	0.27	-0.63	-0.90	-0.39	-0.33	-0.16	-0.54	-0.26	-0.57	-0.85	-1.12	-0.56	-0.67	-0.01	-0.51	-0.44	-0.94	-0.52	-0.91	-0.22	-0.18	-0.65	jħ
PFEC	-18	-19	-44	-39	-52	-54	-49	-22	-56	ę	-19	-16	-41	-25	-34	-26	-11	-20	-25	-30	-19	-34	-2	-18	-21	-23	-30	9	-36	-17	-25	da
PEMD	1.66	1.64	3.16	4.24	2.89	2.58	3.83	3.01	2.11	2.87	4.24	1.89	3.87	3.40	2.46	3.05	3.11	2.05	2.38	2.33	2.94	3.31	2.25	3.08	3.37	3.02	4.49	2.86	3.27	2.49	2.12	s To
PFAT	-1.19	-1.07	-0.14	-0.49	-0.18	-0.62	-0.23	-0.25	-0.43	0.01	-0.18	-0.94	-0.12	-0.36	-0.77	-0.50	-0.42	-0.94	-0.87	-0.84	-0.19	-0.56	-0.60	-0.56	-0.40	-0.61	0.27	-0.84	-0.49	-0.32	-0.54	am:
PWWT	18.69	16.74	16.51	14.59	16.49	15.83	17.65	15.00	17.97	13.68	14.31	16.96	15.16	15.48	16.72	15.04	16.65	16.20	16.62	16.79	15.35	18.17	15.51	16.41	14.11	14.95	13.44	17.92	16.01	15.82	17.16	s R
WWT	11.74	11.39	10.17	9.68	10.74	10.05	11.43	10.10	11.68	9.11	9.52	11.40	9.67	9.98	11.12	9.46	10.63	11.15	11.26	11.12	10.45	11.32	10.43	10.48	8.98	9.84	8.34	12.47	10.55	10.30	11.08	<i>'W</i>
BWT	0.45	0.58	0.38	0.36	0.51	0.44	0.35	0.46	0.56	0.47	0.39	0.42	0.29	0.42	0.57	0.27	0.32	0.34	0.47	0.50	0.52	0.39	0.48	0.41	0.46	0.52	0.23	0.65	0.43	0.45	0.53	orro
DOB	6/7/20	8/13/20	8/29/20	7/9/20	6/18/20	6/27/20	8/14/20	6/6/20	6/30/20	8/24/20	6/6/20	6/4/20	7/27/20	7/31/20	7/14/20	7/21/20	8/4/20	6/8/20	6/12/20	6/20/20	7/8/20	8/7/20	6/30/20	7/29/20	6/15/20	6/26/20	7/2/20	6/8/20	6/26/20	8/3/20	6/29/20	Tomorrow's Rams Today!
RT	2	1	1	1	2	1	1	2	2	2	1	1	1	1	1	1	2	1	1	2	1	1	1	1	2	2	2	1	2	1	1	
BT	2	H	1	1	2	-	1	2	2	2	Ч	1	1	1	1	1	2	1	1	2	1	1	2	-	2	2	2	-	2	1	1	
SIRE	Wool. 184874	Linton 160123	Wool. 185369	Bruan 170146	Maj 190028	Maj 190028	Maj 190088	BD 182708	Maj 190028	Linton 160123	BD 182708	Wool. 184874	Maj 190568	Maj 190098	Linton 160123	Maj 189679	Maj 190098	Wool. 184874	Maj 177555	Maj 177555	Maj 190086	Maj 190088	Linton 160123	Maj 190098	Bruan 170146	Maj 189457	Bruan 170146	Wool. 184874	Linton 160123	Linton 160123	Maj 190028	
Br.	DD	DA	DD	DD	Dd	DD	D	DD	DD	DD	Dd	DD	DD	DA	DA	DD	DD	PD	DD	DD	Dd	Dd	D	DD	DD	Dd	D	D	Dd	D	DD	
Tag ID	1214	2135	2222	1854	1321	1515	2151	1202	1653	2208	1200	1173	1973	2019	1890	1932	2046	1219	1250	1365	1847	2089	1635	1993	1271	1484	1702	1218	1491	2038	1590	
Lot No.	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	

-168
133-
Lots
Ram
Suffolk
& White
1-132 8
Lots
Ram
Dorset
Poll

ajarda	h Kams - I	OII DO	INIAJAI UAII NAIIIS - FUII DUISCI NAIII LUIS 1-132			OK WILLIC JULION VALLE LOUS 133		T-CCT	OOT-										sound conformation,
							2	Top 1%			Top 10%			Top 20%			Trial Mated	ated	moderate BWT, growth, muscle and worm resistance
Lot No.	Tag ID	Br.	SIRE	BT	RT	DOB	BWT	WWT	PWWT	PFAT	PEMD	PFEC	IMF	SHRF5	DRESS	ΓМΥ	TCP	LEQ	\$ / Buyer
58	1655	DD	Maj 177555	2	2	6/30/20	0.49	12.30	17.92	-1.35	1.56	-30	-0.82	6:59	1.65	4.93	143.36	136.02	
59	2075	Dd	Linton 160123	2	1	8/5/20	0.51	11.28	16.94	-0.72	2.55	-15	-0.12	1.69	2.12	4.21	151.81	150.96	
60	1656	Dd	Maj 190028	2	2	6/30/20	0.61	11.84	18.70	-0.70	1.72	-58	-0.39	3.26	2.51	4.18	152.48	152.20	
61	1784	Dd	Maj 190028	1	1	7/4/20	0.51	11.56	17.90	-0.55	2.27	-39	-0.50	4.12	2.48	4.48	151.26	148.24	
62	1947	DD	Maj 189679	2	2	7/24/20	0.43	9.71	15.06	-0.86	2.58	-40	-0.55	3.49	2.05	4.32	148.23	144.67	
63	1865	DD	Linton 160123	1	1	7/10/20	0.55	9.68	14.55	-0.79	2.43	ę	-0.03	1.12	1.82	3.73	146.99	146.47	
64	1236	Dd	Pol 150838	1	1	6/10/20	0.42	11.29	17.45	-1.21	1.85	-37	-1.00	6.76	2.17	4.85	143.49	134.72	
65	2146	DD	Linton 160123	1	1	8/13/20	0.47	9.65	14.96	0.12	2.97	-12	0.24	-1.46	2.19	2.94	150.19	153.07	
99	1302	DD	Linton 160123	2	2	6/17/20	0.48	10.58	15.94	0.08	2.63	-26	0.10	1.13	2.33	3.13	146.72	149.25	
67	1850	DD	Maj 177555	1	1	7/8/20	0.49	10.26	15.08	-0.71	2.79	-26	-0.82	4.97	2.14	4.37	143.78	136.05	
68	1543	Dd	Maj 190077	1	1	6/28/20	0.37	9.19	14.62	-0.52	2.49	-40	-0.28	2.83	2.09	3.74	143.75	143.32	
69	1210	Dd	Wool. 184874	2	2	6/7/20	0.48	10.72	16.11	-0.54	2.65	7	-0.53	3.36	2.30	3.64	150.42	142.96	
20	1272	DD	Pol 150838	1	4	6/15/20	0.25	9.34	15.61	-0.22	2.70	-55	-0.61	4.09	2.62	3.80	143.48	140.50	
11	1397	Q	Linton 160123	2	2	6/22/20	0.50	9.94	15.16	-0.74	2.58	7	-0.25	1.55	2.09	4.00	148.56	145.01	
72	1432	DD	Maj 190001	1	1	6/24/20	0.34	9.23	14.38	0.63	3.09	11-	0.04	1.82	2.27	2.54	141.54	146.96	
73	1610	DD	Maj 190086	2	2	6/30/20	0.43	9.84	15.21	-0.27	2.58	-18	-0.05	0.89	2.11	3.31	147.15	147.30	
74	1991	Q	Maj 189666	2	2	7/29/20	0.28	10.07	15.58	-0.67	3.11	ø	-0.88	5.34	2.72	4.52	148.81	138.82	
75	1453	DD	Maj 189457	2	2	6/25/20	0.42	10.69	16.83	-0.11	3.61	-27	-1.01	6.45	2.82	4.91	150.24	140.37	
76	2119	Dd	Maj 190088	2	2	8/11/20	0.26	10.30	16.02	0.02	3.29	-52	-0.37	3.71	2.84	3.96	148.85	148.22	
11	1216	Dd	Wool. 184874	2	2	6/7/20	0.54	10.07	15.84	-0.52	2.84	-28	-0.46	2.61	2.23	3.61	150.80	147.04	
78	1172	DD	Maj 190001	2	2	6/4/20	0.54	10.89	15.92	-0.05	2.78	-43	-0.41	3.78	2.22	3.74	143.68	141.78	
79	1320	DD	Maj 190028	2	2	6/18/20	0.61	11.38	17.32	-0.66	2.31	-65	-0.51	3.14	2.26	4.39	151.08	150.08	
80	2223	Dd	Maj 190223	1	1	8/29/20	0.43	9.53	14.02	-0.20	3.13	-13	-0.27	2.77	2.13	3.56	144.39	141.71	
81	1434	DD	Felix 170909	1	1	6/24/20	0.52	11.22	16.92	-0.78	2.29	14	-1.02	6.50	2.20	4.82	146.69	133.21	
82	1641	D	Linton 160123	2	2	6/30/20	0.55	10.29	15.09	-0.52	2.07	-23	-0.26	2.98	1.64	3.64	142.02	140.23	
83	1550	Dd	Maj 190077	1	1	6/28/20	0.42	9.80	15.47	-0.11	2.88	-38	-0.49	4.37	2.43	3.91	144.41	141.41	
84	1184	00			ļ														

\$ / Buyer																						
LEQ	146.18	148.83	136.09	146.08	147.51	134.82	138.51	146.88	137.04	132.49	143.82	144.18	148.81	139.72	148.08	146.83	138.16	141.90	137.04	148.73	145.50	130.93
TCP	151.27 14	155.44 14	143.73 13	151.69 14	145.82 14	140.78 13	145.87 13	147.53 14	143.67 13	141.10 13	148.64 14	143.33 14	152.29 14	138.87 13	148.65 14	151.91 14	147.28 13	154.32 14	143.20 13	149.22 14	145.83 14	143.34 13
LМY	4.05 1	4.61 1	3.55 1	4.70 1	3.43 1	3.42 1	4.50 1	3.54 1	4.44 1	4.23 1	4.19 1	3.25 1	3.79 1	2.63 1	3.87 1	4.01 1	4.58 1	5.28 1	4.10 1	4.11 1	3.44 1	5.42 1
DRESS	2.47	2.51	2.36	2.24	1.93	2.23	2.92	2.00	2.42	2.66	2.25	2.12	2.43	2.38	2.55	2.60	2.49	2.46	2.41	2.81	2.01	2.11
SHRF5	2.98	3.19	4.50	4.65	0.44	3.67	6.26	0.62	5.36	6.57	3.40	2.78	1.50	2.70	1.77	3.46	6.45	5.72	5.48	3.81	1.44	8.60
IMF	-0.63	-0.68	-0.68	-0.62	-0.02	-0.56	-0.80	-0.03	-0.74	-1.02	-0.41	-0.21	-0.38	-0.16	-0.20	-0.64	-0.90	-1.02	-0.74	-0.26	-0.07	-1.28
PFEC	-35	-25	-11	-29	-30	-12	-27	φ	-28	-43	ń	-48	-21	-42	-28	-35	-22	-	-36	-38	-16	-33
PEMD	3.42	3.81	3.07	3.32	2.42	2.93	3.48	2.87	2.20	2.61	2.63	2.82	3.62	2.99	3.02	2.98	2.73	3.16	2.57	3.42	2.56	2.81
F PFAT	-0.46	-0.47	-0.13	-0.59	-0.61	-0.03	-0.32	-0.45	-0.74	-0.29	-0.68	-0.14	-0.33	0.54	-0.52	-0.32	-0.45	-0.98	-0.31	-0.27	-0.30	-0.84
PWWT	14.06	14.53	14.85	15.13	13.89	13.89	15.26	14.22	16.49	16.48	15.86	14.57	13.64	14.01	15.01	16.39	17.06	16.81	17.00	15.61	15.06	15.52
WWT	9.04	9.45	9.95	10.64	9.13	9.27	9.64	9.40	10.52	10.19	10.41	9.13	8.50	8.65	9.72	10.41	10.98	11.45	10.90	10.25	9.86	10.64
BWT	0.42	0.54	0.35	0.48	0.43	0.36	0.25	0.44	0.27	0.28	0.46	0.38	0.28	0.24	0.38	0.40	0.49	0.45	0.28	0.35	0.46	0.37
DOB	6/27/20	7/3/20	6/2/20	6/27/20	6/19/20	6/6/20	8/11/20	8/9/20	7/1/20	6/21/20	7/31/20	6/30/20	7/3/20	6/21/20	6/11/20	6/7/20	6/27/20	6/3/20	7/3/20	8/15/20	6/29/20	6/22/20
RT	1	H	2	2	2	H	1	-	1	e	٦	1	2	Ч	2	2	1	٦	1	H	H	-
В	-	-	2	2	2	-	-	-	-	m	-	1	2	-	2	2	1	-	1	-	-	1
SIRE	Bruan 170146	Bruan 170146	Wool. 184874	Bruan 170146	Linton 160123	Pep. 180118	Maj 190088	Linton 160123	Pol 150838	Pol 150838	Maj 190098	Maj 190077	Bruan 170146	Maj 190077	Linton 160123	Wool. 184874	Maj 189457	Wool. 184874	Pol 150838	Maj 190088	Linton 160123	Felix 170909
Br.	DD	Dd	DD	DD	DD	DD	PD	DD	DD	DD	DD	DD	DD	DD	DD	DD	DD	DD	DD	DD	DD	PD
Tag ID	1528	1763	1124	1507	1324	1196	2125	2101	1693	1381	2018	1623	1761	1374	1246	1215	1516	1131	1756	2157	1600	1407
Lot No.	85	86	87	88	68	06	91	92	93	94	95	96	97	98	66	100	101	102	103	104	105	106



Page 6 MAJARDAH Tomorrow's Rams Today!

Ran	ns - Po	oll Dors	Majardah Rams - Poll Dorset Ram Lots 1-132 & White Suffolk Ram Lots 133-168	132 8	N N	nite Suffolk R	am Lots	133-1(58										sound conformation,
							Top	Top 1%			Top 10%			Top 20%			Trial Mated	ated	moderate BWI, growth, muscle and worm vosistanco
Ta	Tag ID	Br.	SIRE	BT	RT	DOB	BWT	WWT	PWWT	PFAT	PEMD	PFEC	IMF	SHRF5	DRESS	LMY	TCP	LEQ	\$ / Buyer
2(2029	DD	Maj 190223	1	1	8/2/20	0.20	8.19	12.68	-0.08	3.47	-17	-0.27	2.06	2.37	3.34	143.54	141.15	
1	1227	PD	Pol 150838	2	2	6/9/20	0.31	10.41	16.95	-0.42	2.07	-14	-0.66	4.70	2.49	3.99	143.65	136.77	
1	1443	DD	Maj 189457	2	2	6/24/20	0.73	12.06	18.18	-0.78	2.35	-31	-1.23	8.25	2.31	5.21	147.32	135.24	
1	1169	PD	Wool. 184874	2	2	6/4/20	0.50	10.23	15.70	-0.59	2.53	26	-0.63	3.19	2.29	3.64	149.08	138.91	
1	1263	DD	Felix 170909	1	1	6/15/20	0.33	10.08	15.31	-0.51	2.65	-46	-1.03	6.97	2.13	4.58	142.57 134.02	134.02	
H	1536	D	Maj 190001	1	1	6/28/20	0.38	11.07	16.69	-0.13	2.94	-42	-0.49	4.62	2.41	4.17	147.39	144.57	
1	1237	PD	Felix 170909	2	2	6/10/20	0.39	9.87	14.68	-0.79	2.13	-15	-0.94	6.48	1.62	4.40	138.90	128.77	
H	1369	PD	Maj 190086	m	e	6/21/20	0.54	11.29	17.18	-0.23	1.95	-10	-0.46	3.92	2.28	3.40	143.19	138.06	
1	1632	PD	Pol 150838	2	2	6/30/20	0.36	9.79	15.90	-0.60	2.43	-25	-0.92	5.33	2.46	4.28	142.87	133.91	
1,	1494	DD	Maj 189457	2	2	6/26/20	0.52	10.30	15.81	-0.53	2.70	6	-0.79	5.57	2.39	4.39	146.47	136.05	
÷	1753	PD	Linton 160123	1	H	7/3/20	0.52	9.78	15.26	-0.27	2.57	'n	-0.03	0.85	2.21	3.41	147.85	147.17	
1	1751	DD	Maj 190086	1	1	7/3/20	0.40	8.94	13.85	0.38	3.29	-24	-0.37	2.60	2.60	2.75	142.95	139.95	
1	1849	DD	Felix 170909	1	1	7/8/20	0.24	9.17	14.16	-0.02	3.67	-33	-1.15	6.67	2.58	4.45	142.78	131.79	
5	2117	DD	Maj 190088	-	1	8/11/20	0.32	10.41	16.54	0.24	3.69	-38	-0.58	4.97	3.15	4.16	149.52	149.52 145.40	
H	1530	PD	Linton 160123	1	1	6/27/20	0.47	9.90	14.31	-0.04	2.68	φ	0.11	1.17	1.99	3.11	143.67	144.54	
H.	1730	DD	Maj 190077	1	1	7/2/20	0.48	9.26	14.27	-0.07	2.98	-17	-0.29	3.22	2.21	3.54	143.61	141.01	
2(2050	DD	Maj 190568	1	H	8/4/20	0.52	10.11	15.30	-0.48	3.03	-28	-0.52	2.77	2.29	4.07	150.90 146.53	146.53	
H	1189	PD	BD 182708	2	1	6/5/20	0.28	9.41	14.17	-0.04	3.45	-21	-0.46	3.85	2.56	3.73	144.46	140.25	
÷	1112	PD	Wool. 184874	2	7	6/2/20	0.57	12.30	19.00	-1.43	2.72	2	-0.93	4.72	2.54	5.55	160.41	148.99	
÷	1977	Dd	Maj 189679	-	-	7/28/20	0.24	9.02	14.62	0.03	3.73	-56	-0.49	2.32	2.55	3.88	151.00	151.00 149.26	
2(2072	PD	Maj 190223	1	1	8/5/20	0.51	10.21	15.12	-0.99	3.02	-1	-0.54	4.20	2.29	4.68	150.23 143.52	143.52	
					-														

Poll Dorset Ram Lots 1-132 & White Suffolk Ram Lots 133-168

3.06 143.03 146.66

1.68

0.30

0.12

-36 -20 -29 -32 -35

-0.52 2.18

9.19 13.92

0.54 0.41 0.31 0.25 0.52

7/4/20

2 2 -٦ 1

2 2 ч

Linton 160123

1797 2014 2195 2133 2200

128 129 130

PD DD PD PD PD DD

Maj 190098

7/31/20

140.23 145.42 145.42 143.61

> 2.59 3.55

1.60 2.38

0.14

2.55 2.55

2.51

-0.45 0:30

> 3.21 3.68

-0.01 -0.28

13.13 14.24

8/21/20

Linton 160123

8/1/20

٦

Maj 189679

131 132

8/22/20

٦

Maj 190568

-0.04

14.80

3.57

-0.24 3.34

2.79 2.22

-0.21

15.35

10.05 8.88 8.90 9.93

148.45 145.24


151.36 148.51

3.87

2.32

-0.43





Page 8 MAJARDAH Tomorrow's Rams Today!

INIAJALUARII NAITIS - PUILUUSEL NAITI LUUS 1-132														-			1		souna conformation,
							Tol	Top 1%			Top 10%			Top 20%	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		Trial Mated	lated	moderate BWT, growth, muscle and worm
																			resistance.
Lot No.	Tag ID	Br.	SIRE	ВТ	RT	DOB	BWT	WWT	PWWT	r pfat	PEMD	PFEC	IMF	SHRF5	DRESS	LMY	TCP	LEQ	\$ / Buyer
Aajardah	Rams - W	hite Su	Majardah Rams - White Suffolk Ram Lots 133-168	168															
133	1832	WS	Ashmore 180080	1	1	7/7/20	0.62	12.53	20.26	-0.29	2.44	-30	-0.60	2.35	2.87	4.07	154.99	149.94	
134	1455	WS	Wool. 185369	1	H	6/25/20	0.50	12.10	18.22	-0.68	2.00	-41	-0.35	1.74	2.02	4.01	151.46	150.18	
135	1838	WS	Ashmore 180080	1	H	7/8/20	0.64	12.78	21.01	0.20	3.19	2	-0.64	3.30	3.52	4.28	158.84	150.35	
136	1109	WS	Ashmore 180080	2	1	6/1/20	0.54	11.40	18.95	-0.04	2.44	-30	-0.48	1.83	2.70	3.40	150.64	147.04	
137	1770	WS	Wool. 185369	1	1	7/3/20	0.18	10.38	16.75	0.28	2.81	-61	-0.23	1.45	2.51	3.03	147.34	149.03	
138	1711	WS	Ashmore 180080	2	2	7/2/20	0.53	11.64	19.23	0.15	3.11	-38	-0.57	1.79	3.00	3.79	154.96	150.78	
139	1856	WS	Ashmore 180080	2	2	7/9/20	0.46	11.22	18.32	0.31	2.56	-39	-0.36	0.78	2.69	3.13	149.53	148.00	
140	1779	WS	Wool. 185369	2	2	7/3/20	0.23	9.70	16.46	0.55	2.71	-33	-0.05	-0.63	2.55	2.35	148.97	150.30	
141	1505	WS	Ashmore 180080	1	7	6/27/20	0.59	13.44	21.75	-0.09	2.59	-27	-0.57	2.91	3.16	4.17	157.63	152.57	
142	1293	WS	Ashmore 180080	2	2	6/17/20	0.61	12.41	20.57	-0.01	2.96	-37	-0.55	1.89	3.23	3.99	158.41	154.52	
143	1709	WS	Ashmore 180080	2	2	7/2/20	0.29	10.06	17.36	-0.06	3.15	-38	-0.40	06.0	3.04	3.70	153.42	151.40	
144	1497	WS	Ashmore 180080	2	2	6/27/20	0.46	12.38	20.16	0.11	3.30	-34	-0.57	2.20	3.18	4.12	157.79	153.35	
145	1809	WS	Ashmore 180080	1	H	7/5/20	0.44	11.22	19.37	0.37	3.56	-47	-0.58	1.55	3.30	3.59	156.22	152.71	
146	1559	WS	Ashmore 180080	2	2	6/28/20	0.52	12.52	20.98	-0.04	2.92	-33	-0.55	2.00	3.18	4.20	158.96	154.74	
147	1786	WS	Ashmore 180080	1	-	7/4/20	0.56	12.95	20.94	-0.55	2.63	-24	-0.64	3.39	3.07	4.87	157.77	151.77	
148	1642	WS	Ashmore 180080	-	H	6/30/20	0:30	12.09	20.01	0.48	3.66	-44	-0.63	3.01	3.52	3.99	157.40	153.00	
149	1857	WS	Ashmore 180080	2	2	7/9/20	0.35	10.40	17.21	0.59	2.77	-36	-0.28	0.27	2.69	2.69	147.08	146.22	
150	1474	WS	Wool. 185369	2	2	6/25/20	0.20	8.79	14.83	0.43	3.02	-30	-0.07	-0.83	2.44	2.47	147.74	148.63	
151	1746	WS	Ashmore 180080	2	2	7/3/20	0.36	11.67	19.63	-0.23	2.82	-27	-0.54	2.15	3.05	3.96	154.84	150.33	
152	1712	WS	Ashmore 180080	2	2	7/2/20	0.34	9.78	16.62	0.63	3.29	-39	-0.39	0.70	2.84	2.77	148.16	146.14	
153	1829	WS	Ashmore 180080	+	н,	7/7/20	0.57	12.20	18.99	-0.32	2.61	-11	-0.65	3.27	2.53	4.09	151.63	144.30	
154	1716	WS	Ashmore 180080	2	2	7/2/20	0.51	11.45	19.09	0.12	3.30	-37	-0.69	2.36	3.13	3.91	154.58	149.12	
155	1819	WS	Wool. 185369	2	ч	7/5/20	0.44	11.17	16.85	-0.46	2.17	-43	-0.30	1.07	2.05	3.57	150.50	149.87	
156	1895	WS	Ashmore 180080	1	-	7/14/20	0.42	11.51	18.55	0.23	3.52	-20	-0.62	2.00	3.11	4.01	155.59	149.43	
157	1110	WS	Ashmore 180080	2	r,	6/1/20	0.46	12.51	20.37	-0.21	2.62	-29	-0.58	2.79	2.92	4.07	154.55	149.63	
158	1710	WS	Achmore 180080	6	6														

Page 9

\$ / Buyer												
LEQ	147.67	143.69	144.68	149.34	149.01	148.56	150.22	146.54	145.95	149.60		
TCP	150.78	147.69	149.34	150.90	153.01	154.71	150.13	149.29	148.80	149.24		
LMY	3.34	3.51	3.63	3.80	3.67	4.44	3.01	3.14	3.08	3.21		
DRESS	2.76	2.64	2.44	2.44	2.85	2.90	2.28	2.72	2.80	2.26		
SHRF5	1.51	2.17	2.03	1.44	2.30	3.77	0.39	1.43	1.07	0.69		
IMF	-0.49	-0.58	-0.54	-0.42	-0.51	-0.68	-0.27	-0.45	-0.37	-0.25		
PFEC	-39	-40	-27	-45	-31	-29	-47	-39	-25	-47		
PEMD	2.76	3.13	2.37	2.54	2.64	2.72	2.33	2.84	2.99	2.34		
PFAT	0.19	0.06	-0.33	-0.48	-0.02	-0.38	-0.11	0.32	0.37	-0.16	6	8
PWWT	18.46	15.29	18.18	16.64	19.60	20.31	17.36	17.91	17.13	17.03		A Cato
WWT	11.01	9.63	11.06	10.14	12.02	13.06	10.58	10.77	10.14	10.48		A EA
BWT	0.48	0.27	0.47	0.24	0.57	0.54	0.39	0.45	0.40	0.28		WAR I
DOB	6/2/20	6/28/20	7/12/20	6/29/20	7/1/20	7/3/20	7/8/20	6/2/20	7/8/20	7/10/20		
RT	2	2	2	2	1	1	1	2	2	2		
BT	2	2	2	2	1	1	1	2	2	2		
SIRE	Ashmore 180080	Wool. 185369	Ashmore 180080	Wool. 185369	Ashmore 180080	Ashmore 180080	Wool. 185369	Ashmore 180080	Ashmore 180080	Wool. 185369		
Br.	WS	WS	WS	WS	WS	WS	WS	WS	WS	WS		
Tag ID	1120	1557	1877	1573	1678	1745	1846	1121	1851	1867		
Lot No.	159	160	161	162	163	164	165	166	167	168		

Tomorrow's Rams Today! MAJARDAH Page 10





Accreditation No 580 Stud prefix MAJARDAH

Certificate for Accredited Ovine Brucellosis-free Flock

Given in respect of the registered WHITE SUFFOLK stud flock

No 540 of ADC & R Price of GLENCOE

This flock was examined and tested on **9 January 2020**, and was found free florm ovine bracellosis, and its now an accredited orisis bracellosis-free flock, subject to the conditions agreed to between the owner and the Chief Veterinary Officer for the establishment of ovine bracellosis-free accredited flocks.

This certificate is the property of Primary Industriet South Australia, and remains valid for 24 months but may be withdrawn, should there be any breach of the agreement, or returned should be certificate be no longer required. Testing for reaccreditation is due by **31 December 2021**.

Dr Mary Carr Chief Veterinary Officer per Government of South A Biosecurity SA

Accreditation No 580 Stud prefix MAJARDAH

Certificate for Accredited Ovine Brucellosis-free Flock

liven in respect of the registered POLL DORSET stud flock

No 1886 of ADC & R Price of GLENCOE

Time fields was examined and tested on 9 January 2020, and was found free frem ovine browellosis, and is now an accredited ovine brouclosis or free flock, subject to the conditiona agreed to between the owner and the Chief Veterinary Officer for the establishment of ovine bruxellosis-free accredited flocks.

This certificate is the property of Primary Industries South Australia, and remains valid for 24mentries but may be withdrawn, should there be any breach of the agreement, or returned should the certificate be no longer required. Testing for reaccreditation is due by **31 December 2021**.

Dr Mary Carr Chief Veterinary Officer per





Tomorrow's Rams Today!

MAJARDAH

Loin Samples... Pursuing excellence with R & D









ELDERS BEN GREGORY 0418 498 587

......Page 12

Performance backed by 49 years of breeding...






LAMBPLAN terminal indexes A ram buyer's guide

Indexes help producers select animals for use within a breeding program when there are a range of traits of economic or functional importance, so that genetic gain in one trait is not made in isolation from other traits.

Using indexes in your ram purchasing decisions allows you to make balanced genetic progress towards more profitable sheep. A ram with a higher index will produce progeny that are more profitable in that production system.

Choosing the right index

The following flowchart helps producers determine the best index for their terminal production system:



How to use the chosen index to assist in purchasing decisions:

Before the sale:

1. Rank animals in the sale on the value of your chosen index.

2. Consider the individual ASBVs which are important to you to create a short list of rams to look at on sale day.

At the sale:

3. Look through your short list of rams to find the ones that meet your structural and type requirements.



To assist in benchmarking sale rams relative to the current year drop of animals in the Sheep Genetics database, use the percentile band tables, which are found on the Sheep Genetics website: <u>www.</u> <u>sheepgenetics.org.au/Getting-started/ASBVs-and-Indexes</u>. The animals in the top 10th percentile rank the highest on the index, and those in the 90th percentile rank the lowest.

A brief overview of each of the indexes is included below. If you would like further information on how these selection indexes are generated, please refer to the *Terminal Indexes – ram breeder guide* at <u>sheepgenetics</u>. org.au/terminal-breeder.

Terminal Carcase Production (TCP)

The TCP index is for a prime lamb production system where terminal sires are joined to ewes of a Merino/ maternal breed or cross. The TCP index focuses on increasing weight and muscle while reducing carcase fat. These are changes which contribute to higher lean meat yield. TCP also has emphasis on modest improvements in eating quality.


Typical trait changes for the TCP index include:

- increasing post weaning weight
- increasing carcase eye muscle depth
- · decreasing carcase fat depth
- increasing dressing percentage
- · increasing lean meat yield
- · slightly improving eating quality.

Sheep with better eating quality will have higher ASBVs for intramuscular fat (more marbling) and lower ASBVs for shear force (better tenderness).

Figure 1 illustrates which traits are in the index and how much they contribute to the overall balance of the index. The longer the bar, the greater the impact on the index, and the greater impact on the profitability of the production system.

Figure 1: The traits in the TCP index and how they contribute to the overall balance of the index



TERMIN												
Band %	Bwt	Wwt	Pwwt	Pfat	Pemd	Pfec	LMY	IMF	Dress	ShrF5	ТСР	LEQ
1%	-0.5	12.5	19.5	0.9	4.2	-63	5.4	0.3	3.3	-2.8	157.7	156.5
5%	-0.33	11.6	18.1	0.5	3.5	-53	4.7	0	3.1	-1	154	150.8
10%	-0.1	11.2	17.4	0.3	3.1	-47	4.4	-0.1	2.9	-0.2	150.7	146.6
20%	0.18	10.6	16.5	0	2.6	-40	4	-0.3	2.6	0.7	146.3	141.1
50%	0.35	9.4	14.3	-0.4	1.7	-25	3.2	-0.5	2	2.7	137.6	130.7

Tomorrow's Rams Today!

MAJARDAH

OLL DORSET STUD 1886 🆙 WHITE SUFFOLK STUD 540

Eating Quality (EQ)

The EQ index is for a prime lamb operation where terminal sires are joined to ewes of a Merino/maternal breed or cross, and where producers are interested in improving the eating quality of their lambs to a greater degree than is possible with the TCP index. Because of the added emphasis on eating quality, there is less emphasis on growth and carcase traits, although they will still improve.

Typical trait changes for the EQ index include:

- increasing post weaning weight
- increasing eye muscle depth
- maintaining/small reduction in carcase fat
- increasing dressing percentage
- increasing lean meat yield
- · large improvement in eating quality.

Sheep with better eating quality will have higher ASBVs for intramuscular fat (more marbling) and lower ASBVs for shear force (better tenderness).

Figure 2 illustrates which traits are in the index and how much they contribute to the overall balance of the index. The longer the bar, the greater the impact on the index, and the greater impact on the profitability of the production system.




Figure 2: The traits in the EQ index and how they contribute to the overall balance of the index

Lamb Eating Quality (LEQ)

The LEQ index is for a prime lamb operation where terminal sires are joined to ewes of a Merino/maternal breed or cross in high rainfall and/or high input management systems where internal parasites may cause significant economic losses.

Producers who select this index are interested in improving the eating quality of their lambs to a greater degree than is possible with the TCP index. Growth and carcase traits will still improve, and inclusion of worm egg count will aid in control of internal parasites.


Typical trait changes for the LEQ index include:

- · increasing post weaning weight
- · increasing eye muscle depth
- · maintaining/small reduction in carcase fat
- increasing dressing percentage
- · increasing lean meat yield
- · large improvement in eating quality
- increasing resistance to worms.

Sheep with better eating quality will have higher ASBVs for intramuscular fat (more marbling) and lower ASBVs for shear force (better tenderness).

Figure 3 illustrates which traits are in the index and how much they contribute to the overall balance of the index. The longer the bar, the greater the impact on the index, and the greater impact on the profitability of the production system.

Figure 3: The traits in the LEQ index and how they contribute to the overall balance of the index











Sheep Genetics Lambplan Acronyms

ВТ	Birth Type	Born a single, twin or triplet
RT	Rear Type	Reared as single, twin or triplet
DOB	Date of Birth	Date of birth
BWT	Birth weight	Lower birth weight values will producer lighter lambs
WWT	Weaning weight	A higher WWT value ram will produce faster growing progeny
PWWT	Post weaning weight	A higher PWWT value ram will produce faster growing progeny
PFAT	Post weaning fat	The more negative the value for PFAT, the leaner the progeny will be
PEMD	Post weaning eye muscle depth	Rams with positive values for PEMD will have more muscle especially in the high value loin area and hind quarter
PWEC	Post weaning worm egg count	A lower (more negative) value for PWEC indicates the progeny will have lower worm egg counts and be more resistant to developing a worm burden
IMF	Intra muscular fat	Higher value is better
SHRF5	Shearforce	Amount of force required to cut through the meat, lower value is more tender
LMY	Lean meat yield	Higher the value, higher % of saleable meat on carcase
DRESS	Dress Percentage	Rams with more positive dressing percentage (DRESS) ASBVs produce lambs that have a higher dressing percentage at slaughter.



OJD MN3 V MAJARDAH

OB Free Acc: 580

POLL DORSET STUD 1886 🦙 WHITE SUFFOLK STUD 540

