

64  
BULLS



2021

ANNUAL SALE

# Blackrock Angus

THUR 11 FEB 1PM

BOYANUP SALEYARDS

Sale team average  
**docility top 20%**  
of the breed



Lot 1 Blackrock Q96 by Landfall Keystone K132



**AuctionsPlus**

Buy and Sell stock nationally

CONDUCTING AGENTS

**Elders**

Ken MacLeay

Ph: 9755 1136 Mob: 0438 926 363






blackrockangus@bigpond.com


www.blackrockangus.com.au

Catalogue available online



3% commission to outside agents nominating buyers prior to sale





## SALE INFORMATION

The information in this catalogue is a result of accurate data collection at BLACKROCK and has been downloaded directly from the BREEDPLAN DATABASE.

At BLACKROCK we record Birth Weight, 200, 400 and 600 day weights, mature cow weight, eye muscle area, fat depth, intramuscular fat, scrotal circumference and docility.

Should you require more information on any particular bull please feel free to discuss it with us.

### **Bull Examination**

The bulls have had a physical examination including structural soundness and external reproductive organs. The bulls have also undergone semen examination. All bulls have been vaccinated for BVDV, Vibrio, Clostridial diseases and Leptospirosis. All Bulls have been tested for BVDV antigen and are free from BVDV persistent infection (PI's).

### **Health Treatments**

All bulls have been vaccinated with 7 in 1 at 6, 7, 9 and 20 months of age. All bulls have been tested negative to BVDV and are P.I. free. They have also been vaccinated with Pestiguard and Vibrovax and Drenched in December 2020.

### **Johne's Disease**

The Blackrock herd is tested clear Level 8 offering buyers the highest level of protection.

### **DNA Paternity Verification**

Please note that DNA paternity (sire of sale animal) verification has only been conducted on some of the animals listed in this catalogue. It is a requirement of the Society that all bulls used to sire calves for registration in the Society's Herd Book Register must have been DNA paternity verified. Buyers wishing to register progeny from these bulls should conduct DNA paternity verification before they are used for breeding.

### **Guarantee**

We endeavour to ensure that all bulls are structurally sound and in satisfactory working condition at time of sale. Should a bull you purchase prove to be unsatisfactory at time of sale we will provide a replacement or negotiate a suitable alternative. However, this is not an unconditional guarantee and we recommend you insure your purchases for full cover at time of sale.



## What is the TransTasman Angus Cattle Evaluation?

The TransTasman Angus Cattle Evaluation is the genetic evaluation program adopted by Angus Australia for Angus and Angus influenced beef cattle. The TransTasman Angus Cattle Evaluation uses Best Linear Unbiased Prediction (BLUP) technology to produce Estimated Breeding Values (EBVs) of recorded cattle for a range of important production traits (e.g. weight, carcass, fertility).

The TransTasman Angus Cattle Evaluation is an international genetic evaluation and includes pedigree, performance and genomic information from the Angus Australia and Angus New Zealand databases, along with selected information from the American and Canadian Angus Associations.

The TransTasman Angus Cattle Evaluation utilises a range of genetic evaluation software, including the internationally recognised BLUPF90 family of programs, and BREEDPLAN® beef genetic evaluation analytical software, as developed by the Animal Genetics and Breeding Unit (AGBU), a joint institute of NSW Agriculture and the University of New England, and Meat and Livestock Australia Limited (MLA).

## What is an EBV?

An animal's breeding value can be defined as its genetic merit for each trait. While it is not possible to determine an animal's true breeding value, it is possible to estimate it. These estimates of an animal's true breeding value are called EBVs (Estimated Breeding Values).

EBVs are expressed as the difference between an individual animal's genetics and a historical genetic level (i.e. group of animals) within the TACE genetic evaluation, and are reported in the units in which the measurements are taken.

## Using EBVs to Compare the Genetics of Two Animals

TACE EBVs can be used to estimate the expected difference in the genetics of two animals, with the expected difference equating to half the difference in the EBVs of the animals, all other things being equal (e.g. they are joined to the same animal/s).

For example, a bull with a 200 Day Growth EBV of +60 would be expected to produce progeny that are, on average, 10 kg heavier at 200 days of age than a bull with a 200 Day Growth EBV of +40 kg (i.e. 20 kg difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

Or similarly, a bull with an IMF EBV of +3.0 would be expected to produce progeny with on average, 1% more intramuscular fat in a 400 kg carcass than a bull with a IMF EBV of +1.0 (i.e. 2% difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

## Using EBVs to Benchmark an Animal's Genetics with the Breed

EBVs can also be used to benchmark an animal's genetics relative to the genetics of other Angus or Angus infused animals in Australia.

To benchmark an animal's genetics relative to other Angus animals, an animal's EBV can be compared to the EBV reference tables, which provide:

- the breed average EBV
- the percentile bands table

The current breed average EBV is listed on the bottom of each page in this publication, while the current EBV reference tables are included at the end of these introductory notes. For easy reference, the percentile band in which an animal's EBV ranks is also published in association with the EBV.

## Considering Accuracy

An accuracy value is published with each EBV, and is usually displayed as a percentage value immediately below the EBV.

The accuracy value provides an indication of the reliability of the EBV in estimating the animal's genetics (or true breeding value), and is an indication of the amount of information that has been used in the calculation of the EBV.

EBVs with accuracy values below 50% should be considered as preliminary or of low accuracy, 50-74% as of medium accuracy, 75-90% of medium to high accuracy, and 90% or greater as high accuracy.

## Description of TACE EBVs

EBVs are calculated for a range of traits within TACE, covering calving ease, growth, fertility, maternal performance, carcass merit, feed efficiency and structural soundness. A description of each EBV included in this publication is provided on the following page.

# UNDERSTANDING ESTIMATED BREEDING VALUES (EBVS)

Birth	<b>CEDir</b>	%	Genetic differences in the ability of a sire's calves to be born unassisted from 2 year old heifers.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
	<b>CEDtrs</b>	%	Genetic differences in the ability of a sire's daughters to calve unassisted at 2 years of age.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
	<b>GL</b>	days	Genetic differences between animals in the length of time from the date of conception to the birth of the calf.	Lower EBVs indicate shorter gestation length.
	<b>BW</b>	kg	Genetic differences between animals in calf weight at birth.	Lower EBVs indicate lighter birth weight.
Growth	<b>200 Day</b>	kg	Genetic differences between animals in live weight at 200 days of age due to genetics for growth.	Higher EBVs indicate heavier live weight.
	<b>400 Day</b>	kg	Genetic differences between animals in live weight at 400 days of age.	Higher EBVs indicate heavier live weight.
	<b>600 Day</b>	kg	Genetic differences between animals in live weight at 600 days of age.	Higher EBVs indicate heavier live weight.
	<b>MCW</b>	kg	Genetic differences between animals in live weight of cows at 5 years of age.	Higher EBVs indicate heavier mature weight.
	<b>Milk</b>	kg	Genetic differences between animals in live weight at 200 days of age due to the maternal contribution of its dam.	Higher EBVs indicate heavier live weight.
Fertility	<b>DtC</b>	days	Genetic differences between animals in the time from the start of the joining period (i.e. when the female is introduced to a bull) until subsequent calving.	Lower EBVs indicate shorter time to calving.
	<b>SS</b>	cm	Genetic differences between animals in scrotal circumference at 400 days of age.	Higher EBVs indicate larger scrotal circumference.
Carcase	<b>CWT</b>	kg	Genetic differences between animals in hot standard carcase weight at 750 days of age.	Higher EBVs indicate heavier carcase weight.
	<b>EMA</b>	cm <sup>2</sup>	Genetic differences between animals in eye muscle area at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate larger eye muscle area.
	<b>Rib Fat</b>	mm	Genetic differences between animals in fat depth at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more fat.
	<b>P8 Fat</b>	mm	Genetic differences between animals in fat depth at the P8 rump site in a 400 kg carcase.	Higher EBVs indicate more fat.
	<b>RBV</b>	%	Genetic differences between animals in boned out saleable meat from a 400 kg carcase.	Higher EBVs indicate higher yield.
	<b>IMF</b>	%	Genetic differences between animals in intramuscular fat (marbling) at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more intramuscular fat.
Other	<b>NFI-F</b>	kg/day	Genetic differences between animals in feed intake at a standard weight and rate of weight gain when animals are in a feedlot finishing phase.	Lower EBVs indicate more feed efficiency.
	<b>Doc</b>	%	Genetic differences between animals in temperament.	Higher EBVs indicate better temperament.
Structure	<b>Foot Angle</b>	score	Genetic differences in foot angle (strength of pastern, depth of heel).	Lower EBVs indicate more desirable foot angle.
	<b>Claw Set</b>	score	Genetic differences in claw set structure (shape and evenness of claws).	Lower EBVs indicate more desirable claw structure.
Selection Index	<b>ABI</b>	\$	Genetic differences between animals in net profitability per cow joined in a typical commercial self replacing herd using Angus bulls. This selection index is not specific to a particular production system or market end-point, but identifies animals that will improve overall profitability in the majority of commercial grass and grain finishing beef production systems.	Higher selection index values indicate greater profitability.
	<b>DOM</b>	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting the domestic supermarket trade.	Higher selection index values indicate greater profitability.
	<b>HGRN</b>	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture grown steers with a 250 day feedlot finishing period for the grain fed high quality, highly marbled markets.	Higher selection index values indicate greater profitability.
	<b>HGRS</b>	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture finished steers.	Higher selection index values indicate greater profitability.

# TransTasman Angus Cattle Evaluation - January 2021 Reference Tables



BREED AVERAGE EBVs																																
Brd Avg	Calving Ease				Birth				Growth				Fertility				Carcase				Other				Structure				Selection Indexes			
	CEDir	CEDirs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EIMA	RIB	P8	RBV	IMF	NF:F	DOC	Angle	Claw	ABI	DOM	GRN	GRS							
+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.18	+6	+0.98	+0.85	+120	+112	+127	+116								

\* Breed average represents the average EBV of all 2019 drop Australian Angus and Angus-influenced seedstock animals analysed in the January 2021 TransTasman Angus Cattle Evaluation .

PERCENTILE BANDS TABLE																																							
% Band	Calving Ease				Birth				Growth				Fertility				Carcase				Other				Structure				Selection Indexes										
	Less	More	Calving	Diffculty	Lighter	Heavier	Birth	Weight	200	400	600	MCW	Milk	SS	Shorter	Longer	Calving	Weight	Lighter	Heavier	EMA	RIB	P8	RBV	IMF	NF:F	DOC	Angle	Claw	ABI	DOM	GRN	GRS						
1%	+12.2	+10.8	-10.5	+0.2	+66	+116	+155	+151	+27	+4.2	-9.6	+90	+12.3	+3.1	+3.0	+2.7	+4.5	-0.53	+33	+0.60	+0.42	+165	+141	+193	+151														
5%	+9.9	+8.9	-8.5	+1.5	+60	+107	+142	+134	+24	+3.5	-8.2	+82	+10.2	+2.0	+1.9	+2.0	+3.8	-0.32	+25	+0.72	+0.54	+152	+133	+176	+141														
10%	+8.5	+7.7	-6.9	+2.2	+57	+102	+135	+125	+22	+3.1	-7.4	+78	+9.1	+1.5	+1.3	+1.6	+3.4	-0.21	+21	+0.78	+0.62	+146	+128	+166	+136														
15%	+7.5	+6.9	-6.9	+2.6	+56	+99	+131	+120	+21	+2.8	-6.9	+75	+8.4	+1.1	+1.0	+1.4	+3.1	-0.13	+18	+0.82	+0.66	+141	+125	+159	+132														
20%	+6.6	+6.2	-6.5	+2.9	+54	+97	+127	+116	+20	+2.7	-6.5	+73	+7.8	+0.9	+0.7	+1.2	+2.9	-0.07	+16	+0.84	+0.70	+138	+123	+153	+130														
25%	+5.9	+5.6	-6.1	+3.2	+53	+95	+125	+112	+20	+2.5	-6.2	+72	+7.4	+0.7	+0.5	+1.1	+2.7	-0.02	+14	+0.86	+0.72	+134	+121	+149	+127														
30%	+5.2	+5.0	-5.7	+3.4	+52	+93	+122	+109	+19	+2.4	-5.8	+70	+7.0	+0.5	+0.3	+1.0	+2.5	+0.02	+12	+0.90	+0.74	+132	+119	+144	+125														
35%	+4.5	+4.5	-5.4	+3.6	+51	+92	+120	+106	+18	+2.3	-5.5	+69	+6.6	+0.3	+0.1	+0.9	+2.3	+0.06	+11	+0.92	+0.76	+129	+117	+140	+123														
40%	+3.8	+3.9	-5.1	+3.8	+50	+90	+118	+104	+18	+2.2	-5.3	+68	+6.3	+0.2	-0.1	+0.7	+2.2	+0.10	+9	+0.94	+0.80	+126	+116	+136	+121														
45%	+3.2	+3.4	-4.8	+4.0	+49	+89	+116	+101	+17	+2.1	-5.0	+66	+6.1	+0.0	-0.3	+0.6	+2.1	+0.14	+8	+0.96	+0.82	+124	+114	+133	+119														
50%	+2.5	+2.9	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+5.8	-0.1	-0.4	+0.5	+2.0	+0.17	+7	+0.98	+0.84	+121	+113	+129	+118														
55%	+1.9	+2.4	-4.2	+4.4	+48	+86	+112	+96	+16	+1.9	-4.5	+64	+5.5	-0.3	-0.6	+0.4	+1.8	+0.21	+5	+1.00	+0.86	+119	+111	+125	+116														
60%	+1.2	+1.8	-3.9	+4.6	+47	+85	+110	+94	+16	+1.8	-4.2	+63	+5.3	-0.4	-0.8	+0.3	+1.7	+0.25	+4	+1.02	+0.88	+116	+110	+121	+114														
65%	+0.4	+1.2	-3.6	+4.8	+46	+83	+108	+91	+15	+1.7	-4.0	+61	+5.0	-0.6	-0.9	+0.2	+1.6	+0.28	+2	+1.04	+0.92	+114	+108	+117	+112														
70%	-0.4	+0.6	-3.3	+5.0	+45	+82	+106	+89	+15	+1.5	-3.7	+60	+4.7	-0.7	-1.1	+0.1	+1.5	+0.32	+1	+1.06	+0.94	+111	+106	+113	+109														
75%	-1.3	-0.1	-3.0	+5.3	+44	+80	+104	+86	+14	+1.4	-3.4	+59	+4.4	-0.9	-1.3	+0.0	+1.4	+0.37	-1	+1.08	+0.96	+108	+104	+107	+104														
80%	-2.3	-0.9	-2.6	+5.5	+43	+78	+101	+82	+13	+1.3	-3.0	+57	+4.0	-1.1	-1.6	-0.2	+1.2	+0.42	-3	+1.12	+1.00	+104	+102	+103	+104														
85%	-3.5	-1.8	-2.2	+5.9	+41	+76	+98	+78	+13	+1.1	-2.6	+55	+3.6	-1.3	-1.8	-0.4	+1.0	+0.48	-5	+1.16	+1.04	+99	+99	+96	+100														
90%	-5.1	-3.0	-1.6	+6.3	+40	+73	+94	+73	+12	+0.9	-2.0	+52	+3.1	-1.6	-2.2	-0.6	+0.8	+0.56	-8	+1.20	+1.08	+92	+95	+86	+95														
95%	-7.6	-5.0	-0.6	+6.9	+37	+68	+87	+65	+10	+0.6	-1.0	+47	+2.3	-2.1	-2.8	-1.0	+0.5	+0.68	-12	+1.28	+1.16	+82	+88	+72	+87														
99%	-13.1	-9.0	+1.4	+8.2	+29	+57	+71	+46	+7	-0.2	+1.4	+38	+0.6	-3.1	-3.9	-1.8	+0.0	+0.94	-20	+1.42	+1.32	+56	+74	+37	+67														

\* The percentile bands represent the distribution of EBVs across the 2019 drop Australian Angus and Angus-influenced seedstock animals analysed in the January 2021 TransTasman Angus Cattle Evaluation .

## EBV Quick Reference for Blackrock Angus Bull Sale

Animal Ident	Calving Ease				Birth				Growth				Fertility				Carcase				Other				Selection Indexes																				
	CED	CEM	GL	BW	200	400	600	MCW	Milk	SS	DC	CWT	EWA	Rib	Rump	RBV	IMF	NFI-F	Doc	ABI	DOM	GRN	GRS	CED	CEM	GL	BW	200	400	600	MCW	Milk	SS	DC	CWT	EWA	Rib	Rump	RBV	IMF	NFI-F	Doc	ABI	DOM	GRN
1	WMYQ96	+1.9	+3.0	-5.6	+5.4	+59	+106	+153	+150	+16	+1.9	-6.5	+88	+5.1	+1.4	-0.3	-0.4	+2.1	+0.30	+16	\$149	\$119	\$166	\$140																					
2	WMYQ183	-11.4	-0.6	-4.7	+7.3	+59	+106	+139	+126	+15	+1.2	-6.0	+78	+6.2	+1.3	+1.3	+0.1	+1.0	-0.04	-4	\$116	\$104	\$115	\$116																					
3	WMYQ136	+3.1	+5.2	-4.1	+3.4	+49	+90	+109	+86	+22	+2.1	-5.8	+67	+5.2	+0.0	-0.1	+0.6	+1.4	+0.10	+2	\$117	\$117	\$117	\$117																					
4	WMYQ160	-1.9	+1.9	-6.5	+5.1	+57	+103	+143	+127	+18	+2.3	-4.9	+74	+4.7	+2.2	+3.0	-0.6	+1.3	+0.31	+15	\$130	\$112	\$130	\$131																					
5	WMYQ197	+0.7	+0.4	-4.4	+5.7	+58	+102	+153	+130	+21	+2.3	-4.9	+75	+3.6	-1.4	-1.8	+0.1	+2.1	+0.07	+18	\$141	\$113	\$157	\$134																					
6	WMYQ116	-1.5	+1.4	-4.8	+5.7	+47	+83	+109	+120	+12	+2.3	-6.1	+65	+7.8	+0.5	-0.6	+0.8	+2.4	+0.11	-	\$121	\$110	\$136	\$113																					
7	WMYQ81	+1.2	+3.6	-5.7	+5.2	+54	+96	+137	+134	+15	+1.3	-4.5	+82	+5.4	+0.3	-2.2	+0.7	+1.7	+0.07	+23	\$130	\$112	\$142	\$125																					
8	WMYQ113	+4.0	+4.8	-7.2	+2.8	+51	+98	+124	+96	+23	+2.3	-2.3	+70	+6.9	-0.4	-0.8	+1.6	+0.8	+0.18	+7	\$121	\$122	\$116	\$125																					
9	WMYQ78	+1.8	-1.8	-5.2	+6.3	+56	+92	+131	+141	+16	+1.2	-6.4	+71	+4.6	+1.2	+0.6	-0.1	+1.7	-0.20	+19	\$125	\$106	\$133	\$120																					
10	WMYQ233	-4.5	-2.8	-3.9	+6.3	+58	+100	+126	+107	+19	+2.2	-5.6	+75	+5.0	-0.3	+0.3	+1.2	+0.6	-0.16	+20	\$113	\$112	\$107	\$115																					
11	WMYQ19	-3.4	+7.6	-7.3	+6.8	+61	+108	+144	+137	+12	+2.8	-3.9	+78	+1.2	+0.1	-0.8	+0.4	+0.9	+0.03	+18	\$119	\$112	\$121	\$120																					
12	WMYQ169	+8.0	+4.8	-7.4	+3.4	+53	+100	+135	+104	+21	+1.9	-3.5	+76	+1.8	-2.1	-2.0	-0.1	+2.0	+0.47	+12	\$128	\$117	\$137	\$125																					
13	WMYQ75	+7.7	+4.9	-10.9	+2.2	+61	+107	+159	+141	+20	+2.2	-3.5	+95	+8.6	-0.1	-3.6	+0.9	+2.3	+0.36	+21	\$155	\$126	\$175	\$148																					
14	WMYQ57	-2.6	-4.6	-4.4	+6.1	+62	+115	+150	+125	+19	+2.4	-6.1	+83	+5.1	-2.0	-1.3	+1.2	+1.4	+0.09	+23	\$142	\$127	\$153	\$137																					
15	WMYQ179	-0.9	+5.3	-7.3	+4.7	+54	+92	+116	+98	+16	+2.0	-3.4	+64	+7.9	-0.2	-1.5	+2.3	+0.5	-0.20	+12	\$113	\$116	\$106	\$116																					
16	WMYQ314	+1.2	+2.5	-6.6	+4.7	+59	+102	+136	+123	+18	+2.5	-4.9	+77	+6.1	+0.8	+0.5	+0.8	+1.1	-0.10	+22	\$131	\$120	\$131	\$130																					
17	WMYQ208	+8.1	+8.1	-9.6	+2.1	+47	+82	+103	+87	+21	+2.6	-6.7	+54	+6.4	+1.9	+1.6	+0.2	+1.8	+0.11	+23	\$123	\$117	\$124	\$121																					
18	WMYQ186	+4.1	-0.4	-4.9	+5.3	+54	+101	+136	+119	+21	+1.0	-3.4	+73	+4.0	-1.3	-2.1	+0.5	+2.0	-0.26	+11	\$128	\$116	\$140	\$124																					
19	WMYQ164	+8.6	+6.5	-4.9	+3.2	+49	+86	+108	+85	+17	+1.8	-3.7	+61	+5.0	-0.2	-0.7	+0.5	+1.3	+0.05	+10	\$110	\$112	\$106	\$112																					
20	WMYQ194	+4.1	+4.9	-5.1	+4.9	+60	+104	+145	+118	+18	+2.5	-3.6	+86	+4.7	-1.3	-1.0	+0.9	+1.2	+0.05	+20	\$137	\$122	\$141	\$136																					
21	WMYQ53	-4.5	+4.7	-7.7	+6.6	+57	+98	+130	+138	+14	+3.6	-8.3	+69	+3.0	+1.3	-0.4	-0.4	+2.7	+0.18	+27	\$131	\$112	\$151	\$119																					
22	WMYQ262	+2.1	+0.4	-3.4	+3.8	+47	+83	+104	+91	+12	+1.8	-5.1	+63	+6.1	+1.7	+1.9	-0.2	+2.0	+0.51	+24	\$115	\$110	\$116	\$113																					
23	WMYQ21	+1.6	+7.1	-5.8	+3.4	+57	+98	+128	+108	+18	+1.6	-6.1	+82	+8.2	+1.9	+0.2	+1.0	+0.7	+0.25	+8	\$131	\$122	\$127	\$132																					
24	WMYQ24	+6.6	+7.5	-9.2	+2.7	+45	+86	+112	+102	+13	+2.6	-4.1	+59	+5.0	+1.0	+0.8	+0.0	+2.0	+0.29	+8	\$123	\$115	\$128	\$120																					
25	WMYQ215	+2.1	+0.8	-4.5	+5.2	+54	+91	+127	+118	+15	+3.0	-4.0	+77	+2.9	-1.9	-1.6	+0.4	+2.5	-0.01	+29	\$124	\$111	\$139	\$118																					
26	WMYQ60	-0.7	+4.8	-6.0	+4.1	+46	+82	+98	+115	+7	+3.1	-6.9	+53	+3.9	+2.1	+0.5	-0.2	+1.9	+0.13	+16	\$105	\$105	\$111	\$101																					
27	WMYQ223	+1.0	+2.6	-5.8	+3.3	+46	+80	+101	+67	+17	+1.9	-5.1	+58	+5.3	-0.1	+0.2	+1.0	+1.1	+0.10	+19	\$109	\$110	\$103	\$111																					
28	WMYQ131	+0.8	+4.3	-6.3	+5.1	+57	+104	+138	+138	+16	+2.6	-5.5	+76	+0.5	+0.7	-0.5	-0.6	+2.0	-0.13	+13	\$126	\$113	\$138	\$121																					
29	WMYQ67	+0.3	+2.7	-5.6	+4.3	+52	+94	+125	+116	+18	+2.1	-6.5	+81	+7.5	+1.0	-0.9	+1.1	+1.2	+0.29	+32	\$129	\$117	\$134	\$125																					
30	WMYQ97	+9.4	+4.7	-5.2	+2.4	+46	+87	+107	+87	+20	+1.4	-7.3	+59	+6.1	+1.5	+0.4	-0.4	+2.1	+0.17	+19	\$125	\$117	\$131	\$120																					
31	WMYQ47	+8.5	+8.4	-9.5	+2.0	+41	+73	+87	+77	+19	+1.8	-6.9	+49	+9.1	+0.2	-0.9	+1.3	+1.9	+0.30	+13	\$118	\$117	\$123	\$113																					
32	WMYQ191	+3.8	+0.5	-4.2	+3.8	+45	+79	+92	+74	+16	+0.8	-7.6	+53	+4.7	+2.4	+2.5	-0.1	+1.1	-0.01	+24	\$107	\$109	\$98	\$108																					
33	WMYQ303	+1.7	+4.3	-7.3	+3.5	+49	+84	+105	+89	+18	+2.1	-4.5	+64	+8.0	+0.2	-0.4	+1.7	+0.4	-0.27	+9	\$107	\$111	\$96	\$112																					
34	WMYQ190	+5.8	+1.9	-4.5	+3.0	+47	+87	+110	+98	+14	+2.0	-3.7	+65	+4.8	+0.7	+0.6	+0.1	+2.4	+0.45	+14	\$120	\$115	\$128	\$117																					
		+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.18	+6	+120	+112	+127	+116																					



## EBV Quick Reference for Blackrock Angus Bull Sale

Animal Ident	Calving Ease				Birth				Growth				Fertility				Carcase				Other				Selection Indexes			
	CED	CEM	GL	BW	200	400	600	MCW	Milk	SS	DC	CWT	EWA	Rib	Rump	RBV	IMF	NFI-F	Doc	ABI	DOM	GRN	GRS					
35	WMYQ261	+4.8	+3.7	-4.3	+3.2	+50	+96	+131	+110	+19	+2.8	-4.0	+4.6	-2.1	-1.2	+0.4	+2.0	+0.02	+9	\$132	\$118	\$144	\$128					
36	WMYQ73	+3.6	+4.6	-8.8	+3.0	+54	+98	+135	+105	+24	+2.8	-5.5	+9.0	+2.7	+2.3	+0.8	+0.7	+0.37	+2	\$140	\$123	\$135	\$142					
37	WMYQ114	-5.6	+4.9	-8.5	+6.2	+61	+104	+132	+133	+13	+3.4	-8.0	+3.0	+2.4	+0.8	-0.5	+1.9	+0.16	+23	\$125	\$113	\$134	\$119					
38	WMYQ156	+7.2	+8.0	-4.8	+2.0	+37	+64	+71	+49	+17	+2.4	-8.5	+9.7	+3.8	+3.4	+0.2	+1.8	+0.78	+37	\$114	\$114	\$109	\$112					
39	WMYQ3	+0.8	+0.8	-9.9	+4.2	+52	+99	+128	+114	+16	+3.2	-6.3	+9.7	+1.7	+2.7	+0.9	+1.1	+0.59	+19	\$140	\$125	\$141	\$138					
40	WMYQ130	-6.9	+8.3	-5.0	+6.5	+65	+115	+150	+166	+13	+2.0	-6.1	+2.3	+0.4	-0.9	+0.3	+0.3	-0.60	+31	\$116	\$108	\$115	\$116					
41	WMYQ135	+2.3	+2.1	-5.2	+4.3	+55	+101	+130	+104	+19	+3.0	-4.7	+5.7	+2.1	+2.1	+0.6	+1.0	+0.52	+7	\$130	\$122	\$127	\$132					
42	WMYQ83	-2.6	+3.2	-7.3	+5.0	+53	+97	+121	+122	+14	+3.2	-6.4	+6.0	+0.1	-0.3	+1.1	+1.4	+0.02	+19	\$124	\$117	\$130	\$120					
43	WMYQ267	+5.8	+5.8	-3.7	+2.4	+46	+86	+104	+95	+15	+2.2	-4.5	+7.3	+2.2	+1.7	+0.5	+1.1	+0.19	+17	\$114	\$116	\$108	\$117					
44	WMYQ184	+2.3	+1.2	-3.3	+4.0	+53	+97	+130	+122	+16	+1.7	-5.7	+6.5	+1.3	-0.1	+0.0	+2.0	+0.33	+15	\$133	\$117	\$143	\$128					
45	WMYQ125	+6.2	+5.6	-8.0	+4.0	+53	+97	+128	+107	+21	+1.5	-7.4	+4.3	+0.6	+0.9	-0.4	+1.5	-0.12	+19	\$134	\$119	\$139	\$131					
46	WMYQ91	+0.4	+3.9	-5.4	+4.0	+53	+94	+123	+105	+16	+1.4	-3.8	+4.6	+0.3	-1.5	+0.2	+2.2	+0.28	+16	\$120	\$113	\$129	\$117					
47	WMYQ123	+2.7	+5.2	-5.5	+4.0	+48	+90	+114	+94	+18	+0.9	-3.0	+5.6	-0.9	-0.7	+0.7	+1.6	+0.27	+21	\$115	\$114	\$117	\$115					
48	WMYQ71	+2.7	+2.5	-6.0	+3.8	+52	+96	+128	+122	+17	+1.5	-6.3	+5.3	+1.9	+0.0	-0.3	+1.8	+0.34	+13	\$129	\$114	\$137	\$124					
49	WMYQ187	+3.0	+4.3	-2.6	+3.6	+46	+87	+112	+79	+19	+1.2	-5.1	+8.6	+1.4	+1.5	-0.4	+2.2	+0.43	+24	\$127	\$116	\$131	\$125					
50	WMYQ189	+8.0	+8.4	-8.3	+2.6	+45	+84	+108	+90	+21	+1.9	-9.6	+7.9	+2.1	+2.6	-0.3	+1.7	+0.46	+12	\$137	\$121	\$141	\$132					
51	WMYQ167	+5.4	-0.8	-3.5	+3.3	+45	+85	+101	+80	+19	+2.0	-6.3	+2.9	+1.1	+1.4	-1.2	+2.5	+0.17	-1	\$111	\$109	\$116	\$108					
52	WMYQ154	+1.4	+4.8	-4.9	+4.8	+51	+92	+124	+103	+21	+1.1	-4.0	+7.1	-0.8	-1.7	+1.6	+0.9	+0.00	-	\$121	\$115	\$121	\$121					
53	WMYQ118	-1.9	-2.6	-3.7	+6.7	+55	+90	+134	+140	+16	+2.3	-5.7	+4.7	-0.7	-1.7	+0.6	+1.6	-0.13	+5	\$120	\$100	\$130	\$114					
54	WMYQ177	+3.6	+4.1	-6.4	+4.6	+56	+102	+144	+144	+17	+1.7	-5.1	+8.6	-0.4	-2.8	+1.2	+1.1	+0.12	+18	\$136	\$118	\$146	\$132					
55	WMYQ9	+3.1	-0.1	-3.7	+4.6	+48	+91	+112	+99	+17	+2.1	-6.8	+4.5	+1.9	+1.0	-0.8	+2.2	+0.16	+24	\$120	\$113	\$128	\$116					
56	WMYQ295	+4.4	+6.7	-5.5	+3.7	+48	+85	+111	+86	+19	+0.6	-5.0	+5.7	+0.0	-0.9	+1.1	+1.1	-0.02	+11	\$119	\$115	\$117	\$119					
57	WMYQ79	+8.5	+6.1	-8.1	+2.1	+43	+80	+103	+102	+20	+2.2	-8.0	+6.4	+1.2	+1.1	-0.5	+2.9	+0.63	+2	\$131	\$115	\$146	\$121					
58	WMYQ272	+6.4	+3.0	-5.1	+3.1	+50	+86	+117	+98	+18	+1.7	-3.7	+5.8	-1.0	-1.4	+0.8	+1.5	-0.18	+10	\$117	\$111	\$119	\$117					
59	WMYQ178	+5.5	+7.1	-5.3	+2.9	+45	+82	+105	+79	+17	+0.7	-4.4	+4.8	+0.4	+0.7	-0.4	+2.2	+0.45	+3	\$117	\$112	\$120	\$116					
60	WMYQ251	+0.2	+7.1	-5.1	+3.8	+45	+81	+92	+70	+19	+1.2	-7.2	+5.7	+0.9	+1.5	+0.3	+0.8	+0.12	+14	\$103	\$109	\$92	\$106					
61	WMYQ155	+1.4	+4.8	-4.9	+4.8	+51	+92	+124	+103	+21	+1.1	-4.0	+7.1	-0.8	-1.7	+1.6	+0.9	+0.00	+15	\$121	\$115	\$121	\$121					
62	WMYQ143	+6.5	+7.4	-6.1	+3.2	+46	+82	+105	+87	+18	+0.5	-2.5	+2.9	-0.9	-1.7	+0.4	+1.3	-0.29	+17	\$99	\$104	\$95	\$102					
63	WMYQ74	+2.3	+7.2	-5.1	+4.9	+54	+98	+129	+98	+20	+1.9	-6.9	+7.8	+1.0	+2.5	+0.2	+1.1	+0.26	+24	\$140	\$125	\$139	\$139					
64	WMYQ106	+4.9	+8.6	-5.6	+4.1	+48	+91	+115	+101	+18	+0.8	-4.5	+9.5	+1.1	+1.1	+0.5	+1.3	+0.41	+19	\$126	\$120	\$125	\$127					





**RS****LANDFALL KEYSTONE K132<sup>PV</sup>****TFAK132**

DOB: 19/07/2014

Registration Status: HBR

Mating Type: AI

Genetic Status: AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGF

BOOROOMOOKA UNDERTAKEN U170<sup>PV</sup>  
 BOOROOMOOKA UNDERTAKEN Y145<sup>PV</sup>  
 BOOROOMOOKA UAAISE U101<sup>SV</sup>

CONNEALY FRONTLINE#  
 S A V FRONT RUNNER 0713#  
 JACS BLOSSOM 5357#

**Sire: NORE11 RENNYLEA EDMUND E11<sup>PV</sup>****Dam: TFAH807 LANDFALL ARCHER H807<sup>SV</sup>**

YTHANBRAE HENRY VIII U8<sup>SV</sup>  
 LAWSONS HENRY VIII Y5<sup>SV</sup>  
 YTHANBRAE DIRECTION T270#

DUNOON REAGAN R093+96<sup>SV</sup>  
 LANDFALL ARCHER X9<sup>PV</sup>  
 LANDFALL ARCHER T74#

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+6.4</b>	<b>+8.0</b>	<b>-7.8</b>	<b>+2.2</b>	<b>+56</b>	<b>+106</b>	<b>+148</b>	<b>+143</b>	<b>+18</b>
ACC	83%	62%	99%	98%	98%	98%	97%	90%	86%
Perc	22	9	9	10	13	6	3	3	38
SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+0.9</b>	<b>-6.5</b>	<b>+98</b>	<b>+7.3</b>	<b>+2.2</b>	<b>-1.5</b>	<b>-0.1</b>	<b>+2.1</b>	<b>+0.53</b>	<b>+16</b>
97%	60%	84%	86%	86%	85%	81%	84%	71%	96%
90	20	1	26	4	78	76	42	89	19

**Selection Indexes**

ABI	DOM	HGN	HGS
<b>\$153</b>	<b>\$127</b>	<b>\$171</b>	<b>\$145</b>
5	12	7	3

**Traits Observed:** GL,CE,BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics

**Statistics:** Number of Herds: 65, Prog Analysed: 1532, Genomic Prog: 524

**RS****MILLAH MURRAH LAKESIDE L69<sup>PV</sup>****NMML69**

DOB: 13/02/2015

Registration Status: HBR

Mating Type: AI

Genetic Status: AMF,CAF,DDF,NHF,MAF,OSF,RGF

CONNEALY ONWARD#  
 SITZ UPWARD 307R<sup>SV</sup>  
 SITZ HENRIETTA PRIDE 81M#

B/R NEW DESIGN 036#  
 YTHANBRAE HENRY VIII U8<sup>SV</sup>  
 G A R MAX 678#

**Sire: USA17091363 THOMAS UP RIVER 1614<sup>PV</sup>****Dam: NMMH113 MILLAH MURRAH PRUE H113<sup>PV</sup>**

RITO 112 OF 2536 RITO 616#  
 THOMAS CAROL 7595#  
 THOMAS CAROL 1246#

CRUSADER OF STERN AB#  
 MILLAH MURRAH PRUE C48<sup>SV</sup>  
 MILLAH MURRAH PRUE Y68#

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+6.8</b>	<b>-2.0</b>	<b>-3.2</b>	<b>+3.2</b>	<b>+48</b>	<b>+89</b>	<b>+107</b>	<b>+83</b>	<b>+24</b>
ACC	61%	46%	97%	97%	94%	94%	93%	83%	75%
Perc	19	86	72	25	56	42	68	80	6
SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+1.5</b>	<b>-5.4</b>	<b>+61</b>	<b>+4.8</b>	<b>+0.9</b>	<b>-0.4</b>	<b>-0.6</b>	<b>+2.5</b>	<b>+0.11</b>	<b>+16</b>
91%	52%	80%	81%	83%	81%	78%	79%	65%	86%
70	37	66	68	19	48	89	29	41	20

**Selection Indexes**

ABI	DOM	HGN	HGS
<b>\$113</b>	<b>\$111</b>	<b>\$119</b>	<b>\$109</b>
66	55	63	70

**Traits Observed:** GL,BWT,200WT,400WT,SC,Scan(EMA,Rib,Rump,IMF),DOC,Genomics

**Statistics:** Number of Herds: 18, Prog Analysed: 198, Genomic Prog: 25

**RS****SITZ INVESTMENT 660Z<sup>PV</sup>****USA17179119**

DOB: 26/01/2012

Registration Status: HBR

Mating Type: Natural

Genetic Status: AMF,CAF,DDF,NHF,DWF,MAF,MHF,OSF

G A R RETAIL PRODUCT#  
 CONNEALY PRODUCT 568#  
 PRIDE FINE OF CONANGA 566#

CONNEALY ONWARD#  
 SITZ UPWARD 307R<sup>SV</sup>  
 SITZ HENRIETTA PRIDE 81M#

**Sire: USA15848422 CONNEALY FINAL PRODUCT<sup>PV</sup>****Dam: USA15836550 SITZ ELLUNAS ELITE 656T<sup>#</sup>**

CONNEALY DEEP CANYON 454#  
 EBONISTA OF CONANGA 471#  
 EBONISA OF CONANGA 5469#

BON VIEW NEW DESIGN 1407#  
 SITZ ELLUNAS ELITE 35M#  
 SITZ ELLUNAS ELITE 3308#

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+0.3</b>	<b>+4.1</b>	<b>-9.3</b>	<b>+3.7</b>	<b>+61</b>	<b>+118</b>	<b>+159</b>	<b>+128</b>	<b>+26</b>
ACC	65%	48%	98%	98%	96%	96%	96%	88%	85%
Perc	66	38	3	36	4	1	1	9	2
SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+2.8</b>	<b>-4.0</b>	<b>+88</b>	<b>+7.2</b>	<b>+2.3</b>	<b>+2.3</b>	<b>+0.4</b>	<b>+0.8</b>	<b>+0.48</b>	<b>+4</b>
94%	52%	85%	86%	86%	83%	81%	84%	66%	93%
15	64	2	27	4	3	55	90	85	60

**Selection Indexes**

ABI	DOM	HGN	HGS
<b>\$147</b>	<b>\$129</b>	<b>\$146</b>	<b>\$149</b>
9	9	28	2

**Traits Observed:** Genomics

**Statistics:** Number of Herds: 16, Prog Analysed: 602, Genomic Prog: 97

**RS****KAROO KNOCKOUT K176<sup>SV</sup>****NENK176**

DOB: 18/07/2014

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

SCHURR 77 1346 EXCEL#  
 SCHURRTOP REALITY X723#  
 SCHURRTOP 8019 V141#

COONAMBLE Z3<sup>PV</sup>  
 KAROO Z3 CONNAMBLE F12<sup>PV</sup>  
 KAROO DORIS Y137<sup>SV</sup>

**Sire: NZE14647008839 MATAURI REALITY 839#****Dam: NENH213 KAROO JEDDA H213#**

TE MANIA ULONG U41<sup>SV</sup>  
 MATAURI 06663#  
 MATAURI 04456 AB#

KAROO W37 MODEST D26<sup>PV</sup>  
 KAROO JEDDA F204#  
 KAROO JEDDA D68<sup>SV</sup>

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
EBV	+1.7	+7.1	-8.0	+5.1	+49	+91	+112	+129	+8
ACC	70%	53%	99%	98%	97%	98%	97%	90%	80%
Perc	56	14	8	71	48	37	55	8	98
SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
+3.6	-6.3	+57	+7.4	+2.4	+1.3	+0.3	+2.1	+0.24	+26
97%	58%	86%	88%	88%	86%	82%	86%	70%	96%
4	23	80	24	3	10	60	42	59	5

**Selection Indexes**

ABI	DOM	HGN	HGS
\$129	\$120	\$140	\$122
34	27	35	37

**Traits Observed:** GL,BWT,200WT,400WT,  
 600WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics

**Statistics:** Number of Herds: 55, Prog Analysed: 1059,  
 Genomic Prog: 115

**RS****GRANITE RIDGE KAISER K26<sup>SV</sup>****SJKK26**

DOB: 24/03/2014

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDF,NHFU

BONGONGO BULLETPROOF Z3<sup>PV</sup>  
 TE MANIA CALAMUS C46<sup>SV</sup>  
 TE MANIA LOWAN A626#

NICHOLS NEXT STEP P129#  
 NICHOLS QUIET LAD T9#  
 NICHOLS STACY M352#

**Sire: VTMF734 TE MANIA FOE F734<sup>SV</sup>****Dam: SJKF158 GRANITE RIDGE SUPREME F158#**

TE MANIA AFRICA A217<sup>PV</sup>  
 TE MANIA DANDLOO D700#  
 TE MANIA DANDLOO X330<sup>SV</sup>

S S TRAVELER 6807 T510#  
 GRANITE RIDGE SUPREME D85#  
 LAWSONS ROCKN D AMBUSH X1667<sup>SV</sup>

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
EBV	+5.3	+2.9	-7.4	+5.3	+56	+99	+137	+145	+21
ACC	70%	53%	98%	98%	97%	97%	97%	92%	87%
Perc	29	50	11	75	13	15	8	2	17
SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
+2.1	-7.7	+78	+8.3	+1.3	+0.2	-0.1	+1.9	-0.12	+19
97%	51%	84%	86%	86%	85%	80%	83%	67%	96%
41	8	10	16	12	31	76	51	16	14

**Selection Indexes**

ABI	DOM	HGN	HGS
\$143	\$119	\$156	\$135
13	29	18	11

**Traits Observed:** GL,CE,BWT,200WT,400WT,  
 600WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics

**Statistics:** Number of Herds: 44, Prog Analysed: 841,  
 Genomic Prog: 183

**RS****CLUNIE RANGE LEGEND L348<sup>PV</sup>****NBHL348**

DOB: 9/07/2015

Registration Status: HBR

Mating Type: ET

Genetic Status: AMF,CAF,DDF,NHF,DWF,MAF,OSF,RGF

SCHURR 77 1346 EXCEL#  
 SCHURRTOP REALITY X723#  
 SCHURRTOP 8019 V141#

CONNEALY CONSENSUS#  
 CONNEALY EARNAN 076<sup>PV</sup>  
 BRAZILA OF CONANGA 3991 839A#

**Sire: NZE14647008839 MATAURI REALITY 839#****Dam: AHWJ81 ABERDEEN ESTATE LAURA J81<sup>PV</sup>**

TE MANIA ULONG U41<sup>SV</sup>  
 MATAURI 06663#  
 MATAURI 04456 AB#

B/R AMBUSH 28#  
 TUWHARETOA E111<sup>PV</sup>  
 TUWHARETOA A52<sup>PV</sup>

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
EBV	-4.0	+7.9	-8.2	+6.3	+59	+101	+130	+159	+5
ACC	76%	59%	99%	98%	97%	98%	98%	90%	82%
Perc	87	9	7	90	7	12	17	1	99
SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
+3.0	-7.9	+74	+1.6	+3.6	+0.5	-1.6	+2.8	+0.07	+13
97%	64%	89%	90%	91%	88%	88%	88%	82%	96%
11	7	18	98	1	24	99	21	36	29

**Selection Indexes**

ABI	DOM	HGN	HGS
\$124	\$108	\$143	\$113
44	64	32	61

**Traits Observed:** BWT,200WT,400WT,600WT,SC,  
 Scan(EMA,Rib,Rump,IMF),Genomics

**Statistics:** Number of Herds: 91, Prog Analysed: 1152,  
 Genomic Prog: 283

**RS****MILLAH MURRAH LOCH UP L133<sup>PV</sup>****NMML133**

DOB: 14/03/2015

Registration Status: HBR

Mating Type: ET

Genetic Status: AMF,CAF,DDF,NHF,MAF,OSF,RGF

CONNEALY ONWARD<sup>#</sup>  
SITZ UPWARD 307R<sup>SV</sup>  
SITZ HENRIETTA PRIDE 81M<sup>#</sup>

TE MANIA BERKLEY B1<sup>PV</sup>  
TE MANIA EMPEROR E343<sup>PV</sup>  
TE MANIA LOWAN Z74<sup>PV</sup>

**Sire: USA17091363 THOMAS UP RIVER 1614<sup>PV</sup>****Dam: NMMH49 MILLAH MURRAH BRENDA H49<sup>SV</sup>**

RITO 112 OF 2536 RITO 616<sup>#</sup>  
THOMAS CAROL 7595<sup>#</sup>  
THOMAS CAROL 1246<sup>#</sup>

BT EQUATOR 395M<sup>#</sup>  
MILLAH MURRAH BRENDA E64<sup>PV</sup>  
MILLAH MURRAH BRENDA A32<sup>PV</sup>

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
EBV	+7.0	+7.2	-6.3	+4.9	+59	+101	+134	+98	+21
ACC	78%	64%	99%	99%	98%	98%	98%	93%	91%
Perc	18	13	22	66	8	11	12	51	17
SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
+2.0	-2.6	+73	+2.2	-1.5	-1.9	+0.2	+1.7	-0.28	+21
98%	67%	92%	92%	92%	90%	89%	90%	85%	97%
46	85	21	96	88	86	64	60	7	10

**Selection Indexes**

ABI	DOM	HGN	HGS
\$123	\$118	\$126	\$123
46	32	54	35

**Traits Observed:** BWT,200WT,400WT,SC,Scan  
(EMA,Rib,Rump,IMF),DOC,Genomics

**Statistics:** Number of Herds: 99, Prog Analysed: 1438,  
Genomic Prog: 309

**RS****PATHFINDER MAGNUM M778<sup>SV</sup>****SMPM778**

DOB: 10/04/2016

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

TE MANIA ULONG U41<sup>SV</sup>  
TE MANIA AFRICA A217<sup>PV</sup>  
TE MANIA JEDDA Y32<sup>SV</sup>

TE MANIA YORKSHIRE Y437<sup>PV</sup>  
TE MANIA BERKLEY B1<sup>PV</sup>  
TE MANIA LOWAN Z53<sup>#</sup>

**Sire: VTMG67 TE MANIA GARTH G67<sup>PV</sup>****Dam: SMPG148 PATHFINDER BERKLEY G148<sup>#</sup>**

TE MANIA CANTON C138<sup>PV</sup>  
TE MANIA MITTAGONG E28<sup>SV</sup>  
TE MANIA MITTAGONG C900<sup>SV</sup>

G A R YIELD GRADE<sup>#</sup>  
PATHFINDER GRADE D3<sup>#</sup>  
PATHFINDER BIRDWOOD B134<sup>#</sup>

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
EBV	+9.8	+9.7	-11.1	+2.6	+43	+86	+111	+108	+25
ACC	61%	48%	97%	96%	92%	91%	90%	81%	72%
Perc	6	3	1	15	78	56	58	33	3
SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
+1.7	-8.6	+58	+8.1	+0.1	-0.8	-0.1	+3.2	+0.55	-7
88%	56%	77%	77%	79%	78%	75%	75%	65%	84%
61	4	76	17	41	60	76	13	90	89

**Selection Indexes**

ABI	DOM	HGN	HGS
\$144	\$123	\$168	\$129
12	19	9	21

**Traits Observed:** GL,BWT,400WT,600WT,SC,Scan  
(EMA,Rib,Rump,IMF),Genomics

**Statistics:** Number of Herds: 19, Prog Analysed: 216,  
Genomic Prog: 44

**RS****EF COMPLEMENT 8088<sup>PV</sup>****USA16198796**

DOB: 18/01/2008

Registration Status: HBR

Mating Type: Natural

Genetic Status: AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF

G A R PRECISION 1680<sup>#</sup>  
C A FUTURE DIRECTION 5321<sup>#</sup>  
C A MISS POWER FIX 308<sup>#</sup>

TWIN VALLEY PRECISION E161<sup>#</sup>  
BR MIDLAND<sup>#</sup>  
BR ROYAL LASS 7036-19<sup>#</sup>

**Sire: USA14686137 BASIN FRANCHISE P142<sup>#</sup>****Dam: USA15452880 EF EVERELDA ENTENSE 6117<sup>#</sup>**

BASIN AMBUSH 3905<sup>#</sup>  
BASIN CHLOE 812L<sup>#</sup>  
BASIN CHLOE 938F<sup>#</sup>

SVF GDAR 216 LTD<sup>#</sup>  
H F EVERELDA ENTENSE 869<sup>#</sup>  
BT EVERELDA ENTENSE 76D<sup>#</sup>

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
EBV	+7.2	+11.2	-5.4	+2.9	+53	+98	+130	+104	+23
ACC	95%	82%	99%	99%	99%	99%	99%	98%	98%
Perc	17	1	35	19	25	18	16	40	8
SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
+1.1	-4.6	+77	+8.4	+1.0	+1.8	-0.3	+2.0	+0.63	+8
99%	81%	97%	96%	96%	96%	95%	95%	90%	99%
85	52	12	15	17	6	82	46	93	46

**Selection Indexes**

ABI	DOM	HGN	HGS
\$141	\$125	\$146	\$139
15	15	28	7

**Traits Observed:** Genomics

**Statistics:** Number of Herds: 198, Prog Analysed:  
4815, Genomic Prog: 1126

# Lot 1

# BLACKROCK Q96#

# WMYQ96

DOB: 16/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

BOOROOMOOKA UNDERTAKEN Y145<sup>PV</sup>  
 RENNYLEA EDMUND E11<sup>PV</sup>  
 LAWSONS HENRY VIII Y5<sup>SV</sup>

TE MANIA BERKLEY B1<sup>PV</sup>  
 TE MANIA EMPEROR E343<sup>PV</sup>  
 TE MANIA LOWAN Z74<sup>PV</sup>

**Sire: TFAK132 LANDFALL KEYSTONE K132<sup>PV</sup>**

**Dam: WMYM121 BLACKROCK M121#**

S A V FRONT RUNNER 0713#  
 LANDFALL ARCHER H807<sup>SV</sup>  
 LANDFALL ARCHER X9<sup>PV</sup>

BLACKROCK D83<sup>SV</sup>  
 BLACKROCK G213#  
 BLACKROCK D222#

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+1.9</b>	<b>+3.0</b>	<b>-5.6</b>	<b>+5.4</b>	<b>+59</b>	<b>+106</b>	<b>+153</b>	<b>+150</b>	<b>+16</b>
ACC	56%	47%	62%	74%	70%	71%	73%	67%	59%
Perc	55	49	31	77	8	6	2	2	58

### Selection Indexes

ABI	DOM
<b>\$149</b>	<b>\$119</b>
7	29

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+1.9</b>	<b>-6.5</b>	<b>+88</b>	<b>+5.1</b>	<b>+1.4</b>	<b>-0.3</b>	<b>-0.4</b>	<b>+2.1</b>	<b>+0.30</b>	<b>+16</b>
73%	42%	60%	60%	61%	61%	58%	57%	49%	60%
51	20	2	62	11	45	85	42	67	21

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

**Notes:** A new bloodline, top 2% of the breed for carcase weight.

Purchaser:.....\$:

# Lot 2

# BLACKROCK Q183#

# WMYQ183

DOB: 26/03/2019

Registration Status: HBR

Mating Type: Natural

Genetic Status: AMFU,CAFU,DDFU,NHFU

CONNEALY PRODUCT 568#  
 CONNEALY FINAL PRODUCT<sup>PV</sup>  
 EBONISTA OF CONANGA 471#

ARDROSSAN EQUATOR A241<sup>PV</sup>  
 BLACKROCK G88<sup>SV</sup>  
 BLACKROCK B105#

**Sire: WMYN56 BLACKROCK N56<sup>SV</sup>**

**Dam: WMYJ167 BLACKROCK J167#**

BLACKROCK H59<sup>SV</sup>  
 BLACKROCK K226#  
 BLACKROCK Z91#

BLACKROCK C251<sup>SV</sup>  
 BLACKROCK E145#  
 BLACKROCK A110#

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>-11.4</b>	<b>-0.6</b>	<b>-4.7</b>	<b>+7.3</b>	<b>+59</b>	<b>+106</b>	<b>+139</b>	<b>+126</b>	<b>+15</b>
ACC	48%	34%	57%	71%	65%	66%	69%	63%	53%
Perc	99	78	46	97	8	6	7	10	70

### Selection Indexes

ABI	DOM
<b>\$116</b>	<b>\$104</b>
60	75

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+1.2</b>	<b>-6.0</b>	<b>+78</b>	<b>+6.2</b>	<b>+1.3</b>	<b>+1.3</b>	<b>+0.1</b>	<b>+1.0</b>	<b>-0.04</b>	<b>-4</b>
68%	31%	55%	51%	54%	54%	49%	47%	38%	50%
82	27	11	42	12	10	68	85	23	83

**Traits Observed:** BWT,200WT,400WT(x2),600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

**Notes:** A thick bull with excellent growth and carcase weight while maintaining positive fat coverage. Well suited to WA .

Purchaser:.....\$:

# Lot 3

# BLACKROCK Q136#

# WMYQ136

DOB: 20/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

SITZ UPWARD 307R<sup>SV</sup>  
 THOMAS UP RIVER 1614<sup>PV</sup>  
 THOMAS CAROL 7595#

S ALLIANCE 3313#  
 S CHISUM 6175<sup>PV</sup>  
 S GLORIA 464#

**Sire: NMML69 MILLAH MURRAH LAKESIDE L69<sup>PV</sup>**

**Dam: WMYM35 BLACKROCK M35#**

YTHANBRAE HENRY VIII U8<sup>SV</sup>  
 MILLAH MURRAH PRUE H113<sup>PV</sup>  
 MILLAH MURRAH PRUE C48<sup>SV</sup>

ARDROSSAN EQUATOR A241<sup>PV</sup>  
 BLACKROCK G99#  
 BLACKROCK B19#

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+3.1</b>	<b>+5.2</b>	<b>-4.1</b>	<b>+3.4</b>	<b>+49</b>	<b>+90</b>	<b>+109</b>	<b>+86</b>	<b>+22</b>
ACC	49%	38%	63%	73%	67%	65%	66%	61%	54%
Perc	46	28	57	29	45	41	63	74	9

### Selection Indexes

ABI	DOM
<b>\$117</b>	<b>\$117</b>
58	35

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+2.1</b>	<b>-5.8</b>	<b>+67</b>	<b>+5.2</b>	<b>+0.0</b>	<b>-0.1</b>	<b>+0.6</b>	<b>+1.4</b>	<b>+0.10</b>	<b>+2</b>
71%	38%	56%	56%	59%	57%	56%	55%	46%	55%
41	30	41	61	45	39	45	72	40	66

**Traits Observed:** BWT,200WT(x2),600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC

**Notes:** This bull has well balanced genetics to take your calves in the right direction.

Purchaser:.....\$:

# Lot 4

# BLACKROCK Q160#

# WMYQ160

DOB: 23/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

CONNEALY PRODUCT 568#  
CONNEALY FINAL PRODUCT<sup>PV</sup>  
EBONISTA OF CONANGA 471#

THOMAS GRADE UP 6849<sup>SV</sup>  
GRANITE RIDGE THOMAS F223<sup>PV</sup>  
THE GRANGE IMRAN ROSEBUD D81<sup>PV</sup>

Sire: USA17179119 SITZ INVESTMENT 660Z<sup>PV</sup>

Dam: WMYM152 BLACKROCK M152#

SITZ UPWARD 307R<sup>SV</sup>  
SITZ ELLUNAS ELITE 656T#  
SITZ ELLUNAS ELITE 35M#

BLACKROCK D83<sup>SV</sup>  
BLACKROCK G220#  
BLACKROCK D112#

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>-1.9</b>	<b>+1.9</b>	<b>-6.5</b>	<b>+5.1</b>	<b>+57</b>	<b>+103</b>	<b>+143</b>	<b>+127</b>	<b>+18</b>
ACC	49%	36%	62%	74%	70%	70%	73%	66%	58%
Perc	78	59	19	71	10	10	5	9	37

### Selection Indexes

ABI	DOM
<b>\$130</b>	<b>\$112</b>
32	52

SS	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc
<b>+2.3</b>	<b>-4.9</b>	<b>+74</b>	<b>+4.7</b>	<b>+2.2</b>	<b>+3.0</b>	<b>-0.6</b>	<b>+1.3</b>	<b>+0.31</b>	<b>+15</b>
71%	35%	60%	60%	61%	61%	56%	56%	44%	57%
32	47	18	70	4	1	89	76	68	23

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

Notes: Put extra weight into your calves with this high growth sire while maintaining the advantages of positive fat. Well suited to WA.

Purchaser:..... \$:.....

# Lot 5

# BLACKROCK Q197#

# WMYQ197

DOB: 31/03/2019

Registration Status: HBR

Mating Type: Natural

Genetic Status: AMFU,CAFU,DDFU,NHFU

TE MANIA AFRICA A217<sup>PV</sup>  
TE MANIA GARTH G67<sup>PV</sup>  
TE MANIA MITTAGONG E28<sup>SV</sup>

BOOROOMOOKA EXPLOSIVE E116<sup>SV</sup>  
BOOROOMOOKA GALILEO G501<sup>PV</sup>  
BOOROOMOOKA WINCH B69<sup>SV</sup>

Sire: WMYN200 BLACKROCK N200<sup>SV</sup>

Dam: WMYM21 BLACKROCK M21#

BLACKROCK D70<sup>SV</sup>  
BLACKROCK F150#  
BLACKROCK B58#

BLACKROCK H155<sup>SV</sup>  
BLACKROCK K170#  
BLACKROCK F145#

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+0.7</b>	<b>+0.4</b>	<b>-4.4</b>	<b>+5.7</b>	<b>+58</b>	<b>+102</b>	<b>+153</b>	<b>+130</b>	<b>+21</b>
ACC	45%	36%	57%	72%	66%	67%	71%	63%	53%
Perc	63	71	51	82	9	11	2	7	13

### Selection Indexes

ABI	DOM
<b>\$141</b>	<b>\$113</b>
15	48

SS	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc
<b>+2.3</b>	<b>-4.9</b>	<b>+75</b>	<b>+3.6</b>	<b>-1.4</b>	<b>-1.8</b>	<b>+0.1</b>	<b>+2.1</b>	<b>+0.07</b>	<b>+18</b>
67%	35%	56%	55%	57%	58%	53%	51%	43%	52%
32	47	16	85	86	84	68	42	36	15

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

Notes: Add growth and carcase weight to your calves with this bull.

Purchaser:..... \$:.....

# Lot 6

# BLACKROCK Q116#

# WMYQ116

DOB: 18/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

SCHURRTOP REALITY X723#  
MATAURI REALITY 839#  
MATAURI 06663#

TE MANIA AMBASSADOR A134<sup>SV</sup>  
TUWHARETOA REGENT D145<sup>PV</sup>  
LAWSONS HENRY VIII Y5<sup>SV</sup>

Sire: NENK176 KAROO KNOCKOUT K176<sup>SV</sup>

Dam: WMYJ106 BLACKROCK J106#

KAROO Z3 CONNAMBLE F12<sup>PV</sup>  
KAROO JEDDA H213#  
KAROO JEDDA F204#

BOOROOMOOKA DESIGN Y120<sup>SV</sup>  
BLACKROCK B137#  
BLACKROCK T11#

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>-1.5</b>	<b>+1.4</b>	<b>-4.8</b>	<b>+5.7</b>	<b>+47</b>	<b>+83</b>	<b>+109</b>	<b>+120</b>	<b>+12</b>
ACC	54%	45%	68%	74%	66%	66%	67%	64%	59%
Perc	76	64	45	82	59	67	63	15	90

### Selection Indexes

ABI	DOM
<b>\$121</b>	<b>\$110</b>
50	58

SS	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc
<b>+2.3</b>	<b>-6.1</b>	<b>+65</b>	<b>+7.8</b>	<b>+0.5</b>	<b>-0.6</b>	<b>+0.8</b>	<b>+2.4</b>	<b>+0.11</b>	-
63%	43%	60%	59%	62%	60%	59%	59%	50%	-
32	26	50	20	29	54	36	32	41	-

**Traits Observed:** BWT,200WT,400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF)

Notes:

Purchaser:..... \$:.....

**Lot 7** **BLACKROCK Q81#** **WMYQ81**

DOB: 14/03/2019 Registration Status: HBR Mating Type: AI Genetic Status: AMFU,CAFU,DDFU,NHFU  
 BOOROOMOOKA UNDERTAKEN Y145<sup>PV</sup> TE MANIA EMPEROR E343<sup>PV</sup>  
 RENNYLEA EDMUND E11<sup>PV</sup> BLACKROCK K34<sup>SV</sup>  
 LAWSONS HENRY VIII Y5<sup>SV</sup> BLACKROCK D124#  
**Sire: TFAK132 LANDFALL KEYSTONE K132<sup>PV</sup>** **Dam: WMYM65 BLACKROCK M65#**  
 S A V FRONT RUNNER 0713# K C F BENNETT PERFORMER#  
 LANDFALL ARCHER H807<sup>SV</sup> BLACKROCK F106#  
 LANDFALL ARCHER X9<sup>PV</sup> BLACKROCK V77#

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+1.2</b>	<b>+3.6</b>	<b>-5.7</b>	<b>+5.2</b>	<b>+54</b>	<b>+96</b>	<b>+137</b>	<b>+134</b>	<b>+15</b>
ACC	54%	43%	61%	74%	69%	70%	73%	66%	58%
Perc	60	43	30	73	23	23	9	5	70

SS	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc
<b>+1.3</b>	<b>-4.5</b>	<b>+82</b>	<b>+5.4</b>	<b>+0.3</b>	<b>-2.2</b>	<b>+0.7</b>	<b>+1.7</b>	<b>+0.07</b>	<b>+23</b>
72%	39%	59%	58%	59%	60%	56%	55%	46%	58%
78	55	5	57	35	90	40	60	36	7

**Selection Indexes**

ABI	DOM
<b>\$130</b>	<b>\$112</b>
32	52

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

Notes: Top 10% for docility and carcass weight.

Purchaser:.....\$:

**Lot 8** **BLACKROCK Q113#** **WMYQ113**

DOB: 18/03/2019 Registration Status: HBR Mating Type: AI Genetic Status: AMFU,CAFU,DDFU,NHFU  
 CONNEALY PRODUCT 568# B/R NEW DAY 454#  
 CONNEALY FINAL PRODUCT<sup>PV</sup> V A R RESERVE 1111<sup>PV</sup>  
 EBONISTA OF CONANGA 471# SANDPOINT BLACKBIRD 8809#  
**Sire: USA17179119 SITZ INVESTMENT 660Z<sup>PV</sup>** **Dam: WMYL79 BLACKROCK L79#**  
 SITZ UPWARD 307R<sup>SV</sup> CONNEALY FINAL PRODUCT<sup>PV</sup>  
 SITZ ELLUNAS ELITE 656T# BLACKROCK J26#  
 SITZ ELLUNAS ELITE 35M# BLACKROCK Y146#

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+4.0</b>	<b>+4.8</b>	<b>-7.2</b>	<b>+2.8</b>	<b>+51</b>	<b>+98</b>	<b>+124</b>	<b>+96</b>	<b>+23</b>
ACC	51%	39%	66%	75%	71%	71%	74%	68%	60%
Perc	39	32	13	18	34	17	26	55	8

SS	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc
<b>+2.3</b>	<b>-2.3</b>	<b>+70</b>	<b>+6.9</b>	<b>-0.4</b>	<b>-0.8</b>	<b>+1.6</b>	<b>+0.8</b>	<b>+0.18</b>	<b>+7</b>
73%	38%	62%	61%	62%	62%	58%	58%	47%	59%
32	88	32	31	58	60	10	90	51	48

**Selection Indexes**

ABI	DOM
<b>\$121</b>	<b>\$122</b>
50	21

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

Notes:

Purchaser:.....\$:

**Lot 9** **BLACKROCK Q78#** **WMYQ78**

DOB: 13/03/2019 Registration Status: HBR Mating Type: AI Genetic Status: AMFU,CAFU,DDFU,NHFU  
 TE MANIA CALAMUS C46<sup>SV</sup> LAWSONS DINKY-DI Z191<sup>SV</sup>  
 TE MANIA FOE F734<sup>SV</sup> BLACKROCK D83<sup>SV</sup>  
 TE MANIA DANDLOO D700# BLACKROCK Z123#  
**Sire: SJKK26 GRANITE RIDGE KAISER K26<sup>SV</sup>** **Dam: WMYG220 BLACKROCK G220#**  
 NICHOLS QUIET LAD T9# BANGADANG VRD A72<sup>PV</sup>  
 GRANITE RIDGE SUPREME F158# BLACKROCK D112#  
 GRANITE RIDGE SUPREME D85# BLACKROCK X45#

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+1.8</b>	<b>-1.8</b>	<b>-5.2</b>	<b>+6.3</b>	<b>+56</b>	<b>+92</b>	<b>+131</b>	<b>+141</b>	<b>+16</b>
ACC	51%	40%	62%	75%	70%	70%	73%	67%	60%
Perc	56	85	38	90	15	34	15	3	62

SS	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc
<b>+1.2</b>	<b>-6.4</b>	<b>+71</b>	<b>+4.6</b>	<b>+1.2</b>	<b>+0.6</b>	<b>-0.1</b>	<b>+1.7</b>	<b>-0.20</b>	<b>+19</b>
71%	35%	60%	59%	60%	61%	55%	55%	43%	60%
82	21	29	71	14	22	76	60	11	13

**Selection Indexes**

ABI	DOM
<b>\$125</b>	<b>\$106</b>
42	70

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

Notes: Use this bull to add growth, positive fat, efficiency and docility. Well suited to WA. Out of one of our oldest cows.

Purchaser:.....\$:

**Lot 10****BLACKROCK Q233#****WMYQ233**

DOB: 07/04/2019

Registration Status: HBR

Mating Type: Natural

Genetic Status: AMFU,CAFU,DDFU,NHFU

ARDROSSAN EQUATOR A241<sup>PV</sup>  
 BOOROOMOOKA GENIUS G120<sup>PV</sup>  
 BOOROOMOOKA WATARA JET C499<sup>SV</sup>

BLACKROCK H34<sup>SV</sup>  
 BLACKROCK K225<sup>SV</sup>  
 BLACKROCK G61<sup>#</sup>

**Sire: WMYN77 BLACKROCK N77<sup>SV</sup>****Dam: WMYM153 BLACKROCK M153<sup>SV</sup>**

BLACKROCK D38<sup>SV</sup>  
 BLACKROCK F220<sup>#</sup>  
 BLACKROCK C208<sup>#</sup>

S CHISUM 6175<sup>PV</sup>  
 BLACKROCK G119<sup>#</sup>  
 BLACKROCK C135<sup>#</sup>

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>-4.5</b>	<b>-2.8</b>	<b>-3.9</b>	<b>+6.3</b>	<b>+58</b>	<b>+100</b>	<b>+126</b>	<b>+107</b>	<b>+19</b>
ACC	43%	32%	55%	70%	63%	59%	61%	57%	51%
Perc	89	89	60	90	9	13	24	33	30

**Selection Indexes**

ABI	DOM
<b>\$113</b>	<b>\$112</b>
66	52

SS	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc
<b>+2.2</b>	<b>-5.6</b>	<b>+75</b>	<b>+5.0</b>	<b>-0.3</b>	<b>+0.3</b>	<b>+1.2</b>	<b>+0.6</b>	<b>-0.16</b>	<b>+20</b>
52%	31%	52%	50%	55%	52%	52%	49%	40%	49%
37	34	17	64	55	29	20	93	13	12

**Traits Observed:** BWT,200WT,400WT,600WT,  
 SC,Scan(EMA,Rib,Rump,IMF),DOC

**Notes:** This bull has a very well balanced genetic makeup.

Purchaser:.....\$:

**Lot 11****BLACKROCK Q19<sup>SV</sup>****WMYQ19**

DOB: 06/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

SCHURRTOP REALITY X723<sup>#</sup>  
 MATAURI REALITY 839<sup>#</sup>  
 MATAURI 06663<sup>#</sup>

S ALLIANCE 3313<sup>#</sup>  
 S CHISUM 6175<sup>PV</sup>  
 S GLORIA 464<sup>#</sup>

**Sire: NBHL348 CLUNIE RANGE LEGEND L348<sup>PV</sup>****Dam: WMYJ128 BLACKROCK J128<sup>#</sup>**

CONNEALY EARNAN 076E<sup>PV</sup>  
 ABERDEEN ESTATE LAURA J81<sup>PV</sup>  
 TUWHARETOA E111<sup>PV</sup>

BLACKROCK D70<sup>SV</sup>  
 BLACKROCK F150<sup>#</sup>  
 BLACKROCK B58<sup>#</sup>

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>-3.4</b>	<b>+7.6</b>	<b>-7.3</b>	<b>+6.8</b>	<b>+61</b>	<b>+108</b>	<b>+144</b>	<b>+137</b>	<b>+12</b>
ACC	44%	36%	73%	75%	73%	72%	74%	71%	66%
Perc	85	11	12	94	4	5	4	4	86

**Selection Indexes**

ABI	DOM
<b>\$119</b>	<b>\$112</b>
54	52

SS	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc
<b>+2.8</b>	<b>-3.9</b>	<b>+78</b>	<b>+1.2</b>	<b>+0.1</b>	<b>-0.8</b>	<b>+0.4</b>	<b>+0.9</b>	<b>+0.03</b>	<b>+18</b>
72%	45%	69%	67%	71%	68%	69%	66%	59%	61%
15	66	11	99	41	60	55	88	31	15

**Traits Observed:** BWT,200WT,400WT(x2),600WT,  
 SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw  
 Set x 1, Foot Angle x 1),Genomics

**Notes:** Great for growth, scrotal and docility.

Purchaser:.....\$:

**Lot 12****BLACKROCK Q169<sup>SV</sup>****WMYQ169**

DOB: 24/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

SITZ UPWARD 307R<sup>SV</sup>  
 THOMAS UP RIVER 1614<sup>PV</sup>  
 THOMAS CAROL 7595<sup>#</sup>

KAROO W109 DIRECTION Z181<sup>SV</sup>  
 CARABAR DOCKLANDS D62<sup>PV</sup>  
 CARABAR BLACKCAP MARY B12<sup>PV</sup>

**Sire: NMML133 MILLAH MURRAH LOCH UP L133<sup>PV</sup>****Dam: WMYK126 BLACKROCK K126<sup>#</sup>**

TE MANIA EMPEROR E343<sup>PV</sup>  
 MILLAH MURRAH BRENDA H49<sup>SV</sup>  
 MILLAH MURRAH BRENDA E64<sup>PV</sup>

BLACKROCK D70<sup>SV</sup>  
 BLACKROCK F150<sup>#</sup>  
 BLACKROCK B58<sup>#</sup>

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+8.0</b>	<b>+4.8</b>	<b>-7.4</b>	<b>+3.4</b>	<b>+53</b>	<b>+100</b>	<b>+135</b>	<b>+104</b>	<b>+21</b>
ACC	45%	38%	73%	75%	73%	72%	73%	71%	67%
Perc	13	32	11	29	27	13	11	40	15

**Selection Indexes**

ABI	DOM
<b>\$128</b>	<b>\$117</b>
36	35

SS	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc
<b>+1.9</b>	<b>-3.5</b>	<b>+76</b>	<b>+1.8</b>	<b>-2.1</b>	<b>-2.0</b>	<b>-0.1</b>	<b>+2.0</b>	<b>+0.47</b>	<b>+12</b>
72%	46%	69%	67%	71%	68%	69%	67%	60%	61%
51	73	15	97	95	87	76	46	84	30

**Traits Observed:** BWT,200WT,400WT(x2),600WT,  
 SC,Scan(EMA,Rib,IMF),DOC,Structure(Claw Set x 1,  
 Foot Angle x 1),Genomics

**Notes:** Use this bull to add fertility, growth, carcase weight and structure.

Purchaser:.....\$:

# Lot 13

# BLACKROCK Q75<sup>SV</sup>

# WMYQ75

DOB: 13/03/2019

Registration Status: **HBR**

Mating Type: **AI**

Genetic Status: **AMFU,CAFU,DDFU,NHFU**

BOOROOMOOKA UNDERTAKEN Y145<sup>PV</sup>  
 RENNYLEA EDMUND E11<sup>PV</sup>  
 LAWSONS HENRY VIII Y5<sup>SV</sup>

TE MANIA EMPEROR E343<sup>PV</sup>  
 BLACKROCK L62<sup>SV</sup>  
 BLACKROCK G170<sup>#</sup>

**Sire: TFAK132 LANDFALL KEYSTONE K132<sup>PV</sup>**

**Dam: WMYN273 BLACKROCK N273<sup>#</sup>**

S A V FRONT RUNNER 0713<sup>#</sup>  
 LANDFALL ARCHER H807<sup>SV</sup>  
 LANDFALL ARCHER X9<sup>PV</sup>

LAWSONS INVINCIBLE C402<sup>PV</sup>  
 BLACKROCK K13<sup>#</sup>  
 BLACKROCK H241<sup>#</sup>

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+7.7</b>	<b>+4.9</b>	<b>-10.9</b>	<b>+2.2</b>	<b>+61</b>	<b>+107</b>	<b>+159</b>	<b>+141</b>	<b>+20</b>
ACC	44%	36%	68%	73%	71%	70%	72%	69%	63%
Perc	14	31	1	10	5	5	1	3	24

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+2.2</b>	<b>-3.5</b>	<b>+95</b>	<b>+8.6</b>	<b>-0.1</b>	<b>-3.6</b>	<b>+0.9</b>	<b>+2.3</b>	<b>+0.36</b>	<b>+21</b>
71%	40%	65%	63%	68%	64%	64%	63%	53%	58%
37	73	1	13	48	99	31	35	74	10

### Selection Indexes

ABI	DOM
<b>\$155</b>	<b>\$126</b>
4	13

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1),Genomics

**Notes:** Strong for gestation length, growth, carcase weight and docility.

Purchaser:.....\$:

# Lot 14

# BLACKROCK Q57<sup>SV</sup>

# WMYQ57

DOB: 11/03/2019

Registration Status: **HBR**

Mating Type: **AI**

Genetic Status: **AMFU,CAFU,DDFU,NHFU**

SITZ UPWARD 307R<sup>SV</sup>  
 THOMAS UP RIVER 1614<sup>PV</sup>  
 THOMAS CAROL 7595<sup>#</sup>

G A R SOLUTION<sup>SV</sup>  
 LAWSONS INVINCIBLE C402<sup>PV</sup>  
 LAWSONS PREDESTINED A598<sup>#</sup>

**Sire: NMML133 MILLAH MURRAH LOCH UP L133<sup>PV</sup>**

**Dam: WMYL57 BLACKROCK L57<sup>#</sup>**

TE MANIA EMPEROR E343<sup>PV</sup>  
 MILLAH MURRAH BRENDA H49<sup>SV</sup>  
 MILLAH MURRAH BRENDA E64<sup>PV</sup>

SUMMITCREST PRIME CUT 1G42<sup>#</sup>  
 BLACKROCK A110<sup>#</sup>  
 BLACKROCK W45<sup>#</sup>

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>-2.6</b>	<b>-4.6</b>	<b>-4.4</b>	<b>+6.1</b>	<b>+62</b>	<b>+115</b>	<b>+150</b>	<b>+125</b>	<b>+19</b>
ACC	44%	38%	70%	74%	72%	71%	73%	71%	66%
Perc	82	95	51	88	3	2	2	11	28

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+2.4</b>	<b>-6.1</b>	<b>+83</b>	<b>+5.1</b>	<b>-2.0</b>	<b>-1.3</b>	<b>+1.2</b>	<b>+1.4</b>	<b>+0.09</b>	<b>+23</b>
72%	46%	68%	66%	70%	67%	68%	66%	59%	60%
28	26	5	62	94	74	20	72	39	7

### Selection Indexes

ABI	DOM
<b>\$142</b>	<b>\$127</b>
14	12

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Genomics

**Notes:** Use this bull to add growth, carcase weight and docility.

Purchaser:.....\$:

# Lot 15

# BLACKROCK Q179<sup>#</sup>

# WMYQ179

DOB: 26/03/2019

Registration Status: **HBR**

Mating Type: **Natural**

Genetic Status: **AMFU,CAFU,DDFU,NHFU**

CONNEALY PRODUCT 568<sup>#</sup>  
 CONNEALY FINAL PRODUCT<sup>PV</sup>  
 EBONISTA OF CONANGA 471<sup>#</sup>

S CHISUM 6175<sup>PV</sup>  
 BLACKROCK L5<sup>SV</sup>  
 BLACKROCK G30<sup>#</sup>

**Sire: WMYN15 BLACKROCK N15<sup>SV</sup>**

**Dam: WMYN205 BLACKROCK N205<sup>#</sup>**

S A V NET WORTH 4200<sup>#</sup>  
 BLACKROCK F52<sup>#</sup>  
 BLACKROCK W56<sup>#</sup>

TE MANIA EMPEROR E343<sup>PV</sup>  
 BLACKROCK L104<sup>#</sup>  
 BLACKROCK D86<sup>#</sup>

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>-0.9</b>	<b>+5.3</b>	<b>-7.3</b>	<b>+4.7</b>	<b>+54</b>	<b>+92</b>	<b>+116</b>	<b>+98</b>	<b>+16</b>
ACC	43%	32%	54%	71%	65%	66%	70%	64%	50%
Perc	73	27	12	62	22	34	47	51	62

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+2.0</b>	<b>-3.4</b>	<b>+64</b>	<b>+7.9</b>	<b>-0.2</b>	<b>-1.5</b>	<b>+2.3</b>	<b>+0.5</b>	<b>-0.20</b>	<b>+12</b>
68%	33%	55%	54%	55%	56%	51%	48%	40%	47%
46	74	54	19	52	78	3	95	11	32

### Selection Indexes

ABI	DOM
<b>\$113</b>	<b>\$116</b>
66	38

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

**Notes:**

Purchaser:.....\$:



# Lot 16

# BLACKROCK Q314#

# WMYQ314

DOB: 28/05/2019

Registration Status: **HBR**

Mating Type: **Natural**

Genetic Status: **AMFU,CAFU,DDFU,NHFU**

CONNEALY PRODUCT 568#  
CONNEALY FINAL PRODUCT<sup>PV</sup>  
EBONISTA OF CONANGA 471#

ARDROSSAN EQUATOR A241<sup>PV</sup>  
BOOROOMOOKA GENIUS G120<sup>PV</sup>  
BOOROOMOOKA WATARA JET C499<sup>SV</sup>

**Sire: WMYN15 BLACKROCK N15<sup>SV</sup>**

**Dam: WMYN166 BLACKROCK N166#**

S A V NET WORTH 4200#  
BLACKROCK F52#  
BLACKROCK W56#

DUNOON GABBA G548<sup>PV</sup>  
BLACKROCK K128#  
BLACKROCK F178#

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+1.2</b>	<b>+2.5</b>	<b>-6.6</b>	<b>+4.7</b>	<b>+59</b>	<b>+102</b>	<b>+136</b>	<b>+123</b>	<b>+18</b>
ACC	44%	33%	63%	70%	63%	63%	66%	62%	51%
Perc	60	54	18	62	8	10	9	12	34

SS	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc
<b>+2.5</b>	<b>-4.9</b>	<b>+77</b>	<b>+6.1</b>	<b>+0.8</b>	<b>+0.5</b>	<b>+0.8</b>	<b>+1.1</b>	<b>-0.10</b>	<b>+22</b>
53%	32%	54%	51%	55%	53%	51%	50%	41%	49%
25	47	11	44	21	24	36	82	18	9

### Selection Indexes

ABI	DOM
<b>\$131</b>	<b>\$120</b>
31	27

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

**Notes:** Heifers calf performing very well.

Purchaser:.....\$:

# Lot 17

# BLACKROCK Q208#

# WMYQ208

DOB: 02/05/2019

Registration Status: **HBR**

Mating Type: **Natural**

Genetic Status: **AMFU,CAFU,DDF,NHFU**

TE MANIA AFRICA A217<sup>PV</sup>  
TE MANIA GARTH G67<sup>PV</sup>  
TE MANIA MITTAGONG E28<sup>SV</sup>

K C F BENNETT PERFORMER#  
BLACKROCK F29<sup>SV</sup>  
BLACKROCK D86#

**Sire: WMYN99 BLACKROCK N99<sup>SV</sup>**

**Dam: WMYH162 BLACKROCK H162#**

S CHISUM 6175<sup>PV</sup>  
BLACKROCK J66#  
BLACKROCK A12#

BLACKROCK W3#  
BLACKROCK Y173#  
BLACKROCK U80#

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+8.1</b>	<b>+8.1</b>	<b>-9.6</b>	<b>+2.1</b>	<b>+47</b>	<b>+82</b>	<b>+103</b>	<b>+87</b>	<b>+21</b>
ACC	45%	37%	58%	71%	65%	65%	70%	63%	54%
Perc	12	8	3	9	58	68	76	73	14

SS	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc
<b>+2.6</b>	<b>-6.7</b>	<b>+54</b>	<b>+6.4</b>	<b>+1.9</b>	<b>+1.6</b>	<b>+0.2</b>	<b>+1.8</b>	<b>+0.11</b>	<b>+23</b>
67%	35%	56%	54%	56%	56%	52%	50%	41%	48%
21	17	87	39	6	7	64	55	41	7

### Selection Indexes

ABI	DOM
<b>\$123</b>	<b>\$117</b>
46	35

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

**Notes:** Excels for calving ease, docility and fat coverage.

Purchaser:.....\$:

# Lot 18

# BLACKROCK Q186#

# WMYQ186

DOB: 28/03/2019

Registration Status: **HBR**

Mating Type: **AI**

Genetic Status: **AMFU,CAFU,DDFU,NHFU**

SITZ UPWARD 307R<sup>SV</sup>  
THOMAS UP RIVER 1614<sup>PV</sup>  
THOMAS CAROL 7595#

BOOROOMOOKA EXPLOSIVE E116<sup>SV</sup>  
BOOROOMOOKA GALILEO G501<sup>PV</sup>  
BOOROOMOOKA WINCH B69<sup>SV</sup>

**Sire: NMML69 MILLAH MURRAH LAKESIDE L69<sup>PV</sup>**

**Dam: WMYN12 BLACKROCK N12#**

YTHANBRAE HENRY VIII U8<sup>SV</sup>  
MILLAH MURRAH PRUE H113<sup>PV</sup>  
MILLAH MURRAH PRUE C48<sup>SV</sup>

BOOROOMOOKA YOGI Z27<sup>PV</sup>  
BLACKROCK J39#  
BLACKROCK B132#

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+4.1</b>	<b>-0.4</b>	<b>-4.9</b>	<b>+5.3</b>	<b>+54</b>	<b>+101</b>	<b>+136</b>	<b>+119</b>	<b>+21</b>
ACC	47%	36%	67%	74%	69%	70%	73%	66%	53%
Perc	38	77	43	75	20	13	10	17	13

SS	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc
<b>+1.0</b>	<b>-3.4</b>	<b>+73</b>	<b>+4.0</b>	<b>-1.3</b>	<b>-2.1</b>	<b>+0.5</b>	<b>+2.0</b>	<b>-0.26</b>	<b>+11</b>
71%	36%	58%	58%	59%	60%	55%	54%	45%	55%
87	74	21	80	84	89	50	46	8	35

### Selection Indexes

ABI	DOM
<b>\$128</b>	<b>\$116</b>
36	38

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

**Notes:**

Purchaser:.....\$:

# Lot 19

# BLACKROCK Q164#

# WMYQ164

DOB: 23/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

SITZ UPWARD 307R<sup>SV</sup>  
THOMAS UP RIVER 1614<sup>PV</sup>  
THOMAS CAROL 7595<sup>#</sup>

B/R NEW DAY 454<sup>#</sup>  
V A R RESERVE 1111<sup>PV</sup>  
SANDPOINT BLACKBIRD 8809<sup>#</sup>

**Sire: NMML133 MILLAH MURRAH LOCH UP L133<sup>PV</sup>**

**Dam: WMYL117 BLACKROCK L117<sup>#</sup>**

TE MANIA EMPEROR E343<sup>PV</sup>  
MILLAH MURRAH BRENDA H49<sup>SV</sup>  
MILLAH MURRAH BRENDA E64<sup>PV</sup>

ARDROSSAN EQUATOR D19<sup>SV</sup>  
BLACKROCK J29<sup>#</sup>  
BLACKROCK G127<sup>#</sup>

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+8.6</b>	<b>+6.5</b>	<b>-4.9</b>	<b>+3.2</b>	<b>+49</b>	<b>+86</b>	<b>+108</b>	<b>+85</b>	<b>+17</b>
ACC	54%	45%	65%	74%	65%	65%	66%	65%	60%
Perc	10	18	43	25	45	56	65	77	45

### Selection Indexes

ABI	DOM
<b>\$110</b>	<b>\$112</b>
71	52

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+1.8</b>	<b>-3.7</b>	<b>+61</b>	<b>+5.0</b>	<b>-0.2</b>	<b>-0.7</b>	<b>+0.5</b>	<b>+1.3</b>	<b>+0.05</b>	<b>+10</b>
61%	43%	62%	61%	65%	62%	62%	61%	54%	60%
56	69	68	64	52	57	50	76	33	38

**Traits Observed:** BWT,200WT,400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC

### Notes:

Purchaser:..... \$:.....

# Lot 20

# BLACKROCK Q194#

# WMYQ194

DOB: 30/03/2019

Registration Status: HBR

Mating Type: Natural

Genetic Status: AMFU,CAFU,DDFU,NHFU

BOOROOMOOKA EXPLOSIVE E116<sup>SV</sup>  
BOOROOMOOKA GALILEO G501<sup>PV</sup>  
BOOROOMOOKA WINCH B69<sup>SV</sup>

LAWSONS INVINCIBLE C402<sup>PV</sup>  
BLACKROCK K39<sup>SV</sup>  
BLACKROCK H168<sup>#</sup>

**Sire: WMYN22 BLACKROCK N22<sup>SV</sup>**

**Dam: WMYM165 BLACKROCK M165<sup>#</sup>**

S CHISUM 6175<sup>PV</sup>  
BLACKROCK G49<sup>#</sup>  
BLACKROCK E3<sup>#</sup>

S CHISUM 6175<sup>PV</sup>  
BLACKROCK J128<sup>#</sup>  
BLACKROCK F150<sup>#</sup>

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+4.1</b>	<b>+4.9</b>	<b>-5.1</b>	<b>+4.9</b>	<b>+60</b>	<b>+104</b>	<b>+145</b>	<b>+118</b>	<b>+18</b>
ACC	40%	32%	59%	62%	59%	59%	61%	58%	52%
Perc	38	31	39	66	6	8	4	18	40

### Selection Indexes

ABI	DOM
<b>\$137</b>	<b>\$122</b>
21	21

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+2.5</b>	<b>-3.6</b>	<b>+86</b>	<b>+4.7</b>	<b>-1.3</b>	<b>-1.0</b>	<b>+0.9</b>	<b>+1.2</b>	<b>+0.05</b>	<b>+20</b>
54%	33%	55%	51%	57%	54%	53%	52%	43%	50%
25	71	3	70	84	66	31	79	33	12

**Traits Observed:** 200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC

**Notes:** 200, 400, 600 day growth and carcass weight in the top 10% of the breed. Docility in the top 20% of the breed.

Purchaser:..... \$:.....

# Lot 21

# BLACKROCK Q53#

# WMYQ53

DOB: 11/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

SCHURRTOP REALITY X723<sup>#</sup>  
MATAURI REALITY 839<sup>#</sup>  
MATAURI 06663<sup>#</sup>

TE MANIA AFRICA A217<sup>PV</sup>  
TE MANIA GARTH G67<sup>PV</sup>  
TE MANIA MITTAGONG E28<sup>SV</sup>

**Sire: NBHL348 CLUNIE RANGE LEGEND L348<sup>PV</sup>**

**Dam: WMYN18 BLACKROCK N18<sup>#</sup>**

CONNELLY EARNAN 076E<sup>PV</sup>  
ABERDEEN ESTATE LAURA J81<sup>PV</sup>  
TUWHARETOA E111<sup>PV</sup>

ARDROSSAN EQUATOR A241<sup>PV</sup>  
BLACKROCK H4<sup>#</sup>  
BLACKROCK F72<sup>#</sup>

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>-4.5</b>	<b>+4.7</b>	<b>-7.7</b>	<b>+6.6</b>	<b>+57</b>	<b>+98</b>	<b>+130</b>	<b>+138</b>	<b>+14</b>
ACC	54%	45%	68%	74%	70%	71%	74%	68%	57%
Perc	89	33	9	93	12	17	17	4	75

### Selection Indexes

ABI	DOM
<b>\$131</b>	<b>\$112</b>
31	52

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+3.6</b>	<b>-8.3</b>	<b>+69</b>	<b>+3.0</b>	<b>+1.3</b>	<b>-0.4</b>	<b>-0.4</b>	<b>+2.7</b>	<b>+0.18</b>	<b>+27</b>
72%	43%	62%	62%	64%	61%	62%	60%	54%	59%
4	5	33	91	12	48	85	23	51	4

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

**Notes:** Days to calving, scrotal size and docility in the top 10% of the breed.

Purchaser:..... \$:.....

# Lot 22

# BLACKROCK Q262<sup>SV</sup>

# WMYQ262

DOB: 18/04/2019

Registration Status: HBR

Mating Type: Natural

Genetic Status: AMFU,CAFU,DDFU,NHFU

SITZ NEW DESIGN 458N<sup>#</sup>  
TEXAS GLOBAL G563<sup>PV</sup>  
TEXAS UNDINE Z036<sup>SV</sup>

G A R SOLUTION<sup>SV</sup>  
LAWSONS INVINCIBLE C402<sup>PV</sup>  
LAWSONS PREDESTINED A598<sup>#</sup>

**Sire: WMYN42 BLACKROCK N42<sup>SV</sup>**

**Dam: WMYN117 BLACKROCK N117<sup>#</sup>**

K C F BENNETT PERFORMER<sup>#</sup>  
BLACKROCK E32<sup>#</sup>  
BLACKROCK Y130<sup>#</sup>

BLACKROCK J16<sup>SV</sup>  
BLACKROCK L179<sup>#</sup>  
BLACKROCK J126<sup>#</sup>

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+2.1</b>	<b>+0.4</b>	<b>-3.4</b>	<b>+3.8</b>	<b>+47</b>	<b>+83</b>	<b>+104</b>	<b>+91</b>	<b>+12</b>
ACC	45%	37%	63%	70%	61%	59%	60%	59%	51%
Perc	54	71	69	38	61	64	75	66	89

### Selection Indexes

ABI	DOM
<b>\$115</b>	<b>\$110</b>
62	58

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+1.8</b>	<b>-5.1</b>	<b>+63</b>	<b>+6.1</b>	<b>+1.7</b>	<b>+1.9</b>	<b>-0.2</b>	<b>+2.0</b>	<b>+0.51</b>	<b>+24</b>
52%	35%	53%	50%	56%	53%	52%	51%	43%	47%
56	43	58	44	8	5	79	46	87	6

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC

**Notes:** Well suited to grass finishing programs. Very high docility.

Purchaser:.....\$:

# Lot 23

# BLACKROCK Q21<sup>#</sup>

# WMYQ21

DOB: 06/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

BOOROOOOKA UNDERTAKEN Y145<sup>PV</sup>  
RENNYLEA EDMUND E11<sup>PV</sup>  
LAWSONS HENRY VIII Y5<sup>SV</sup>

S ALLIANCE 3313<sup>#</sup>  
S CHISUM 6175<sup>PV</sup>  
S GLORIA 464<sup>#</sup>

**Sire: TFAK132 LANDFALL KEYSTONE K132<sup>PV</sup>**

**Dam: WMYM90 BLACKROCK M90<sup>#</sup>**

S A V FRONT RUNNER 0713<sup>#</sup>  
LANDFALL ARCHER H807<sup>SV</sup>  
LANDFALL ARCHER X9<sup>PV</sup>

BLACKROCK H155<sup>SV</sup>  
BLACKROCK K198<sup>#</sup>  
BLACKROCK F2<sup>#</sup>

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+1.6</b>	<b>+7.1</b>	<b>-5.8</b>	<b>+3.4</b>	<b>+57</b>	<b>+98</b>	<b>+128</b>	<b>+108</b>	<b>+18</b>
ACC	56%	44%	62%	74%	70%	70%	73%	67%	59%
Perc	57	14	28	29	12	18	19	33	41

### Selection Indexes

ABI	DOM
<b>\$131</b>	<b>\$122</b>
31	21

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+1.6</b>	<b>-6.1</b>	<b>+82</b>	<b>+8.2</b>	<b>+1.9</b>	<b>+0.2</b>	<b>+1.0</b>	<b>+0.7</b>	<b>+0.25</b>	<b>+8</b>
72%	40%	60%	60%	61%	61%	57%	57%	48%	60%
66	26	6	16	6	31	27	92	60	46

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

**Notes:** An impressive bull by new sire Landfall Keystone.

Purchaser:.....\$:

# Lot 24

# BLACKROCK Q24<sup>#</sup>

# WMYQ24

DOB: 07/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

SCHURRTOP REALITY X723<sup>#</sup>  
MATAURI REALITY 839<sup>#</sup>  
MATAURI 06663<sup>#</sup>

LAWSONS INVINCIBLE C402<sup>PV</sup>  
BLACKROCK F3<sup>SV</sup>  
BLACKROCK D120<sup>#</sup>

**Sire: NENK176 KAROO KNOCKOUT K176<sup>SV</sup>**

**Dam: WMYM51 BLACKROCK M51<sup>#</sup>**

KAROO Z3 CONNAMBLE F12<sup>PV</sup>  
KAROO JEDDA H213<sup>#</sup>  
KAROO JEDDA F204<sup>#</sup>

MERRIDALE GEM G80<sup>SV</sup>  
BLACKROCK K15<sup>#</sup>  
BLACKROCK E132<sup>SV</sup>

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+6.6</b>	<b>+7.5</b>	<b>-9.2</b>	<b>+2.7</b>	<b>+45</b>	<b>+86</b>	<b>+112</b>	<b>+102</b>	<b>+13</b>
ACC	49%	38%	63%	74%	70%	70%	73%	66%	55%
Perc	20	11	3	16	69	55	57	44	83

### Selection Indexes

ABI	DOM
<b>\$123</b>	<b>\$115</b>
46	42

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+2.6</b>	<b>-4.1</b>	<b>+59</b>	<b>+5.0</b>	<b>+1.0</b>	<b>+0.8</b>	<b>+0.0</b>	<b>+2.0</b>	<b>+0.29</b>	<b>+8</b>
72%	38%	60%	60%	61%	61%	56%	56%	47%	59%
21	62	74	64	17	18	72	46	66	45

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

**Notes:**

Purchaser:.....\$:

**Lot 25****BLACKROCK Q215#****WMYQ215**

DOB: 04/04/2019

Registration Status: HBR

Mating Type: Natural

Genetic Status: AMFU,CAFU,DDFU,NHFU

BOOROOMOOKA EXPLOSIVE E116<sup>SV</sup>  
 BOOROOMOOKA GALILEO G501<sup>PV</sup>  
 BOOROOMOOKA WINCH B69<sup>SV</sup>

DUNOON GABBA G548<sup>PV</sup>  
 BLACKROCK K120<sup>SV</sup>  
 BLACKROCK E36<sup>#</sup>

**Sire: WMYN22 BLACKROCK N22<sup>SV</sup>****Dam: WMYM214 BLACKROCK M214<sup>#</sup>**

S CHISUM 6175<sup>PV</sup>  
 BLACKROCK G49<sup>#</sup>  
 BLACKROCK E3<sup>#</sup>

BLACKROCK H128<sup>SV</sup>  
 BLACKROCK K154<sup>#</sup>  
 BLACKROCK H61<sup>#</sup>

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+2.1</b>	<b>+0.8</b>	<b>-4.5</b>	<b>+5.2</b>	<b>+54</b>	<b>+91</b>	<b>+127</b>	<b>+118</b>	<b>+15</b>
ACC	42%	31%	56%	71%	65%	66%	70%	62%	51%
Perc	54	68	50	73	21	36	21	17	71

**Selection Indexes**

ABI	DOM
<b>\$124</b>	<b>\$111</b>
44	55

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+3.0</b>	<b>-4.0</b>	<b>+77</b>	<b>+2.9</b>	<b>-1.9</b>	<b>-1.6</b>	<b>+0.4</b>	<b>+2.5</b>	<b>-0.01</b>	<b>+29</b>
67%	32%	55%	53%	55%	56%	51%	49%	41%	48%
11	64	11	92	93	80	55	29	26	3

Notes:

Purchaser:.....\$:

**Lot 26****BLACKROCK Q60#****WMYQ60**

DOB: 11/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

SCHURRTOP REALITY X723<sup>#</sup>  
 MATAURI REALITY 839<sup>#</sup>  
 MATAURI 06663<sup>#</sup>

TE MANIA INFINITY 04 379 AB<sup>#</sup>  
 BLACKROCK F115<sup>SV</sup>  
 BLACKROCK B132<sup>#</sup>

**Sire: NBHL348 CLUNIE RANGE LEGEND L348<sup>PV</sup>****Dam: WMYH86 BLACKROCK H86<sup>#</sup>**

CONNELLY EARNAN 076E<sup>PV</sup>  
 ABERDEEN ESTATE LAURA J81<sup>PV</sup>  
 TUWHARETOA E111<sup>PV</sup>

PONO OF KAWATIRI AB<sup>#</sup>  
 BLACKROCK A107<sup>#</sup>  
 BLACKROCK U135<sup>#</sup>

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>-0.7</b>	<b>+4.8</b>	<b>-6.0</b>	<b>+4.1</b>	<b>+46</b>	<b>+82</b>	<b>+98</b>	<b>+115</b>	<b>+7</b>
ACC	53%	42%	63%	75%	70%	71%	73%	66%	59%
Perc	72	32	26	46	65	68	85	21	99

**Selection Indexes**

ABI	DOM
<b>\$105</b>	<b>\$105</b>
78	72

**Traits Observed:** BWT,200WT,400WT(x2),600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+3.1</b>	<b>-6.9</b>	<b>+53</b>	<b>+3.9</b>	<b>+2.1</b>	<b>+0.5</b>	<b>-0.2</b>	<b>+1.9</b>	<b>+0.13</b>	<b>+16</b>
72%	40%	61%	60%	63%	61%	61%	59%	51%	60%
9	15	89	82	5	24	79	51	44	20

Notes:

Purchaser:.....\$:

**Lot 27****BLACKROCK Q223#****WMYQ223**

DOB: 06/04/2019

Registration Status: HBR

Mating Type: Natural

Genetic Status: AMFU,CAFU,DDFU,NHFU

LAWSONS INVINCIBLE C402<sup>PV</sup>  
 BLACKROCK F3<sup>SV</sup>  
 BLACKROCK D120<sup>#</sup>

LEACHMAN RIGHT TIME<sup>SV</sup>  
 BT RIGHT TIME 24J<sup>#</sup>  
 SITZ EVERELDA ENTENSE 1905<sup>#</sup>

**Sire: WMYN119 BLACKROCK N119<sup>SV</sup>****Dam: WMYK30 BLACKROCK K30<sup>#</sup>**

S CHISUM 6175<sup>PV</sup>  
 BLACKROCK L180<sup>#</sup>  
 BLACKROCK C99<sup>#</sup>

VERMONT BT EQUATOR D028<sup>SV</sup>  
 BLACKROCK H48<sup>#</sup>  
 BLACKROCK B57<sup>#</sup>

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+1.0</b>	<b>+2.6</b>	<b>-5.8</b>	<b>+3.3</b>	<b>+46</b>	<b>+80</b>	<b>+101</b>	<b>+67</b>	<b>+17</b>
ACC	47%	38%	63%	73%	66%	67%	70%	63%	53%
Perc	61	53	28	27	64	75	81	94	47

**Selection Indexes**

ABI	DOM
<b>\$109</b>	<b>\$110</b>
73	58

**Traits Observed:** BWT,200WT,400WT(x2),600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+1.9</b>	<b>-5.1</b>	<b>+58</b>	<b>+5.3</b>	<b>-0.1</b>	<b>+0.2</b>	<b>+1.0</b>	<b>+1.1</b>	<b>+0.10</b>	<b>+19</b>
68%	38%	57%	55%	57%	57%	54%	52%	46%	52%
51	43	76	59	48	31	27	82	40	13

Notes:

Purchaser:.....\$:

# Lot 28

# BLACKROCK Q131#

WMYQ131

DOB: 19/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

SCHURRTOP REALITY X723#  
MATAURI REALITY 839#  
MATAURI 06663#

BLACKROCK F27<sup>SV</sup>  
BLACKROCK H155<sup>SV</sup>  
BLACKROCK F39#

**Sire: NBHL348 CLUNIE RANGE LEGEND L348<sup>PV</sup>**

**Dam: WMYK157 BLACKROCK K157#**

CONNEALY EARNAN 076<sup>PV</sup>  
ABERDEEN ESTATE LAURA J81<sup>PV</sup>  
TUWHARETOA E111<sup>PV</sup>

BLACKROCK D38<sup>SV</sup>  
BLACKROCK F220#  
BLACKROCK C208#

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+0.8</b>	<b>+4.3</b>	<b>-6.3</b>	<b>+5.1</b>	<b>+57</b>	<b>+104</b>	<b>+138</b>	<b>+138</b>	<b>+16</b>
ACC	52%	40%	60%	74%	70%	70%	73%	66%	58%
Perc	63	36	22	71	11	8	8	4	61

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+2.6</b>	<b>-5.5</b>	<b>+76</b>	<b>+0.5</b>	<b>+0.7</b>	<b>-0.5</b>	<b>-0.6</b>	<b>+2.0</b>	<b>-0.13</b>	<b>+13</b>
71%	38%	61%	59%	62%	61%	60%	58%	50%	59%
21	35	14	99	24	51	89	46	15	27

### Selection Indexes

ABI	DOM
<b>\$126</b>	<b>\$113</b>
40	48

**Traits Observed:** BWT,200WT,400WT(x2),600WT,SC, Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

Notes:

Purchaser: ..... \$: .....

# Lot 29

# BLACKROCK Q67#

WMYQ67

DOB: 12/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

BOOROOMOOKA UNDERTAKEN Y145<sup>PV</sup>  
RENNYLEA EDMUND E11<sup>PV</sup>  
LAWSONS HENRY VIII Y5<sup>SV</sup>

BLACKROCK H34<sup>SV</sup>  
BLACKROCK K225<sup>SV</sup>  
BLACKROCK G61#

**Sire: TFAK132 LANDFALL KEYSTONE K132<sup>PV</sup>**

**Dam: WMYM143 BLACKROCK M143#**

S A V FRONT RUNNER 0713#  
LANDFALL ARCHER H807<sup>SV</sup>  
LANDFALL ARCHER X9<sup>PV</sup>

BLACKROCK E22<sup>SV</sup>  
BLACKROCK G168#  
BLACKROCK C168#

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+0.3</b>	<b>+2.7</b>	<b>-5.6</b>	<b>+4.3</b>	<b>+52</b>	<b>+94</b>	<b>+125</b>	<b>+116</b>	<b>+18</b>
ACC	53%	41%	59%	74%	69%	70%	73%	66%	57%
Perc	66	52	31	51	28	26	24	19	34

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+2.1</b>	<b>-6.5</b>	<b>+81</b>	<b>+7.5</b>	<b>+1.0</b>	<b>-0.9</b>	<b>+1.1</b>	<b>+1.2</b>	<b>+0.29</b>	<b>+32</b>
72%	36%	58%	58%	59%	60%	55%	55%	44%	57%
41	20	6	23	17	63	24	79	66	2

### Selection Indexes

ABI	DOM
<b>\$129</b>	<b>\$117</b>
34	35

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

Notes: Top 10% for carcase weight and docility.

Purchaser: ..... \$: .....

# Lot 30

# BLACKROCK Q97#

WMYQ97

DOB: 16/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

SITZ UPWARD 307R<sup>SV</sup>  
THOMAS UP RIVER 1614<sup>PV</sup>  
THOMAS CAROL 7595#

TE MANIA BERKLEY B1<sup>PV</sup>  
TE MANIA EMPEROR E343<sup>PV</sup>  
TE MANIA LOWAN Z74<sup>PV</sup>

**Sire: NMML69 MILLAH MURRAH LAKESIDE L69<sup>PV</sup>**

**Dam: WMYL104 BLACKROCK L104#**

YTHANBRAE HENRY VIII U8<sup>SV</sup>  
MILLAH MURRAH PRUE H113<sup>PV</sup>  
MILLAH MURRAH PRUE C48<sup>SV</sup>

BONGONGO BULLETPROOF Z3<sup>PV</sup>  
BLACKROCK D86#  
BLACKROCK B12#

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+9.4</b>	<b>+4.7</b>	<b>-5.2</b>	<b>+2.4</b>	<b>+46</b>	<b>+87</b>	<b>+107</b>	<b>+87</b>	<b>+20</b>
ACC	50%	41%	62%	74%	70%	70%	73%	67%	56%
Perc	7	33	38	12	68	50	69	73	23

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+1.4</b>	<b>-7.3</b>	<b>+59</b>	<b>+6.1</b>	<b>+1.5</b>	<b>+0.4</b>	<b>-0.4</b>	<b>+2.1</b>	<b>+0.17</b>	<b>+19</b>
72%	40%	60%	59%	60%	61%	56%	56%	47%	57%
74	11	75	44	10	26	85	42	49	14

### Selection Indexes

ABI	DOM
<b>\$125</b>	<b>\$117</b>
42	35

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

Notes: High calving ease sire.

Purchaser: ..... \$: .....

# Lot 31

# BLACKROCK Q47#

# WMYQ47

DOB: 09/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

TE MANIA AFRICA A217<sup>PV</sup>  
TE MANIA GARTH G67<sup>PV</sup>  
TE MANIA MITTAGONG E28<sup>SV</sup>

S A V FINAL ANSWER 0035#  
S A V PIONEER 7301#  
S A V BLACKBIRD 5297#

**Sire: SMPM778 PATHFINDER MAGNUM M778<sup>SV</sup>**

**Dam: WMYL8 BLACKROCK L8#**

TE MANIA BERKLEY B1<sup>PV</sup>  
PATHFINDER BERKLEY G148#  
PATHFINDER GRADE D3#

CARABAR DOCKLANDS D62<sup>PV</sup>  
BLACKROCK H24#  
BLACKROCK Y101#

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+8.5</b>	<b>+8.4</b>	<b>-9.5</b>	<b>+2.0</b>	<b>+41</b>	<b>+73</b>	<b>+87</b>	<b>+77</b>	<b>+19</b>
ACC	49%	38%	62%	74%	68%	69%	72%	66%	54%
Perc	10	7	3	8	88	90	95	87	33

### Selection Indexes

ABI	DOM
<b>\$118</b>	<b>\$117</b>
56	35

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+1.8</b>	<b>-6.9</b>	<b>+49</b>	<b>+9.1</b>	<b>+0.2</b>	<b>-0.9</b>	<b>+1.3</b>	<b>+1.9</b>	<b>+0.30</b>	<b>+13</b>
71%	38%	58%	57%	58%	59%	54%	53%	45%	55%
56	15	94	10	38	63	17	51	67	30

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

Notes: Excellent calving ease Sire.

Purchaser:.....\$:

# Lot 32

# BLACKROCK Q191#

# WMYQ191

DOB: 29/03/2019

Registration Status: HBR

Mating Type: Natural

Genetic Status: AMFU,CAFU,DDFU,NHFU

ARDROSSAN EQUATOR A241<sup>PV</sup>  
BOOROOMOOKA GENIUS G120<sup>PV</sup>  
BOOROOMOOKA WATARA JET C499<sup>SV</sup>

TE MANIA EMPEROR E343<sup>PV</sup>  
BLACKROCK K34<sup>SV</sup>  
BLACKROCK D124#

**Sire: WMYN77 BLACKROCK N77<sup>SV</sup>**

**Dam: WMYM104 BLACKROCK M104#**

BLACKROCK D38<sup>SV</sup>  
BLACKROCK F220#  
BLACKROCK C208#

BLACKROCK D81<sup>SV</sup>  
BLACKROCK F197#  
BLACKROCK D123#

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+3.8</b>	<b>+0.5</b>	<b>-4.2</b>	<b>+3.8</b>	<b>+45</b>	<b>+79</b>	<b>+92</b>	<b>+74</b>	<b>+16</b>
ACC	43%	34%	56%	71%	65%	66%	70%	63%	52%
Perc	40	71	55	38	69	79	92	90	58

### Selection Indexes

ABI	DOM
<b>\$107</b>	<b>\$109</b>
76	61

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+0.8</b>	<b>-7.6</b>	<b>+53</b>	<b>+4.7</b>	<b>+2.4</b>	<b>+2.5</b>	<b>-0.1</b>	<b>+1.1</b>	<b>-0.01</b>	<b>+24</b>
67%	33%	56%	54%	56%	57%	52%	50%	40%	50%
92	9	89	70	3	3	76	82	26	7

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

Notes: Early maturing bull that will add fat to his progeny.

Purchaser:.....\$:

# Lot 33

# BLACKROCK Q303<sup>SV</sup>

# WMYQ303

DOB: 12/05/2019

Registration Status: HBR

Mating Type: Natural

Genetic Status: AMFU,CAFU,DDFU,NHFU

CONNEALY PRODUCT 568#  
CONNEALY FINAL PRODUCT<sup>PV</sup>  
EBONISTA OF CONANGA 471#

BOOROOMOOKA EXPLOSIVE E116<sup>SV</sup>  
BOOROOMOOKA GALILEO G501<sup>PV</sup>  
BOOROOMOOKA WINCH B69<sup>SV</sup>

**Sire: WMYN15 BLACKROCK N15<sup>SV</sup>**

**Dam: WMYN174 BLACKROCK N174#**

S A V NET WORTH 4200#  
BLACKROCK F52#  
BLACKROCK W56#

VERMONT BT EQUATOR D028<sup>SV</sup>  
BLACKROCK H43#  
BLACKROCK F106#

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+1.7</b>	<b>+4.3</b>	<b>-7.3</b>	<b>+3.5</b>	<b>+49</b>	<b>+84</b>	<b>+105</b>	<b>+89</b>	<b>+18</b>
ACC	43%	32%	62%	70%	63%	63%	66%	62%	51%
Perc	56	36	12	31	46	61	73	69	36

### Selection Indexes

ABI	DOM
<b>\$107</b>	<b>\$111</b>
76	55

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+2.1</b>	<b>-4.5</b>	<b>+64</b>	<b>+8.0</b>	<b>+0.2</b>	<b>-0.4</b>	<b>+1.7</b>	<b>+0.4</b>	<b>-0.27</b>	<b>+9</b>
68%	33%	54%	51%	54%	53%	51%	50%	42%	49%
41	55	53	18	38	48	9	96	7	40

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

Notes:

Purchaser:.....\$:

**Lot 34**

**BLACKROCK Q190#**

**WMYQ190**

DOB: 29/03/2019

Registration Status: HBR

Mating Type: Natural

Genetic Status: AMFU,CAFU,DDFU,NHFU

SITZ NEW DESIGN 458N#  
TEXAS GLOBAL G563<sup>PV</sup>  
TEXAS UNDINE Z036<sup>SV</sup>

G A R SOLUTION<sup>SV</sup>  
LAWSONS INVINCIBLE C402<sup>PV</sup>  
LAWSONS PREDESTINED A598#

**Sire: WMYN42 BLACKROCK N42<sup>SV</sup>**

**Dam: WMYN111 BLACKROCK N111#**

K C F BENNETT PERFORMER#  
BLACKROCK E32#  
BLACKROCK Y130#

BLACKROCK J19<sup>SV</sup>  
BLACKROCK L190#  
BLACKROCK J198#

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+5.8</b>	<b>+1.9</b>	<b>-4.5</b>	<b>+3.0</b>	<b>+47</b>	<b>+87</b>	<b>+110</b>	<b>+98</b>	<b>+14</b>
ACC	45%	37%	62%	71%	65%	66%	70%	64%	52%
Perc	26	59	50	21	61	53	60	53	76

**Selection Indexes**

ABI	DOM
<b>\$120</b>	<b>\$115</b>
52	42

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+2.0</b>	<b>-3.7</b>	<b>+65</b>	<b>+4.8</b>	<b>+0.7</b>	<b>+0.6</b>	<b>+0.1</b>	<b>+2.4</b>	<b>+0.45</b>	<b>+14</b>
68%	36%	56%	55%	57%	58%	53%	50%	42%	49%
46	69	53	68	24	22	68	32	83	24

Notes:

Purchaser:.....\$:

**Lot 35**

**BLACKROCK Q261#**

**WMYQ261**

DOB: 17/04/2019

Registration Status: HBR

Mating Type: Natural

Genetic Status: AMFU,CAFU,DDFU,NHFU

BOOROOMOOKA EXPLOSIVE E116<sup>SV</sup>  
BOOROOMOOKA GALILEO G501<sup>PV</sup>  
BOOROOMOOKA WINCH B69<sup>SV</sup>

DUNOON GABBA G548<sup>PV</sup>  
BLACKROCK K26<sup>SV</sup>  
BLACKROCK H75#

**Sire: WMYN22 BLACKROCK N22<sup>SV</sup>**

**Dam: WMYM261 BLACKROCK M261<sup>SV</sup>**

S CHISUM 6175<sup>PV</sup>  
BLACKROCK G49#  
BLACKROCK E3#

TE MANIA INFINITY 04 379 AB#  
BLACKROCK K36#  
BLACKROCK H19#

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+4.8</b>	<b>+3.7</b>	<b>-4.3</b>	<b>+3.2</b>	<b>+50</b>	<b>+96</b>	<b>+131</b>	<b>+110</b>	<b>+19</b>
ACC	43%	33%	57%	71%	65%	66%	70%	62%	50%
Perc	33	42	53	25	41	23	15	28	26

**Selection Indexes**

ABI	DOM
<b>\$132</b>	<b>\$118</b>
29	32

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+2.8</b>	<b>-4.0</b>	<b>+80</b>	<b>+4.6</b>	<b>-2.1</b>	<b>-1.2</b>	<b>+0.4</b>	<b>+2.0</b>	<b>+0.02</b>	<b>+9</b>
68%	34%	56%	54%	56%	56%	52%	50%	43%	49%
15	64	8	71	95	71	55	46	30	42

Notes:

Purchaser:.....\$:

**Lot 36**

**BLACKROCK Q73#**

**WMYQ73**

DOB: 13/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

CONNEALY PRODUCT 568#  
CONNEALY FINAL PRODUCT<sup>PV</sup>  
EBONISTA OF CONANGA 471#

TE MANIA AFRICA A217<sup>PV</sup>  
TE MANIA GARTH G67<sup>PV</sup>  
TE MANIA MITTAGONG E28<sup>SV</sup>

**Sire: USA17179119 SITZ INVESTMENT 660Z<sup>PV</sup>**

**Dam: WMYN29 BLACKROCK N29#**

SITZ UPWARD 307R<sup>SV</sup>  
SITZ ELLUNAS ELITE 656T#  
SITZ ELLUNAS ELITE 35M#

K C F BENNETT PERFORMER#  
BLACKROCK G54#  
BLACKROCK Y124#

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+3.6</b>	<b>+4.6</b>	<b>-8.8</b>	<b>+3.0</b>	<b>+54</b>	<b>+98</b>	<b>+135</b>	<b>+105</b>	<b>+24</b>
ACC	50%	40%	67%	74%	69%	70%	73%	67%	57%
Perc	42	34	4	21	21	18	10	37	5

**Selection Indexes**

ABI	DOM
<b>\$140</b>	<b>\$123</b>
16	19

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+2.8</b>	<b>-5.5</b>	<b>+68</b>	<b>+9.0</b>	<b>+2.7</b>	<b>+2.3</b>	<b>+0.8</b>	<b>+0.7</b>	<b>+0.37</b>	<b>+2</b>
71%	38%	60%	60%	59%	58%	56%	56%	47%	57%
15	35	40	11	2	3	36	92	75	68

Notes: A very short gestation length which will bring down the birth weight of his calves.

Purchaser:.....\$:

# Lot 37

# BLACKROCK Q114<sup>SV</sup>

# WMYQ114

DOB: 18/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

SCHURRTOP REALITY X723#  
MATAURI REALITY 839#  
MATAURI 06663#

BLACKROCK F3<sup>SV</sup>  
BLACKROCK J16<sup>SV</sup>  
BLACKROCK D77#

**Sire: NBHL348 CLUNIE RANGE LEGEND L348<sup>PV</sup>**

**Dam: WMYL131 BLACKROCK L131#**

CONNEALY EARNAN 076E<sup>PV</sup>  
ABERDEEN ESTATE LAURA J81<sup>PV</sup>  
TUWHARETOA E111<sup>PV</sup>

BOOROOMOOKA YOGI Z27<sup>PV</sup>  
BLACKROCK J39#  
BLACKROCK B132#

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>-5.6</b>	<b>+4.9</b>	<b>-8.5</b>	<b>+6.2</b>	<b>+61</b>	<b>+104</b>	<b>+132</b>	<b>+133</b>	<b>+13</b>
ACC	42%	34%	70%	73%	72%	71%	73%	70%	63%
Perc	92	31	5	89	5	8	14	6	83

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+3.4</b>	<b>-8.0</b>	<b>+78</b>	<b>+3.0</b>	<b>+2.4</b>	<b>+0.8</b>	<b>-0.5</b>	<b>+1.9</b>	<b>+0.16</b>	<b>+23</b>
72%	41%	67%	65%	70%	66%	67%	65%	56%	58%
6	6	11	91	3	18	87	51	48	8

### Selection Indexes

ABI	DOM
<b>\$125</b>	<b>\$113</b>
42	48

**Traits Observed:** 200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Genomics

**Notes:** Excels for gestation length, growth, days to calving, scrotal and docility.

Purchaser:.....\$:

# Lot 38

# BLACKROCK Q156<sup>SV</sup>

# WMYQ156

DOB: 23/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

SCHURRTOP REALITY X723#  
MATAURI REALITY 839#  
MATAURI 06663#

TE MANIA AFRICA A217<sup>PV</sup>  
TE MANIA GARTH G67<sup>PV</sup>  
TE MANIA MITTAGONG E28<sup>SV</sup>

**Sire: NENK176 KAROO KNOCKOUT K176<sup>SV</sup>**

**Dam: WMYN95 BLACKROCK N95#**

KAROO Z3 CONNAMBLE F12<sup>PV</sup>  
KAROO JEDDA H213#  
KAROO JEDDA F204#

BLACKROCK G21<sup>SV</sup>  
BLACKROCK J198#  
BLACKROCK F146#

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+7.2</b>	<b>+8.0</b>	<b>-4.8</b>	<b>+2.0</b>	<b>+37</b>	<b>+64</b>	<b>+71</b>	<b>+49</b>	<b>+17</b>
ACC	42%	35%	72%	73%	71%	71%	72%	69%	62%
Perc	17	9	45	8	95	98	99	99	49

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+2.4</b>	<b>-8.5</b>	<b>+30</b>	<b>+9.7</b>	<b>+3.8</b>	<b>+3.4</b>	<b>+0.2</b>	<b>+1.8</b>	<b>+0.78</b>	<b>+37</b>
71%	42%	66%	64%	68%	65%	65%	63%	54%	59%
28	4	99	7	1	1	64	55	98	1

### Selection Indexes

ABI	DOM
<b>\$114</b>	<b>\$114</b>
64	45

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1),Genomics

**Notes:** Heifers calf with plenty of attributes.

Purchaser:.....\$:

# Lot 39

# BLACKROCK Q3<sup>SV</sup>

# WMYQ3

DOB: 28/02/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

CONNEALY PRODUCT 568#  
CONNEALY FINAL PRODUCT<sup>PV</sup>  
EBONISTA OF CONANGA 471#

G A R SOLUTION<sup>SV</sup>  
LAWSONS INVINCIBLE C402<sup>PV</sup>  
LAWSONS PREDESTINED A598#

**Sire: USA17179119 SITZ INVESTMENT 660Z<sup>PV</sup>**

**Dam: WMYK20 BLACKROCK K20#**

SITZ UPWARD 307R<sup>SV</sup>  
SITZ ELLUNAS ELITE 656T#  
SITZ ELLUNAS ELITE 35M#

BLACKROCK F115<sup>SV</sup>  
BLACKROCK H86#  
BLACKROCK A107#

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+0.8</b>	<b>+0.8</b>	<b>-9.9</b>	<b>+4.2</b>	<b>+52</b>	<b>+99</b>	<b>+128</b>	<b>+114</b>	<b>+16</b>
ACC	40%	33%	72%	74%	71%	71%	72%	68%	64%
Perc	63	68	2	49	30	15	19	23	62

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+3.2</b>	<b>-6.3</b>	<b>+70</b>	<b>+9.7</b>	<b>+1.7</b>	<b>+2.7</b>	<b>+0.9</b>	<b>+1.1</b>	<b>+0.59</b>	<b>+19</b>
71%	40%	66%	64%	68%	64%	64%	63%	53%	59%
8	23	30	7	8	2	31	82	92	14

### Selection Indexes

ABI	DOM
<b>\$140</b>	<b>\$125</b>
16	15

**Traits Observed:** BWT,200WT,400WT(x2),600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1),Genomics

**Notes:** Great balance of birth weight, growth and mature weight.

Purchaser:.....\$:



# Lot 40

# BLACKROCK Q130<sup>SV</sup>

# WMYQ130

DOB: 19/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

SCHURRTOP REALITY X723<sup>#</sup>  
 MATAURI REALITY 839<sup>#</sup>  
 MATAURI 06663<sup>#</sup>

S ALLIANCE 3313<sup>#</sup>  
 S CHISUM 6175<sup>PV</sup>  
 S GLORIA 464<sup>#</sup>

**Sire: NBHL348 CLUNIE RANGE LEGEND L348<sup>PV</sup>**

**Dam: WMYL58 BLACKROCK L58<sup>#</sup>**

CONNEALY EARNAN 076E<sup>PV</sup>  
 ABERDEEN ESTATE LAURA J81<sup>PV</sup>  
 TUWHARETOA E111<sup>PV</sup>

BLACKROCK G26<sup>SV</sup>  
 BLACKROCK J147<sup>#</sup>  
 BLACKROCK G119<sup>#</sup>

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>-6.9</b>	<b>+8.3</b>	<b>-5.0</b>	<b>+6.5</b>	<b>+65</b>	<b>+115</b>	<b>+150</b>	<b>+166</b>	<b>+13</b>
ACC	44%	36%	71%	74%	72%	72%	73%	70%	64%
Perc	94	7	41	92	2	2	3	1	80

### Selection Indexes

ABI	DOM
<b>\$116</b>	<b>\$108</b>
60	64

SS	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc
<b>+2.0</b>	<b>-6.1</b>	<b>+90</b>	<b>+2.3</b>	<b>+0.4</b>	<b>-0.9</b>	<b>+0.3</b>	<b>+0.3</b>	<b>-0.60</b>	<b>+31</b>
73%	45%	68%	66%	70%	67%	68%	66%	58%	60%
46	26	1	95	32	63	60	97	1	2

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Genomics

Notes: Top 3% of the breed for docility.

Purchaser:.....\$:

# Lot 41

# BLACKROCK Q135<sup>SV</sup>

# WMYQ135

DOB: 20/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

CONNEALY PRODUCT 568<sup>#</sup>  
 CONNEALY FINAL PRODUCT<sup>PV</sup>  
 EBONISTA OF CONANGA 471<sup>#</sup>

SITZ NEW DESIGN 458N<sup>#</sup>  
 TEXAS GLOBAL G563<sup>PV</sup>  
 TEXAS UNDINE Z036<sup>SV</sup>

**Sire: USA17179119 SITZ INVESTMENT 660Z<sup>PV</sup>**

**Dam: WMYN165 BLACKROCK N165<sup>#</sup>**

SITZ UPWARD 307R<sup>SV</sup>  
 SITZ ELLUNAS ELITE 656T<sup>#</sup>  
 SITZ ELLUNAS ELITE 35M<sup>#</sup>

BLACKROCK D16<sup>SV</sup>  
 BLACKROCK F164<sup>#</sup>  
 BLACKROCK Z133<sup>#</sup>

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+2.3</b>	<b>+2.1</b>	<b>-5.2</b>	<b>+4.3</b>	<b>+55</b>	<b>+101</b>	<b>+130</b>	<b>+104</b>	<b>+19</b>
ACC	39%	31%	73%	74%	71%	71%	72%	69%	63%
Perc	52	57	38	51	16	13	17	40	26

### Selection Indexes

ABI	DOM
<b>\$130</b>	<b>\$122</b>
32	21

SS	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc
<b>+3.0</b>	<b>-4.7</b>	<b>+70</b>	<b>+5.7</b>	<b>+2.1</b>	<b>+2.1</b>	<b>+0.6</b>	<b>+1.0</b>	<b>+0.52</b>	<b>+7</b>
72%	38%	66%	63%	68%	64%	64%	63%	52%	57%
11	50	32	51	5	4	45	85	88	49

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Clav Set x 1, Foot Angle x 1),Genomics

Notes: Well suited to autumn calving herds here in WA.

Purchaser:.....\$:

# Lot 42

# BLACKROCK Q83<sup>SV</sup>

# WMYQ83

DOB: 14/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

SCHURRTOP REALITY X723<sup>#</sup>  
 MATAURI REALITY 839<sup>#</sup>  
 MATAURI 06663<sup>#</sup>

B S S LIMITED DESIGN<sup>#</sup>  
 COONAMBLE Z3<sup>PV</sup>  
 IMRAN ROSEBUD U17<sup>#</sup>

**Sire: NENK176 KAROO KNOCKOUT K176<sup>SV</sup>**

**Dam: WMYH18 BLACKROCK H18<sup>#</sup>**

KAROO Z3 CONNAMBLE F12<sup>PV</sup>  
 KAROO JEDDA H213<sup>#</sup>  
 KAROO JEDDA F204<sup>#</sup>

BANGADANG VRD A72<sup>PV</sup>  
 BLACKROCK F22<sup>#</sup>  
 BLACKROCK A88<sup>#</sup>

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>-2.6</b>	<b>+3.2</b>	<b>-7.3</b>	<b>+5.0</b>	<b>+53</b>	<b>+97</b>	<b>+121</b>	<b>+122</b>	<b>+14</b>
ACC	42%	34%	70%	75%	73%	72%	74%	70%	65%
Perc	82	47	12	69	26	19	32	13	76

### Selection Indexes

ABI	DOM
<b>\$124</b>	<b>\$117</b>
44	35

SS	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc
<b>+3.2</b>	<b>-6.4</b>	<b>+66</b>	<b>+6.0</b>	<b>+0.1</b>	<b>-0.3</b>	<b>+1.1</b>	<b>+1.4</b>	<b>+0.02</b>	<b>+19</b>
73%	42%	67%	65%	69%	66%	66%	64%	54%	62%
8	21	46	46	41	45	24	72	30	12

**Traits Observed:** BWT,200WT,400WT(x2),600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Clav Set x 1, Foot Angle x 1),Genomics

Notes:

Purchaser:.....\$:

**Lot 43**

**BLACKROCK Q267<sup>SV</sup>**

**WMYQ267**

DOB: 21/04/2019

Registration Status: HBR

Mating Type: Natural

Genetic Status: AMFU,CAFU,DDFU,NHFU

SITZ NEW DESIGN 458N#  
TEXAS GLOBAL G563<sup>PV</sup>  
TEXAS UNDINE Z036<sup>SV</sup>

S A V FINAL ANSWER 0035#  
S A V PIONEER 7301#  
S A V BLACKBIRD 5297#

**Sire: WMYN42 BLACKROCK N42<sup>SV</sup>**

**Dam: WMYN153 BLACKROCK N153#**

K C F BENNETT PERFORMER#  
BLACKROCK E32#  
BLACKROCK Y130#

BLACKROCK H176<sup>SV</sup>  
BLACKROCK K68#  
BLACKROCK B162#

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+5.8</b>	<b>+5.8</b>	<b>-3.7</b>	<b>+2.4</b>	<b>+46</b>	<b>+86</b>	<b>+104</b>	<b>+95</b>	<b>+15</b>
ACC	44%	33%	62%	71%	65%	66%	70%	64%	51%
Perc	26	23	64	12	67	56	75	57	69

**Selection Indexes**

ABI	DOM
<b>\$114</b>	<b>\$116</b>
64	38

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+2.2</b>	<b>-4.5</b>	<b>+61</b>	<b>+7.3</b>	<b>+2.2</b>	<b>+1.7</b>	<b>+0.5</b>	<b>+1.1</b>	<b>+0.19</b>	<b>+17</b>
68%	34%	56%	54%	56%	57%	52%	50%	41%	49%
37	55	68	26	4	7	50	82	52	16

**Notes:** A heifers calf that will add fat coverage.

Purchaser: ..... \$: .....

**Lot 44**

**BLACKROCK Q184#**

**WMYQ184**

DOB: 27/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

BOOROOMOOKA UNDERTAKEN Y145<sup>PV</sup>  
RENNYLEA EDMUND E11<sup>PV</sup>  
LAWSONS HENRY VIII Y5<sup>SV</sup>

SITZ NEW DESIGN 458N#  
TEXAS GLOBAL G563<sup>PV</sup>  
TEXAS UNDINE Z036<sup>SV</sup>

**Sire: TFAK132 LANDFALL KEYSTONE K132<sup>PV</sup>**

**Dam: WMYN104 BLACKROCK N104#**

S A V FRONT RUNNER 0713#  
LANDFALL ARCHER H807<sup>SV</sup>  
LANDFALL ARCHER X9<sup>PV</sup>

BLACKROCK G21<sup>SV</sup>  
BLACKROCK J203#  
BLACKROCK F206#

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+2.3</b>	<b>+1.2</b>	<b>-3.3</b>	<b>+4.0</b>	<b>+53</b>	<b>+97</b>	<b>+130</b>	<b>+122</b>	<b>+16</b>
ACC	54%	42%	67%	74%	69%	70%	73%	67%	57%
Perc	52	65	70	43	26	19	16	13	57

**Selection Indexes**

ABI	DOM
<b>\$133</b>	<b>\$117</b>
27	35

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+1.7</b>	<b>-5.7</b>	<b>+79</b>	<b>+6.5</b>	<b>+1.3</b>	<b>-0.1</b>	<b>+0.0</b>	<b>+2.0</b>	<b>+0.33</b>	<b>+15</b>
71%	38%	59%	59%	60%	61%	56%	56%	46%	58%
61	32	9	37	12	39	72	46	71	22

**Notes:** Heifers calf with carcass weight in top 10%.

Purchaser: ..... \$: .....

**Lot 45**

**BLACKROCK Q125#**

**WMYQ125**

DOB: 19/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

TE MANIA CALAMUS C46<sup>SV</sup>  
TE MANIA FOE F734<sup>SV</sup>  
TE MANIA DANDLOO D700#

BOOROOMOOKA EXPLOSIVE E116<sup>SV</sup>  
BOOROOMOOKA GALILEO G501<sup>PV</sup>  
BOOROOMOOKA WINCH B69<sup>SV</sup>

**Sire: SJKK26 GRANITE RIDGE KAISER K26<sup>SV</sup>**

**Dam: WMYN108 BLACKROCK N108#**

NICHOLS QUIET LAD T9#  
GRANITE RIDGE SUPREME F158#  
GRANITE RIDGE SUPREME D85#

S CHISUM 6175<sup>PV</sup>  
BLACKROCK G119#  
BLACKROCK C135#

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+6.2</b>	<b>+5.6</b>	<b>-8.0</b>	<b>+4.0</b>	<b>+53</b>	<b>+97</b>	<b>+128</b>	<b>+107</b>	<b>+21</b>
ACC	50%	38%	67%	74%	69%	70%	73%	68%	57%
Perc	23	25	8	43	27	20	19	34	18

**Selection Indexes**

ABI	DOM
<b>\$134</b>	<b>\$119</b>
25	29

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+1.5</b>	<b>-7.4</b>	<b>+76</b>	<b>+4.3</b>	<b>+0.6</b>	<b>+0.9</b>	<b>-0.4</b>	<b>+1.5</b>	<b>-0.12</b>	<b>+19</b>
72%	36%	60%	60%	60%	61%	56%	56%	46%	58%
70	10	14	76	26	16	85	68	16	13

**Notes:** Great gestation length, docility and days to calving.

Purchaser: ..... \$: .....

**Lot 46****BLACKROCK Q91#****WMYQ91**

DOB: 16/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

BOOROOMOOKA UNDERTAKEN Y145<sup>PV</sup>  
RENNYLEA EDMUND E11<sup>PV</sup>  
LAWSONS HENRY VIII Y5<sup>SV</sup>IRELANDS FLETCHER F1<sup>PV</sup>  
BLACKROCK L128<sup>SV</sup>  
BLACKROCK F73<sup>#</sup>**Sire: TFAK132 LANDFALL KEYSTONE K132<sup>PV</sup>****Dam: WMYN253 BLACKROCK N253<sup>#</sup>**S A V FRONT RUNNER 0713<sup>#</sup>  
LANDFALL ARCHER H807<sup>SV</sup>  
LANDFALL ARCHER X9<sup>PV</sup>S CHISUM 6175<sup>PV</sup>  
BLACKROCK K142<sup>#</sup>  
BLACKROCK F42<sup>#</sup>**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+0.4</b>	<b>+3.9</b>	<b>-5.4</b>	<b>+4.0</b>	<b>+53</b>	<b>+94</b>	<b>+123</b>	<b>+105</b>	<b>+16</b>
ACC	54%	42%	61%	74%	69%	70%	73%	67%	56%
Perc	65	40	35	43	25	27	28	37	55

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+1.4</b>	<b>-3.8</b>	<b>+76</b>	<b>+4.6</b>	<b>+0.3</b>	<b>-1.5</b>	<b>+0.2</b>	<b>+2.2</b>	<b>+0.28</b>	<b>+16</b>
71%	38%	59%	59%	59%	60%	56%	55%	46%	58%
74	68	13	71	35	78	64	39	64	19

**Selection Indexes**

ABI	DOM
<b>\$120</b>	<b>\$113</b>
52	48

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)**Notes:** Heifers calf.

Purchaser:.....\$:

**Lot 47****BLACKROCK Q123#****WMYQ123**

DOB: 19/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

C A FUTURE DIRECTION 5321<sup>#</sup>  
BASIN FRANCHISE P142<sup>#</sup>  
BASIN CHLOE 812L<sup>#</sup>LAWSONS INVINCIBLE C402<sup>PV</sup>  
BLACKROCK F3<sup>SV</sup>  
BLACKROCK D120<sup>#</sup>**Sire: USA16198796 EF COMPLEMENT 8088<sup>PV</sup>****Dam: WMYN134 BLACKROCK N134<sup>#</sup>**BR MIDLAND<sup>#</sup>  
EF EVERELDA ENTENSE 6117<sup>#</sup>  
H F EVERELDA ENTENSE 869<sup>#</sup>MATAURI OUTLIER F031<sup>SV</sup>  
BLACKROCK L91<sup>#</sup>  
BLACKROCK H94<sup>#</sup>**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+2.7</b>	<b>+5.2</b>	<b>-5.5</b>	<b>+4.0</b>	<b>+48</b>	<b>+90</b>	<b>+114</b>	<b>+94</b>	<b>+18</b>
ACC	58%	51%	68%	74%	70%	70%	73%	69%	62%
Perc	49	28	33	43	50	41	52	60	39

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+0.9</b>	<b>-3.0</b>	<b>+69</b>	<b>+5.6</b>	<b>-0.9</b>	<b>-0.7</b>	<b>+0.7</b>	<b>+1.6</b>	<b>+0.27</b>	<b>+21</b>
72%	47%	63%	62%	63%	64%	61%	60%	56%	59%
90	80	33	53	74	57	40	64	63	10

**Selection Indexes**

ABI	DOM
<b>\$115</b>	<b>\$114</b>
62	45

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)**Notes:** Top 10% of the breed for docility.

Purchaser:.....\$:

**Lot 48****BLACKROCK Q71#****WMYQ71**

DOB: 12/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

BOOROOMOOKA UNDERTAKEN Y145<sup>PV</sup>  
RENNYLEA EDMUND E11<sup>PV</sup>  
LAWSONS HENRY VIII Y5<sup>SV</sup>BOOROOMOOKA YOGI Z27<sup>PV</sup>  
BLACKROCK F27<sup>SV</sup>  
BLACKROCK D21<sup>#</sup>**Sire: TFAK132 LANDFALL KEYSTONE K132<sup>PV</sup>****Dam: WMYH228 BLACKROCK H228<sup>#</sup>**S A V FRONT RUNNER 0713<sup>#</sup>  
LANDFALL ARCHER H807<sup>SV</sup>  
LANDFALL ARCHER X9<sup>PV</sup>BOOROOMOOKA UNDERTAKEN Y145<sup>PV</sup>  
BLACKROCK F103<sup>#</sup>  
BLACKROCK D129<sup>#</sup>**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+2.7</b>	<b>+2.5</b>	<b>-6.0</b>	<b>+3.8</b>	<b>+52</b>	<b>+96</b>	<b>+128</b>	<b>+122</b>	<b>+17</b>
ACC	55%	44%	64%	75%	71%	71%	74%	67%	61%
Perc	49	54	26	38	32	22	19	14	46

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+1.5</b>	<b>-6.3</b>	<b>+78</b>	<b>+5.3</b>	<b>+1.9</b>	<b>+0.0</b>	<b>-0.3</b>	<b>+1.8</b>	<b>+0.34</b>	<b>+13</b>
73%	39%	60%	60%	62%	60%	58%	58%	48%	61%
70	23	10	59	6	37	82	55	72	27

**Selection Indexes**

ABI	DOM
<b>\$129</b>	<b>\$114</b>
34	45

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)**Notes:**

Purchaser:.....\$:

**Lot 49****BLACKROCK Q187#****WMYQ187**

DOB: 28/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDF,NHFU

C A FUTURE DIRECTION 5321#  
BASIN FRANCHISE P142#  
BASIN CHLOE 812L#B/R NEW DESIGN 036#  
BOOROOMOOKA THEO T030<sup>SV</sup>  
BOOROOMOOKA QUAINT Q34+95#**Sire: USA16198796 EF COMPLEMENT 8088<sup>PV</sup>****Dam: WMYN211 BLACKROCK N211#**BR MIDLAND#  
EF EVERELDA ENTENSE 6117#  
H F EVERELDA ENTENSE 869#DUNOON GABBA G548<sup>PV</sup>  
BLACKROCK K136#  
BLACKROCK F164#**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+3.0</b>	<b>+4.3</b>	<b>-2.6</b>	<b>+3.6</b>	<b>+46</b>	<b>+87</b>	<b>+112</b>	<b>+79</b>	<b>+19</b>
ACC	60%	54%	68%	74%	70%	71%	73%	69%	63%
Perc	47	36	80	34	64	53	55	85	26

**Selection Indexes**

ABI	DOM
<b>\$127</b>	<b>\$116</b>
38	38

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+1.2</b>	<b>-5.1</b>	<b>+68</b>	<b>+8.6</b>	<b>+1.4</b>	<b>+1.5</b>	<b>-0.4</b>	<b>+2.2</b>	<b>+0.43</b>	<b>+24</b>
72%	50%	64%	63%	63%	64%	61%	61%	57%	60%
82	43	39	13	11	8	85	39	81	6

**Notes:** Top 8% docility. Heifers calf.

Purchaser:.....\$:

**Lot 50****BLACKROCK Q189#****WMYQ189**

DOB: 29/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

TE MANIA AFRICA A217<sup>PV</sup>  
TE MANIA GARTH G67<sup>PV</sup>  
TE MANIA MITTAGONG E28<sup>SV</sup>ARDROSSAN EQUATOR A241<sup>PV</sup>  
BOOROOMOOKA GENIUS G120<sup>PV</sup>  
BOOROOMOOKA WATARA JET C499<sup>SV</sup>**Sire: SMPM778 PATHFINDER MAGNUM M778<sup>SV</sup>****Dam: WMYN7 BLACKROCK N7<sup>SV</sup>**TE MANIA BERKLEY B1<sup>PV</sup>  
PATHFINDER BERKLEY G148#  
PATHFINDER GRADE D3#BLACKROCK J30<sup>SV</sup>  
BLACKROCK L234<sup>SV</sup>  
BLACKROCK G168#**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+8.0</b>	<b>+8.4</b>	<b>-8.3</b>	<b>+2.6</b>	<b>+45</b>	<b>+84</b>	<b>+108</b>	<b>+90</b>	<b>+21</b>
ACC	47%	37%	60%	73%	68%	68%	72%	65%	52%
Perc	13	7	6	15	71	63	67	67	17

**Selection Indexes**

ABI	DOM
<b>\$137</b>	<b>\$121</b>
21	24

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+1.9</b>	<b>-9.6</b>	<b>+61</b>	<b>+7.9</b>	<b>+2.1</b>	<b>+2.6</b>	<b>-0.3</b>	<b>+1.7</b>	<b>+0.46</b>	<b>+12</b>
70%	36%	57%	56%	57%	58%	53%	52%	44%	54%
51	1	67	19	5	2	82	60	84	31

**Notes:** Heifers calf.

Purchaser:.....\$:

**Lot 51****BLACKROCK Q167#****WMYQ167**

DOB: 24/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

SITZ UPWARD 307R<sup>SV</sup>  
THOMAS UP RIVER 1614<sup>PV</sup>  
THOMAS CAROL 7595#SITZ NEW DESIGN 458N#  
TEXAS GLOBAL G563<sup>PV</sup>  
TEXAS UNDINE Z036<sup>SV</sup>**Sire: NMML69 MILLAH MURRAH LAKESIDE L69<sup>PV</sup>****Dam: WMYN162 BLACKROCK N162#**YTHANBRAE HENRY VIII U8<sup>SV</sup>  
MILLAH MURRAH PRUE H113<sup>PV</sup>  
MILLAH MURRAH PRUE C48<sup>SV</sup>TE MANIA EMPEROR E343<sup>PV</sup>  
BLACKROCK J8#  
BLACKROCK A98#**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+5.4</b>	<b>-0.8</b>	<b>-3.5</b>	<b>+3.3</b>	<b>+45</b>	<b>+85</b>	<b>+101</b>	<b>+80</b>	<b>+19</b>
ACC	48%	37%	67%	74%	69%	69%	72%	66%	54%
Perc	29	80	67	27	71	58	81	84	30

**Selection Indexes**

ABI	DOM
<b>\$111</b>	<b>\$109</b>
69	61

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+2.0</b>	<b>-6.3</b>	<b>+55</b>	<b>+2.9</b>	<b>+1.1</b>	<b>+1.4</b>	<b>-1.2</b>	<b>+2.5</b>	<b>+0.17</b>	<b>-1</b>
71%	37%	59%	58%	58%	59%	55%	54%	45%	55%
46	23	84	92	15	9	97	29	49	75

**Notes:** Heifers calf.

Purchaser:.....\$:

# Lot 52

# BLACKROCK Q154#

# WMYQ154

DOB: 22/03/2019

Registration Status: HBR

Mating Type: Natural

Genetic Status: AMFU,CAFU,DDFU,NHFU

BOOROOMOOKA EXPLOSIVE E116<sup>SV</sup>  
 BOOROOMOOKA GALILEO G501<sup>PV</sup>  
 BOOROOMOOKA WINCH B69<sup>SV</sup>

S CHISUM 6175<sup>PV</sup>  
 BLACKROCK J30<sup>SV</sup>  
 BLACKROCK B5#

Sire: WMYN17 BLACKROCK N17<sup>SV</sup>

Dam: WMYL203 BLACKROCK L203#

VERMONT BT EQUATOR D028<sup>SV</sup>  
 BLACKROCK H29#  
 BLACKROCK F178#

BLACKROCK D83<sup>SV</sup>  
 BLACKROCK G213#  
 BLACKROCK D222#

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+1.4</b>	<b>+4.8</b>	<b>-4.9</b>	<b>+4.8</b>	<b>+51</b>	<b>+92</b>	<b>+124</b>	<b>+103</b>	<b>+21</b>
ACC	42%	31%	55%	67%	58%	57%	59%	56%	49%
Perc	59	32	43	64	33	32	26	42	18

### Selection Indexes

ABI	DOM
<b>\$121</b>	<b>\$115</b>
50	42

SS	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc
<b>+1.1</b>	<b>-4.0</b>	<b>+71</b>	<b>+6.5</b>	<b>-0.8</b>	<b>-1.7</b>	<b>+1.6</b>	<b>+0.9</b>	<b>+0.00</b>	-
51%	30%	52%	49%	55%	52%	51%	49%	40%	-
85	64	26	37	71	82	10	88	27	-

Traits Observed: BWT,200WT,400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF)

Notes:

Purchaser:.....\$:

# Lot 53

# BLACKROCK Q118#

# WMYQ118

DOB: 18/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

TE MANIA CALAMUS C46<sup>SV</sup>  
 TE MANIA FOE F734<sup>SV</sup>  
 TE MANIA DANDLOO D700#

PAPA EQUATOR 2928#  
 ARDROSSAN EQUATOR A241<sup>PV</sup>  
 ARDROSSAN PRINCESS W38<sup>PV</sup>

Sire: SJKK26 GRANITE RIDGE KAISER K26<sup>SV</sup>

Dam: WMYG39 BLACKROCK G39#

NICHOLS QUIET LAD T9#  
 GRANITE RIDGE SUPREME F158#  
 GRANITE RIDGE SUPREME D85#

TERANGA DIMENSION W49#  
 BLACKROCK Z133#  
 BLACKROCK V77#

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>-1.9</b>	<b>-2.6</b>	<b>-3.7</b>	<b>+6.7</b>	<b>+55</b>	<b>+90</b>	<b>+134</b>	<b>+140</b>	<b>+16</b>
ACC	53%	43%	68%	75%	71%	71%	74%	68%	61%
Perc	78	89	64	94	18	42	12	3	56

### Selection Indexes

ABI	DOM
<b>\$120</b>	<b>\$100</b>
52	83

SS	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc
<b>+2.3</b>	<b>-5.7</b>	<b>+77</b>	<b>+4.7</b>	<b>-0.7</b>	<b>-1.7</b>	<b>+0.6</b>	<b>+1.6</b>	<b>-0.13</b>	<b>+5</b>
72%	41%	61%	61%	62%	62%	57%	57%	48%	61%
32	32	13	70	68	82	45	64	15	55

Traits Observed: BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

Notes:

Purchaser:.....\$:

# Lot 54

# BLACKROCK Q177#

# WMYQ177

DOB: 25/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

BOOROOMOOKA UNDERTAKEN Y145<sup>PV</sup>  
 RENNYLEA EDMUND E11<sup>PV</sup>  
 LAWSONS HENRY VIII Y5<sup>SV</sup>

ARDROSSAN EQUATOR A241<sup>PV</sup>  
 ARDROSSAN EQUATOR D19<sup>SV</sup>  
 ARDROSSAN KATE Z36#

Sire: TFAK132 LANDFALL KEYSTONE K132<sup>PV</sup>

Dam: WMYH51 BLACKROCK H51#

S A V FRONT RUNNER 0713#  
 LANDFALL ARCHER H807<sup>SV</sup>  
 LANDFALL ARCHER X9<sup>PV</sup>

BLACKROCK Y18#  
 BLACKROCK A15#  
 BLACKROCK X85#

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+3.6</b>	<b>+4.1</b>	<b>-6.4</b>	<b>+4.6</b>	<b>+56</b>	<b>+102</b>	<b>+144</b>	<b>+144</b>	<b>+17</b>
ACC	56%	44%	64%	75%	70%	71%	74%	67%	61%
Perc	42	38	21	59	15	11	5	3	48

### Selection Indexes

ABI	DOM
<b>\$136</b>	<b>\$118</b>
22	32

SS	D t C	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc
<b>+1.7</b>	<b>-5.1</b>	<b>+86</b>	<b>+5.8</b>	<b>-0.4</b>	<b>-2.8</b>	<b>+1.2</b>	<b>+1.1</b>	<b>+0.12</b>	<b>+18</b>
72%	40%	60%	60%	61%	61%	57%	57%	48%	60%
61	43	3	49	58	95	20	82	43	15

Traits Observed: BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

Notes:

Purchaser:.....\$:

**Lot 55****BLACKROCK Q9#****WMYQ9**

DOB: 03/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

SITZ UPWARD 307R<sup>SV</sup>  
THOMAS UP RIVER 1614<sup>PV</sup>  
THOMAS CAROL 7595<sup>#</sup>TE MANIA BERKLEY B1<sup>PV</sup>  
TE MANIA EMPEROR E343<sup>PV</sup>  
TE MANIA LOWAN Z74<sup>PV</sup>**Sire: NMML69 MILLAH MURRAH LAKESIDE L69<sup>PV</sup>****Dam: WMYL25 BLACKROCK L25<sup>#</sup>**YTHANBRAE HENRY VIII U8<sup>SV</sup>  
MILLAH MURRAH PRUE H113<sup>PV</sup>  
MILLAH MURRAH PRUE C48<sup>SV</sup>BOOROOMOOKA UNDERTAKEN Y145<sup>PV</sup>  
BLACKROCK F103<sup>#</sup>  
BLACKROCK D129<sup>#</sup>**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+3.1</b>	<b>-0.1</b>	<b>-3.7</b>	<b>+4.6</b>	<b>+48</b>	<b>+91</b>	<b>+112</b>	<b>+99</b>	<b>+17</b>
ACC	50%	41%	63%	74%	69%	70%	73%	67%	55%
Perc	46	75	64	59	52	38	55	49	47

**Selection Indexes**

ABI	DOM
<b>\$120</b>	<b>\$113</b>
52	48

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+2.1</b>	<b>-6.8</b>	<b>+62</b>	<b>+4.5</b>	<b>+1.9</b>	<b>+1.0</b>	<b>-0.8</b>	<b>+2.2</b>	<b>+0.16</b>	<b>+24</b>
72%	41%	59%	59%	60%	61%	57%	56%	48%	56%
41	16	63	73	6	14	93	39	48	7

**Notes:** Top 10% of the breed for docility.

Purchaser:.....\$:

**Lot 56****BLACKROCK Q295#****WMYQ295**

DOB: 06/05/2019

Registration Status: HBR

Mating Type: Natural

Genetic Status: AMFU,CAFU,DDFU,NHFU

BOOROOMOOKA EXPLOSIVE E116<sup>SV</sup>  
BOOROOMOOKA GALILEO G501<sup>PV</sup>  
BOOROOMOOKA WINCH B69<sup>SV</sup>S CHISUM 6175<sup>PV</sup>  
BLACKROCK J30<sup>SV</sup>  
BLACKROCK B5<sup>#</sup>**Sire: WMYN17 BLACKROCK N17<sup>SV</sup>****Dam: WMYL209 BLACKROCK L209<sup>#</sup>**VERMONT BT EQUATOR D028<sup>SV</sup>  
BLACKROCK H29<sup>#</sup>  
BLACKROCK F178<sup>#</sup>BLACKROCK D83<sup>SV</sup>  
BLACKROCK G36<sup>#</sup>  
BLACKROCK D40<sup>#</sup>**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+4.4</b>	<b>+6.7</b>	<b>-5.5</b>	<b>+3.7</b>	<b>+48</b>	<b>+85</b>	<b>+111</b>	<b>+86</b>	<b>+19</b>
ACC	44%	33%	56%	71%	63%	59%	60%	56%	52%
Perc	36	16	33	36	53	59	59	76	28

**Selection Indexes**

ABI	DOM
<b>\$119</b>	<b>\$115</b>
54	42

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+0.6</b>	<b>-5.0</b>	<b>+65</b>	<b>+5.7</b>	<b>+0.0</b>	<b>-0.9</b>	<b>+1.1</b>	<b>+1.1</b>	<b>-0.02</b>	<b>+11</b>
67%	31%	52%	47%	53%	50%	50%	48%	40%	51%
95	45	53	51	45	63	24	82	25	35

**Notes:**

Purchaser:.....\$:

**Lot 57****BLACKROCK Q79#****WMYQ79**

DOB: 13/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

TE MANIA AFRICA A217<sup>PV</sup>  
TE MANIA GARTH G67<sup>PV</sup>  
TE MANIA MITTAGONG E28<sup>SV</sup>LAWSONS INVINCIBLE C402<sup>PV</sup>  
BLACKROCK L14<sup>SV</sup>  
BLACKROCK J125<sup>#</sup>**Sire: SMPM778 PATHFINDER MAGNUM M778<sup>SV</sup>****Dam: WMYN299 BLACKROCK N299<sup>#</sup>**TE MANIA BERKLEY B1<sup>PV</sup>  
PATHFINDER BERKLEY G148<sup>#</sup>  
PATHFINDER GRADE D3<sup>#</sup>BLACKROCK D83<sup>SV</sup>  
BLACKROCK G170<sup>#</sup>  
BLACKROCK D17<sup>#</sup>**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+8.5</b>	<b>+6.1</b>	<b>-8.1</b>	<b>+2.1</b>	<b>+43</b>	<b>+80</b>	<b>+103</b>	<b>+102</b>	<b>+20</b>
ACC	47%	37%	58%	73%	67%	68%	71%	65%	51%
Perc	10	21	7	9	80	76	76	44	23

**Selection Indexes**

ABI	DOM
<b>\$131</b>	<b>\$115</b>
31	42

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+2.2</b>	<b>-8.0</b>	<b>+56</b>	<b>+6.4</b>	<b>+1.2</b>	<b>+1.1</b>	<b>-0.5</b>	<b>+2.9</b>	<b>+0.63</b>	<b>+2</b>
69%	36%	57%	56%	57%	58%	53%	51%	43%	53%
37	6	83	39	14	13	87	19	93	66

**Notes:**

Purchaser:.....\$:

**Lot 58**

**BLACKROCK Q272#**

**WMYQ272**

DOB: 22/04/2019

Registration Status: HBR

Mating Type: Natural

Genetic Status: AMFU,CAFU,DDFU,NHFU

BOOROOMOOKA EXPLOSIVE E116<sup>SV</sup>  
 BOOROOMOOKA GALILEO G501<sup>PV</sup>  
 BOOROOMOOKA WINCH B69<sup>SV</sup>

DUNOON GABBA G548<sup>PV</sup>  
 BLACKROCK K120<sup>SV</sup>  
 BLACKROCK E36<sup>#</sup>

**Sire: WMYN22 BLACKROCK N22<sup>SV</sup>**

**Dam: WMYM275 BLACKROCK M275<sup>SV</sup>**

S CHISUM 6175<sup>PV</sup>  
 BLACKROCK G49<sup>#</sup>  
 BLACKROCK E3<sup>#</sup>

BLACKROCK H34<sup>SV</sup>  
 BLACKROCK K122<sup>#</sup>  
 BLACKROCK G214<sup>#</sup>

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+6.4</b>	<b>+3.0</b>	<b>-5.1</b>	<b>+3.1</b>	<b>+50</b>	<b>+86</b>	<b>+117</b>	<b>+98</b>	<b>+18</b>
ACC	42%	31%	55%	71%	65%	66%	70%	62%	49%
Perc	22	49	39	23	39	53	43	51	37

**Selection Indexes**

ABI	DOM
<b>\$117</b>	<b>\$111</b>
58	55

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+1.7</b>	<b>-3.7</b>	<b>+75</b>	<b>+5.8</b>	<b>-1.0</b>	<b>-1.4</b>	<b>+0.8</b>	<b>+1.5</b>	<b>-0.18</b>	<b>+10</b>
67%	32%	55%	53%	55%	56%	51%	49%	40%	48%
61	69	15	49	77	76	36	68	12	37

Notes:

Purchaser:..... \$:.....

**Lot 59**

**BLACKROCK Q178#**

**WMYQ178**

DOB: 26/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

C A FUTURE DIRECTION 5321<sup>#</sup>  
 BASIN FRANCHISE P142<sup>#</sup>  
 BASIN CHLOE 812L<sup>#</sup>

TE MANIA EMPEROR E343<sup>PV</sup>  
 BLACKROCK L18<sup>SV</sup>  
 BLACKROCK F164<sup>#</sup>

**Sire: USA16198796 EF COMPLEMENT 8088<sup>PV</sup>**

**Dam: WMYN251 BLACKROCK N251<sup>#</sup>**

BR MIDLAND<sup>#</sup>  
 EF EVERELDA ENTENSE 6117<sup>#</sup>  
 H F EVERELDA ENTENSE 869<sup>#</sup>

BLACKROCK J16<sup>SV</sup>  
 BLACKROCK L187<sup>#</sup>  
 BLACKROCK J167<sup>#</sup>

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+5.5</b>	<b>+7.1</b>	<b>-5.3</b>	<b>+2.9</b>	<b>+45</b>	<b>+82</b>	<b>+105</b>	<b>+79</b>	<b>+17</b>
ACC	58%	50%	59%	74%	69%	70%	73%	68%	61%
Perc	28	14	36	19	71	68	73	85	43

**Selection Indexes**

ABI	DOM
<b>\$117</b>	<b>\$112</b>
58	52

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+0.7</b>	<b>-4.4</b>	<b>+61</b>	<b>+4.8</b>	<b>+0.4</b>	<b>+0.7</b>	<b>-0.4</b>	<b>+2.2</b>	<b>+0.45</b>	<b>+3</b>
71%	45%	62%	61%	62%	63%	60%	58%	53%	58%
93	56	66	68	32	20	85	39	83	63

Notes: Heifers calf.

Purchaser:..... \$:.....

**Lot 60**

**BLACKROCK Q251#**

**WMYQ251**

DOB: 13/04/2019

Registration Status: HBR

Mating Type: Natural

Genetic Status: AMFU,CAFU,DDFU,NHFU

BOOROOMOOKA EXPLOSIVE E116<sup>SV</sup>  
 BOOROOMOOKA GALILEO G501<sup>PV</sup>  
 BOOROOMOOKA WINCH B69<sup>SV</sup>

S ALLIANCE 3313<sup>#</sup>  
 S CHISUM 6175<sup>PV</sup>  
 S GLORIA 464<sup>#</sup>

**Sire: WMYN17 BLACKROCK N17<sup>SV</sup>**

**Dam: WMYG20 BLACKROCK G20<sup>#</sup>**

VERMONT BT EQUATOR D028<sup>SV</sup>  
 BLACKROCK H29<sup>#</sup>  
 BLACKROCK F178<sup>#</sup>

BLACKROCK C141<sup>F</sup>  
 BLACKROCK E100<sup>#</sup>  
 BLACKROCK Z77<sup>#</sup>

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+0.2</b>	<b>+7.1</b>	<b>-5.1</b>	<b>+3.8</b>	<b>+45</b>	<b>+81</b>	<b>+92</b>	<b>+70</b>	<b>+19</b>
ACC	47%	36%	63%	73%	67%	67%	71%	64%	55%
Perc	66	14	39	38	70	74	92	93	28

**Selection Indexes**

ABI	DOM
<b>\$103</b>	<b>\$109</b>
81	61

**Traits Observed:** BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+1.2</b>	<b>-7.2</b>	<b>+60</b>	<b>+5.7</b>	<b>+0.9</b>	<b>+1.5</b>	<b>+0.3</b>	<b>+0.8</b>	<b>+0.12</b>	<b>+14</b>
68%	35%	57%	56%	58%	58%	53%	52%	43%	54%
82	12	69	51	19	8	60	90	43	25

Notes:

Purchaser:..... \$:.....

# Lot 61

# BLACKROCK Q155#

# WMYQ155

DOB: 22/03/2019

Registration Status: HBR

Mating Type: Natural

Genetic Status: AMFU,CAFU,DDFU,NHFU

BOOROOMOOKA EXPLOSIVE E116<sup>SV</sup>  
 BOOROOMOOKA GALILEO G501<sup>PV</sup>  
 BOOROOMOOKA WINCH B69<sup>SV</sup>

S CHISUM 6175<sup>PV</sup>  
 BLACKROCK J30<sup>SV</sup>  
 BLACKROCK B5#  
 BLACKROCK D83<sup>SV</sup>  
 BLACKROCK G213#  
 BLACKROCK D222#

Sire: WMYN17 BLACKROCK N17<sup>SV</sup>

Dam: WMYL203 BLACKROCK L203#

VERMONT BT EQUATOR D028<sup>SV</sup>  
 BLACKROCK H29#  
 BLACKROCK F178#

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
EBV	+1.4	+4.8	-4.9	+4.8	+51	+92	+124	+103	+21
ACC	42%	31%	55%	67%	58%	57%	59%	56%	49%
Perc	59	32	43	64	33	32	26	42	18

### Selection Indexes

ABI	DOM
\$121	\$115
50	42

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
+1.1	-4.0	+71	+6.5	-0.8	-1.7	+1.6	+0.9	+0.00	+15
51%	30%	52%	49%	55%	52%	51%	49%	40%	49%
85	64	26	37	71	82	10	88	27	21

Traits Observed: BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC

Notes:

Purchaser: ..... \$: .....

# Lot 62

# BLACKROCK Q143#

# WMYQ143

DOB: 20/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

SITZ UPWARD 307R<sup>SV</sup>  
 THOMAS UP RIVER 1614<sup>PV</sup>  
 THOMAS CAROL 7595#

K C F BENNETT PERFORMER#  
 BLACKROCK F29<sup>SV</sup>  
 BLACKROCK D86#  
 BLACKROCK T82#  
 BLACKROCK Z23#  
 BLACKROCK U205#

Sire: NMML133 MILLAH MURRAH LOCH UP L133<sup>PV</sup>

Dam: WMYH178 BLACKROCK H178#

TE MANIA EMPEROR E343<sup>PV</sup>  
 MILLAH MURRAH BRENDA H49<sup>SV</sup>  
 MILLAH MURRAH BRENDA E64<sup>PV</sup>

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
EBV	+6.5	+7.4	-6.1	+3.2	+46	+82	+105	+87	+18
ACC	53%	43%	63%	74%	67%	67%	67%	63%	61%
Perc	21	12	24	25	66	69	73	73	36

### Selection Indexes

ABI	DOM
\$99	\$104
85	75

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
+0.5	-2.5	+59	+2.9	-0.9	-1.7	+0.4	+1.3	-0.29	+17
67%	41%	61%	59%	63%	60%	60%	58%	51%	58%
96	86	75	92	74	82	55	76	6	16

Traits Observed: BWT,200WT,400WT(x2),600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC

Notes:

Purchaser: ..... \$: .....

# Lot 63

# BLACKROCK Q74#

# WMYQ74

DOB: 13/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

C A FUTURE DIRECTION 5321#  
 BASIN FRANCHISE P142#  
 BASIN CHLOE 812L#

BOOROOMOOKA EXPLOSIVE E116<sup>SV</sup>  
 BOOROOMOOKA GALILEO G501<sup>PV</sup>  
 BOOROOMOOKA WINCH B69<sup>SV</sup>  
 S CHISUM 6175<sup>PV</sup>  
 BLACKROCK L97#  
 BLACKROCK Z135#

Sire: USA16198796 EF COMPLEMENT 8088<sup>PV</sup>

Dam: WMYN69 BLACKROCK N69#

BR MIDLAND#  
 EF EVERELDA ENTENSE 6117#  
 H F EVERELDA ENTENSE 869#

### January 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
EBV	+2.3	+7.2	-5.1	+4.9	+54	+98	+129	+98	+20
ACC	59%	51%	68%	74%	70%	71%	74%	70%	63%
Perc	52	13	39	66	21	18	19	52	24

### Selection Indexes

ABI	DOM
\$140	\$125
16	15

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
+1.9	-6.9	+75	+7.8	+1.0	+2.5	+0.2	+1.1	+0.26	+24
72%	47%	63%	63%	63%	64%	61%	60%	56%	60%
51	15	15	20	17	3	64	82	62	6

Traits Observed: BWT,200WT(x2),400WT,600WT, SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1)

Notes:

Purchaser: ..... \$: .....



**Lot 64****BLACKROCK Q106#****WMYQ106**

DOB: 17/03/2019

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

C A FUTURE DIRECTION 5321#  
 BASIN FRANCHISE P142#  
 BASIN CHLOE 812L#

TE MANIA BERKLEY B1<sup>PV</sup>  
 PATHFINDER GENESIS G357<sup>PV</sup>  
 PATHFINDER DIRECTION D245<sup>SV</sup>

**Sire: USA16198796 EF COMPLEMENT 8088<sup>PV</sup>****Dam: WMYM66 BLACKROCK M66#**

BR MIDLAND#  
 EF EVERELDA ENTENSE 6117#  
 H F EVERELDA ENTENSE 869#

BLACKROCK C113<sup>SV</sup>  
 BLACKROCK F126#  
 BLACKROCK W86#

**January 2021 TransTasman Angus Cattle Evaluation**

TACE	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	Milk
<b>EBV</b>	<b>+4.9</b>	<b>+8.6</b>	<b>-5.6</b>	<b>+4.1</b>	<b>+48</b>	<b>+91</b>	<b>+115</b>	<b>+101</b>	<b>+18</b>
ACC	59%	52%	63%	74%	70%	70%	73%	68%	63%
Perc	32	6	31	46	52	36	49	45	34

**Selection Indexes**

ABI	DOM
<b>\$126</b>	<b>\$120</b>
40	27

SS	D t C	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc
<b>+0.8</b>	<b>-4.5</b>	<b>+72</b>	<b>+9.5</b>	<b>+1.1</b>	<b>+1.1</b>	<b>+0.5</b>	<b>+1.3</b>	<b>+0.41</b>	<b>+19</b>
72%	48%	63%	63%	64%	64%	61%	60%	55%	60%
92	55	25	8	15	13	50	76	79	13

**Traits Observed:** BWT,200WT(x2),400WT,600WT,  
 SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw  
 Set x 1, Foot Angle x 1)

**Notes:** Great calving ease sire.

Purchaser:.....\$:.....

## Attention Buyer

Animal details included in this catalogue, including but not limited to pedigree, DNA information, Estimated Breeding Values (EBVs) and Index values, are based on information provided by the breeder or owner of the animal. Whilst all reasonable care has been taken to ensure that the information provided in this catalogue was correct at the time of publication, Angus Australia will assume no responsibility for the accuracy or completeness of the information, nor for the outcome (including consequential loss) of any action taken based on this information.

## Parent Verification Suffixes

The animals listed within this catalogue including its pedigree, are displaying a Parent Verification Suffix which indicates the DNA parent verification status that has been conducted on the animal. The Parent Verification Suffixes that will appear at the end of each animal's name.

The suffix displayed at the end of each animal's name indicates the DNA parentage verification that has been conducted by Angus Australia.

PV : both parents have been verified by DNA.

SV : the sire has been verified by DNA.

DV : the dam has been verified by DNA.

# : DNA verification has not been conducted.

E : DNA verification has identified that the sire and/or dam may possibly be incorrect, but this cannot be confirmed conclusively.

## Privacy Information

In order for Angus Australia to process the transfer of a registered animal in this catalogue, the vendor will need to provide certain information to Angus Australia and the buyer consents to the collection and disclosure of that information by Angus Australia in certain circumstances. If the buyer does not wish for his or her information to be stored and disclosed by Angus Australia, the buyer must complete the form included below and forward it to Angus Australia. If the form is not completed, the buyer will be taken to have consented to the disclosure of such information.

.....

## BUYERS OPTION TO OPT OUT OF DISCLOSING PERSONAL INFORMATION TO ANGUS AUSTRALIA

If you do not complete this form, you will be taken to have consented to Angus Australia using your name, address and phone number for the purposes of effecting a change of registration of the animal(s) that you have purchased, maintaining its database and disclosing that information to its members on its website.

I, the buyer of animals with the following ident's.....

.....  
.....  
.....(name) do not consent to Angus Australia using my name, address and phone number for the purposes of effecting a change of registration of the animals I have mentioned above that I have purchased, maintaining its database and disclosing that information to its members on its website.

Name: ..... Signature: .....

Date: .....

Please forward this completed consent form to Angus Australia, 86 Glen Innes Road, Armidale NSW 2350.



If you have any questions or queries regarding any of the above, please contact Angus Australia on (02) 6773 4600 or email [office@angusaustralia.com.au](mailto:office@angusaustralia.com.au)



# BRINGING YOUR NEW BULL HOME

WHEN PURCHASING A BULL, CARE AND HANDLING AFTER THE SALE CAN BE AS IMPORTANT AS THE PURCHASE ITSELF. LOOKING AFTER YOUR BULL WELL DURING THE INITIAL STAGES OF HIS WORKING LIFE MAY ENSURE LONGEVITY AND SUCCESS WITHIN YOUR BREEDING HERD.

## PURCHASE

Temperament is an important characteristic when selecting a bull. Selecting a bull that may be flighty or aggressive will make life difficult for you each time he is handled. Note which bulls continually push to the centre of a mob, run around, or are unreasonably nervous, aggressive or excited.

At the sale, note any changes of temperament by individual bulls. Some bulls that are quiet in the yard or paddock may not like the pressure and noise of the auction and become excited. Others that were excited beforehand get much worse in the sale ring and can really perform. Use the yard or paddock behaviour as a guide, rather than the temperament shown in the ring.

## DELIVERY

When transporting your new bull insurance against loss in transit, accidental loss of use, or infertility, is sometimes provided by vendors. Where it is not, it is worth considering. After purchase tips:

- When purchasing, ask which health treatments he has received.
- Treat and handle him quietly at all times - no dogs, no buzzers. Talk to him and give him time and room to make up his mind.
- With more than one bull from different origins, you must be able to separate them on the truck.
- Make sure that the truck floor is covered to prevent bulls from slipping. Sand, sawdust or a floor grid will prevent bulls from being damaged by going down in transit.
- If you can arrange it, put a few quiet cows or steers on the truck with the bull. Let them down into a yard with the bulls for a while before loading and after unloading.
- Unload and reload during the trip as little as possible. If necessary, rest with water and feed. Treat bulls kindly your impatience or nervousness is easily transmitted to an animal unfamiliar to you and unsure of his environment.

## IF YOU USE A PROFESSIONAL CARRIER:

- Make sure the carrier knows which bulls can be mixed together.

- Discuss with the carrier, resting procedures for long trips, expected delivery time, truck condition and quiet handling.
- Give ear tag and brand numbers to the carrier and make sure you have the carrier's phone number.
- If buying bulls from interstate, organise any necessary health tests before leaving and work out if any other requirements must be met before cattle can come into another State.

When buying bulls from far away, you may often have to fit in with other delivery arrangements to reduce cost. You should make it clear how you want your bulls handled.

## ARRIVAL

When the bull or bulls arrive home, unload them at the yards into a group of house cows, steers or herd cows. Never jump them from the back of a truck directly into a paddock—it may be the last time you see them. Bulls from different origins should be put into separate yards with other cattle for company.

Provide hay and water, then leave them alone until the next morning .

The next day, bulls should receive routine health treatments. If they have not been treated before, all bulls should be vaccinated with:

- 5-in-1 vaccine;
- vibriosis vaccine;
- leptospirosis vaccine (if in areas like the Hunter where leptospirosis exists);
- three-day sickness vaccine (if in areas where this sickness can cause problems).

Give particular attention to preventing new bulls bringing vibriosis into a herd. Vibriosis, a sexually transmitted disease, causes infertility and abortions and is most commonly introduced to a clean herd by an infected bull. These bulls show no signs of the illness. Vaccinated bulls are free from vibriosis, so vaccinating bulls against the disease should be a routine practice.

Vaccination involves two injections, 4–6 weeks apart, at the time of introduction, and then a booster shot every year. Complete the vaccinations 4 weeks before joining.



# BRINGING YOUR NEW BULL HOME

Consult with your veterinarian and draw up a policy for treating bulls on arrival and then annually. Bulls should be drenched to prevent introducing worms and, if necessary, should be treated for lice.

Plan to give follow-up vaccinations 4–6 weeks later. Leave the bulls in the yards for the next day or two on feed and water to allow them to settle down with other stock for company. A bull's behaviour will decide how quickly he can be moved out to paddocks.

## MATING NEW YOUNG BULLS

Newly purchased young bulls should not be placed with older herd bulls for multiple-sire joining. The older, dominant bull will not allow the young bulls to work, and will knock them around while keeping them away from the cows.

Use new bulls in either single-sire groups or with young bulls their own age. If a number of young bulls are to be used together, run them together for a few weeks before joining starts. They sort out their pecking order quickly and have few problems later.

When the young bulls are working, inspect them regularly and closely.

## MATING NEW YOUNG BULLS

Older working bulls also need special care and attention before mating starts. They should be tested or checked every year for physical soundness, testicle tone, and serving capacity or ability.

All bulls to be used must be free-moving, active and in good condition. Working bulls may need supplementary feeding before the joining season to bring up condition.

## DURING MATING

- Check bulls at least twice each week for the first 2 months. Get up close to them and watch each bull walk; check for swellings around the sheath and for lameness.
- Have a spare bull or bulls available to replace any that break down. Replace any suspect bull immediately.
- Rotate bulls in single-sire groups to make sure that any bull infertility is covered. Single-sire joining works well but it has risks. The bulls must be checked regularly and carefully, or the bulls should be rotated every one or two cycles.

Bulls are a large investment for breeding herds and they have a major effect on herd fertility. A little time and attention to make sure they are fit, free from disease and actively working is well worthwhile.

## NORTHERN AUSTRALIA

Although the Angus breed originated in a cooler climate, they can adapt to subtropical regions with many straight-bred and cross bred producers finding success in Northern Australia. Some of the following information may also be helpful for new bulls located in more temperate climates.

## ADAPTATION

The key to Northern success for Angus is that cattle introduced from the Southern regions of Australia be allowed to adapt to their new environment before commencing their working life. If possible, a break of 3 months is advisable before you set your bull to work.

## PURCHASE IN COOLER MONTHS

Ensure your bulls are in good condition before they do commence their working life. The cooler months are an ideal time to purchase and introduce Angus cattle, allowing them plenty of time to acclimatise.

## CHANGE OF FEED SOURCE

When inducting Angus cattle into your herd consider their source of feed. Have you taken an animal which has been supplemented on grain straight to a dry pasture? Animals should be gradually changed over to their new feed to ensure they do not lose condition. This may involve using supplements which could include dry lick/urea blocks.

## MANAGING CATTLE TICKS

For ticky areas, bulls should be vaccinated prior to transport and given another booster afterwards. Remember males are more susceptible to ticks than females.

Information is provided by the Department of Primary Industries NSW. For further information visit the DPI web site: [www.dpi.nsw.gov.au](http://www.dpi.nsw.gov.au). or [www.angusaustralia.com.au](http://www.angusaustralia.com.au). Further reading - Buying Angus Bulls

**FOR FURTHER INFORMATION VISIT**  
[www.angusaustralia.com.au](http://www.angusaustralia.com.au)

Angus Australia Locked Bag 11, Armidale NSW 2350  
Phone: (02) 6772 3011 | Fax: (02) 6772 3095  
Email: [office@angusaustralia.com.au](mailto:office@angusaustralia.com.au)  
Website: [www.angusaustralia.com.au](http://www.angusaustralia.com.au)

# RECESSIVE GENETIC CONDITIONS

This is information for bull buyers about the recessive genetic conditions, Arthrogyrosis Multiplex (AM), Hydrocephalus (NH), Contractural Arachnodactyly (CA) and Developmental Duplications (DD).

## Putting undesirable Genetic Recessive Conditions in perspective

All animals, including humans, carry single copies (alleles) of undesirable or “broken” genes. In single copy form, these undesirable alleles usually cause no harm to the individual.

But when animals carry 2 copies of certain undesirable or “broken” alleles it often results in bad consequences. Advances in genomics have facilitated the development of accurate diagnostic tests to enable the identification and management of numerous undesirable or “broken” genes.

Angus Australia is proactive in providing its members and their clients with relevant tools and information to assist them in the management of known undesirable genes and our members are leading the industry in their use of this technology.

## What are AM, NH, CA and DD?

AM, NH, CA and DD are all recessive conditions caused by “broken” alleles within the DNA of individual animals. When a calf inherits 2 copies of the AM or NH alleles their development is so adversely affected that they will be still-born.

In other cases, such as CA and DD, calves carrying 2 copies of the broken allele may reach full-term. In such cases the animal may either appear relatively normal, or show physical symptoms that affect their health and/or performance.

## How are the conditions inherited?

Research in the U.S. and Australia indicates that AM, NH, CA and DD are simply inherited recessive conditions. This means that a single gene (or pair of alleles) controls the condition.

For this mode of inheritance two copies of the undesirable allele need to be present before the condition is seen; in which case you may get an abnormal calf. A more common example of a trait with a simple recessive pattern of inheritance is black and red coat colour.

Animals with only one copy of the undesirable allele (and one copy of the normal form of the allele) appear normal and are known as “carriers”.

## What happens when carriers are mated to other animals?

Carriers, will on average, pass the undesirable allele to a random half (50 %) of their progeny.

When a carrier bull and carrier cow is mated, there is a 25% chance that the resultant calf will inherit two normal alleles, a 50% chance that the mating will result in a carrier (i.e. with just 1 copy of the undesirable allele, and a 25% chance that the calf will inherit two copies of the undesirable gene.

If animals tested free of the undesirable gene are mated to carrier animals the condition will not be expressed at all. All calves will appear normal, but approximately half (50%) could be expected to be carriers.

## How is the genetic status of animals reported?

DNA-based diagnostic tests have been developed which can be used to determine whether an individual animal is either a carrier or free of the alleles resulting in AM, NH, CA or DD.

Angus Australia uses advanced software to calculate the probability of (untested) animals to being carriers of AM, NH, CA or DD. The software uses the test results of any relatives in the calculations and the probabilities may change as new results for additional animals become available.

The genetic status of animals is being reported using five categories:

AMF	Tested AM free
AMFU	Based on Pedigree AM free - Animal has not been tested
AM_%	_% probability the animal is an AM carrier
AMC	Tested AM-Carrier
AMA	AM-Affected

For NH, CA and DD, simply replace AM in the above table with NH, CA or DD.

Registration certificates and the Angus Australia web-database display these codes. This information is displayed on the animal details page and can be accessed by conducting an “Database Search” from the Angus Australia website or looking up individual animals listed in a sale catalogue.

## Implications for Commercial Producers

Your decision on the importance of the genetic condition status of replacement bulls should depend on the genetics of your cow herd (which bulls you previously used) and whether some female progeny will be retained or sold as breeders.

Most Angus breeders are proactive and transparent in managing known genetic conditions, endeavouring to provide the best information available. The greatest risk to the commercial sector from undesirable genetic recessive conditions comes from unregistered bulls with unknown genetic background. The genetic condition testing that Angus Australia seedstock producers are investing in provides buyers of registered Angus bulls with unmatched quality assurance.

For further information contact Angus Australia's Breed Development & Extension Manager on (02) 6773 4618.

# Buyer's Instruction Slip

## BLACKROCK BULL SALE

Thursday 11th February 2021

Name .....

Postal Address .....

.....

.....

Lots Purchased .....

.....

Trucking Advice .....

.....

.....

.....

.....

Contact Name.....

Contact Phone No..... Mobile .....

Insurance Instructions.....

.....

.....

Email .....

BUYER'S SIGNATURE.....

PLEASE ENSURE THAT ALL INSTRUCTIONS ARE GIVEN IN WRITING  
ON THIS INSTRUCTION SLIP AND SIGNED BY THE BUYER  
OR HIS REPRESENTATIVE.

ALL STOCK LEAVING THE SALEYARD MUST BE  
ACCOMPANIED BY A WAYBILL.





**2021**  
**WORLD ANGUS FORUM**  
*Australia*

*Join us for the*

# 2021 WORLD ANGUS FORUM IN AUSTRALIA!



**+ INTERNATIONAL ANGUS YOUTH COMPETITION**  
With Angus Youth teams from around the world competing throughout the forum to be crowned the champions of the Angus world

**POST TOUR, FROM TOOWOOMBA TO ROCKHAMPTON**  
Through Queensland, renowned for its northern beef industry, culminating in Beef Australia 2021, the southern hemisphere's largest beef exposition

**PRE TOUR THROUGH CENTRAL WEST NSW**  
Showcasing world class Angus properties and one of Australia's best known food and wine regions

**WELCOME FUNCTION IN SYDNEY**  
Renowned for its stunning harbour setting, temperate climate, and world class restaurants

**TECHNICAL FORUM IN CANBERRA**  
Australia's capital city, the heart of the nation and home to many of Australia's inspirational landmarks and renowned cultural attractions

**APRIL  
- MAY  
2021**

*#WAFdownunder*

[www.worldangusforum2021.com](http://www.worldangusforum2021.com)



# 2021 Sale Bulls



Photo Courtesy Farm Weekly

Lot 4: Q160 by Sitz Investment



Photo Courtesy Farm Weekly

Lot 5 : Q197 by Blackrock N200



Lot 9: Q78 by Granite Ridge Kaiser K26



Lot 17: Q208 by Blackrock N99



Lot 40: Q130 by Clunie Range Legend L348



Lot 47: Q123 by EF Compliment



# Quality from Quality

## The Sires of the 2021 Sale Bulls



### Karoo Knockout K176

Outcross Reality son, trait leader for scrotal circumference, great Gestation Length and Growth EBV's. Super docility in a strong maternal pedigree. Displays capacity and muscling.



### Landfall Keystone K132

Son of the great Rennylea Edmund E11 used in 165 herds with over 5000- progeny recorded. Keystone will improve growth and carcass weight while remaining below average for birth weight. Very impressed with his progeny.



### Milla Murrah Lakeside L69

Sold for \$54000 in 2016. Good set of figures across the board. Outstanding phenotype, quality pedigree and progeny are performing well. Early indications are Structural EBV's are showing up well too.



### Sitz Investment 6602

Growth sire with good fat cover and below average birth weight. Sire of \$27500 Coonamble top price bull last year where 17 sons averaged over \$10000 each.



### Granite Ridge Kaiser K26

Now used in 28 Registered herds, displays excellent calving ease growth, carcass and docility.

2021

ANNUAL SALE

Blackrock  
Angus

Inspection of  
Sale Bulls

Ken MacLeay  
Ph: 9755 1136

Mob: 0438 926 363

