

Lot Number

Assessment Purpose

SECTION 3

SECTION 5

SECTION 6

Location

State

RISK MANAGEMENT REPORT

TYPE	Fertiliser Spreader - 3PL	
MAKE	Kuhn	
MODEL	Axis 50.2	
SERIAL NUMBER	09-4388	
Report Number	OSS 20210209-1359	
Date	9-Feb-2021	
Created By	Geoff Gleeson	
Assessor	Geoff Gleeson	
Assist. Assessor(s)		
Agent	Mannes Agencies	

TABLE OF CONTENTS

17

Farm 47

Sale

NSW

SECTION 1	IMPORTANT INFORMATION
SECTION I	

Contains information outlining the scope and any limitations applicable to this Risk Management Report

MACHINE DETAILS SECTION 2

Contains standard machine specifications and details of any extras fitted

RISK ANALYSIS, RISK EVALUATION & RISK TREATMENT

Contains details of the technique used to calculate risk ratings, time frame and risk treatments. Please refer to this information when reviewing and interpreting the information in section 4 & 5

RISK TREATMENTS REQUIRED

SECTION 4 Contains detailed information regarding the risk treatments to be implemented including hazard, risk rating, time frame, relevant standards & legislative references

RISK TREATMENTS IN PLACE

Contains detailed information regarding the risk treatments in place including hazard, risk rating, relevant standards & legislative references

IMAGES AND NOTES

Contains images & any relevant information entered by the assessor





SECTION 1 IMPORTANT INFORMATION

This report generated by Plant Assessor™ © Online Safety Systems on Wednesday 10 Feb 2021 8:42 PM

This Risk Management Report has been prepared for -

(insert recipient name/company name)

This document has been prepared to cover the sale or transfer of this item of plant between the Company identified on the front cover and their named recipient. This report must not be used for any subsequent sale or transfer.

This document is provided to meet duty of care obligations as set out in relevant state and territory health and safety regulations for the supply of plant and the sale and transfer of plant.

The safety hazards associated with the operating and maintaining of this item of plant have been identified as far as practical by visual inspection. This item of plant is being sold in an "as-is" condition with known and unknown safety hazards. No physical testing has been conducted (eq. Wire rope tests, stress tests, structural/non-destructive tests, noise tests, vibration tests, brake tests, insulation tests etc.) unless stated otherwise in the notes.

This document is not intended to provide information on, nor warrant the mechanical, electrical or structural condition of this item of plant. Any information on standard features have been supplied through the manufacturer and should be used as a guide only until otherwise verified.

This item of plant should be further assessed, tested and inspected or dismantled as necessary to gauge any further hazards and /or risks relating to SPECIFIC WORKPLACE USE, which are currently unknown, in accordance with relevant standards, regulations and acts.

Under common law and relevant state and territory health and safety acts, regulations and codes of practice, there is a requirement for the plant owner, employer and operator to exercise a duty of care in the safe operation and maintenance of plant. Accordingly before this item of plant is supplied to, or used at any workplace it must be inspected to ensure it is in a fully operational, safe and serviceable condition and that operators and maintenance personnel are appropriately trained in the use & maintenance of this item of plant.

For further information regarding this report contact Online Safety Systems on 1300 72 88 52

SECTION 2 MACHINE DETAILS

CAPACITIES			
Capacity			
Hopper Capacity (m3)			
DIMENSIONS/WEIGHTS			
Height (mm)			
Length (mm)			
Max Operating Weight (kg)			
Weight (kgs)			
Width (mm)			
REQUIREMENTS			
Power required (kW)			
RETAIL \$			
New Price			
New Price Date			
WORK CAPABILITIES			
Spreading Width (m/feet)			









RIS	SK ANALYSIS					
٧.			CON:	SEQUENCE-		-
НООР		1. INSIGNIFICANT Dealt with by in house first aid	2. MINOR Treated by medical professionals, hospital out patients	3. MODERATE Significant non permanent injury overnight hospital stay	4. MAJOR Extensive permanent injury eg. Loss of fingers, extended hospital stay	5. CATASTROPHIC Death, permanent disabling injury eg. Loss of hand, quadriplegia
—— LIKELIHOOD	A. Almost certain to occur in most circumstances	MEDIUM 8	HIGH 16	HIGH 18	CRITICAL 23	CRITICAL 25
•	B. Likely to occur frequently	MEDIUM 7	MEDIUM 10	HIGH 17	HIGH 20	CRITICAL 24
	C. Possibly and likely to occur at sometime	LOW 3	MEDIUM 9	MEDIUM 12	HIGH 19	HIGH 22
	D. Unlikely to occur but could happen	LOW 2	LOW 5	MEDIUM 11	MEDIUM 14	HIGH 21
	E. May occur but only in rare circumstances	LOW 1	LOW 4	LOW 6	MEDIUM 13	MEDIUM 15

LUATION	CRITICAL	Act immediately to mitigate risk. Implement risk treatment(s) in accordance with the risk treatment table below.
RISK EVA	нідн	Act immediately to mitigate risk. Implement risk treatment(s) in accordance with the risk treatment table below. If the appropriate risk treatments are not immediately accessible establish interim risk treatment strategies. Permanent risk treatments must be implemented within one week.
	MEDIUM	Take reasonable steps to mitigate and monitor the risk. Implement risk treatment(s) in accordance with the risk treatment table below. Permanent risk treatments must be implemented with one month.
	LOW	Take reasonable steps to mitigate and monitor the risk. Implement risk treatment(s) in accordance with the risk treatment table below. Permanent risk treatments must be implemented with three months.

		Selecting the most appropriate risk treatment option involves balancing the costs and efforts of implementation against the benefits derived, with regard to legal, regulatory and other requirements. (SOUTCE AS/NZS ISO 31000:2009)				
	Eliminate	Eliminate the risk source.				
RISKT	Substitute	Provide an alternative that is capable of performing the same task which is safer.				
	Engineering	Provide or construct a physical barrier or guard.				
	Administration	Develop policies, procedures, practices and guidelines in consultation with employees to mitigate the risk. Provide training, instruction and supervision about the risk source.				
	Personal protective	Provide personal protective equipment to protect the individual from the risk source.				





SECTION 4 RISK TREATMENTS REQUIRED

This section of the report pertains to hazards created by use of this item of plant which currently do not have risk treatments in place. The risk treatments recommended in this section have been developed based on relevant Australian Standards, health & safety legislation, the hierarchy of risk treatment in accordance with the guidelines set forth in AS/NZS ISO 31000 - Risk Management and various other sources. The recommended risk treatment measures must be developed, implemented and validated as effective prior to the operation, maintenance or testing of this item of plant. Treatments applied must be dated and initialled adjacent the recommendations. All operators must read and understand the entire contents of this section prior to operating this item of plant.

HAZARD(S)	Prelim. Risk Rating	Residual Risk Rating	Time Frame	Due Date	Date Rectified	Initial
DELIVERY						
CRUSHING	HIGH 22	MEDIUM 15	1 Week	16-Feb-21		

Risk Treatment Required: SWMS Load Restraint

Source or develop transport restraining guidelines for this machine.

Once developed, ensure that all operators follow the approved SWMS/SOP when restraining this machine for transport.

Occupational Health & Safety Act & Regulations, Work Health & Safety Act & Regulations-

COMMISSIONING



INCORRECT OPERATION HIGH 22 MEDIUM 15 1 Week 16-Feb-21

Risk Treatment Required: Pre-start checklist

An operational "Pre start" checklist must be obtained for this item of plant. If an OEM "Pre Start" Checklist is not available then one must be developed by a person competent in writing health and safety procedures. Once obtained the "Pre start" checklist must be completed before each operation. If any faults are detected, they must be rectified prior to commencement of operation. These inspections must be documented as part of your plant safety management programme.

Legislation: State Health & Safety Legislation & Regulation

References: Occupational Health & Safety Act & Regulations, Work Health & Safety Act & Regulations-

OPERATION



INCORRECT OPERATION CRITICAL 24 MEDIUM 15 Immediate 09-Feb-21

Risk Treatment Required: **Operator Competency**

Only persons who are qualified, trained and experienced and/or hold the relevant certification/license can operate this item of plant. If there is not a competent/licensed person available for operation of this item of plant then only persons who are supervised by a competent/licensed person can operate this item of plant.

Legislation: State Health & Safety Legislation & Regulation

References: Occupational Health & Safety Act & Regulations, Work Health & Safety Act & Regulations-



INCORRECT OPERATION HIGH 22 MEDIUM 15 16-Feb-21 1 Week

Risk Treatment Required: **Control Labels**

Ensure all controls including all levers, buttons, pedals, switches etc. are clearly labelled as to their purpose and method of operation prior to operating this item of plant. Once achieved these labels must be maintained in a clean condition at all times.

Legislation: State Health & Safety Legislation & Regulation

References: AS/NZS4024.1905



ENTANGLEMENT HIGH 22 HIGH 21

16-Feb-21 1 Week

Risk Treatment Required: Hopper Label

Ensure all the operator access points to the hopper have a clear adjacent hazard warning label attached stating "Do not enter hopper while machine is running". Accordingly the operator must not enter the hopper tank while the power source is running. These labels must be present and fully functional and serviceable at all times. A secure procedure or interlock arrangement must be in place to ensure the machine cannot be started while someone is in the hopper.

Legislation: State Health & Safety Legislation & Regulation

References: AS/NZS4024,1201, AS1319-





Model Axis 50.2

Fertiliser Spreader - 3PL

Serial Number Assessed By

09-4388 Geoff Gleeson 9-Feb-2021

HAZARD(S)	Prelim. Risk Rating	Residual Risk Rating	Time Frame	Due Date	Date Rectified	Initial
OPERATION						
INCORRECT OPERATION	HIGH 22	MEDIUM 15	1 Week	16-Feb-21		
Risk Treatment Required: SOP						
ource or develop Safe Operation Procedures for this it tem of plant is in operation.	em of plant. Once available	e ensure that all operato	ors are familiar v	vith these and foll	ow them at all ti	mes whilst this
References: Occupational Health & Safety Act & Re	gulations, Work Health & S	afety Act & Regulations	-			
INCORRECT OPERATION	HIGH 22	MEDIUM 15	1 Week	16-Feb-21		
Risk Treatment Required: Operation Handboo	ok					
he manufacturer's operation handbook is not available	e for this item of plant. A fu	ill assessment of the cor	mpetence of ope	erators must also	be undertaken.	
This handbook must be sourced and made available to cannot be sourced the operation manual must be develoandbook prior to operating.						
egislation: State Health & Safety Legislation & Regulat	tion					
deferences: Occupational Health & Safety Act & Re	gulations, Work Health & S	Safety Act & Regulations	-			
POISONING	HIGH 22	MEDIUM 15	1 Week	16-Feb-21		
Lisk Treatment Required: MSDS						
he SDS (Safety Data Sheet) must be available for the dvice and instructions contained in the SDS must be speration.						
deferences: Occupational Health & Safety Act & Re	gulations, Work Health & S	Safety Act & Regulations	:-			
FIRE	HIGH 21	MEDIUM 15	1 Week	16-Feb-21		
Risk Treatment Required: Fire Extinguisher						
o fire extinguishers are installed on this item of plant. eadily accessible to the operator. Regular inspections i						ey must be
egislation: State Health & Safety Legislation & Regulat	tion					
eferences:						
** STRIKING	MEDIUM 12	MEDIUM 11	1 Month	11-Mar-21		
tisk Treatment Required: Striking Label						
nsure that the rear/side of this item of plant has a haz unctional and serviceable at all times.	ard warning label re: flying	objects, stand clear, et	tc, attached. On	ce installed it mus	t be present and	l fully
egislation: State Health & Safety Legislation & Regulat	ion					
eferences: AS1319-						
ssessor Comments: Label not visible from all wo	ork area.					
DESIGN COMPLIANCE		1		ı		I
	LITCH 20	MEDIUM 14	1 Week	16-Feb-21		
INCORRECT OPERATION	HIGH 20					
INCORRECT OPERATION isk Treatment Required: Intuitive Controls	HIGH 20					
-8		of the control is consiste	ent with the acti	on of the machine	e e.g. moving a c	control lever to
isk Treatment Required: Intuitive Controls he controls fitted to this item of plant must be orienta	ited so that the movement			on of the machine	e e.g. moving a c	control lever to





MakeKuhnModelAxis 50.2TypeFertiliser Spreader - 3PL

Serial Number Assessed By Date 09-4388 Geoff Gleeson 9-Feb-2021

Prelim. Risk **Residual Risk** Time **Date** HAZARD(S) Initial **Due Date** Rectified **Rating Rating** Frame **DESIGN COMPLIANCE INCORRECT OPERATION,** LOW 6 HIGH 17 1 Week 16-Feb-21 **SLIPPING**

Risk Treatment Required: Control Levers/Pedals/Buttons

Ensure all controls including all levers, buttons, pedals, switches etc. are non-slip and free from damage prior to operating this item of plant. These conditions must be maintained to this level at all times whilst operating this item of plant.

Legislation: State Health & Safety Legislation & Regulation

References: AS/NZS4024.1901

MAINTENANCE



Risk Treatment Required: Maintenance Manual

The manufacturer's maintenance manual(s) are not available for this item of plant

These manuals must be sourced and made freely available to all persons carrying out maintenance activities as a requirement of current legislation. If these manuals cannot be sourced, the maintenance manual(s) must be developed by a competent person, and then made available to all relevent persons.

Legislation: State Health & Safety Legislation & Regulation

References: Occupational Health & Safety Act & Regulations, Work Health & Safety Act & Regulations-



Risk Treatment Required: Service Records

Service and maintenance records are not available for this item of plant.

This risk assessment will form the basis of your records for this item of plant. Service and maintenance records must be developed and maintained as part of your plant safety management programme. This includes regular inspections re: the general condition of the item of plant including (but not limited to) tyre condition, oil levels and wear and tear on critical items such as brakes and steering, etc. All OEM prescribed, scheduled and non scheduled maintenance must also be documented as part of these records.

Legislation: State Health & Safety Legislation & Regulation

References: Occupational Health & Safety Act & Regulations, Work Health & Safety Act & Regulations-

SECTION 5 RISK TREATMENTS IN PLACE

This section of the report pertains to risk treatments currently in place on this item of plant. This section must be read in conjunction with the safety section of the manufacturers handbook. All operators must read and understand the entire contents of this section prior to operating this item of plant. These treatments or equivalent must remain in place at all times whilst this item of plant is in operation.

HAZARD(S)	Prelim. Risk Rating	Residual Risk Rating
OPERATION		
ENTANGLEMENT	HIGH 22	HIGH 21
Risk Treatment In Place: Entanglement Label This item of plant has hazard warning labels re: Entaglement, stand clear. These labels must be present and	fully functional and serviceable	at all times.
References: AS/NZS4024.1201, AS1319-		





	HAZARD(S)	Prelim. Risk Rating	Residual Risk Rating
DESIGN COMPLIANCE			
BURNS, STRIKING		HIGH 22	MEDIUM 15

Risk Treatment In Place: Hydraulic Hoses

This item of plant has hydraulic hoses. These hoses must be inspected each day or before each use for wear and tear. If there are visible signs of wear immediate action must be taken to control the risk arising from this wear. These inspections must be documented.

Hydraulic fluid at high pressure can penetrate the skin, never use any part of your body to check for leaks. If oil penetrates the skin seek medical advice immediately. Always use a piece of cardboard or similar to check for suspected leaks.

Hydraulic pressure can be stored and is a hazard. Before disconnection or connection of hydraulic hoses complete the following steps -

- 1. Stop engine
- 2. Keep all bystanders clear of the work area
- 3. Refer to operators manual as to methods to release pressure
- 4. Wait 5 minutes

References: AS2671, AS4024



STRAINS

HIGH 19

LOW 5

Risk Treatment In Place: Controls Ergonomics

All controls including all levers, buttons, pedals, switches etc, are placed near the operator work position and are easy to reach and operate during the execution of the operator's normal duties. This applies for all persons within the 95th percentile of the normal population distribution.

References: AS/NZS4024.1901



OPERATIONAL MALFUNCTION

HIGH 22

LOW 2

Risk Treatment In Place: Plant Modification

The plant is in original condition.

References:

MAINTENANCE



BURNS, STRIKING

HIGH 22

MEDIUM 15

Risk Treatment In Place: Hydraulic Damage

The hydraulic hoses to this item of plant are free from damage and protected against damage arising from contact with the plant structure. Ensure that hoses are free from damage and that protection is in place at all times whilst this item of plant is in operation. Inspection of the hydraulic hoses and protection system should be conducted regularly and documented as part of your plant safety programme.

References: AS2671, AS4024, ISO4413



CURRENT OR PREVIOUS STRUCTURAL DAMAGE

CRITICAL 25

MEDIUM 15

Risk Treatment In Place: Structural Integrity

Regular checks for structural damage must be undertaken. Look for cracks in frames/chassis (current or repaired), bends or damage to structural components, etc.

References:



OPERATIONAL MALFUNCTION

HIGH 22

LOW 2

Risk Treatment In Place: Major Fluid Leaks

This item of plant must remain free from leaks at all times whilst in operation (this includes engine, transmission, cooling system, air, fuel, drive line, wheel hubs, steering and hydraulics). Development of a major leak will require this item of plant to be stood-down until repaired. Minor leaks detected must be repaired within 1-14 days.

References: ISO31000

SECTION 6 IMAGES AND NOTES







RISK MANAGEMENT REPORT

TYPE	Fertiliser Spreader - 3PL	Report Number	OSS 20210209-1359
MAKE	Kuhn	Date	9-Feb-2021
MODEL	Axis 50.2	Created By	Geoff Gleeson
SERIAL NUMBER	09-4388	Assessor	Geoff Gleeson
		Assist. Assessor(s)	
		Agent	Mannes Agencies
		Lot Number	17
		Location	Farm 47
		Assessment Purpose	Sale
		State	NSW

PURCHASER ACKNOWLEDGEMENT

I the undersigned acknowledge that I have read and understand the risk management report described above. I also acknowledge that I have received a copy of this risk management report. I also acknowledge that I am authorised to sign on behalf of the purchaser.

ompany Name
osition
ignature
ate
he manufacturer's operational & maintenance handbooks have been supplied, circle one) YES NO (initial) lease transfer this assessment to my Plant Assessor membership as a (circle one) HIRE / PLANT IN USE assessment. In Plant Assessor username is

Name