
10[™] MARCH 2021

Bulls penned 10.30am · Auction Starts 1.00pm

SHERON FARM ANNUAL BULL SALE

OFFERING **26** BULLS + **30** UNJOINED YEARLING HEIFERS

100% Grassfed · Ready to work





SHERON Farm Angus stud will again open its doors for its annual on-farm Bull sale on Wednesday 10th March..

Sheron Farm's annual on-property bull sale will be held on Wednesday, March 10th, starting at 1pm. On offer will be 26 grass fed Angus bulls and 30 unjoined heifers, these will be yarded from 10.30am.

Sheron Farm emphasise the bulls are 100 per cent grown on grass and hay with no pellets or grain supplements and are ready to work.

All bulls are tested extensively for any genetic or structural deformities, they are all disease and pest free. The bulls have all been DNA verified for parentage and genetically tested and are free of any deformities using the HD50K + Full, PV

They have been vaccinated with 7in1, Pestiguard and Virovax, tested BVDV free, drenched, Rumen multi mineral bullet, semen and morphology tested. All Sheron Farm EVB's are accurate, actual weights and figures taken and recorded at the recommended times by breed plan. The stud also has a strong focus on feet and structure and temperament. Other important selection traits include fertility, commercial suitability and carcase.

Sheron Farm, commercial steers, for the 3rd year consecutive year had the top price at the weaner sales in January 2021. This is proof that Sheron Farm knows how to breed and produce animals for the commercial cattle industry.

Sheron Farm is classified under the new Johnes Beef Assurance Score, as a J-BAS 8. This is the highest level of assurance possible. All Sheron Farm EVB's are accurate, actual weights and figures taken and recorded at the recommended times by angus breed plan. The stud also has a strong focus on feet and structure and temperament. Other important selection traits include fertility, commercial suitability and carcase.

The sire reference for the sale bulls include Millah Murrah Klooney K42,LD Capitalist 316, V A R Foreman 3339, HA Cowboy up 5405, Coonamble Hector H249 Sheron Farm K39, Sheron Farm Lez L110, Sheron Farm K75. Some of the reference sires for the unjoined commercial yearling heifers are Landfall Keystone K132, Millah Murrah Navigator N312, Millah Murrah Lock-up L133, Te Mania Emperor E343, Yon Full Force C398, Exar Monumental 6056B.

A three per cent rebate applies to outside agents who nominate 24 hours prior to the sale to Lyndsy Flemming, Nutrien Ag solutions Brunswick, on 0447 857 760.



Sales Information

SALE DAY AND PRIOR INSPECTION:

Sale of the animals will be done under normal auction conditions. All buyers must register and complete the buyer slip to obtain a buyer number. The successful purchasers will be required to give the selling agents delivery information at the conclusion of the sale.

Selling will commence at 1.00pm with bulls yarded at 10.30am. Prior inspection is available, only by appointment. Give Steve a call on 0407 422 034.

GUARANTEE:

All Bulls are guaranteed at the time of sale to be a breeder. They are guaranteed fertile 12 months from the sale date. No warranty is given for any bull which becomes infertile or incapable of natural mating due to illness, injury or disease. In the event of a claim, the purchaser must notify the vendor in writing accompanied by a veterinary certificate. The vender retains the right to obtain an independent veterinarian confirmation of any claim.

COMMISSION:

3% commission will be available to participating agents introducing buyers. Please notify Lyndsay Flemming, 0447 875 760 Nutrien Livestock Bunbury prior to the sale.

TRANSFERS:

The vendor will transfer ownership of the bull to the purchaser on the Angus Australia database. The following information needs to supplied on the buyers slip. Name of the owner, address and pic number.

GST:

All animals are sold exclusive of GST.

INSURANCE:

We recommend that buyers insure their bull for full cover, including transport, on the fall of the hammer. Sheron Farm takes no responsibility for death or injury to a bull after it leaves our front gate.

SAFETY:

All the bulls have been screened for temperament but when put under pressure they may become a agitated. The bulls will be penned in small yards for easy viewing, it is preferable that you do not enter the yard. If you require a closer look please see one of our Sheron Farm members that will be happy to help. The quietest bull can be unpredictable.

ANIMAL HEALTH:

All bulls are DNA parent verified, tested disease, pest and deformity free, and are not carriers for AM, NH, CA, and DD.

They have received the following treatments:

- · Double vaccine Pestiguard
- · Double vaccine Ultravac 7 in 1

- · Double Vaccine Vibrovax
- · Rumen Multimin Bullet
- · Eprimex Drench

Under the new Johnes Beef Assurance Score (J-BAS) system, Sheron Farm is accredited as the highest level of assurance possible J-BAS 8. Sheron Farm biosecurity is a major part in maintaining animal health, this is done in conjunction with our policies and procedures and our veterinarian.

CARING FOR YOUR BULL

When a bull leaves Sheron Farm he is leaving the security of his mob and his position within that mob. He will arrive in unfamiliar territory at your property. To minimize the stress on the bull make sure he has a steer or a pregnant cow as a companion. Do not put him in with other bulls in the beginning.

For mating, Sheron Farm recommends putting one bull to 40 cows. If two bulls are in the same mob of cows for mating there is a very high risk of injury to the bulls as they fight for dominance.

All bulls have been clinically examined by our vet prior to sale. They have also been semen and morphology tested. The bulls are in good joining condition at the point of the sale. Some conditions cannot be detected or tested for, therefore we recommend that you should check the bulls regularly throughout joining.

Sheron Farm bulls are accustomed to being handled in a quiet and calm environment by stockmen on four wheeler motorbikes. When moving bulls they are best walked at a steady pace. All of the Sheron fences are electrified and the bulls treat them with respect. Sheron Farm breeds for temperament but bulls can at times be unpredictable in different environments and should always be treated with respect and caution.

FEEDING:

The bulls are guaranteed 100% grassfed, no grain or pellets. The supplement feed is silage and hay. The bulls are weaned onto green pasture over the summer months. In July they are transferred into the hills of Benger to develop muscle and bone. They are given appropriate trace elements as the season predicts. The bulls are in peak health good rumens to handle to changes they may encounter after sale.

CATERING:

A complimentary light lunch will be provided at the sale.

TRANSPORT:

Please complete a purchaser's instruction slip. Sheron Farm will deliver free of charge within a 300km radius. This offer is only available to purchaser's that use our preferred carrier.




EBV Quick Reference fo

Anin	nal Ident	Calvin	g Ease	Bir	th		Gro	wth			Fertility
7		CED	CEM	GL	BW	200	400	600	MCW	Milk	SS
1	WWHQ5	+5.7	+4.0	-6.7	+5.7	+53	+100	+134	+119	+22	+2.2
2	WWHQ10	+2.7	+2.2	-6.0	+6.4	+52	+92	+118	+100	+21	+3.8
3	WWHQ110	+4.2	-0.8	-4.9	+5.7	+50	+94	+121	+105	+16	+1.4
4	WWHQ68	-3.7	+1.0	-6.5	+6.3	+62	+118	+164	+164	+18	+2.6
5	WWHQ111	+3.2	-3.0	-3.9	+5.3	+56	+103	+142	+132	+16	+2.2
6	WWHQ16	+3.2	+3.6	-3.2	+7.4	+49	+88	+120	+107	+21	+2.1
7	WWHQ72	+5.0	-1.2	-6.4	+2.1	+46	+86	+112	+108	+10	+1.8
8	WWHQ55	+6.8	+7.1	-7.3	+4.0	+60	+102	+136	+107	+15	+1.3
9	WWHQ99	-0.1	+3.8	-9.7	+7.0	+62	+109	+150	+154	+12	+2.4
10	WWHQ26	+2.6	+5.5	-2.5	+6.3	+45	+85	+111	+109	+22	+2.4
11	WWHQ1	+1.4	+1.9	-6.7	+5.7	+43	+73	+97	+82	+14	+1.0
12	WWHQ81	+8.6	+9.3	-3.5	+3.5	+53	+98	+127	+113	+13	+0.8
13	WWHQ4	+10.1	+5.7	-6.4	+3.1	+42	+78	+100	+97	+20	+2.8
14	WWHQ123	+4.5	-0.2	-3.7	+3.8	+41	+79	+107	+85	+20	+2.8
15	WWHQ28	+3.0	+3.5	-6.3	+3.7	+58	+104	+130	+105	+12	+1.8
16	WWHQ83	-5.0	-2.3	-3.6	+7.3	+51	+92	+111	+88	+9	+1.5
17	WWHQ140	-7.0	+5.1	-5.3	+6.8	+51	+95	+124	+105	+18	+1.8
18	WWHQ8	-1.1	-1.5	-5.4	+7.4	+52	+88	+124	+116	+17	+0.1
19	WWHQ21	+7.7	+6.8	-2.8	+3.6	+38	+70	+94	+84	+17	+2.0
20	WWHQ124	+2.2	+0.9	-2.8	+3.4	+43	+80	+105	+96	+22	+2.3
21	WWHQ20	-4.6	-3.4	-1.9	+6.7	+48	+82	+107	+109	+18	+0.8
22	WWHQ77	+0.2	+1.3	-2.1	+3.5	+45	+77	+88	+59	+13	+1.0
23	WWHQ15	-1.1	+1.1	-2.2	+7.3	+47	+86	+112	+93	+19	+2.5
24	WWHQ122	+10.9	+5.9	-5.0	+1.0	+29	+58	+79	+60	+17	+1.4
25	WWHQ128	+4.6	-0.2	-1.3	+3.0	+34	+67	+89	+82	+18	+1.4
26	WWHQ139	+6.4	+2.9	-3.4	+2.3	+33	+64	+89	+85	+16	+3.1
IACE		CED	CEM	GL	BW	200	400	600	MCW	Milk	SS
		+2.0	+2.6	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0

r Sheron Farm Bull Sale

			Carc	ase			Othe	r	S	Selection I	ndexes	
DC	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	ABI	DOM	GRN	GRS
-2.9	+69	+5.9	-0.2	-1.7	+0.7	+1.6	-0.18	+3	\$127	\$117	\$134	\$125
-5.6	+75	+9.2	-2.1	-3.0	+2.6	+2.3	+0.45	-1	\$140	\$129	\$159	\$130
-3.0	+81	+6.4	-0.5	-1.0	+0.6	+1.8	+0.20	+7	\$120	\$115	\$126	\$118
-4.9	+89	+2.9	-0.6	-2.1	+0.5	+1.8	-0.18	-10	\$142	\$119	\$161	\$134
-1.6	+83	+6.1	-1.0	-1.0	-0.1	+2.6	+0.03	+4	\$130	\$114	\$145	\$126
-8.5	+65	+4.3	-0.1	-2.3	+0.7	+1.4	+0.30	+13	\$126	\$112	\$137	\$119
-4.0	+71	+7.3	+0.5	+0.4	+1.0	+0.7	-0.09	+22	\$113	\$111	\$107	\$116
-5.5	+74	+8.4	+0.7	-0.8	+0.7	+2.8	+0.47	-18	\$158	\$136	\$177	\$149
-2.2	+84	+8.8	-1.8	-2.7	+2.6	+1.7	+0.06	-5	\$146	\$129	\$163	\$140
-4.0	+64	+2.3	-1.1	-1.0	-0.3	+2.4	-0.17	-7	\$107	\$103	\$119	\$103
-4.0	+57	+7.8	-0.9	-0.8	+1.4	+1.0	-0.07	+11	\$102	\$102	\$97	\$104
-2.9	+73	+2.0	-0.7	-1.9	-0.4	+1.7	-0.08	+3	\$117	\$114	\$122	\$117
-8.0	+56	+5.6	+1.0	-0.4	+0.0	+2.0	+0.56	+0	\$118	\$110	\$127	\$112
-7.7	+61	+4.3	+2.6	+3.3	-0.9	+1.8	+0.51	+12	\$121	\$106	\$123	\$118
-4.9	+71	+3.9	-1.1	-2.5	+1.4	+1.4	+0.05	+7	\$133	\$128	\$140	\$130
-4.3	+60	+9.8	+2.3	+1.8	+0.1	+2.1	+0.59	-5	\$116	\$112	\$119	\$115
-3.7	+80	+10.2	-1.2	-1.5	+1.7	+1.7	+0.21	+6	\$122	\$113	\$130	\$119
-1.7	+63	+6.5	-1.8	-2.6	+1.2	+1.3	-0.35	+18	\$104	\$99	\$106	\$105
-7.4	+48	+2.6	+0.2	+0.4	-0.6	+2.1	+0.26	+4	\$111	\$102	\$117	\$105
-4.4	+60	+5.1	-0.9	-2.7	+1.4	+2.1	-0.13	+1	\$112	\$108	\$122	\$106
-5.8	+56	+3.6	+0.4	+0.8	-0.2	+1.6	+0.04	+12	\$95	\$92	\$96	\$94
-4.6	+54	+5.8	+0.6	-0.3	+0.4	+1.4	+0.20	+1	\$94	\$104	\$86	\$97
-4.7	+59	+5.6	+0.2	-0.8	+0.6	+2.0	+0.09	+7	\$114	\$107	\$122	\$110
-3.4	+38	+2.9	+0.6	+0.1	-0.2	+1.3	+0.08	+1	\$83	\$88	\$75	\$87
-4.1	+50	+7.9	+2.3	+2.0	-0.3	+1.2	+0.44	+11	\$93	\$93	\$85	\$97
-6.3	+58	+8.1	+2.4	+1.8	-0.3	+2.0	+0.92	-11	\$110	\$99	\$113	\$107
DC	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	Doc	ABI	DOM	GRN	GRS
-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.18	+6	+120	+112	+127	+116



What is the TransTasman Angus Cattle Evaluation?

The TransTasman Angus Cattle Evaluation is the genetic evaluation program adopted by Angus Australia for Angus and Angus influenced beef cattle. The TransTasman Angus Cattle Evaluation uses Best Linear Unbiased Prediction (BLUP) technology to produce Estimated Breeding Values (EBVs) of recorded cattle for a range of important production traits (e.g. weight, carcase, fertility).

The TransTasman Angus Cattle Evaluation is an international genetic evaluation and includes pedigree, performance and genomic information from the Angus Australia and Angus New Zealand databases, along with selected information from the American and Canadian Angus Associations.

The TransTasman Angus Cattle Evaluation utilises a range of genetic evaluation software, including the internationally recognised BLUPF90 family of programs, and BREEDPLAN® beef genetic evaluation analytical software, as developed by the Animal Genetics and Breeding Unit (AGBU), a joint institute of NSW Agriculture and the University of New England, and Meat and Livestock Australia Limited (MLA).

What is an EBV?

An animal's breeding value can be defined as its genetic merit for each trait. While it is not possible to determine an animal's true breeding value, it is possible to estimate it. These estimates of an animal's true breeding value are called EBVs (Estimated Breeding Values).

EBVs are expressed as the difference between an individual animal's genetics and a historical genetic level (i.e. group of animals) within the TACE genetic evaluation, and are reported in the units in which the measurements are taken.

Using EBVs to Compare the Genetics of Two Animals

TACE EBVs can be used to estimate the expected difference in the genetics of two animals, with the expected difference equating to half the difference in the EBVs of the animals, all other things being equal (e.g. they are joined to the same animal/s).

For example, a bull with a 200 Day Growth EBV of +60 would be expected to produce progeny that are, on average, 10 kg heavier at 200 days of age than a bull with a 200 Day Growth EBV of +40 kg (i.e. 20 kg difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

Or similarly, a bull with an IMF EBV of +3.0 would be expected to produce progeny with on average, 1% more intramuscular fat in a 400 kg carcase than a bull with a IMF EBV of +1.0 (i.e. 2% difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

Using EBVs to Benchmark an Animal's Genetics with the Breed

EBVs can also be used to benchmark an animal's genetics relative to the genetics of other Angus or Angus infused animals in Australia.

To benchmark an animal's genetics relative to other Angus animals, an animal's EBV can be compared to the EBV reference tables, which provide:

- · the breed average EBV
- the percentile bands table

The current breed average EBV is listed on the bottom of each page in this publication, while the current EBV reference tables are included at the end of these introductory notes. For easy reference, the percentile band in which an animal's EBV ranks is also published in association with the EBV.

Considering Accuracy

An accuracy value is published with each EBV, and is usually displayed as a percentage value immediately below the EBV.

The accuracy value provides an indication of the reliability of the EBV in estimating the animal's genetics (or true breeding value), and is an indication of the amount of information that has been used in the calculation of the EBV.

EBVs with accuracy values below 50% should be considered as preliminary or of low accuracy, 50-74% as of medium accuracy, 75-90% of medium to high accuracy, and 90% or greater as high accuracy.

Description of TACE EBVs

EBVs are calculated for a range of traits within TACE, covering calving ease, growth, fertility, maternal performance, carcase merit, feed efficiency and structural soundness. A description of each EBV included in this publication is provided on the following page.

UNDERSTANDING ESTIMATED BREEDING VALUES (EBVS)

	CEDir	%	Genetic differences in the ability of a sire's calves to be born unassisted from 2 year old heifers.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
Birth	CEDtrs	%	Genetic differences in the ability of a sire's daughters to calve unassisted at 2 years of age.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
	GL	days	Genetic differences between animals in the length of time from the date of conception to the birth of the calf.	Lower EBVs indicate shorter gestation length.
	BW	kg	Genetic differences between animals in calf weight at birth.	Lower EBVs indicate lighter birth weight.
	200 Day	kg	Genetic differences between animals in live weight at 200 days of age due to genetics for growth.	Higher EBVs indicate heavier live weight.
ے ا	400 Day	kg	Genetic differences between animals in live weight at 400 days of age.	Higher EBVs indicate heavier live weight.
Growth	600 Day	kg	Genetic differences between animals in live weight at 600 days of age.	Higher EBVs indicate heavier live weight.
	MCW	kg	Genetic differences between animals in live weight of cows at 5 years of age.	Higher EBVs indicate heavier mature weight.
	Milk	kg	Genetic differences between animals in live weight at 200 days of age due to the maternal contribution of its dam.	Higher EBVs indicate heavier live weight.
Fertility	DtC	days	Genetic differences between animals in the time from the start of the joining period (i.e. when the female is introduced to a bull) until subsequent calving.	Lower EBVs indicate shorter time to calving.
Fer	SS	cm	Genetic differences between animals in scrotal circumference at 400 days of age.	Higher EBVs indicate larger scrotal circumference.
	CWT	kg	Genetic differences between animals in hot standard carcase weight at 750 days of age.	Higher EBVs indicate heavier carcase weight.
	EMA	cm ²	Genetic differences between animals in eye muscle area at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate larger eye muscle area.
Carcase	Rib Fat	mm	Genetic differences between animals in fat depth at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more fat.
Carc	P8 Fat	mm	Genetic differences between animals in fat depth at the P8 rump site in a 400 kg carcase.	Higher EBVs indicate more fat.
	RBY	%	Genetic differences between animals in boned out saleable meat from a 400 kg carcase.	Higher EBVs indicate higher yield.
	IMF	%	Genetic differences between animals in intramuscular fat (marbling) at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more intramuscular fat.
Other	NFI-F	kg/ day	Genetic differences between animals in feed intake at a standard weight and rate of weight gain when animals are in a feedlot finishing phase.	Lower EBVs indicate more feed efficiency.
0	Doc	%	Genetic differences between animals in temperament.	Higher EBVs indicate better temperament.
Structure	Foot Angle	score	Genetic differences in foot angle (strength of pastern, depth of heel).	Lower EBVs indicate more desirable foot angle.
Struc	Claw Set	score	Genetic differences in claw set structure (shape and evenness of claws).	Lower EBVs indicate more desirable claw structure.
lex	ABI	\$	Genetic differences between animals in net profitability per cow joined in a typical commercial self replacing herd using Angus bulls. This selection index is not specific to a particular production system or market end-point, but identifies animals that will improve overall profitability in the majority of commercial grass and grain finishing beef production systems.	Higher selection index values indicate greater profitability.
Selection Index	DOM	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting the domestic supermarket trade.	Higher selection index values indicate greater profitability.
Selec	HGRN	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture grown steers with a 250 day feedlot finishing period for the grain fed high quality, highly marbled markets.	Higher selection index values indicate greater profitability.
	HGRS	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture finished steers.	Higher selection index values indicate greater profitability.

TransTasman Angus Cattle Evaluation - Mid January 2021 Reference Tables



										B	REED	AVER	BREED AVERAGE EBVs	EBVs											
	Calvin	alving Ease	Birth	th			Growth			Ferti	ity			Carcase	ase			Oth	Other	Structure	ture	S	Selection Indexes	Indexes	(0.
	CEDir	EDir CEDtrs	GL BW 200	BW	200	400	400 600 MCW	MCW	Milk	SS	DTC	CWT	DTC CWT EMA RIB P8	RIB	P8	RBY	IMF	NFI-F	DOC	Angle	Claw	ABI	RBY IMF NFI-F DOC Angle Claw ABI DOM GRN	GRN	GRS
Brd Avg	+2.0	+2.6	4.5	+4.2	+4.2 +48	+87	+114	66+	+17	+2.0	-4.7	+65	+17 +2.0 -4.7 +65 +6.0 -0.1 -0.4 +0.5 +2.0 +0.18 +6 +0.98 +0.85 +120 +112	-0.1	-0.4	+0.5	+2.0	+0.18	9+	+0.98	+0.85	+120	+112	+127	+116

^{*} Breed average represents the average EBV of all 2019 drop Australian Angus and Angus-influenced seedstock animals analysed in the Mid January 2021 TransTasman Angus Cattle Evaluation.

		GRS	Profitability	+151	+141	+136	132	130	127	125	123	121	119	117	116	114	+111	109	107	104	001	92	+87	29	Profitability
	exes		Profitability Greater	ľ						i						_				٠.	•		·	·	Profitability Lower
	on Inde	GRN	Greater	+193	+176	+166	+156	+153	+148	+14	+140	+136	+133	+126	+125	+121	+111	+113	+108	+102	+95	+86	+72	+36	Lower
	Selection Indexes	DOM	Greater Profitability	+141	+132	+128	+125	+123	+121	+119	+117	+116	+114	+113	+111	+110	+108	+106	+104	+102	+98	+95	88	+73	Lower Profitability
		ABI	Greater Profitability	+164	+152	+146	+141	+138	+134	+132	+129	+126	+124	+121	+119	+116	+114	+111	+107	+103	66+	+92	+81	+55	Lower Profitability
	Structure	Claw	More Sound	+0.42	+0.56	+0.62	+0.66	+0.70	+0.72	+0.74	+0.78	+0.80	+0.82	+0.84	+0.86	+0.88	+0.92	+0.94	96.0+	+1.00	+ 40:1+	+1.10	+1.17	+1.32	Pound
	Stru	Angle	More Sound	+0.60	+0.72	+0.78	+0.82	+0.84	+0.86	+0.90	+0.92	+0.94	+0.96	+0.98	+1.00	+1.02	+1.04	+1.06	+1.08	+1.12	+1.16	+1.20	+1.28	+1.42	PunoS
	ner	DOC	More Docile	+33	+25	+21	+18	+16	+14	+12	+	6+	8+	9+	+2	+	+5	+	7	ကု	ဌ	φ	-12	-20	Less
	Other	NFI-F	Greater Feed Efficiency	-0.54	-0.32	-0.21	-0.13	-0.07	-0.02	+0.02	+0.06	+0.10	+0.14	+0.17	+0.21	+0.25	+0.28	+0.33	+0.37	+0.42	+0.48	+0.56	+0.68	+0.94	Lower Feed Efficiency
		IMF	More	+4.5	+3.8	+3.4	+3.1	+2.9	+2.7	+2.5	+2.3	+2.2	+2.1	+2.0	41.8	+1.7	+1.6	+1.5	4.1+	+1.2	+1.0	+0.8	+0.5	-0.1	IWE Fess
		RBY	Higher Yield	+2.7	+2.0	+1.7	4.1.4	+1.2	+1.1	+1.0	+0.9	+0.7	+0.6	+0.5	+0.4	+0.3	+0.2	+0.1	+0.0	-0.2	4.0-	9.0-	-1.0	-1.9	Lower Yield
щ	Carcase	P8	More Fat	+3.0	+1.9	4.1+	+1.0	+0.7	+0.5	+0.3	+0.1	-0.1	-0.3	-0.4	9.0-	9.0-	6.0-	<u>-</u> .	-1.3	-1.6	-1.9	-2.2	-2.8	-3.9	Less Fat
TABI	Car	RIB	More Fat	+3.1	+2.0	+1.5	+1.2	6.0+	+0.7	+0.5	+0.3	+0.2	+0.0	-0.1	-0.3	-0.4	9.0-	-0.7	-0.9	-	-1.3	-1.6	-2.1	-3.1	Less Fat
ANDS		EMA	Larger EMA	+12.3	+10.2	+9.1	48.4	+7.8	+7.4	+7.0	+6.7	+6.4	+6.1	+5.8	+5.5	+5.3	+5.0	+4.7	4.4	44.0	+3.6	+3.1	+2.3	+0.5	Smaller
PERCENTILE BANDS TABLE		CWT	Heavier Carcase Weight	06+	+82	+78	+75	+73	+72	+70	69+	+68	99+	+65	+64	+63	+61	09+	+58	+57	+55	+52	+47	+38	Lighter Carcase Weight
RCEN	Fertility	DTC	Shorter Time to Calving	9.6-	-8.2	-7.4	6.9-	-6.5	-6.2	-5.8	-5.5	-5.3	-5.0	4.7	4.5	4.2	4.0	-3.7	-3.4	-3.0	-2.6	-2.0	<u>-</u> .	4.1+	Longer of emiT Calving
뿝	Fer	SS	Larger Scrotal Size	+4.2	+3.5	+3.1	+2.8	+2.7	+2.5	+2.4	+2.3	+2.2	+2.1	+2.0	+1.9	41.8	+1.7	+1.5	4.1.4	+1.3	+1.1	+0.9	9.0+	-0.2	Smaller Scrotal Size
		Milk	Heavier Live Weight	+27	+24	+22	+21	+20	+20	+19	+18	+18	+17	+17	+16	+16	+15	+15	+14	+13	+12	+11	+10	+7	Lighter Evid Meight
		MCW	Heavier Mature Weight	+151	+134	+125	+120	+116	+112	+109	+106	+104	+101	66+	96+	+94	+91	+88	+86	+82	+78	+73	+65	+46	Lighter Mature Weight
	Growth	009	Heavier Live Weight	+155	+142	+135	+131	+128	+125	+122	+120	+118	+116	+114	+112	+110	+108	+106	+104	+101	+98	+93	+87	+20	Lighter Live Meight
		400	Heavier Live Weight	+116	+107	+102	66+	+97	+95	+93	+92	06+	+89	+87	+86	+85	+83	+82	+80	+78	+76	+73	+68	+57	Lighter Live Weight
		200	Heavier Live Weight	99+	09+	+57	+26	+54	+53	+52	+51	+20	+49	+48	+48	+47	+46	+45	+44	+43	+ 14	+40	+37	+29	Lighter Live Weight
	th	BW	Lighter Birth Weight	+0.2	+1.5	+2.2	+2.6	+2.9	+3.2	+3.4	+3.6	+3.8	+4.0	+4.2	4.4.4	+4.6	+4.8	+5.0	+5.3	+5.5	+5.9	+6.3	6.9+	+8.2	Heavier Birth Weight
	Birth	ы	Shorter Gestation Length	-10.5	9.8	9.7-	-7.0	-6.5	-6.1	-5.7	-5.4	-5.1	4 8	4.5	4.2	-3.9	-3.6	-3.3	-3.0	-2.6	-2.1	-1.6	9.0-	4.1.4	Longer Gestation Length
	Calving Ease	CEDtrs	Less Calving Difficulty	+10.8	48.9	+7.7	6.9+	+6.2	+5.6	+5.0	+4.5	+3.9	+3.4	+2.9	+2.4	+1.8	+1.2	9.0+	-0.1	-0.9	-1.8	-3.0	-4.9	-9.0	More Calving Difficulty
	Calvin	CEDir	Less Calving Difficulty	+12.1	+9.8	+8.4	+7.4	9.9+	+5.8	+5.1	+4.5	+3.8	+3.2	+2.5	41.8	+1.1	+0.4	-0.4	1 .	-2.3	-3.5	-5.1	9.7-	-13.0	More Calving Difficulty
	7	% Band		1%	2%	10%	15%	20%	25%	30%	35%	40%	45%	20%	%29	%09	%59	%02	%52	%08	85%	%06	%26	%66	

* The percentile bands represent the distribution of EBVs across the 2019 drop Australian Angus and Angus-influenced seedstock animals analysed in the Mid January 2021 TransTasman Angus Cattle Evaluation .

RECESSIVE GENETIC CONDITIONS

This is information for bull buyers about the recessive genetic conditions, Arthrogryposis Multiplex (AM), Hydrocephalus (NH), Contractural Arachnodactyly (CA) and Developmental Duplications (DD).

Putting undesirable Genetic Recessive Conditions in perspective

All animals, including humans, carry single copies (alleles) of undesirable or "broken" genes. In single copy form, these undesirable alleles usually cause no harm to the individual.

But when animals carry 2 copies of certain undesirable or "broken" alleles it often results in bad consequences. Advances in genomics have facilitated the development of accurate diagnostic tests to enable the identification and management of numerous undesirable or "broken" genes.

Angus Australia is proactive in providing its members and their clients with relevant tools and information to assist them in the management of known undesirable genes and our members are leading the industry in their use of this technology.

What are AM, NH, CA and DD?

AM, NH, CA and DD are all recessive conditions caused by "broken" alleles within the DNA of individual animals. When a calf inherits 2 copies of the AM or NH alleles their development is so adversely affected that they will be still-born.

In other cases, such as CA and DD, calves carrying 2 copies of the broken allele may reach full-term. In such cases the animal may either appear relatively normal, or show physical symptoms that affect their health and/or performance.

How are the conditions inherited?

Research in the U.S. and Australia indicates that AM, NH, CA and DD are simply inherited recessive conditions. This means that a single gene (or pair of alleles) controls the condition.

For this mode of inheritance two copies of the undesirable allele need to be present before the condition is seen; in which case you may get an abnormal calf. A more common example of a trait with a simple recessive pattern of inheritance is black and red coat colour.

Animals with only one copy of the undesirable allele (and one copy of the normal form of the allele) appear normal and are known as "carriers".

What happens when carriers are mated to other animals?

Carriers, will on average, pass the undesirable allele to a random half (50 %) of their progeny.

When a carrier bull and carrier cow is mated, there is a 25% chance that the resultant calf will inherit two normal alleles, a 50% chance that the mating will result in a carrier (i.e. with just 1 copy of the undesirable allele, and a 25% chance that the calf will inherit two copies of the undesirable gene.

If animals tested free of the undesirable gene are mated to carrier animals the condition will not be expressed at all. All calves will appear normal, but approximately half (50%) could be expected to be carriers.

How is the genetic status of animals reported?

DNA-based diagnostic tests have been developed which can be used to determine whether an individual animal is either a carrier or free of the alleles resulting in AM, NH, CA or DD.

Angus Australia uses advanced software to calculate the probability of (untested) animals to being carriers of AM, NH, CA or DD. The software uses the test results of any relatives in the calculations and the probabilities may change as new results for additional animals become available.

The genetic status of animals is being reported using five categories:

AMF	Tested AM free
AMFU	Based on Pedigree AM free - Animal has not been tested
AM_%	_% probability the animal is an AM carrier
AMC	Tested AM-Carrier
AMA	AM-Affected

For NH, CA and DD, simply replace AM in the above table with NH. CA or DD.

Registration certificates and the Angus Australia web-database display these codes. This information is displayed on the animal details page and can be accessed by conducting an "Database Search" from the Angus Australia website or looking up individual animals listed in a sale catalogue.

Implications for Commercial Producers

Your decision on the importance of the genetic condition status of replacement bulls should depend on the genetics of your cow herd (which bulls you previously used) and whether some female progeny will be retained or sold as breeders.

Most Angus breeders are proactive and transparent in managing known genetic conditions, endeavouring to provide the best information available. The greatest risk to the commercial sector from undesirable genetic recessive conditions comes from unregistered bulls with unknown genetic background. The genetic condition testing that Angus Australia seedstock producers are investing in provides buyers of registered Angus bulls with unmatched quality assurance.

For further information contact Angus Australia's Breed Development & Extension Manager on (02) 6773 4618.



1 SHERON FARM QAIS Q5PV

Birth Weight: 40kg

Ident: WWHQ5 DOB: 21/1/19

BOOROOMOOKA THEO T030sv#

MILLAH MURRAH PRUE H4^{SV}#

B/R NEW DESIGN 036# BOOROOMOOKA QUAINT Q34+95#

SHERON FARM K55sv#

ABERDEEN ESTATE FACILITATOR F103PV STRATHTAY FLORAL E35#

MILLAH MURRAH KLOONEY K42PV

TE MANIA EMPEROR E343PV

MILLAH MURRAH PRUE F12PV

SHERON FARM NARA N82sv BLUE WREN HILLS EBONY E6##

BLUE WREN HILLS BRADMAN B15^{SV} DIAMOND TREE UNITY V20#

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection	Angus	Breeding	: \$127		Domest	ic: \$117			Heavy C	Grain: \$1	34		Heavy G	Grass: \$1	25		
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+5.7	+4	-6.7	+5.7	+53	+100	+134	+119	+22	+2.2	-2.9	+169	+5.9	-0.2	-1.73	+0.7	+1.6
Acc	41%	34%	83%	72%	70%	70%	71%	69%	65%	66%	44%	67%	65%	66%	69%	66%	65%

Purchaser:______Price \$ _____



2 SHERON FARM QUINDAN Q10PV

Birth Weight: 38kg

Ident: WWHQ10 DOB: 23/1/19

BOOROOMOOKA THEO T030^{sv}#

B/R NEW DESIGN 036# BOOROOMOOKA QUAINT Q34+95#

COONAMBLE JESTER J268PV#

TUWHARETOA REGENT D145PV BANGADANG LOWAN A61PV

MILLAH MURRAH KLOONEY K42PV

SHERON FARM NOEMI N37sv

MILLAH MURRAH PRUE H4^{SV}#

TE MANIA EMPEROR E343^{PV} MILLAH MURRAH PRUE F12^{PV}

SHERON FARM K71##

AYRVALE GENERAL G18^{PV} STRATHTAY ANNABELLE H108#

Mid January 2021 TransTasman Angus Cattle Evaluation

ı	Sciedulon	Angus I	Breeding	: \$140		Domest	ic: \$129			Heavy G	Frain: \$1	59		Heavy G	Grass: \$1	30		
	Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	ss	DC	CWT	EMA	RIB	RMP	RBY	IMF
	EBV	+2.7	+2.2	-6	+6.4	+52	+92	+118	+100	+21	+3.8	-5.6	+175	+9.2	-2.1	-33	+2.6	+2.3
	Acc	43%	37%	84%	73%	73%	72%	73%	72%	67%	69%	47%	69%	67%	68%	72%	69%	67%

Purchaser:______ Price \$ _____





SHERON FARM QUAREN Q110PV

Birth Weight: 48kg

Ident: WWHQ110 DOB: 18/3/19

CONNEALY CAPITALIST 028##

S A V FINAL ANSWER 0035# PRIDES PITA OF CONANGA 8821#

COONAMBLE B280PV#

COONAMBLE Z3PV COONAMBLE PORTIA+94sv

LD CAPITALIST 316PV

COONAMBLE G201#

C A FUTURE DIRECTION 5321# LD DIXIE ERICA 2053## LD DIXIE ERICA OAR 0853#

BANGADANG LOWAN A61PV#

VERMILION DATELINE 7078# BANGADANG KATE W19#

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection	Angus	Breeding	: \$120		Domest	ic: \$115			Heavy C	Grain: \$1	26		Heavy G	irass: \$1	18		
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+4.2	+-0.8	-4.9	+5.7	+50	+94	+121	+105	+16	+1.4	-3	+181	+6.4	-0.5	-13	+0.6	+1.8
Acc	45%	36%	84%	75%	74%	73%	74%	72%	68%	71%	43%	69%	67%	68%	71%	68%	67%

Purchaser:_____ Price \$ _____





SHERON FARM QUINTAVIOUS Q68PV

Birth Weight: 42kg

Ident: WWHQ68 DOB: 21/2/19

A A R TEN X 7008 S A^{SV}#

SANDPOINT BLACKBIRD 8809##

MYTTY IN FOCUS# A A R LADY KELTON 5551#

DIAMOND TREE EQUATOR C316^{SV}#

BT EQUATOR 395M# DIAMOND TREE MODEST Z4#

V A R FOREMAN 3339PV

CONNEALY ONWARD# RIVERBEND BLACKBIRD 4301# **DIAMOND TREE MODEST G2#** DIAMOND TREE INTEGRITY D179##

G A R INTEGRITYSV DIAMOND TREE LEAD ON B175#

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection	Angus I	Breeding	: \$142		Domest	ic: \$119			Heavy (Grain: \$1	61		Heavy G	irass: \$1	34		
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+-3.7	+1	-6.5	+6.3	+62	+118	+164	+164	+18	+2.6	-4.9	+189	+2.9	-0.6	-2.13	+0.5	+1.8
Acc	38%	32%	84%	74%	71%	71%	72%	69%	65%	67%	41%	66%	64%	65%	68%	65%	64%

Purchaser:





SHERON FARM QUEAZEL Q111PV

Birth Weight: 40kg

Ident: WWHQ111 DOB: 19/3/19

CONNEALY CAPITALIST 028##

LD DIXIE ERICA 2053##

S A V FINAL ANSWER 0035# PRIDES PITA OF CONANGA 8821#

C A FUTURE DIRECTION 5321#

LD DIXIE ERICA OAR 0853#

MILWILLAH GATSBY G279PV#

TUWHARETOA REGENT D145^{PV} MILWILLAH LOWAN D112^{SV}

LD CAPITALIST 316PV

SHERON FARM LAI L116sv

STRATHTAY TANGO F4##

BANGADANG CAMERON Y24^{PV} STRATHTAY TANGO C182#

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection	Angus I	Breeding	: \$130		Domest	ic: \$114			Heavy (Grain: \$14	45		Heavy G	irass: \$1	26		
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+3.2	+-3	-3.9	+5.3	+56	+103	+142	+132	+16	+2.2	-1.6	+183	+6.1	-1	-13	+-0.1	+2.6
Acc	44%	35%	84%	73%	71%	71%	72%	69%	64%	67%	40%	66%	64%	65%	68%	65%	64%





6 SHERON FARM QUINCEY Q16PV

Birth Weight: 42kg

Ident: WWHQ16 DOB: 27/1/19

BOOROOMOOKA THEO T030^{sv}#

B/R NEW DESIGN 036# BOOROOMOOKA QUAINT Q34+95#

PATHFINDER GENESIS G357PV#

TE MANIA BERKLEY B1PV
PATHFINDER DIRECTION D245^{SV}

MILLAH MURRAH KLOONEY K42PV

SHERON FARM NUNA N96sv

MILLAH MURRAH PRUE H4^{SV}#

TE MANIA EMPEROR E 343^{PV} MILLAH MURRAH PRUE F 12^{PV}

COONAMBLE E103SV#

TE MANIA ADA A149PV COONAMBLE X77#

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection	Angus	Breeding	: \$126		Domest	ic: \$112			Heavy C	Grain: \$1	37		Heavy G	irass: \$1	19		
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+3.2	+3.6	-3.2	+7.4	+49	+88	+120	+107	+21	+2.1	-8.5	+165	+4.3	-0.1	-2.33	+0.7	+1.4
Acc	44%	37%	84%	73%	72%	72%	73%	71%	67%	69%	48%	70%	67%	68%	72%	69%	67%

Purchaser:______ Price \$_____





SHERON FARM QUINCEE Q72PV

Birth Weight: 33kg

Ident: WWHQ72 DOB: 21/2/19

K C F BENNETT PERFORMER##

HYLINE RIGHT TIME 338# K C F MISS 589 L182#

TE MANIA INFINITY 04 379 AB##

BANGADANG LOWAN A61PV#

TE MANIA UNLIMITED U3271# TE MANIA 95102#

COONAMBLE HECTOR H249sv

COONAMBLE E9PV#

COONAMBLE Z3PV BANGADANG LOWAN A61PV COONAMBLE F148PV

VERMILION DATELINE 7078# BANGADANG KATE W19#

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection	Angus	Breeding	: \$113		Domest	ic: \$111			Heavy C	Grain: \$1	07		Heavy G	irass: \$1	16		
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+5	+-1.2	-6.4	+2.1	+46	+86	+112	+108	+10	+1.8	-4	+171	+7.3	0.5	0.43	+1	+0.7
Acc	46%	39%	85%	75%	75%	74%	75%	73%	71%	71%	52%	72%	70%	71%	74%	72%	70%

Purchaser: Price \$_____





SHERON FARM QADIR Q55PV

Birth Weight: 37kg

Ident: WWHQ55 DOB: 19/2/19

A A R TEN X 7008 S A^{SV}#

MYTTY IN FOCUS# A A R LADY KELTON 5551#

CONNEALY ONWARD#

AYRVALE GENERAL G18PV#

TE MANIA BERKLEY B1PV AYRVALE EASE E3PV

V A R FOREMAN 3339PV

SHERON FARM K21sv

HAZELDEAN C10PV

SANDPOINT BLACKBIRD 8809## RIVERBEND BLACKBIRD 4301#

STRATHTAY TANGO H88## STRATHTAY TANGO Z16#

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection Indexes	Angus I	Breeding	: \$158		Domest	ic: \$136			Heavy G	Grain: \$1	77		Heavy G	irass: \$1	49		
indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+6.8	+7.1	-7.3	+4	+60	+102	+136	+107	+15	+1.3	-5.5	+174	+8.4	0.7	-0.83	+0.7	+2.8
Acc	39%	34%	83%	73%	71%	71%	72%	69%	65%	67%	42%	67%	64%	65%	69%	66%	64%

Purchaser:





SHERON FARM QYALYN Q99PV

Birth Weight: 43kg

Ident: WWHQ99 DOB: 3/3/19

A A R TEN X 7008 S A^{SV}#

MYTTY IN FOCUS* A A R LADY KELTON 5551*

DIAMOND TREE BARTEL J47sv#

AYRVALE BARTEL E7PV DIAMOND TREE MODEST F192#

V A R FOREMAN 3339PV

SHERON FARM MISSY M80PV

SANDPOINT BLACKBIRD 8809##

CONNEALY ONWARD#
RIVERBEND BLACKBIRD 4301#

STRATHTAY NODDY G74##

STRATHTAY STRUT B115^{SV} STRATHTAY NODDY X121#

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection	Angus I	Breeding	: \$146		Domest	ic: \$129			Heavy (Grain: \$10	63		Heavy G	irass: \$1	40		
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+-0.1	+3.8	-9.7	+7	+62	+109	+150	+154	+12	+2.4	-2.2	+184	+8.8	-1.8	-2.73	+2.6	+1.7
Acc	37%	32%	84%	73%	71%	71%	72%	70%	65%	67%	41%	67%	64%	65%	69%	66%	64%

Purchaser:______ Price \$ _____





10 SHERON FARM QUSAI Q26PV

Birth Weight: 35kg

Ident: WWHQ26 DOB: 23/1/19

BOOROOMOOKA THEO T030^{sv}#

B/R NEW DESIGN 036# BOOROOMOOKA QUAINT Q34+95#

SHERON FARM K69^{sv}#

ABERDEEN ESTATE FACILITATOR F103PV STRATHTAY NATIONAL D34#

MILLAH MURRAH KLOONEY K42PV

SHERON FARM NANA N130sv

MILLAH MURRAH PRUE H4^{SV}#

TE MANIA EMPEROR E 343^{PV} MILLAH MURRAH PRUE F 12^{PV}

STRATHTAY ANNABELLE B195##

BALD BLAIR ROCKN D X79# STRATHTAY ANNABELLE Y147#

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection	Angus	Breeding	: \$107		Domest	ic: \$103			Heavy C	Grain: \$1°	19		Heavy G	irass: \$1	03		
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+2.6	+5.5	-2.5	+6.3	+45	+85	+111	+109	+22	+2.4	-4	+164	+2.3	-1.1	-13	+-0.3	+2.4
Acc	41%	35%	83%	72%	71%	70%	71%	69%	65%	67%	45%	68%	65%	66%	70%	67%	65%

Purchaser: Price \$





SHERON FARM QUINN Q1PV

Birth Weight: 34kg

Ident: WWHQ1 DOB: 18/1/19

BOOROOMOOKA THEO T030sv#

B/R NEW DESIGN 036#
BOOROOMOOKA QUAINT Q34+95#

BOOROOMOOKA INSPIRED G662sv#

BOOROOMOOKA INSPIRED E124PV BOOROOMOOKA VALAIRE D363#

MILLAH MURRAH KLOONEY K42PV

SHERON FARM NANCI N131sv

MILLAH MURRAH PRUE H4^{SV}#

TE MANIA EMPEROR E343^{PV} MILLAH MURRAH PRUE F12^{PV}

STRATHTAY REBECCA E96##

NETHERTON LORD JORDAN F402# STRATHTAY REBECCA T79#

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection	Angus	Breeding	: \$102		Domest	ic: \$102			Heavy (Grain: \$9	7		Heavy G	Grass: \$1	04		
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+1.4	+1.9	-6.7	+5.7	+43	+73	+97	+82	+14	+1	-4	+157	+7.8	-0.9	-0.83	+1.4	+1
Acc	42%	35%	84%	73%	72%	71%	72%	71%	66%	68%	45%	68%	66%	67%	70%	67%	66%





12 SHERON FARM QUAVON Q81PV

Birth Weight: 42kg

Ident: WWHQ81 DOB: 22/2/19

CONNEALY CAPITALIST 028##

LD DIXIE ERICA 2053##

S A V FINAL ANSWER 0035# PRIDES PITA OF CONANGA 8821#

LD DIXIE ERICA OAR 0853#

DIAMOND TREE HOOVER DAM .J155sv#

SHERON FARM LILLIE L23^E

HOOVER DAM#
DIAMOND TREE FRONT RUNNER D278#

LD CAPITALIST 316PV

C A FUTURE DIRECTION 5321#

BLUE WREN HILLS HONOR H4##

MAGIC VALLEY EL TORO E19 (RED)^{SV} BLUE WREN HILLS DOUE D18#

Mid January 2021 TransTasman Angus Cattle Evaluation

GCICCUOII	Angus I	Breeding	: \$117		Domest	ic: \$114			Heavy (Grain: \$1	22		Heavy G	irass: \$1	17		
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+8.6	+9.3	-3.5	+3.5	+53	+98	+127	+113	+13	+0.8	-2.9	+173	+2	-0.7	-1.93	+-0.4	+1.7
Acc	41%	33%	84%	73%	71%	71%	72%	70%	64%	67%	38%	66%	64%	65%	68%	65%	64%

Purchaser: Price \$_____





13 SHERON FARM QUENTIN Q4PV

Birth Weight: 39kg

Ident: WWHQ4 DOB: 20/1/19

BOOROOMOOKA THEO T030sv#

B/R NEW DESIGN 036# BOOROOMOOKA QUAINT Q34+95#

TE MANIA EMPEROR E343PV#

TE MANIA BERKLEY B1^{PV} TE MANIA LOWAN Z74^{PV}

MILLAH MURRAH KLOONEY K42PV

SHERON FARM NADINE N26sv

MILLAH MURRAH PRUE H4^{SV}#

TE MANIA EMPEROR E343^{PV} MILLAH MURRAH PRUE F12^{PV}

STRATHTAY NODDY F5##

LAWSONS DINKY-DI Z191^{SV} STRATHTAY NODDY C105#

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection	Angus I	Breeding	: \$118		Domest	ic: \$110			Heavy (Grain: \$12	27		Heavy G	irass: \$1	12		
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+10.1	+5.7	-6.4	+3.1	+42	+78	+100	+97	+20	+2.8	-8	+156	+5.6	1	-0.43	+0	+2
Acc	47%	41%	85%	<i>75%</i>	74%	74%	<i>75%</i>	73%	69%	71%	51%	72%	70%	71%	74%	72%	70%





14 SHERON FARM QUIX Q123PV

Birth Weight: 29kg

Ident: WWHQ123 DOB: 29/3/19

TE MANIA FOE F734^{SV}#

STRATHTAY SATURN D12##

TE MANIA CALAMUS C46^{SV} TE MANIA DANDLOO D700[#]

AYRVALE GENERAL G18PV#

TE MANIA BERKLEY B1PV AYRVALE EASE E3PV

SHERON FARM K39^{sv}

RAFF LIMITED EDITION A184^{SV} STRATHTAY SATURN W53#

STRATHTAY BANKSIA H1##

SHERON FARM K58sv

HAZELDEAN C10^{PV} STRATHTAY BANKSIA Z82#

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection	Angus I	Breeding	: \$121		Domest	ic: \$106			Heavy G	Grain: \$12	23		Heavy G	Grass: \$1	18		
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+4.5	+-0.2	-3.7	+3.8	+41	+79	+107	+85	+20	+2.8	-7.7	+161	+4.3	2.6	3.33	+-0.9	+1.8
Acc	32%	27%	64%	68%	66%	65%	67%	65%	59%	61%	36%	62%	58%	60%	64%	61%	58%

Purchaser:______Price \$_____





15 SHERON FARM QAIS Q28PV

Birth Weight: 26kg

Ident: WWHQ28 DOB: 12/2/19

HA OUTSIDE 3008##

KG SOLUTION 0018# HA EVER LADY 1575#

DIAMOND TREE HOOVER DAM J18sv#

SHERON FARM K21sv#

HOOVER DAM#
DIAMOND TREE RIGHT TIME G211#

HA COWBOY UP 5405PV

HA BLACKCAP LADY 1602##

SITZ UPWARD 307Rsv HA BLACKCAP LADY 5515# SHERON FARM MATTEA M5PV

AYRVALE GENERAL G18PV STRATHTAY TANGO H88#

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection	Angus	Breeding	: \$133		Domest	ic: \$128			Heavy C	Grain: \$1	40		Heavy G	irass: \$1	30		
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+3	+3.5	-6.3	+3.7	+58	+104	+130	+105	+12	+1.8	-4.9	+171	+3.9	-1.1	-2.53	+1.4	+1.4
Acc	34%	27%	69%	71%	69%	69%	70%	67%	60%	64%	34%	64%	61%	62%	66%	62%	61%

Purchaser:______Price \$ _____





16 SHERON FARM QUARTEZ Q83PV

Birth Weight: 47kg

Ident: WWHQ83 DOB: 23/2/19

A A R TEN X 7008 S A^{SV}#

SANDPOINT BLACKBIRD 8809##

MYTTY IN FOCUS# A A R LADY KELTON 5551#

DIAMOND TREE FRONTIER E20^{SV}#

DIAMOND TREE FRONTIER A98^{SV} DIAMOND TREE MAX Z83[#]

V A R FOREMAN 3339^{PV}

CONNEALY ONWARD# RIVERBEND BLACKBIRD 4301#

DIAMOND TREE ALLIANCE Y42##

DIAMOND TREE FRONTIER G131#

SITZ ALLIANCE 6595# DIAMOND TREE OSCAR U32#

Mid January 2021 Trans Tasman Angus Cattle Evaluation

Selection Indexes	Angus I	Breeding	: \$116		Domest	ic: \$112			Heavy C	Grain: \$1	19		Heavy G	Grass: \$1	15		
indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+-5	+-2.3	-3.6	+7.3	+51	+92	+111	+88	+9	+1.5	-4.3	+160	+9.8	2.3	1.83	+0.1	+2.1
Acc	38%	33%	84%	74%	72%	72%	73%	70%	66%	67%	42%	67%	65%	66%	69%	66%	65%

Purchaser: Price \$





7 SHERON FARM QUIFTY Q140sv

Birth Weight: 43kg

Ident: WWHQ140 DOB: 30/4/19

SYDGEN BLACK PEARL 2006PV#

SYDGEN TRUST 6228# SYDGEN ANITA 8611# DIAMOND TREE HOOVER DAM J155°V# HOOVER DAM*
DIAMOND TREE FRONT RUNNER D278*

SHERON FARM LEZ L110sv

SHERON FARM LAKEISHA L33#

STRATHTAY CHARLOTTE H55sv#

HAZELDEAN C10^{PV} STRATHTAY CHARLOTTE A51#

DIAMOND TREE MODEST G2##

DIAMOND TREE EQUATOR C316sv DIAMOND TREE INTEGRITY D179#

Mid January 2021 Trans Tasman Angus Cattle Evaluation

Selection	Angus I	Breeding	: \$122		Domest	ic: \$113			Heavy (Grain: \$1	30		Heavy G	irass: \$1	19		
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+-7	+5.1	-5.3	+6.8	+51	+95	+124	+105	+18	+1.8	-3.7	+180	+10.2	-1.2	-1.53	+1.7	+1.7
Acc	36%	31%	65%	69%	66%	65%	67%	65%	59%	60%	<i>3</i> 5%	61%	57%	60%	64%	60%	58%

Purchaser:______ Price \$_____





18 SHERON FARM QUOBA Q8PV

Birth Weight: 39kg

Ident: WWHQ8 DOB: 22/1/19

BOOROOMOOKA THEO TO30sv#

B/R NEW DESIGN 036# BOOROOMOOKA QUAINT Q34+95#

COONAMBLE ELEVATOR E11PV#

COONAMBLE Z3^{PV} BANGADANG B31^{SV}

MILLAH MURRAH KLOONEY K42PV

SHERON FARM NADIA N10sv

MILLAH MURRAH PRUE H4^{SV}#

TE MANIA EMPEROR E 343^{PV} MILLAH MURRAH PRUE F 12^{PV}

DIAMOND TREE RIGHT TIME G37##

DIAMOND TREE RIGHT TIME D46^{PV} DIAMOND TREE NEW DESIGN C217#

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection Indexes	Angus I	Breeding	: \$104		Domest	ic: \$99			Heavy G	Grain: \$1	06		Heavy G	irass: \$1	05		
indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+-1.1	+-1.5	-5.4	+7.4	+52	+88	+124	+116	+17	+0.1	-1.7	+163	+6.5	-1.8	-2.63	+1.2	+1.3
Acc	43%	35%	84%	73%	72%	71%	72%	71%	67%	68%	47%	69%	66%	67%	71%	68%	66%

Purchaser:______ Price \$ _____





19 SHERON FARM QUINTON Q21PV

Birth Weight: 32kg

Ident: WWHQ21 DOB: 28/1/19

BOOROOMOOKA THEO T030sv#

MILLAH MURRAH PRUE H4^{SV}#

B/R NEW DESIGN 036# BOOROOMOOKA QUAINT Q34+95#

TE MANIA EMPEROR E343PV

MILLAH MURRAH PRUE F12PV

SHERON FARM K69sv#

ABERDEEN ESTATE FACILITATOR F103PV STRATHTAY NATIONAL D34#

MILLAH MURRAH KLOONEY K42PV

SHERON FARM NAIA N76sv

STRATHTAY ANNABELLE H108##

STRATHTAY EMBER E217^{SV} STRATHTAY ANNABELLE E50#

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection	Angus I	Breeding	: \$111		Domest	ic: \$102			Heavy G	Grain: \$11	17		Heavy G	Grass: \$1	05		
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+7.7	+6.8	-2.8	+3.6	+38	+70	+94	+84	+17	+2	-7.4	+148	+2.6	0.2	0.43	+-0.6	+2.1
Acc	42%	35%	83%	72%	70%	70%	71%	70%	65%	67%	44%	67%	65%	66%	69%	66%	65%

Purchaser:______Price \$ _____





20 SHERON FARM QUEEVEN Q124PV

Birth Weight: 40kg

Ident: WWHQ124 DOB: 30/3/19

AYRVALE GENERAL G18PV#

TE MANIA BERKLEY B1PV AYRVALE EASE E3PV

SITZ UPWARD 307RSV#

CONNEALY ONWARD# SITZ HENRIETTA PRIDE 81M#

SHERON FARM K75sv

COONAMBLE F206sv

STRATHTAY BONNY G94## STRATHTAY STRUT B115^{SV} STRATHTAY BONNY A136#

COONAMBLE Z2PV#

VERMILION YELLOWSTONE*
WILSON DOWNS WILCOOLA V102*

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection	Angus I	Breeding	: \$112		Domest	ic: \$108			Heavy (Grain: \$12	22		Heavy G	irass: \$1	06		
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	ss	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+2.2	+0.9	-2.8	+3.4	+43	+80	+105	+96	+22	+2.3	-4.4	+160	+5.1	-0.9	-2.73	+1.4	+2.1
Acc	35%	29%	65%	70%	68%	68%	69%	66%	62%	64%	40%	64%	60%	62%	66%	63%	61%

Purchaser: Price \$





21 SHERON FARM QUINLAN Q20PV

Birth Weight: 38kg

Ident: WWHQ20 DOB: 28/1/19

BOOROOMOOKA THEO T030sv#

MILLAH MURRAH PRUE H4^{SV}#

B/R NEW DESIGN 036# BOOROOMOOKA QUAINT Q34+95#

TE MANIA EMPEROR E343PV

MILLAH MURRAH PRUE F12PV

BOOROOMOOKA INSPIRED G662sv#

BOOROOMOOKA INSPIRED E124PV BOOROOMOOKA VALAIRE D363#

MILLAH MURRAH KLOONEY K42PV

SHERON FARM NIELS N45sv

DIAMOND TREE TOTAL J137##

TC TOTAL 410#
DIAMOND TREE STOCKMAN B109#

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection	Angus I	Breeding	: \$95		Domest	ic: \$92			Heavy C	irain: \$9	6		Heavy G	irass: \$9)4		
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+-4.6	+-3.4	-1.9	+6.7	+48	+82	+107	+109	+18	+0.8	-5.8	+156	+3.6	0.4	0.83	+-0.2	+1.6
Acc	42%	35%	83%	72%	71%	71%	71%	70%	65%	67%	45%	68%	65%	66%	70%	67%	65%

Purchaser:______Price \$_____





22 SHERON FARM QUANTE Q77^{sv}

Birth Weight: 39kg

Ident: WWHQ77 DOB: 22/2/19

HA OUTSIDE 3008##

HA BLACKCAP LADY 1602##

KG SOLUTION 0018# HA EVER LADY 1575#

MILWILLAH GATSBY G279PV#

SHERON FARM LEH L106#

TUWHARETOA REGENT D145^{PV} MILWILLAH LOWAN D112^{SV}

HA COWBOY UP 5405PV

SITZ UPWARD 307R^{sv}

HA BLACKCAP LADY 5515#

DIAMOND TREE X142##

IMRAN TOUCHDOWN T40#
DIAMOND TREE ZULU Q23+95#

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection	Angus I	Breeding	: \$94		Domest	ic: \$104			Heavy (Grain: \$8	6		Heavy G	irass: \$9)7		
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+0.2	+1.3	-2.1	+3.5	+45	+77	+88	+59	+13	+1	-4.6	+154	+5.8	0.6	-0.33	+0.4	+1.4
Acc	37%	30%	84%	72%	69%	69%	70%	66%	61%	64%	37%	64%	62%	62%	66%	63%	62%

Purchaser:______Price \$_____





23 SHERON FARM QUANTS Q15PV

Birth Weight: 40kg

Ident: WWHQ15 DOB: 26/1/19

BOOROOMOOKA THEO T030sv#

MILLAH MURRAH PRUE H4^{SV}#

B/R NEW DESIGN 036#
BOOROOMOOKA QUAINT Q34+95#

MILLAH MURRAH PRUE F12PV

TE MANIA EMPEROR E343PV#

SHERON FARM NIKKI N31sv

TE MANIA BERKLEY B1^{PV} TE MANIA LOWAN Z74^{PV}

MILLAH MURRAH KLOONEY K42PV

TE MANIA EMPEROR E343PV

DIAMOND TREE RIGHT TIME G68##

DIAMOND TREE RIGHT TIME D46PV DIAMOND TREE LEAD ON C223#

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection	Angus	Breeding	: \$114		Domest	ic: \$107			Heavy G	Grain: \$1	22		Heavy G	Grass: \$1	10		
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+-1.1	+1.1	-2.2	+7.3	+47	+86	+112	+93	+19	+2.5	-4.7	+159	+5.6	0.2	-0.83	+0.6	+2
Acc	45%	39%	73%	73%	73%	72%	73%	71%	68%	69%	49%	70%	68%	69%	72%	70%	68%

Purchaser:______Price \$





24 SHERON FARM QUIV Q122PV

Birth Weight: 32kg

Ident: WWHQ122 DOB: 28/3/19

AYRVALE GENERAL G18PV#

TE MANIA BERKLEY B1PV AYRVALE EASE E3PV DIAMOND TREE YELLOWSTONE

VERMILION YELLOWSTONE*
DIAMOND TREE HINGAIA U5*

SHERON FARM K75sv

STRATHTAY BONNY G94##

STRATHTAY STRUT B115^{SV} STRATHTAY BONNY A136# BLUE WREN HILLS DIANA D16#
DIAMOND TREE UNITY V20##

STERN EMU PLAINS UNITY*
DIAMOND TREE JUMBO Q38+95*

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection	Angus I	Breeding	: \$83		Domest	ic: \$88			Heavy (Grain: \$7	5		Heavy G	irass: \$8	7		
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+10.9	+5.9	-5	+1	+29	+58	+79	+60	+17	+1.4	-3.4	+138	+2.9	0.6	0.13	+-0.2	+1.3
Acc	33%	28%	65%	71%	68%	67%	68%	66%	61%	64%	38%	63%	59%	61%	65%	62%	59%

Purchaser: Price \$





25 SHERON FARM QUBEK Q128PV

Birth Weight: 32kg

Ident: WWHQ128 DOB: 6/4/19

TE MANIA FOE F734sv#

TE MANIA CALAMUS C46^{SV} TE MANIA DANDLOO D700#

DIAMOND TREE RIGHT TIME D46PV#

HYLINE RIGHT TIME 338#
DIAMOND TREE HINGAIA X35sv

SHERON FARM K39sv

STRATHTAY SATURN D12##

RAFF LIMITED EDITION A184^{SV} STRATHTAY SATURN W53#

DIAMOND TREE LEAD ON C223##

DIAMOND TREE RIGHT TIME G68#

DIAMOND TREE LEAD ON Z7^{SV}
DIAMOND TREE ULTRA Z102[#]

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection	Angus	Breeding	: \$93		Domest	ic: \$93			Heavy (Grain: \$8	5		Heavy G	irass: \$9	97		
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+4.6	+-0.2	-1.3	+3	+34	+67	+89	+82	+18	+1.4	-4.1	+150	+7.9	2.3	23	+-0.3	+1.2
Acc	32%	26%	65%	70%	67%	66%	68%	66%	61%	61%	36%	62%	59%	61%	65%	62%	59%





26 SHERON FARM QUIRE Q139PV

Birth Weight: 38kg

Ident: WWHQ139 DOB: 29/4/19

AYRVALE GENERAL G18PV#

STRATHTAY BONNY G94##

TE MANIA BERKLEY B1PV AYRVALE EASE E3PV

STRATHTAY STRUT B115°V

STRATHTAY BONNY A136#

STRATHTAY STRUT B115°V#

BUSHS STRUT 756# STRATHTAY TANGO X69#

SHERON FARM K75sv

STRATHTAY LYDIA G96#

STRATHTAY LYDIA Y56## STRATHTAY FOCUS W39# STRATHTAY LYDIA V89#

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection	Angus I	Breeding	: \$110		Domest	ic: \$99			Heavy C	Grain: \$1°	13		Heavy G	Grass: \$1	07		
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+6.4	+2.9	-3.4	+2.3	+33	+64	+89	+85	+16	+3.1	-6.3	+158	+8.1	2.4	1.83	+-0.3	+2
Acc	35%	29%	67%	71%	70%	70%	71%	69%	63%	66%	38%	65%	61%	63%	67%	64%	61%

Purchaser: Price \$



27 UNJOINED YEARLING HEIFERS

Commercial Unjoined Yearling Heifers

Purchaser:	Price \$

28 UNJOINED YEARLING HEIFERS

Commercial Unjoined Yearling Heifers

Durchasor	Drice ¢
Purchaser:	Price \$

29 UNJOINED YEARLING HEIFERS

Commercial Unjoined Yearling Heifers

Purchaser:	Price	\$
------------	-------	----

MILLAH MURRAH KLOONEY K42PV

Ident: NMMK42 DOB: 30/1/14

B/R NEW DESIGN 036#

V D A R NEW TREND 315# B/R BLACKCAP EMPRESS 76#

TE MANIA BERKLEY B1PV

TE MANIA BERKLEY B1PV TE MANIA LOWAN Z74PV

BOOROOMOOKA THEO TO30sv

MILLAH MURRAH PRUE H4sv

BOOROOMOOKA GRISELDA#

GLENOCH MEGAFORCE+92^{SV} BOOROOMOOKA GRISELDA#

MILLAH MURRAH PRUE F12PV

CARRINGTON PARK TIME ON B7^{PV}
MILLAH MURRAH PRUE D85^{PV}

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection	Angus I	Breeding	: \$131		Domest	ic: \$124			Heavy G	Grain: \$14	46		Heavy G	Grass: \$1	22		
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+8.4	+5.4	-6.7	+5.7	+47	+90	+109	+86	+23	+2.1	-6.7	+165	+6.5	-0.3	-23	+0.8	+2.4
Acc	86%	69%	99%	99%	98%	98%	98%	95%	94%	98%	71%	93%	92%	93%	92%	89%	91%

LD CAPITALIST 316PV

Ident: USA17666102 DOB: 26/1/13

S A V FINAL ANSWER 0035#

SITZ TRAVELER 8180# S A V EMULOUS 8145#

G A R PRECISION 1680#

G A R PRECISION 1680#
C A MISS POWER FIX 308#

CONNEALY CAPITALIST 028#

LD DIXIE ERICA 2053#

PRIDES TRAV OF CONANGA 6499#

C R A BEXTOR 872 5205 608# PRIDES TRAV OF CONANGA 6499#

LD DIXIE ERICA OAR 0853#

LD ROYCE ONAROLL 810# DIXIE ERICA OF R R 8553#

Mid January 2021 TransTasman Angus Cattle Evaluation

Ocioculon	Angus I	Breeding	: \$126		Domest	ic: \$123		Heavy Grain: \$127					Heavy Grass: \$127				
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+12.5	+11.4	-4.2	+2	+52	+92	+116	+83	+13	+1.3	-1.9	+173	+8.6	0.9	-0.13	+0.1	+2.1
Acc	85%	62%	99%	99%	98%	99%	98%	92%	88%	98%	54%	88%	90%	89%	86%	84%	88%

V A R FOREMAN 3339PV

Ident: USA17607585 DOB: 2/9/13

MYTTY IN FOCUS#

S A F FOCUS OF E R# MYTTY COUNTESS 906#

CONNEALY LEAD ON#

CONNEALY LEAD ON# ALTUNE OF CONANGA 6104#

A A R TEN X 7008 S Asv

SANDPOINT BLACKBIRD 8809#

H S A F LADY KELTON 504B#

S A V ADAPTOR 2213# H S A F LADY KELTON 504B#

RIVERBEND BLACKBIRD 4301#

G A R GRID MAKER*
RIVERBEND BLACKBIRD 2204*

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection Indexes	Angus Breeding: \$171				Domest	ic: \$150		Heavy Grain: \$193					Heavy Grass: \$162					
indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF	
EBV	+3.2	+5.4	-9.6	+5.1	+67	+119	+154	+138	+14	+1.7	-3.8	+182	+11.9	-0.2	-1.23	+2	+2.5	
Acc	69%	55%	98%	97%	96%	96%	96%	89%	87%	94%	60%	86%	87%	87%	84%	83%	85%	

COONAMBLE HECTOR H249sv

Ident: WDCH249 DOB: 4/8/12

HYLINE RIGHT TIME 338#

LEACHMAN RIGHT TIME^{SV} HYLINE PRIDE 265#

B S S LIMITED DESIGN#

B S S LIMITED DESIGN#
IMRAN ROSEBUD U17#

K C F BENNETT PERFORMER#

COONAMBLE E9PV

C.S.U.MISS AMBUSH 5193#

JAUER 353 TRAVELER 589 27W# C S U MISS AMBUSH 5193#

BANGADANG LOWAN A61PV

VERMILION DATELINE 7078# BANGADANG KATE W19#

Mid January 2021 TransTasman Angus Cattle Evaluation

GCICCHOIL	Angus Breeding: \$100				Domest	ic: \$102		Heavy Grain: \$87					Heavy Grass: \$107					
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF	
EBV	+-2.8	+-4.3	-9.2	+4.3	+45	+79	+102	+85	+1	+1.2	-3	+162	+8.9	1.8	1.93	+0.9	+0.6	
Acc	84%	66%	98%	98%	98%	98%	97%	95%	95%	97%	70%	93%	93%	93%	92%	91%	91%	

SHERON FARM K39sv

TE MANIA CALAMUS C46sv

BONGONGO BULLETPROOF Z3PV TE MANIA LOWAN A626#

HOFF LIMITED EDITION S C 594#

HOFF LIMITED EDITION S C 594#
RAFF DORIS R101+96#

Ident: WWHK39 DOB: 1/6/14

Ident: USA18286467 DOB: 30/1/15

Ident: WWHK75

DOB: 23/5/14

TE MANIA FOE F734sv

STRATHTAY SATURN D12#

TE MANIA DANDLOO X330sv

TE MANIA AFRICA A217^{PV}
TE MANIA DANDLOO X330^{SV}

STRATHTAY SATURN W53#

STRATHTAY TOPLINE T102# STRATHTAY SATURN T11#

Mid January 2021 TransTasman Angus Cattle Evaluation

Gelection	Angus Breeding: \$107				Domest	ic: \$99		Heavy Grain: \$101					Heavy Grass: \$110				
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+4.4	+-0.5	-2.8	+4.2	+38	+78	+107	+92	+20	+2.2	-4.8	+154	+5.7	2.7	2.63	+-0.4	+1
Acc	44%	35%	70%	81%	76%	75%	76%	72%	68%	72%	43%	69%	65%	70%	67%	67%	65%

HA COWBOY UP 5405PV

KG SOLUTION 0018#

HA EVER LADY 8066#

MOGCK SURE SHOT#
KG RITO LADY 8724#

CONNEALY ONWARD#

HA BLACKCAP LADY 1602#

CONNEALY ONWARD# SITZ HENRIETTA PRIDE 81M#

HA OUTSIDE 3008#

S A V BISMARCK 5682#

HA EVER LADY 8066#

E&B 4137 DOMINETT 814# HA BLACKCAP LADY 3833#

Mid January 2021 TransTasman Angus Cattle Evaluation

Gereenen	Angus Breeding: \$127				Domest	ic: \$133		Heavy Grain: \$130					Heavy Grass: \$127				
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	SS	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+0	+5.9	-7.2	+4.9	+65	+120	+144	+143	+10	+2.3	-3.4	+172	+2.9	-3.1	-4.23	+2.6	+0.3
Acc	57%	41%	96%	95%	92%	92%	91%	84%	78%	87%	43%	82%	81%	83%	77%	77%	80%

SHERON FARM K75^{sv}

TE MANIA BERKLEY B1PV

EAGLEHAWK JEDDA B32sv

TE MANIA YORKSHIRE Y437^{PV} TE MANIA LOWAN Z53#

BUSHS STRUT 756#

BUSHS STRUT 756# STRATHTAY TANGO X69#

AYRVALE GENERAL G18PV

TE MANIA BARTEL B219PV

EAGLEHAWK JEDDA B32sv

STRATHTAY BONNY A136#

STRATHTAY BONNY G94#

GLENOCH VINCENT#
STRATHTAY BONNY S68#

Mid January 2021 TransTasman Angus Cattle Evaluation

Selection	Angus Breeding: \$123			Domestic: \$112				Heavy Grain: \$137					Heavy Grass: \$116				
Indexes	CED	CEDT	GL	BW	200	400	600	MCW	MLK	ss	DC	CWT	EMA	RIB	RMP	RBY	IMF
EBV	+7.2	+4.4	-3.9	+2.1	+39	+78	+104	+93	+19	+3	-4.3	+160	+6	0.2	-0.43	+0.3	+2.8
Acc	52%	40%	73%	86%	83%	83%	83%	80%	72%	82%	47%	74%	70%	74%	72%	70%	68%





BRINGING YOUR NEW BULL HOME

WHEN PURCHASING A BULL, CARE AND HANDLING AFTER THE SALE CAN BE AS IMPORTANT AS THE PURCHASE ITSELF.

LOOKING AFTER YOUR BULL WELL DURING THE INITIAL STAGES OF HIS WORKING LIFE MAY ENSURE LONGEVITY

AND SUCCESS WITHIN YOUR BREEDING HERD.

PURCHASE

Temperament is an important characteristic when selecting a bull. Selecting a bull that may be flighty or aggressive will make life difficult for you each time he is handled. Note which bulls continually push to the centre of a mob, run around, or are unreasonably nervous, aggressive or excited.

At the sale, note any changes of temperament by individual bulls. Some bulls that are quiet in the yard or paddock may not like the pressure and noise of the auction and become excited. Others that were excited beforehand get much worse in the sale ring and can really perform. Use the yard or paddock behaviour as a guide, rather than the temperament shown in the ring.

DELIVERY

When transporting your new bull insurance against loss in transit, accidental loss of use, or infertility, is sometimes provided by vendors. Where it is not, it is worth considering. After purchase tips:

- When purchasing, ask which health treatments he has received.
- Treat and handle him quietly at all times no dogs, no buzzers. Talk to him and give him time and room to make up his mind.
- With more than one bull from different origins, you must be able to separate them on the truck.
- Make sure that the truck floor is covered to prevent bulls from slipping. Sand, sawdust or a floor grid will prevent bulls from being damaged by going down in transit.
- If you can arrange it, put a few quiet cows or steers on the truck with the bull. Let them down into a yard with the bulls for a while before loading and after unloading.
- Unload and reload during the trip as little as possible If necessary, rest with water and feed.
 Treat bulls kindly your impatience or nervousness is easily transmitted to an animal unfamiliar to you and unsure of his environment.

IF YOU USE A PROFESSIONAL CARRIER:

 Make sure the carrier knows which bulls can be mixed together.

- Discuss with the carrier, resting procedures for long trips, expected delivery time, truck condition and quiet handling.
- Give ear tag and brand numbers to the carrier and make sure you have the carrier's phone number.
- If buying bulls from interstate, organise any necessary health tests before leaving and work out if any other requirements must be met before cattle can come into another State.

When buying bulls from far away, you may often have to fit in with other delivery arrangements to reduce cost. You should make it clear how you want your bulls handled.

ARRIVAL

When the bull or bulls arrive home, unload them at the yards into a group of house cows, steers or herd cows. Never jump them from the back of a truck directly into a paddock—it may be the last time you see them. Bulls from different origins should be put into separate yards with other cattle for company.

Provide hay and water, then leave them alone until the next morning .

The next day, bulls should receive routine health treatments. If they have not been treated before, all bulls should be vaccinated with:

- 5-in-1 vaccine:
- · vibriosis vaccine:
- leptospirosis vaccine (if in areas like the Hunter where leptospirosis exists);
- three-day sickness vaccine (if in areas where this sickness can cause problems).

Give particular attention to preventing new bulls bringing vibriosis into a herd. Vibriosis, a sexually transmitted disease, causes infertility and abortions and is most commonly introduced to a clean herd by an infected bull. These bulls show no signs of the illness. Vaccinated bulls are free from vibriosis, so vaccinating bulls against the disease should be a routine practice.

Vaccination involves two injections, 4–6 weeks apart, at the time of introduction, and then a booster shot every year. Complete the vaccinations 4 weeks before joining.



BRINGING YOUR NEW BULL HOME

Consult with your veterinarian and draw up a policy for treating bulls on arrival and then annually. Bulls should be drenched to prevent introducing worms and, if necessary, should be treated for lice.

Plan to give follow-up vaccinations 4–6 weeks later. Leave the bulls in the yards for the next day or two on feed and water to allow them to settle down with other stock for company. A bull's behaviour will decide how quickly he can be moved out to paddocks.

MATING NEW YOUNG BULLS

Newly purchased young bulls should not be placed with older herd bulls for multiple-sire joining. The older, dominant bull will not allow the young bulls to work, and will knock them around while keeping them away from the cows.

Use new bulls in either single-sire groups or with young bulls their own age. If a number of young bulls are to be used together, run them together for a few weeks before joining starts. They sort out their pecking order quickly and have few problems later.

When the young bulls are working, inspect them regularly and closely.

MATING NEW YOUNG BULLS

Older working bulls also need special care and attention before mating starts. They should be tested or checked every year for physical soundness, testicle tone, and serving capacity or ability.

All bulls to be used must be free-moving, active and in good condition. Working bulls may need supplementary feeding before the joining season to bring up condition.

DURING MATING

- Check bulls at least twice each week for the first 2 months. Get up close to them and watch each bull walk; check for swellings around the sheath and for lameness.
- Have a spare bull or bulls available to replace any that break down. Replace any suspect bull immediately.
- Rotate bulls in single-sire groups to make sure that any bull infertility is covered. Single-sire joining works well but it has risks. The bulls must be checked regularly and carefully, or the bulls should be rotated every one or two cycles.

Bulls are a large investment for breeding herds and they have a major effect on herd fertility. A little time and attention to make sure they are fit, free from disease and actively working is well worthwhile.

NORTHERN AUSTRALIA

Although the Angus breed originated in a cooler climate, they can adapt to subtropical regions with many straight-bred and cross bred producers finding success in Northern Australia. Some of the following information may also be helpful for new bulls located in more temperate climates.

ADAPTATION

They key to Northern success for Angus is that cattle introduced from the Southern regions of Australia be allowed to adapt to their new environment before commencing their working life. If possible, a break of 3 months is advisable before you set your bull to work.

PURCHASE IN COOLER MONTHS

Ensure your bulls are in good condition before they do commence their working life. The cooler months are an ideal time to purchase and introduce Angus cattle, allowing them plenty of time to acclimatise.

CHANGE OF FEED SOURCE

When inducting Angus cattle into your herd consider their source of feed. Have you taken an animal which has been supplemented on grain straight to a dry pasture? Animals should be gradually changed over to their new feed to ensure they do not lose condition. This may involve using supplements which could include dry lick/urea blocks.

MANAGING CATTLE TICKS

For ticky areas, bulls should be vaccinated prior to transport and given another booster afterwards. Remember males are more susceptible to ticks than females.

Information is provided by the Department of Primary Industries NSW. For further information visit the DPI web site: www.dpi.nsw.gov.au. or www.angusaustralia.com. au. Further reading - Buying Angus Bulls

FOR FURTHER INFORMATION VISIT www.angusaustralia.com.au

Angus Australia Locked Bag 11, Armidale NSW 2350 Phone: (02) 6772 3011 | Fax: (02) 6772 3095

Email: office@angusaustralia.com.au Website: www.angusaustralia.com.au

DISCLAIMER AND PRIVACY INFORMATION

Attention Buyer

Animal details included in this catalogue, including but not limited to pedigree, DNA information, Estimated Breeding Values (EBVs) and Index values, are based on information provided by the breeder or owner of the animal. Whilst all reasonable care has been taken to ensure that the information provided in this catalogue was correct at the time of publication, Angus Australia will assume no responsibility for the accuracy or completeness of the information, nor for the outcome (including consequential loss) of any action taken based on this information.

Parent Verification Suffixes

The animals listed within this catalogue including its pedigree, are displaying a Parent Verification Suffix which indicates the DNA parent verification status that has been conducted on the animal. The Parent Verification Suffixes that will appear at the end of each animal's name.

The suffix displayed at the end of each animal's name indicates the DNA parentage verification that has been conducted by Angus Australia.

PV: both parents have been verified by DNA.

 $\ensuremath{\mathsf{SV}}$: the sire has been verified by DNA.

DV: the dam has been verified by DNA.

: DNA verification has not been conducted.

E: DNA verification has identified that the sire and/or dam may possibly be incorrect, but this cannot be confirmed conclusively.

Privacy Information

In order for Angus Australia to process the transfer of a registered animal in this catalogue, the vendor will need to provide certain information to Angus Australia and the buyer consents to the collection and disclosure of that information by Angus Australia in certain circumstances. If the buyer does not wish for his or her information to be stored and disclosed by Angus Australia, the buyer must complete the form included below and forward it to Angus Australia. If the form is not completed, the buyer will be taken to have consented to the disclosure of such information.

BUYERS OPTION TO OPT OUT OF DISCLOSING PERSONAL INFORMATION TO ANGUS AUSTRALIA If you do not complete this form, you will be taken to have consented to Angus Australia using your name,



If you have any questions or queries regarding any of the above, please contact Angus Australia on (02) 6773 4600 or email office@angusaustralia.com.au

Buyers Instruction Slip

This slip must be compl	eted by the purchaser and No verbal instruct	d handed to the se tions will be accep	lling agent prior to leaving the sale. ted.
Name			
Address			
		Stat	re Postcode
Phone		Fax	
Is stud transfer required?	Herd Ident		Pic Number
LOTS PURCHASED		DELIVERY INST	RUCTIONS
Consign to			
Date	Buyer Signature		Free Delivery
Transit Insurance Required	☐ Yes ☐ No		WITHIN 300KM OF SHERON FARM





