

SUPPLEMENT DATA - BAUER & RETALLACK SALE 11 OCTOBER 2022

| Lot | Tag No. | B/T | CWT | Width | Depth | Fat | SWT | EMA | Micron | EMA/LW | Index |
|-----|---------|-----|-------|-------|-------|-----|-------|-------|--------|--------|-------|
| 22 | 123 | S | 109.0 | 102 | 48 | 12 | 97.5 | 37.70 | 38.4 | 0.387 | 1410 |
| 23 | 1250 | TW | 105.0 | 97 | 47 | 7 | 97.0 | 35.10 | 37.8 | 0.362 | 1261 |
| 24 | 205 | S | 110.5 | 104 | 49 | 8 | 100.0 | 39.24 | 36.1 | 0.392 | 1560 |
| 25 | 374 | S | 104.5 | 97 | 47 | 9 | 94.0 | 35.10 | 39.1 | 0.373 | 1257 |
| 26 | 381 | TW | 106.0 | 98 | 47 | 9 | 93.5 | 35.47 | 37.4 | 0.379 | 1284 |
| 27 | 1460 | S | 108.5 | 103 | 49 | 9 | 95.5 | 38.86 | 38.8 | 0.407 | 1473 |
| 28 | 104 | S | 108.5 | 97 | 47 | 8 | 97.0 | 35.10 | 38.6 | 0.362 | 1261 |
| 29 | 1493 | TW | 110.5 | 98 | 45 | 9 | 94.5 | 33.96 | - | 0.359 | 1242 |
| 30 | 387 | S | 114.5 | 105 | 52 | 10 | 100.5 | 42.04 | - | 0.418 | 1593 |
| 31 | 1456 | TW | 112.5 | 102 | 49 | 8 | 103.5 | 38.48 | 40.5 | 0.372 | 1448 |
| 32 | 1323 | TW | 110.0 | 104 | 49 | 10 | 101.0 | 39.20 | 40.1 | 0.389 | 1500 |
| 33 | 1386 | TW | 97.5 | 98 | 47 | 8 | 88.5 | 35.47 | 38.1 | 0.401 | 1290 |
| 34 | 1550 | TW | 101.0 | 94 | 45 | 8 | 92.0 | 32.57 | 40.1 | 0.354 | 1128 |
| 35 | 1373 | TW | 98.5 | 98 | 46 | 9 | 88.5 | 34.71 | 42.1 | 0.392 | 1262 |
| 36 | 129 | TW | 113.0 | 96 | 47 | 7 | 100.5 | 34.74 | 35.9 | 0.346 | 1234 |
| 37 | 1596 | TW | 95.0 | 96 | 47 | 9 | 85.0 | 34.74 | 36.0 | 0.409 | 1226 |
| 38 | 79 | S | 100.0 | 99 | 47 | 10 | 88.5 | 35.83 | 33.4 | 0.405 | 1309 |
| 39 | 1549 | TW | 88.0 | 87 | 40 | 7 | 79.0 | 26.80 | 36.9 | 0.339 | 819 |
| 40 | 1223 | TW | 96.0 | 91 | 43 | 8 | 84.5 | 30.13 | 35.2 | 0.357 | 999 |
| 41 | 37 | S | 96.0 | 95 | 45 | 9 | 90.0 | 32.92 | 38.8 | 0.366 | 1155 |
| 42 | 206 | S | 112.5 | 94 | 46 | 7 | 101.0 | 33.29 | 35.2 | 0.330 | 1154 |
| 43 | 58 | S | 103.0 | 92 | 43 | 7 | 93.0 | 30.46 | 33.9 | 0.328 | 1030 |
| 44 | 370 | TW | 101.0 | 91 | 44 | 7 | 91.0 | 30.83 | 33.6 | 0.339 | 1025 |
| 45 | 207 | TR | 100.5 | 90 | 43 | 7 | 90.5 | 29.80 | 42.3 | 0.329 | 972 |
| 46 | 595 | TW | 107.0 | 103 | 48 | 10 | 91.0 | 38.07 | 35.6 | 0.418 | 1449 |
| 47 | 82 | TW | 102.5 | 94 | 45 | 7 | 98.0 | 32.57 | 38.1 | 0.332 | 1134 |
| 48 | 538 | TW | 109.0 | 102 | 49 | 9 | 93.0 | 38.48 | | 0.414 | 1444 |
| 49 | 166 | TW | 101.5 | 93 | 43 | 6 | 91.5 | 30.79 | | 0.337 | 1063 |
| 50 | 2 | TW | 97.0 | 90 | 43 | 7 | 85.0 | 29.80 | 41.3 | 0.351 | 972 |
| 51 | 665 | S | 101.5 | 91 | 43 | 7 | 89.0 | 30.13 | 35.8 | 0.339 | 1003 |

| Lot | Tag No. | B/T | CWT | Width | Depth | Fat | SWT | EMA | Micron | EMA/LW | Index |
|-----|---------|-----|-------|-------|-------|-----|-------|-------|--------|--------|-------|
| 52 | 534 | TW | 100.5 | 95 | 45 | 6 | 86.5 | 32.92 | 36.1 | 0.381 | 1165 |
| 53 | 216 | S | 97.0 | 77 | 37 | 6 | 81.5 | 21.94 | 39.7 | 0.269 | 469 |
| 54 | 219 | TW | 101.0 | 93 | 45 | 6 | 92.0 | 32.22 | 36.8 | 0.350 | 1107 |
| 55 | 189 | S | 97.5 | 82 | 38 | 6 | 81.0 | 23.99 | 35.0 | 0.296 | 634 |
| 56 | 430 | S | 100.5 | 90 | 43 | 6 | 89.5 | 29.80 | 34.8 | 0.333 | 976 |
| 57 | 373 | S | 109.5 | 96 | 46 | 8 | 105.5 | 34.00 | 35.2 | 0.322 | 1208 |
| 58 | 397 | TW | 97.5 | 96 | 46 | 6 | 92.0 | 34.00 | 36.7 | 0.370 | 1216 |
| 59 | 688 | S | 97.5 | 85 | 40 | 6 | 80.5 | 26.18 | 38.6 | 0.325 | 767 |
| 60 | 333 | TW | 99.5 | 82 | 38 | 6 | 80.5 | 23.99 | 38.0 | 0.298 | 634 |
| 61 | 39 | TW | 99.0 | 87 | 42 | 6 | 86.5 | 28.14 | 37.1 | 0.325 | 867 |
| 62 | 1415 | S | 100.5 | 82 | 39 | 6 | 83.5 | 24.62 | 40.8 | 0.295 | 658 |
| 63 | 1313 | TW | 105.5 | 93 | 44 | 8 | 87.0 | 31.51 | 35.7 | 0.362 | 1079 |
| 64 | 1441 | S | 100.0 | 89 | 43 | 6 | 87.5 | 29.47 | 40.8 | 0.337 | 947 |
| 65 | 1294 | TW | 99.5 | 90 | 43 | 8 | 82.0 | 29.80 | 38.2 | 0.363 | 970 |
| 66 | 1430 | TW | 97.0 | 89 | 42 | 7 | 85.0 | 28.78 | 40.2 | 0.339 | 923 |
| 67 | 1551 | TW | 101.0 | 90 | 42 | 6 | 85.5 | 29.11 | 38.1 | 0.340 | 954 |
| 68 | 1422 | S | 96.0 | 82 | 38 | 6 | 82.0 | 23.99 | 43.4 | 0.293 | 634 |
| 69 | 1283 | TW | 98.0 | 88 | 42 | 6 | 83.0 | 28.46 | 37.8 | 0.343 | 896 |
| 70 | 1540 | S | 97.0 | 86 | 41 | 7 | 81.5 | 27.15 | 39.7 | 0.333 | 814 |
| 71 | 1512 | TW | 102.5 | 93 | 44 | 8 | 88.5 | 31.51 | 41.2 | 0.356 | 1079 |
| 72 | 1548 | TW | 110.5 | 86 | 41 | 8 | 89.5 | 27.15 | 38.5 | 0.303 | 810 |
| 73 | 1311 | TW | 106.0 | 100 | 48 | 10 | 90.5 | 36.96 | 43.7 | 0.408 | 1360 |
| 74 | 366 | Q | 100.0 | 91 | 44 | 7 | 95.5 | 30.83 | 38.7 | 0.323 | 1025 |
| 75 | 683 | TW | 98.5 | 89 | 43 | 6 | 88.5 | 29.47 | 35.6 | 0.333 | 947 |
| 76 | 49 | S | 99.5 | 88 | 41 | 6 | 85.0 | 27.78 | 33.6 | 0.327 | 874 |
| 77 | 102 | TW | 98.0 | 85 | 41 | 6 | 88.5 | 26.83 | 32.8 | 0.303 | 787 |
| 78 | 483 | S | 99.5 | 87 | 41 | 6 | 84.5 | 27.47 | 36.9 | 0.325 | 845 |
| 79 | 204 | TW | 100.5 | 96 | 46 | 8 | 92.0 | 34.00 | 37.8 | 0.370 | 1208 |
| 80 | 223 | TW | 101.5 | 92 | 43 | 8 | 91.5 | 30.46 | 35.4 | 0.333 | 1026 |
| 81 | 644 | S | 96.0 | 84 | 41 | 6 | 86.0 | 26.52 | 37.9 | 0.308 | 758 |
| 82 | 419 | TW | 95.5 | 85 | 41 | 6 | 83.0 | 26.83 | 39.1 | 0.323 | 787 |
| 83 | 96 | TW | 94.5 | 82 | 39 | 5 | 82.0 | 24.62 | 36.5 | 0.300 | 660 |
| 84 | 565 | TR | 96.0 | 78 | 37 | 6 | 80.5 | 22.22 | 35.1 | 0.276 | 498 |
| 85 | 405 | TR | 94.0 | 90 | 44 | 6 | 88.5 | 30.49 | 36.5 | 0.345 | 998 |

| Lot | Tag No. | B/T | CWT | Width | Depth | Fat | SWT | EMA | Micron | EMA/LW | Index |
|-----|---------|-----|------|-------|-------|-----|------|-------|--------|--------|-------|
| 86 | 1258 | TW | 94.5 | 84 | 41 | 5 | 79.5 | 26.52 | 36.0 | 0.334 | 762 |
| 87 | 1230 | S | 96.5 | 81 | 37 | 6 | 83.0 | 23.08 | 38.7 | 0.278 | 583 |
| 88 | 1332 | S | 95.0 | 84 | 39 | 7 | 80.5 | 25.23 | 37.1 | 0.313 | 712 |
| 89 | 1581 | TW | 93.0 | 73 | 35 | 5 | 72.0 | 19.67 | 38.1 | 0.273 | 313 |
| 90 | 1644 | TW | 94.5 | 74 | 36 | 5 | 74.0 | 20.51 | 37.6 | 0.277 | 362 |
| 91 | 1648 | TW | 95.0 | 87 | 40 | 6 | 80.5 | 26.80 | 35.7 | 0.333 | 823 |
| 92 | 1582 | TW | 94.0 | 84 | 39 | 6 | 75.0 | 25.23 | 38.4 | 0.336 | 716 |
| 93 | 1268 | TW | 97.0 | 84 | 30 | 6 | 83.0 | 19.40 | 33.7 | 0.234 | 516 |
| 94 | 1225 | TW | 95.0 | 80 | 38 | 5 | 79.0 | 23.41 | 41.3 | 0.296 | 580 |
| 95 | 1643 | S | 97.0 | 83 | 40 | 6 | 82.5 | 25.56 | 37.7 | 0.310 | 709 |
| 96 | 1445 | S | 96.0 | 87 | 41 | 7 | 87.0 | 27.47 | 38.7 | 0.316 | 843 |
| 97 | 1322 | TW | 96.5 | 88 | 42 | 6 | 81.0 | 28.46 | 32.8 | 0.351 | 898 |
| 98 | 1341 | S | 93.0 | 76 | 36 | 6 | 78.5 | 21.07 | 40.3 | 0.268 | 418 |
| 99 | 1545 | TW | 94.0 | 75 | 36 | 5 | 77.5 | 20.79 | 40.0 | 0.268 | 391 |
| 100 | 1608 | TW | 93.5 | 75 | 36 | 6 | 76.5 | 20.79 | 38.2 | 0.272 | 389 |
| 101 | 1477 | S | 96.0 | 84 | 40 | 6 | 79.0 | 25.87 | 36.7 | 0.327 | 736 |
| 102 | 1312 | TW | 93.5 | 81 | 38 | 6 | 82.5 | 23.70 | 40.6 | 0.287 | 605 |
| 103 | 1246 | TW | 93.0 | 80 | 38 | 6 | 75.0 | 23.41 | 35.3 | 0.312 | 578 |
| 104 | 50 | TW | 94.5 | 85 | 41 | 5 | 81.5 | 26.83 | 36.1 | 0.329 | 791 |
| 105 | 145 | TR | 92.0 | 84 | 39 | 7 | 82.5 | 25.23 | 35.7 | 0.306 | 712 |
| 106 | 148 | TW | 92.5 | 80 | 38 | 6 | 79.5 | 23.41 | 35.3 | 0.294 | 578 |
| 107 | 512 | TW | 92.0 | 84 | 38 | 6 | 80.5 | 24.58 | 38.8 | 0.305 | 692 |
| 108 | 40 | TW | 93.0 | 85 | 39 | 6 | 79.5 | 25.53 | 34.6 | 0.321 | 745 |
| 109 | 506 | S | 96.0 | 78 | 37 | 6 | 83.0 | 22.22 | 31.4 | 0.268 | 498 |
| 110 | 507 | TW | 94.5 | 84 | 38 | 6 | 80.5 | 24.58 | 34.5 | 0.305 | 694 |
| 111 | 231 | S | 93.0 | 74 | 35 | 5 | 78.5 | 19.94 | 39.7 | 0.254 | 342 |
| 112 | 89 | TW | 97.0 | 82 | 38 | 7 | 77.0 | 23.99 | 37.2 | 0.312 | 630 |
| 113 | 609 | TW | 96.5 | 83 | 40 | 6 | 81.5 | 25.56 | 34.9 | 0.314 | 707 |
| 114 | 434 | TW | 94.5 | 80 | 38 | 5 | 78.0 | 23.41 | 38.9 | 0.300 | 580 |
| 115 | 572 | TW | 92.0 | 86 | 40 | 6 | 82.5 | 26.49 | 37.7 | 0.321 | 794 |
| 116 | 504 | S | 95.0 | 72 | 34 | 5 | 77.0 | 18.85 | 28.8 | 0.245 | 262 |
| 117 | 23 | TR | 93.0 | 82 | 39 | 6 | 81.0 | 24.62 | 40.1 | 0.304 | 656 |

| Lot | Tag No. | B/T | CWT | Width | Depth | Fat | SWT | EMA | Micron | EMA/LW | Index |
|-----|---------|-----|------|-------|-------|-----|------|-------|--------|--------|-------|
| 118 | 509 | TR | 92.5 | 74 | 35 | 5 | 76.0 | 19.94 | 34.7 | 0.262 | 340 |
| 119 | 55 | TW | 95.5 | 88 | 41 | 7 | 93.0 | 27.78 | 38.1 | 0.299 | 870 |
| 120 | 1280 | TW | 96.0 | 79 | 38 | 6 | 82.0 | 23.12 | 39.5 | 0.282 | 549 |
| 121 | 1357 | TW | 93.0 | 87 | 42 | 7 | 80.0 | 28.14 | 36.6 | 0.352 | 863 |
| 122 | 1224 | TW | 94.5 | 83 | 39 | 6 | 80.0 | 24.92 | 37.0 | 0.312 | 687 |
| 123 | 1615 | S | 95.5 | 80 | 38 | 6 | 80.0 | 23.41 | 36.7 | 0.293 | 576 |
| 124 | 1201 | S | 97.0 | 87 | 41 | 6 | 88.0 | 27.47 | 43.1 | 0.312 | 845 |
| 125 | 1591 | TW | 96.5 | 83 | 40 | 6 | 80.0 | 25.56 | 39.3 | 0.320 | 709 |
| 126 | 1627 | TW | 95.0 | 83 | 40 | 6 | 82.0 | 25.56 | 39.2 | 0.312 | 707 |
| 127 | 1241 | S | 92.5 | 86 | 41 | 6 | 82.5 | 27.15 | 37.6 | 0.329 | 816 |
| 128 | 1245 | TW | 89.5 | 79 | 38 | 5 | 77.0 | 23.12 | 36.1 | 0.300 | 551 |
| 129 | 1408 | TW | 88.0 | 75 | 35 | 5 | 75.0 | 20.21 | 39.0 | 0.270 | 369 |
| 130 | 1361 | TW | 90.5 | 68 | 32 | 4 | 77.0 | 16.76 | 39.5 | 0.218 | 104 |
| 131 | 1457 | TW | 88.0 | 77 | 37 | 6 | 76.5 | 21.94 | 37.4 | 0.287 | 469 |
| 132 | 1351 | TW | 88.0 | 74 | 35 | 6 | 73.0 | 19.94 | 36.6 | 0.273 | 338 |
| 133 | 1488 | TR | 87.5 | 76 | 35 | 5 | 73.5 | 20.48 | 39.3 | 0.279 | 398 |
| 134 | 1279 | S | 89.5 | 73 | 35 | 5 | 76.0 | 19.67 | 36.0 | 0.259 | 311 |
| 135 | 1601 | S | 89.5 | 71 | 34 | 5 | 73.0 | 18.59 | 35.6 | 0.255 | 233 |
| 136 | 1360 | TW | 92.0 | 77 | 37 | 5 | 75.5 | 21.94 | 37.8 | 0.291 | 473 |
| 137 | 1478 | TR | 88.5 | 82 | 38 | 6 | 80.0 | 23.99 | 37.5 | 0.300 | 636 |
| 138 | 1310 | S | 88.5 | 76 | 36 | 6 | 72.5 | 21.07 | 39.5 | 0.291 | 418 |
| 139 | 1624 | S | 92.0 | 86 | 40 | 5 | 79.5 | 26.49 | 39.9 | 0.333 | 798 |
| 140 | 1645 | TW | 88.0 | 73 | 35 | 5 | 73.5 | 19.67 | 39.4 | 0.268 | 311 |
| 141 | 1265 | TW | 89.0 | 74 | 35 | 5 | 73.0 | 19.94 | 37.2 | 0.273 | 340 |
| 142 | 147 | TR | 88.5 | 73 | 36 | 5 | 76.5 | 20.24 | 31.8 | 0.265 | 333 |
| 143 | 3 | TW | 91.0 | 81 | 38 | 6 | 80.5 | 23.70 | 35.1 | 0.294 | 605 |
| 144 | 136 | TW | 87.5 | 81 | 39 | 6 | 75.5 | 24.32 | 37.0 | 0.322 | 629 |
| 145 | 312 | TW | 89.5 | 82 | 39 | 6 | 83.0 | 24.62 | 38.6 | 0.297 | 656 |
| 146 | 496 | TW | 88.0 | 76 | 37 | 5 | 72.5 | 21.65 | 33.8 | 0.299 | 442 |
| 147 | 297 | TW | 88.5 | 81 | 37 | 6 | 75.0 | 23.08 | 36.1 | 0.308 | 585 |
| 148 | 395 | TW | 89.5 | 75 | 37 | 5 | 73.0 | 21.37 | 38.3 | 0.293 | 413 |
| 149 | 351 | TW | 90.0 | 75 | 36 | 6 | 73.0 | 20.79 | 37.5 | 0.285 | 389 |

| Lot | Tag No. | B/T | CWT | Width | Depth | Fat | SWT | EMA | Micron | EMA/LW | Index |
|-----|---------|-----|------|-------|-------|-----|------|-------|--------|--------|-------|
| 150 | 654 | TR | 88.0 | 70 | 34 | 5 | 70.5 | 18.33 | 34.7 | 0.260 | 202 |
| 151 | 528 | TR | 91.5 | 74 | 36 | 5 | 78.0 | 20.51 | 37.6 | 0.263 | 364 |
| 152 | 422 | TW | 91.0 | 78 | 37 | 5 | 78.5 | 22.22 | 34.6 | 0.283 | 500 |
| 153 | 161 | S | 89.5 | 88 | 41 | 6 | 87.5 | 27.78 | 36.7 | 0.318 | 874 |
| 154 | 275 | TR | 90.5 | 76 | 36 | 6 | 74.0 | 21.07 | 33.9 | 0.285 | 418 |
| 155 | 100 | TW | 94.0 | 80 | 38 | 6 | 79.0 | 23.41 | 34.4 | 0.296 | 578 |
| 156 | 1631 | S | 91.0 | 73 | 34 | 5 | 76.5 | 19.11 | 35.9 | 0.250 | 289 |
| 157 | 1285 | TW | 91.5 | 78 | 38 | 6 | 77.0 | 22.82 | 33.7 | 0.296 | 520 |
| 158 | 1572 | S | 90.5 | 87 | 42 | 6 | 79.0 | 28.14 | 37.5 | 0.356 | 867 |
| 159 | 1484 | S | 90.0 | 74 | 36 | 5 | 76.5 | 20.51 | 40.6 | 0.268 | 364 |
| 160 | 1435 | TW | 89.5 | 72 | 34 | 5 | 77.0 | 18.85 | 36.2 | 0.245 | 260 |
| 161 | 1345 | TW | 87.5 | 85 | 39 | 6 | 82.5 | 25.53 | 39.7 | 0.309 | 743 |
| 162 | 1537 | | 89.0 | 75 | 36 | 5 | 73.5 | 20.79 | 37.1 | 0.283 | 391 |
| 163 | 1396 | TR | 91.0 | 73 | 35 | 5 | 76.5 | 19.67 | 40.1 | 0.257 | 311 |
| 164 | 1286 | TW | 89.5 | 83 | 38 | 5 | 78.0 | 24.29 | 38.4 | 0.311 | 667 |
| 165 | 1297 | TW | 89.5 | 77 | 37 | 5 | 72.5 | 21.94 | 36.3 | 0.303 | 471 |
| 166 | 1358 | TW | 91.0 | 75 | 35 | 5 | 77.0 | 20.21 | 37.8 | 0.263 | 369 |
| 167 | 1293 | S | 91.0 | 75 | 36 | 5 | 75.5 | 20.79 | 39.3 | 0.275 | 391 |
| 168 | 1372 | TW | 91.0 | 83 | 39 | 6 | 80.5 | 24.92 | 33.9 | 0.310 | 687 |
| 169 | 1442 | S | 87.0 | - | - | - | - | - | 39.2 | - | - |
| 170 | 1453 | S | 88.5 | 74 | 35 | 5 | 70.0 | 19.94 | 36.3 | 0.285 | 340 |
| 171 | 1211 | S | 88.5 | 85 | 40 | 5 | 75.5 | 26.18 | 36.1 | 0.347 | 769 |
| 172 | 448 | TW | 89.5 | 88 | 42 | 6 | 86.5 | 28.46 | 36.5 | 0.329 | 896 |
| 173 | 80 | TW | 89.0 | 80 | 38 | 5 | 76.0 | 23.41 | 39.8 | 0.308 | 580 |
| 174 | 756 | | 89.0 | 72 | 35 | 5 | 72.0 | 19.40 | 32.8 | 0.270 | 282 |
| 175 | 67 | TW | 88.0 | 82 | 39 | 6 | 83.0 | 24.62 | 36.9 | 0.297 | 656 |
| 176 | 663 | S | 90.5 | 70 | 34 | 5 | 75.0 | 18.33 | 30.0 | 0.244 | 204 |
| 177 | 705 | TW | 89.5 | 77 | 36 | 6 | 70.0 | 21.34 | 37.6 | 0.305 | 447 |
| 178 | 149 | TW | 88.0 | 78 | 37 | 6 | 75.0 | 22.22 | 39.9 | 0.296 | 496 |
| 179 | 689 | S | 88.0 | 75 | 35 | 6 | 77.5 | 20.21 | 35.0 | 0.261 | 367 |
| 180 | 86 | TR | 89.5 | 76 | 37 | 5 | 73.5 | 21.65 | 38.9 | 0.295 | 442 |
| 181 | 190 | TW | 88.0 | 74 | 36 | 5 | 73.5 | 20.51 | 33.7 | 0.279 | 362 |

| Lot | Tag No. | B/T | CWT | Width | Depth | Fat | SWT | EMA | Micron | EMA/LW | Index |
|-----|---------|-----|------|-------|-------|-----|------|-------|--------|--------|-------|
| 182 | 698 | S | 91.5 | 83 | 38 | 7 | 77.0 | 24.29 | 34.6 | 0.315 | 661 |
| 183 | 660 | TW | 89.5 | 73 | 34 | 5 | 76.5 | 19.11 | 36.0 | 0.250 | 289 |
| 184 | 140 | TW | 92.0 | 75 | 37 | 5 | 78.0 | 21.37 | 37.4 | 0.274 | 413 |
| 185 | 638 | TW | 89.0 | 90 | 43 | 6 | 87.0 | 29.80 | 32.5 | 0.343 | 976 |
| 186 | 1487 | S | 91.0 | 74 | 35 | 5 | 75.0 | 19.94 | 38.0 | 0.266 | 340 |
| 187 | 1626 | S | 84.5 | 78 | 36 | 5 | 77.5 | 21.62 | 37.0 | 0.279 | 478 |
| 188 | 1507 | S | 86.0 | 78 | 37 | 5 | 70.5 | 22.22 | 34.6 | 0.315 | 500 |
| 189 | 1495 | S | 87.0 | 75 | 35 | 5 | 73.5 | 20.21 | 35.6 | 0.275 | 369 |
| 190 | 1397 | TR | 84.0 | 68 | 33 | 5 | 69.5 | 17.28 | 41.3 | 0.249 | 124 |
| 191 | 1586 | TW | 80.0 | 71 | 34 | 5 | 67.0 | 18.59 | 38.7 | 0.277 | 233 |
| 192 | 1235 | TW | 84.5 | 71 | 34 | 5 | 70.5 | 18.59 | 36.0 | 0.264 | 231 |
| 193 | 1398 | TR | 85.0 | 76 | 37 | 5 | 76.5 | 21.65 | 35.2 | 0.283 | 442 |
| 194 | 1593 | TW | 84.5 | 72 | 34 | 4 | 67.0 | 18.85 | 33.4 | 0.281 | 264 |
| 195 | 1281 | S | 83.5 | 69 | 33 | 4 | 68.5 | 17.53 | 39.7 | 0.256 | 155 |
| 196 | 1272 | TW | 85.5 | 77 | 37 | 5 | 69.0 | 21.94 | 33.4 | 0.318 | 473 |
| 197 | 1324 | TW | 85.0 | 79 | 38 | 5 | 72.5 | 23.12 | 37.3 | 0.319 | 551 |
| 198 | 1307 | S | 84.5 | 77 | 36 | 5 | 72.5 | 21.34 | 35.0 | 0.294 | 449 |
| 199 | 1234 | TW | 86.0 | 68 | 33 | 4 | 68.0 | 17.28 | 38.9 | 0.254 | 128 |
| 200 | 753 | S | 85.5 | 69 | 33 | 4 | 68.0 | 17.53 | 35.8 | 0.258 | 155 |
| 201 | 741 | S | 88.0 | 76 | 36 | 5 | 76.0 | 21.07 | 34.6 | 0.277 | 420 |
| 202 | 361 | TW | 87.0 | 75 | 36 | 5 | 78.5 | 20.79 | 38.5 | 0.265 | 391 |
| 203 | 510 | TR | 84.0 | 78 | 36 | 5 | 68.0 | 21.62 | 32.1 | 0.318 | 480 |
| 204 | 237 | TW | 84.0 | 76 | 35 | 6 | 75.0 | 20.48 | 37.4 | 0.273 | 396 |
| 205 | 541 | TW | 86.0 | 76 | 36 | 5 | 76.0 | 21.07 | 32.3 | 0.277 | 420 |
| 206 | 109 | TR | 87.0 | 73 | 35 | 5 | 69.5 | 19.67 | 35.2 | 0.283 | 311 |
| 207 | 308 | TW | 87.0 | 76 | 36 | 6 | 78.5 | 21.07 | 38.0 | 0.268 | 418 |
| 208 | 182 | TR | 95.0 | 83 | 38 | 6 | 79.0 | 24.29 | 38.6 | 0.307 | 663 |
| 209 | 495 | TW | 88.5 | 73 | 35 | 5 | 70.0 | 19.67 | 35.5 | 0.281 | 311 |
| 210 | 299 | TR | 91.0 | 81 | 38 | 6 | 80.0 | 23.70 | 35.1 | 0.296 | 605 |
| 211 | 464 | TW | 94.0 | 85 | 41 | 6 | 79.0 | 26.83 | 35.2 | 0.340 | 787 |
| 212 | 358 | S | 86.0 | 71 | 34 | 5 | 70.5 | 18.59 | 34.3 | 0.264 | 233 |
| 213 | 575 | S | 87.0 | 72 | 35 | 5 | 70.0 | 19.40 | 33.3 | 0.277 | 284 |

| Lot | Tag No. | B/T | CWT | Width | Depth | Fat | SWT | EMA | Micron | EMA/LW | Index |
|-----|---------|-----|------|-------|-------|-----|------|-------|--------|--------|-------|
| 214 | 468 | TR | 87.0 | 72 | 34 | 5 | 75.0 | 18.85 | 35.5 | 0.251 | 262 |
| 215 | 177 | TW | 87.0 | 71 | 34 | 5 | 69.5 | 18.59 | 32.5 | 0.267 | 233 |
| 216 | 484 | S | 86.0 | 73 | 34 | 5 | 67.0 | 19.11 | 38.7 | 0.285 | 291 |
| 217 | 678 | TW | 86.0 | 81 | 37 | 6 | 75.5 | 23.08 | 36.2 | 0.306 | 583 |
| 218 | 59 | TW | 84.0 | 84 | 40 | 6 | 80.0 | 25.87 | 36.5 | 0.323 | 736 |
| 219 | 675 | TW | 84.5 | 76 | 36 | 6 | 74.5 | 21.07 | 31.7 | 0.283 | 418 |
| 220 | 382 | TR | 87.5 | 79 | 38 | 6 | 74.0 | 23.12 | 34.0 | 0.312 | 549 |
| 221 | 259 | TR | 86.0 | 78 | 37 | 5 | 72.0 | 22.22 | 34.4 | 0.309 | 500 |
| 222 | 1557 | S | | 81 | 38 | 6 | 74.0 | 23.70 | 37.9 | 0.320 | 607 |
| 223 | 1461 | TR | 86.0 | 80 | 38 | 6 | 73.5 | 23.41 | 39.0 | 0.318 | 578 |
| 224 | 1306 | TW | 87.0 | 83 | 39 | 6 | 73.5 | 24.92 | 35.9 | 0.339 | 687 |
| 225 | 1585 | TW | 85.5 | 76 | 36 | 5 | 69.0 | 21.07 | 37.3 | 0.305 | 422 |
| 226 | 1344 | TW | 81.0 | 76 | 36 | 5 | 74.0 | 21.07 | 34.0 | 0.285 | 420 |
| 227 | 1590 | S | 79.5 | 70 | 34 | 5 | 67.5 | 18.33 | 34.1 | 0.271 | 204 |
| 228 | 1343 | TW | 83.5 | 75 | 37 | 5 | 73.5 | 21.37 | 37.6 | 0.291 | 413 |
| 229 | 1384 | TW | 82.0 | 78 | 37 | 6 | 75.0 | 22.22 | 36.0 | 0.296 | 498 |
| 230 | 1530 | | 77.0 | 67 | 32 | 5 | 61.0 | 16.51 | 38.0 | 0.271 | 73 |
| 231 | 1363 | TW | 79.5 | 74 | 34 | 4 | 67.0 | 19.37 | 37.8 | 0.289 | 322 |
| 232 | 1447 | TR | 79.5 | 69 | 33 | 4 | 65.0 | 17.53 | 40.1 | 0.270 | 155 |
| 233 | 1342 | TW | 76.0 | 74 | 36 | 5 | 64.0 | 20.51 | 36.3 | 0.321 | 364 |
| 234 | 1370 | TW | 77.0 | 66 | 32 | 4 | 63.5 | 16.26 | 34.8 | 0.256 | 46 |
| 235 | 1600 | S | 78.0 | 61 | 29 | 5 | 61.5 | 13.62 | 34.7 | 0.221 | -167 |
| 236 | 666 | TW | 78.5 | 68 | 32 | 4 | 68.5 | 16.76 | 35.8 | 0.245 | 104 |
| 237 | 651 | TW | 79.0 | 74 | 33 | 5 | 66.5 | 18.80 | 36.4 | 0.283 | 298 |
| 238 | 16 | TW | 85.5 | 76 | 37 | 6 | 73.5 | 21.65 | 34.3 | 0.295 | 438 |
| 239 | 91 | TW | 83.5 | 78 | 37 | 5 | 69.5 | 22.22 | 36.1 | 0.320 | 500 |
| 240 | 685 | S | 80.0 | 74 | 35 | 4 | 66.0 | 19.94 | 35.1 | 0.302 | 344 |
| 241 | 407 | TW | 84.5 | 71 | 34 | 4 | 73.5 | 18.59 | 28.6 | 0.253 | 235 |

Key **B/T** Birth Type (S = Single, TW - Twin, TR - Triplet)
CWT Current Weight
SWT Scanning Weight
EMD Eye Muscle Depth
EMA Eye Muscle Area
Fat Fat

Please note a minimum price of \$4,000 for Rams that are to be Stud registered