

Lot	Tag	Sire	Micron	S.D	C.V	Comfort Factor	Spinning Fineness	YFW (%)	EMD (mm)	EMW (mm)	YFAT (mm)	
1	180	G1	18.0	2.8	15.8	99.9	16.8	113				120

Lot	Tag	Sire	Micron	S.D	C.V	Comfort Factor	Spinning Fineness	YFW (%)	YEMD (mm)	YEMW (mm)	YFAT (mm)	
2	170	NQ112	17.2	2.7	15.8	99.8	16.1	107	29	90.5	9.5	105
3	61	HLP1	17.2	2.7	15.6	99.7	16.1	112	25	78	9.5	98
4	118	MR1	17.0	3.1	18.3	99.7	16.1	116	35	86	8	95
5	142	NQ112	18.0	2.7	14.8	99.5	16.7	85	31.5	86	6.5	97
6	194	R1	17.7	2.6	15.0	99.8	16.4	89	36.5	87	9.5	89
7	107	MR1	18.6	2.7	14.8	99.5	17.2	98	31	81.5	7.5	93
8	96	MR1	16.4	2.9	17.6	99.8	15.5	130	30	77	5	87
9	218	R1	16.1	2.8	17.5	100.0	15.2	89	29.5	73.5	6	86
10	143	NQ112	18.7	2.8	15.1	99.8	17.3	107	36	73.5	6.5	89
11	109	MR1	17.0	2.7	15.8	100.0	15.9	107	27	76.5	6	83
12	181	R1	19.0	3.8	20.1	99.2	18.3	103	32	79	7.5	87
13	129	NQ112	16.9	3.0	17.6	99.8	16.0	112	32.5	70.5	7	86
14	169	NQ112	18.9	2.8	14.8	99.5	17.6	98	32.5	83.5	8	92
15	133	NQ112	16.4	2.6	15.7	100.0	15.3	121	37.5	79	5.5	92
16	378	RM	17.3	2.6	15.1	99.9	16.1	101	28	74	7.5	82
17	422	SCG	18.2	3.0	16.6	99.8	17.1	101	28	73.5	8	81
18	122	MR1	18.7	2.5	13.5	99.7	17.2	103	32.5	79.5	7.5	91
19	54	HLP1	18.6	2.7	14.7	100.0	17.2	94	30	72.5	10.5	93
20	416	RM	16.7	2.5	14.7	99.7	15.5	101	31.5	77.5	8	89
21	375	RM	18.5	2.7	14.5	99.8	17.1	135	31	71	7	87
22	159	NQ112	17.1	2.6	15.4	99.8	15.9	152	27	78	7	92
23	474	MR1	16.7	2.6	15.6	99.8	15.6	121	29.5	72	6	99
24	101	MR1	17.5	3.0	17.2	99.7	16.6	130	35.5	86	9	96
25	4	MR1	16.1	2.2	13.6	99.9	14.9	107	32	81	7	109
26	79	MR1	15.6	2.7	17.3	99.9	14.7	103	24.5	71.5	5.5	95
27	127	NQ112	17.8	3.0	16.9	99.8	16.8	94	36	85	7	84
28	163	NQ112	18.7	3.6	19.3	99.2	18.0	98	28.5	76	4.5	78
29	112	MR1	18.2	2.6	14.3	99.8	16.8	103	32.5	76.5	6	96

Regulation March shorn 2022- 29 month old Purple Tag Poll Rams

Lot	Tag	Sire	Micron	S.D	C.V	Comfort Factor	Spinning Fineness	YFW (%)	YEMD (mm)	YEMW (mm)	YFAT (mm)	
30	172	G1	16.8	2.6	15.2	99.8	15.6	97				116
31	185	G1	17.7	2.3	13.0	99.7	16.3	101				114
32	155	NQ112	18.1	2.3	12.9	99.9	16.6	93				118
33	145	NQ112	18.2	2.6	14.4	99.8	16.9	109				113
34	56	MR1	18.7	2.8	15.2	99.6	17.4	109				133
35	72	NQ11	16.4	3.5	21.0	99.6	16.0	109				119
36	112	RTS	16.7	2.3	13.6	99.8	15.4	105				132

Lot	Tag	Sire	Micron	S.D	C.V	Comfort Factor	Spinning Fineness	YFW (%)	YEMD (mm)	YEMW (mm)	YFAT (mm)	
37	12	S2	16.8	2.6	15.3	99.6	15.7	101				115
38	261	C21	17.5	3.0	17.1	99.6	16.6	97				114
39	345	CG	16.0	2.7	17.1	99.8	15.1	147				107
40	206	J	16.7	3.2	19.2	99.5	16.0	97				114
41	202	J	15.2	3.0	19.6	99.7	14.6	101				119

Amiddle

- 1 - 258 - C21 - 115 kg
- 2 - 121 - RTS - 110 kg
- 3 - 5 - RTS - 109 kg
- 4 - 29 - RTS - 109 kg

Aug

Sires

- 11 S2 - 129 kg
- 209 J - 140 kg
- 45 R1 - 124 kg

Aug

- 88 - MRI - 105 kg
- 116 - MRI - 95 kg
- 195 - R1 - 91 kg
- 2 - MRI - 94 kg
- 1 - MRI - 101 kg
- 81 - MRI - 105 kg
- 236 - J - 96 kg
- 238 - J - 94

	Tag	Sire	Micron	S.D	C.V	Comfort Factor	Spinning Fineness	YFW (%)	YEMD (mm)	YEMW (mm)	YFAT (mm)	
42	226	J	16.7	2.6	15.8	99.9	15.6	116	30	90	8	113
43	227	J	17.0	2.2	12.7	99.9	15.6	107	32	78.5	8.5	105
44	453	SCG	14.4	1.9	13.4	100.0	13.3	84	36	88.5	9	106
45	292	S2	16.9	2.8	16.3	99.8	15.8	98	29	72.5	6	88
46	294	S2	18.0	2.6	14.5	99.8	16.6	85	36.5	87	9.5	94
47	266	C21	18.0	3.5	19.3	99.1	17.3	107	30	90	8	102
48	341	FS	18.5	2.8	15.3	99.8	17.2	98	37.5	88.5	8	100
49	450	SCG	16.8	3.1	18.6	99.5	16.1	109	28	75	5.5	94
50	225	J	16.4	3.1	19.1	99.9	15.7	112	30.5	73.5	5	95
51	460	SCG	18.8	3.6	19.1	99.6	18.0	101	28	80	4	95
52	247	C21	18.2	2.8	15.3	99.7	17.0	89	31.5	74.5	6.5	97
53	320	FS	15.0	2.7	18.2	99.7	14.2	89	26	69	5	80
54	23	FS	18.3	2.3	12.8	99.9	16.8	76	29.5	67.5	5	84
55	432	SCG	16.4	2.5	15.2	99.8	15.3	92	25.5	78.5	5.5	91
56	351	FS	17.3	2.9	16.7	99.6	16.2	103	29.5	90	5	96
57	438	SCG	18.6	2.7	14.3	99.9	17.2	101	31.5	75	5	83
58	439	SCG	17.8	2.6	14.6	99.9	16.5	101	30.5	73	5	94
59	250	C21	17.2	3.1	17.8	99.9	16.4	89	31	69	6	87
60	420	SCG	17.4	2.9	16.8	99.8	16.4	101	25.5	71	7	104