



40TH ANNUAL

ON PROPERTY AT
"EUROA"
INVERELL RD
GLEN INNES

FRIDAY 4TH MARCH 2022 - 2PM

Live Bidding available via AuctionsPlus



OFFERING:

- ◆ 110 TWO TOOTH RAMS
- ◆ 50 RAM LAMBS
- ◆ INCLUDING POLL DORSET
WHITE SUFFOLK & LBW COMPOSITE RAMS
- ◆ LUNCHEON AVAILABLE
- ◆ BRUCellosIS ACCREDITED



Ph: Andrew Say 0427 324 057, Nick Say 0428 899 937
or the selling agents

(02) 6732 1266

Shad Bailey
0458 322 283

 **AuctionsPlus™**

Craig Waters
0448 389 025



Colin Say & Co. Pty Ltd

rmanetwork.

Accredited Member

Elders

YASLOC RAM SALE 4/3/22

Yasloc Stud has for over 50 years endeavoured to breed rams that the prime lamb industry requires, to breed for the future. This year sees the stud celebrate their 40th Annual on property sale. The use of Lambplan (ASBV's) Objective Measurement, NSW Sheep Genomics DNA Identification for LMY (Lean Meat yield) and Meat Eating Quality, without compromising our structural soundness has enabled us to continue down this path.

The access to group breeding scheme Meat Elite has allowed the use of outstanding Poll Dorset sires with eating quality and high performance ASBV's as well as the use of our own high indexing young sires. With the introduction of some outstanding White Suffolk rams over the past 6 years. We have been able to improve our ASBV figures, but also keep our birthweight low. When selecting rams for the stud we are always looking to benefit our clients for the future by using rams with low birthweight and positive fat and muscle.

At Yasloc we are continuing to breed structurally sound, early maturing, performance selected rams that suit our client's programs. We breed rams across all categories whether you're turning lambs off as suckers or growing them out to heavy trade weights. In our recent stud purchases we have really been selecting IMF and Eating Quality as we believe this is where the future is heading.

REFERENCE SIRES TO WATCH FOR IN THE 2023 SALE







SIRES	BWT	PWWT	PFAT	PEMD	TCP	EQ	IMF
Felix 115/20	0.12	18.6	0.0	2.9	162	164	0.26
Farrer 136/20	0.40	17.7	0.1	3.0	154	165	0.44
Felix 1175/19	-0.07	16.5	0.9	3.7	157	161	0.45
Pepperton 457/19	0.27	16.8	-0.09	3.6	162	165	0.34
Bruan 7/19	0.11	18.03	-1.4	2.2	161	164	0.29
Bruan 140-/9	0.3	18.5	-0.36	2.85	163	166	0.62

Combine top EQ ASBV's with outstanding performance ASBV's to continue Yasloc breeding objectives for the future. If you are in sheep breeding come along and have a look at the future. Potential stud rams on offer.




Analysis : **TERMINAL - 16**

Dated : **15 November 2021**



TERMINAL - 16								
	Bwt	Wwt	Pwwt	Pfat	Pemd	TCP	LEQ	Counts
2012	0.36	7.19	10.61	-0.83	1.07	124.8	118.6	48472
2013	0.37	7.46	11.06	-0.81	1.17	126.2	119.6	47642
2014	0.37	7.73	11.49	-0.79	1.26	127.5	120.8	47717
2015	0.39	7.99	11.88	-0.73	1.38	128.8	122.0	48802
2016	0.39	8.30	12.39	-0.71	1.47	130.5	123.5	48489
2017	0.39	8.59	12.88	-0.69	1.63	132.4	125.3	50411
2018	0.39	8.86	13.26	-0.65	1.72	134.1	127.1	47630
2019	0.39	9.02	13.55	-0.62	1.84	135.5	128.5	46468
2020	0.40	9.26	13.92	-0.60	1.95	137.2	130.2	51655
2021	0.40	9.63	14.60	-0.55	2.22	140.8	134.3	39574



YASLOC 16-1230								
	Bwt	Wwt	Pwwt	Pfat	Pemd	TCP	LEQ	Counts
2012	0.26	6.91	10.51	-0.67	1.10	125.1	119.9	661
2013	0.27	7.59	11.72	-0.72	1.18	127.9	121.9	718
2014	0.26	7.83	11.95	-0.70	1.31	128.0	121.4	635
2015	0.33	8.24	12.31	-0.66	1.54	128.6	121.1	619
2016	0.32	8.76	13.29	-0.61	1.95	133.1	125.3	659
2017	0.32	9.13	14.04	-0.68	1.87	136.1	129.6	698
2018	0.29	9.59	14.53	-0.57	2.04	138.0	131.3	586
2019	0.28	9.72	14.84	-0.44	2.52	141.4	135.2	240
2020	0.27	9.60	14.66	-0.39	2.71	142.9	137.3	825
2021	0.24	9.45	14.33	-0.26	2.88	143.4	138.7	403

Reports are prepared using data supplied by breeders and/or accredited operators for the analysis. SheepGenetics cannot guarantee the accuracy of this data. ASEV's are designed to estimate genetic merit of animals from the data supplied. Reports are provided to assist breeders but no liability is accepted for the outcome resulting from the use of this information.

Linkage Summary	
YASLOC 16-1230	
Weights	Yes
Carcase	Yes
WEC	No
Reproduction	No
Site Code	161230



Terminal Carcass Production (TCP) index

Replacement for Carcase Plus

Key points

- ✓ Carcase Plus has been an important index for the sheepmeat industry but it has been found to have a negative impact on eating quality. Because of this and the industry’s focus on delivering high eating quality outcomes for consumers, the index will be retired in March 2020.
- ✓ Carcase Plus will be replaced with the Terminal Carcass Production index. To assist in the transition between indexes both Carcase Plus and Terminal Carcass Production will be available for the 2019 ram buying season.
- ✓ The Terminal Carcass Production (TCP) index will give similar improvements in growth and lean meat yield as Carcase Plus while also maintaining eating quality.

What is the new TCP index?

Indexes help producers select animals for use within a breeding program when there are a range of traits of economic or functional importance. This ensures that genetic gain in one trait is not made in isolation from other traits. Using indexes in ram purchasing decisions allow producers to make balanced genetic progress towards more profitable sheep.

The TCP index has been created to assist producers to achieve both gains in their major production traits, such as post-weaning weight and muscling, as well as ensuring consumer satisfaction from lamb is maintained through focusing on key eating quality traits such as shear force (tenderness) and intramuscular fat (marbling).


The TCP index is designed to suit a production system where:

- ✓ all progeny are terminal
- ✓ improving growth and muscle is of commercial benefit
- ✓ increasing lean meat yield has a positive financial impact
- ✓ a small degree of emphasis is included to maintain or improve eating quality.

Using the TCP index

The TCP index, unlike Carcase Plus, is on a scale that is aligned with other Sheep Genetics’ indexes and is represented in economic terms with a unit increase in the index reflecting an additional dollar per ewe joined per year. To assist in comparing rams, Sheep Genetics recommends using a percentile band table as reference. The figure below, which is based on the percentile band table, highlights the TCP index value for significant percentiles for the 2018 drop animals.


Percentile band range graphic for TCP index 2018 drop animals



Comparison of TCP and Carcase Plus index values for significant percentiles for 2018 drop animals


Terminal Carcase Production

Replacement for Carcase Plus



Carcase Plus

Discontinued March 2020



More information

02 8055 1818

info@sheepgenetics.org.au

www.sheepgenetics.org.au



YASLOC 40TH ANNUAL POLL DORSET SALE

REFERENCE SIRES

SIRES	BWT	PWWT	PFAT	PEMD	TCP	LEQ	BREED
Yasloc 327/17	0.33	15.6	-0.5	4.4	155	149	PD
Farrer 197/18	0.00	14.0	0.7	4.3	153	159	WS
Farrer 239/18	0.29	17.6	-0.4	1.8	147	149	WS
Pepperton 332/18	0.22	13.0	0.1	4.4	153	151	PD
Yasloc 13/19	0.41	17.4	-0.6	3.1	147	139	PD
Yasloc 173/19	0.46	20.1	-0.6	3.6	159	146	PD
Woolumbool 4993/18	0.26	15.8	0.0	3.6	153	154	PD
Felix 201/18	0.15	19.1	-1.5	3.6	160	154	PD
Bundarra Downs 1548/18	0.49	19.5	-0.5	2.8	153	149	PD
Bundarra Downs 1582/18	0.47	17.1	-1.1	1.6	147	139	PD
Bundarra Downs 2708/18	0.36	14.4	-0.2	4.0	150	145	PD
Farrer 181/15	0.30	17.6	-0.4	1.5	139	136	WS
Farrer 125/16	0.24	17.5	-0.2	3.6	155	153	WS

BWT PWWT PFAT PEMD TCP LEQ

Terminal Average 2020	0.40	13.9	-0.60	1.95	137	130
Terminal Average 2021	0.40	14.6	-0.55	2.22	141	134
Yasloc Average 2020	0.27	14.7	-0.39	2.7	143	137
Yasloc Average 2021	0.24	14.3	-0.26	2.9	143	139

YASLOC 40TH ANNUAL POLL DORSET RAM SALE

FRIDAY 4TH MARCH, 2022

2 TOOTH RAMS

Lot	Tag No	BWT	PWWT	PFAT	PEMD	TCP	LEQ	SIRE	SIRE OF DAM	Purchaser
1	640	0.40	17.6	-0.9	2.9	150	141	13	PD	_____
2	1172	0.33	14.3	-0.7	2.9	145	140	327	WS	_____
3	456	0.39	16.1	-0.5	3.0	148	141	327	WS	_____
4	394	0.35	15.4	-0.4	3.2	149	141	332	PD	_____
5	408	0.36	14.4	-0.5	3.9	150	142	2708	PD	_____
6	566	0.11	15.6	0.2	3.1	146	142	197	PD	_____
7	707	0.24	18.7	-0.2	4.1	161	152	197	PD	_____
8	673	0.22	13.8	0.0	3.8	149	143	332	WS	_____
9	559	0.33	16.6	-0.7	2.3	145	139	239	WS	_____
10	420	0.23	18.9	-0.1	3.8	157	149	125	WS	_____
11	442	0.31	18.6	-0.2	1.9	145	140	239	WS	_____
12	682	0.44	18.5	-0.9	2.5	151	139	173	WS	_____
13	460	-0.02	14.7	1.2	5.4	154	151	197	WS	_____
14	461	0.04	13.2	0.5	4.7	158	158	197	WS	_____
15	418	0.40	17.8	-0.8	3.0	153	145	125	WS	_____
16	960	0.36	16.8	-0.8	1.4	136	128	181	WS	_____
17	453	0.30	17.1	-0.7	3.2	151	143	201	PD	_____
18	449	0.25	17.8	-0.6	2.9	152	147	125	PD	_____

2 TOOTH RAMS

Lot	Tag No	BWT	PWWT	PFAT	PEMD	TCP	LEQ	SIRE	SIRE OF DAM	Purchaser
19	540	0.35	16.2	-0.5	1.4	137	133	239	WS	_____
20	552	0.30	16.2	-0.9	1.8	141	135	239	WS	_____
21	693	0.45	18.0	-0.9	2.2	148	137	173	PD	_____
22	467	0.40	15.6	-0.7	3.3	149	141	327	WS	_____
23	616	0.19	15.4	0.6	2.9	143	141	197	WS	_____
24	992	0.43	15.0	-0.8	1.5	137	133	327	WS	_____
25	718	0.25	15.8	0.1	3.2	144	137	13	WS	_____
26	485	0.40	15.5	-0.7	2.8	145	139	327	PD	_____
27	644	0.13	14.9	-0.2	2.4	141	139	239	WS	_____
28	705	0.26	16.6	0.1	3.4	151	146	197	PD	_____
29	515	0.22	16.8	0.0	2.2	144	141	239	WS	_____
30	520	0.25	15.0	-0.2	1.4	130	127	239	WS	_____
31	555	0.26	15.3	-0.2	3.4	150	144	332	WS	_____
32	637	0.42	17.5	-0.7	2.7	148	138	173	PD	_____
33	535	0.29	15.8	-0.4	3.5	146	136	173	PD	_____
34	444	0.34	18.2	-0.3	2.9	150	142	1548	PD	_____
35	736	0.29	13.1	-0.7	2.9	143	135	332	WS	_____
36	668	0.38	17.5	0.7	3.7	146	138	173	WS	_____
37	594	0.25	13.9	0.1	4.2	154	150	332	WS	_____
38	602	0.33	16.2	-0.5	3.9	151	139	173	PD	_____

2 TOOTH RAMS

Lot	Tag No	BWT	PWWT	PFAT	PEMD	TCP	LEQ	SIRE	SIRE OF DAM	Purchaser
39	574	0.24	15.3	0.0	2.7	145	143	197	WS	_____
40	679	0.34	17.4	-0.6	2.6	146	136	173	WS	_____
41	1162	0.45	14.7	-0.6	1.8	138	134	327	WS	_____
42	490	0.25	15.0	-0.2	3.8	152	146	332	PD	_____
43	730	0.32	16.9	-0.4	4.4	161	153	332	PD	_____
44	567	0.35	14.2	-0.2	3.6	144	138	327	PD	_____
45	550	0.43	15.1	0.0	2.6	137	132	13	PD	_____
46	598	0.44	14.3	-0.1	3.1	140	135	327	PD	_____
47	531	0.42	14.2	-0.4	2.4	140	135	125	WS	_____
48	1171	0.33	13.9	-0.7	2.6	142	138	327	PD	_____
49	587	0.14	13.5	-0.4	3.3	146	141	197	WS	_____
50	443	0.38	18.5	-0.7	2.5	149	141	1548	PD	_____
51	437	0.34	14.1	0.0	3.9	147	140	2708	PD	_____
52	433	0.29	16.0	-0.3	2.0	142	140	4993	PD	_____
53	617	0.13	14.8	-0.1	2.8	145	141	197	WS	_____
54	429	0.33	17.0	-0.8	1.9	146	137	1582	WS	_____
55	708	0.30	18.2	0.2	3.4	154	146	197	PD	_____
56	604	0.37	16.5	-0.9	2.3	143	132	173	WS	_____
57	465	0.13	16.4	-0.3	3.4	153	149	197	WS	_____
58	657	0.40	16.1	-0.6	2.3	143	135	13	PD	_____
59	676	0.36	16.9	-0.1	1.8	139	135	239	WS	_____
60	967	0.12	15.6	0.0	1.9	134	129	181	PD	_____

2 TOOTH RAMS

Lot	Tag No	BWT	PWWT	PFAT	PEMD	TCP	LEQ	SIRE	SIRE OF DAM	Purchaser
61	685	0.27	13.6	-0.4	3.1	142	135	332	WS	_____
62	511	0.27	14.4	-0.3	2.6	140	135	125	WS	_____
63	390	0.33	17.2	-0.9	2.8	147	136	201	PD	_____
64	700	0.28	15.3	-0.3	2.1	140	135	239	WS	_____
65	726	0.36	18.3	-0.2	3.0	149	140	173	WS	_____
66	742	0.24	16.0	0.2	2.5	144	140	182	WS	_____
67	597	0.36	15.4	-0.9	1.9	139	130	13	WS	_____
68	571	0.46	17.1	-0.5	2.6	147	139	173	WS	_____
69	487	0.18	15.3	0.0	2.3	140	137	239	WS	_____
70	523	0.28	15.5	-0.6	2.3	141	135	125	WS	_____
71	629	0.05	14.1	1.0	3.5	143	140	197	WS	_____
72	533	0.29	14.7	-0.3	3.0	144	138	125	PD	_____
73	570	0.22	14.9	0.1	2.3	142	140	197	WS	_____
74	422	0.35	15.9	-0.8	2.5	149	140	201	PD	_____
75	713	0.21	16.7	-0.1	3.2	151	146	181	WS	_____
76	N/T									_____
77	641	0.31	17.7	-0.8	1.3	138	132	239	WS	_____
78	687	0.17	15.5	0.5	3.9	153	150	197	WS	_____
79	578	0.44	15.8	-0.8	2.7	142	131	13	PD	_____
80	635	0.15	13.9	0.2	3.2	145	143	197	WS	_____
81	634	0.28	13.6	0.0	3.6	142	136	332	PD	_____
82	680	0.24	15.5	0.1	3.3	148	145	197	PD	_____

2 TOOTH RAMS

Lot	Tag No	BWT	PWWT	PFAT	PEMD	TCP	LEQ	SIRE	SIRE OF DAM	Purchaser
83	704	0.08	14.7	0.6	3.6	147	145	197	WS	_____
84	630	0.13	15.0	0.4	3.3	145	143	197	WS	_____
85	966	0.04	14.8	0.6	2.4	133	129	181	PD	_____
86	706	0.20	15.4	0.3	3.3	146	143	197	PD	_____
87	572	0.47	16.8	-0.8	2.6	148	139	173	PD	_____
88	675	0.31	15.6	-0.6	2.8	142	133	13	WS	_____
89	479	0.25	11.4	-0.2	3.2	141	135	332	PD	_____
90	546	0.13	14.3	0.6	3.5	147	145	197	WS	_____
91	1186	0.21	16.4	-0.5	2.3	144	139	239	WS	_____
92	683	0.42	14.7	0.9	4.5	154	147	327	PD	_____
93	383	0.17	17.6	-0.7	3.2	151	143	201	WS	_____
94	588	0.28	14.7	-0.3	2.7	140	133	13	WS	_____
95	670	0.27	14.2	-0.1	3.5	144	139	327	WS	_____
96	612	0.27	16.2	-0.4	2.1	143	138	239	WS	_____
97	1166	0.19	14.1	0.5	2.7	142	141	197	PD	_____
98	484	0.14	15.5	-0.1	2.8	143	138	125	WS	_____
99	694	0.19	13.4	0.3	3.1	138	136	332	WS	_____
100	697	0.16	15.2	0.4	2.8	144	142	182	WS	_____
101	614	0.23	15.3	0.2	3.1	144	138	13	WS	_____
102	1190	0.26	16.4	-0.5	2.0	143	139	239	PD	_____
103	669	0.33	16.1	-0.3	3.4	147	141	327	PD	_____
104	622	0.43	15.7	-0.8	2.6	145	138	327	WS	_____

2 TOOTH RAMS

Lot	Tag No	BWT	PWWT	PFAT	PEMD	TCP	LEQ	SIRE	SIRE OF DAM	Purchaser
105	728	0.19	12.8	0.1	3.0	139	134	332	PD	_____
106	600	0.19	12.6	-0.1	3.2	143	138	332	PD	_____
107	382	0.23	15.4	-0.4	2.3	142	138	239	WS	_____
108	731	0.35	15.0	-0.8	2.1	143	138	182	PD	_____
109	445	0.18	13.9	0.4	2.6	138	137	4993	PD	_____
110	518	0.24	15.3	-0.4	3.0	145	138	125	WS	_____

RAM LAMBS

Lot	Tag No	BWT	PWWT	PFAT	PEMD	TCP	LEQ	SIRE	SIRE OF DAM	Purchaser
111	41	0.31	17.1	0.2	2.3	143	139	239	PD	_____
112	83	0.23	16.1	-0.4	2.1	140	134	239	PD	_____
113	4	0.39	18.7	-0.7	2.0	153	156	239	WS	_____
114	209	0.22	14.9	-0.1	3.0	147	142	197	WS	_____
115	89	0.38	17.6	-0.7	3.1	154	147	327	WS	_____
116	15	0.35	17.2	-0.4	2.0	144	140	239	PD	_____
117	34	0.32	15.4	-0.2	3.2	143	135	327	PD	_____
118	160	0.38	16.4	-0.8	3.2	150	141	327	WS	_____
119	53	0.39	19.0	-0.5	2.0	150	149	239	WS	_____
120	78	0.32	14.7	-0.6	3.2	147	140	327	PD	_____
121	155	0.33	16.8	-0.6	3.1	152	148	327	PD	_____
122	69	0.18	14.3	0.2	3.2	146	142	197	PD	_____
123	210	0.30	16.0	-0.3	2.8	146	142	327	PD	_____
124	184	-0.07	14.1	0.0	3.7	152	154	197	WS	_____
125	144	0.39	15.6	0.1	3.0	148	148	327	PD	_____
126	223	0.44	15.5	0.3	3.0	142	137	327	PD	_____
127	208	0.32	15.5	-0.8	3.6	154	146	327	PD	_____
128	258	0.35	15.2	-0.3	4.4	156	150	327	PD	_____
129	60	0.11	15.7	-0.4	1.9	140	138	239	WS	_____
130	40	0.33	15.3	-0.8	2.6	149	143	327	PD	_____
131	124	0.41	16.6	-0.8	2.8	147	140	327	PD	_____

RAM LAMBS

Lot	Tag No	BWT	PWWT	PFAT	PEMD	TCP	LEQ	SIRE	SIRE OF DAM	Purchaser
132	70	0.15	13.9	0.2	3.5	144	139	197	WS	_____
133	93	0.31	17.0	-0.6	1.5	140	136	237	WS	_____
134	73	0.40	15.6	-0.4	2.1	142	139	197	PD	_____
135	178	0.50	16.2	-0.7	1.5	137	134	327	PD	_____
136	357	0.36	18.5	-0.1	3.1	156	153	197	PD	_____
137	193	0.33	15.2	0.1	3.8	147	143	327	PD	_____
138	96	0.21	13.8	0.2	2.1	140	139	197	WS	_____
139	98	0.37	14.8	-0.6	3.2	148	146	327	PD	_____
140	297	0.23	14.2	0.1	2.9	145	142	197	WS	_____
141	18	0.13	12.2	-0.1	2.6	148	155	197	PD	_____
142	179	0.15	14.1	-0.5	2.5	144	140	197	WS	_____
143	21	0.25	15.8	-0.7	1.9	144	141	239	WS	_____
144	189	0.29	15.3	0.3	2.8	138	135	327	PD	_____
145	90	0.20	13.5	0.1	4.7	151	145	327	PD	_____
146	63	0.39	16.6	-0.3	4.7	157	149	327	PD	_____
147	54	0.18	14.5	0.1	2.5	138	135	239	PD	_____
148	85	0.19	13.0	-0.6	2.0	137	134	197	WS	_____
149	229	0.33	12.0	-0.5	2.8	134	129	327	PD	_____
150	97	0.21	14.4	0.1	2.5	144	142	197	WS	_____
151	75	0.38	13.8	-0.6	3.2	141	133	327	PD	_____
152	218	0.16	13.6	-0.3	3.1	143	139	197	WS	_____

RAM LAMBS

Lot	Tag No	BWT	PWWT	PFAT	PEMD	TCP	LEQ	SIRE	SIRE OF DAM	Purchaser
153	185	0.07	12.0	0.9	3.4	141	141	197	WS	_____
154	191	0.35	15.6	-0.7	2.0	144	141	239	WS	_____
155	9	0.07	15.9	-0.7	2.6	144	143	239	PD	_____
156	25	0.27	15.4	-0.8	1.7	131	128	239	WS	_____
157	12	0.38	18.4	-0.8	1.5	146	149	239	WS	_____
158	49	0.13	14.2	-0.7	3.1	139	130	327	PD	_____
159	84	0.01	13.4	0.4	3.7	146	143	197	WS	_____
160	220	0.09	15.2	-0.7	3.2	155	155	327	PD	_____
161	265	0.11	13.4	-0.4	2.7	144	141	197	PD	_____



AVERAGES

Average 2 Tooth Rams:

Average Ram Lambs:

Sale Average:

Sale Notes:

.....

.....

.....

.....

.....

.....



VIDEO'S OF SALE RAMS

LOT 3— <https://youtu.be/vWYUs3CeQ4w>

LOT 4— <https://youtu.be/W3ysA0nXHUo>

LOT 7— <https://youtu.be/OA5iagr0RcQ>

LOTS 8, 9 & 10— <https://youtu.be/qKCT2RiTvbA>



ABBREVIATIONS:

BWT - Birth Weight - Weight breeding value.

WT - Weight - Weight breeding value.

FAT - Weaning Fat - Fat/leanness.

EMD - Eye Muscle Depth

EQ- Eating Quality

**“WE THANK YOU FOR YOUR SUPPORT AND WISH
YOU EVERY SUCCESS WITH YOUR PURCHASES.
WE LOOK FORWARD TO SEEING YOU
AT THE SALE IN 2023”
THE SAY FAMILY**



40TH ANNUAL YASLOC RAM SALE 4TH MARCH, 2022



BUYERS INSTRUCTION SLIP

NAME:

ADDRESS:

BID CARD NUMBER:.....

PIC NO:.....

PHONE..... **EMAIL**.....

LOTS PURCHASED:

LOT No	\$	Lot No	\$
.....
.....
.....
.....

SEND INVOICE TO:

DELIVERY INSTRUCTIONS:

SIGNATUTRE

Please Note: In the interest of buyers and to prevent occurrence of mistakes, all instructions concerning delivery of livestock must be given in writing and signed by the buyer or representative.