

# Speriby North Bull Sale

**55 APR ANGUS BULLS**



**ON PROPERTY &**

 **AuctionsPlus**

**Friday 20th May 2022,  
1pm**

**Welcome:**

The Speriby North team welcomes you to our 24th annual on property sale of Angus bulls.

The sale bulls have either been tested for Arthrogrposis Multiplex (AM), Contractural Arachnodactyly (CA), Neuropathic Hygrocephalus (NH), Developmental Duplication (DD) or are pedigree free. All bulls are suitable for breeding over straight Angus herds. They have tested free of Pestivirus and have received their annual 7 in 1 vaccine booster, two doses of Vibrovax, Pestigard and 3 day sickness vaccines.

All sale bulls have been tested with the high density genomic product, Angus GST<sup>TM</sup>. This product has been utilised to enhance the accuracy of the TransTasman Angus Cattle EBVs, allowing purchasers the opportunity to fine tune their breeding programs and genetic selections.

The auction will be a video auction as well as being interfaced with AuctionsPlus. The sale bulls can be viewed online prior to the auction at speribynorth.com or colinsay.com.au by following the links to the Speriby North Bull Sale.

There are 20 reference sires presented in our sale. We hope you find suitable bulls for your herd whose progeny will meet tomorrow's market requirements.

*Arthur Cox*

---

**Fertility:**

Reproductive examination of sale bulls was completed by Dr Tamara Birrer BVSc (Birrer Veterinary Services, BULLCHECK No. 4377) on the 8th and 9th March 2022. This included physical examination of each bull; measurement of scrotal circumference and examination of internal and external reproductive organs. Semen was collected and examined crush site for density, swirl, and motility. Morphological examination was performed by Dr Kim Kelly BVSc, Kelly Ag Morphology Services, Dalby in March 2022. Following the standards of the Australian Cattle Veterinarians, it is of the opinion of Dr Birrer that all bulls presented in this sale have adequate reproductive organs and semen quality, thus indicating a high confidence of the bulls' fertility.

**Guarantee:**

In the unlikely event of infertility, provided it is not caused by injury, stress or disease contracted after our sale, we will issue you with a credit equal to the purchase price minus the salvage value to be used at the next Speriby North Bull Sale. A Veterinary Certificate shall be produced by the purchaser within twelve months of the purchase date.

**Payment:**

The sale is GST exclusive. Accounts will be forwarded by selling agents Colin Say & Co. Pty. Ltd and settled within seven days. A 2% rebate will be available to outside agents introducing approved buyers in writing to the selling agents 24 hours prior to the sale, and settling on their behalf within 7 days.

**Refreshments:**

Morning tea and lunch will be available for purchase with all proceeds going to Bolivia Hall.

**Insurance:**

Insurance will be available on sale day.

**Indemnity:**

All persons attending the sale agree to indemnify the vendor from and against any liability, loss, damage, expense or claim which the vendor may incur, including to a third party, during or after the sale in all respects. Any person attending the sale does so at his/her own risk.

**PLEASE BRING THIS CATALOGUE TO THE SALE**



## What is the TransTasman Angus Cattle Evaluation?

The TransTasman Angus Cattle Evaluation is the genetic evaluation program adopted by Angus Australia for Angus and Angus influenced beef cattle. The TransTasman Angus Cattle Evaluation uses Best Linear Unbiased Prediction (BLUP) technology to produce Estimated Breeding Values (EBVs) of recorded cattle for a range of important production traits (e.g. weight, carcase, fertility).

The TransTasman Angus Cattle Evaluation is an international genetic evaluation and includes pedigree, performance and genomic information from the Angus Australia and Angus New Zealand databases, along with selected information from the American and Canadian Angus Associations.

The TransTasman Angus Cattle Evaluation utilises a range of genetic evaluation software, including the internationally recognised BLUPF90 family of programs, and BREEDPLAN® beef genetic evaluation analytical software, as developed by the Animal Genetics and Breeding Unit (AGBU), a joint institute of NSW Agriculture and the University of New England, and Meat and Livestock Australia Limited (MLA).

## What is an EBV?

An animal's breeding value can be defined as its genetic merit for each trait. While it is not possible to determine an animal's true breeding value, it is possible to estimate it. These estimates of an animal's true breeding value are called EBVs (Estimated Breeding Values).

EBVs are expressed as the difference between an individual animal's genetics and a historical genetic level (i.e. group of animals) within the TACE genetic evaluation, and are reported in the units in which the measurements are taken.

## Using EBVs to Compare the Genetics of Two Animals

TACE EBVs can be used to estimate the expected difference in the genetics of two animals, with the expected difference equating to half the difference in the EBVs of the animals, all other things being equal (e.g. they are joined to the same animal/s).

For example, a bull with a 200 Day Growth EBV of +60 would be expected to produce progeny that are, on average, 10 kg heavier at 200 days of age than a bull with a 200 Day Growth EBV of +40 kg (i.e. 20 kg difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

Or similarly, a bull with an IMF EBV of +3.0 would be expected to produce progeny with on average, 1% more intramuscular fat in a 400 kg carcase than a bull with a IMF EBV of +1.0 (i.e. 2% difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

## Using EBVs to Benchmark an Animal's Genetics with the Breed

EBVs can also be used to benchmark an animal's genetics relative to the genetics of other Angus or Angus infused animals recorded with Angus Australia.

To benchmark an animal's genetics relative to other Angus animals, an animal's EBV can be compared to the EBV reference tables, which provide:

- the breed average EBV
- the percentile bands table

The current breed average EBV is listed on the bottom of each page in this publication, while the current EBV reference tables are included at the end of these introductory notes. For easy reference, the percentile band in which an animal's EBV ranks is also published in association with the EBV.

## Considering Accuracy

An accuracy value is published with each EBV, and is usually displayed as a percentage value immediately below the EBV.

The accuracy value provides an indication of the reliability of the EBV in estimating the animal's genetics (or true breeding value), and is an indication of the amount of information that has been used in the calculation of the EBV.

EBVs with accuracy values below 50% should be considered as preliminary or of low accuracy, 50-74% as of medium accuracy, 75-90% of medium to high accuracy, and 90% or greater as high accuracy.

## Description of TACE EBVs

EBVs are calculated for a range of traits within TACE, covering calving ease, growth, fertility, maternal performance, carcase merit, feed efficiency and structural soundness. A description of each EBV included in this publication is provided on the following page.

# UNDERSTANDING ESTIMATED BREEDING VALUES (EBVS)

Calving Ease	CEDir	%	Genetic differences in the ability of a sire's calves to be born unassisted from 2 year old heifers.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
	CETrs	%	Genetic differences in the ability of a sire's daughters to calve unassisted at 2 years of age.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
	GL	days	Genetic differences between animals in the length of time from the date of conception to the birth of the calf.	Lower EBVs indicate shorter gestation length.
	BW	kg	Genetic differences between animals in calf weight at birth.	Lower EBVs indicate lighter birth weight.
Growth	200 Day	kg	Genetic differences between animals in live weight at 200 days of age due to genetics for growth.	Higher EBVs indicate heavier live weight.
	400 Day	kg	Genetic differences between animals in live weight at 400 days of age.	Higher EBVs indicate heavier live weight.
	600 Day	kg	Genetic differences between animals in live weight at 600 days of age.	Higher EBVs indicate heavier live weight.
	MCW	kg	Genetic differences between animals in live weight of cows at 5 years of age.	Higher EBVs indicate heavier mature weight.
	Milk	kg	Genetic differences between animals in live weight at 200 days of age due to the maternal contribution of its dam.	Higher EBVs indicate heavier live weight.
Fertility	DtC	days	Genetic differences between animals in the time from the start of the joining period (i.e. when the female is introduced to a bull) until subsequent calving.	Lower EBVs indicate shorter time to calving.
	SS	cm	Genetic differences between animals in scrotal circumference at 400 days of age.	Higher EBVs indicate larger scrotal circumference.
Carcase	CWT	kg	Genetic differences between animals in hot standard carcase weight at 750 days of age.	Higher EBVs indicate heavier carcase weight.
	EMA	cm <sup>2</sup>	Genetic differences between animals in eye muscle area at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate larger eye muscle area.
	Rib Fat	mm	Genetic differences between animals in fat depth at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more fat.
	P8 Fat	mm	Genetic differences between animals in fat depth at the P8 rump site in a 400 kg carcase.	Higher EBVs indicate more fat.
	RBY	%	Genetic differences between animals in boned out saleable meat from a 400 kg carcase.	Higher EBVs indicate higher yield.
	IMF	%	Genetic differences between animals in intramuscular fat (marbling) at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more intramuscular fat.
Feed/Temp.	NFI-F	kg/day	Genetic differences between animals in feed intake at a standard weight and rate of weight gain when animals are in a feedlot finishing phase.	Lower EBVs indicate more feed efficiency.
	Doc	%	Genetic differences between animals in temperament.	Higher EBVs indicate better temperament.
Structure	Foot Angle	score	Genetic differences in foot angle (strength of pastern, depth of heel).	Lower EBVs indicate more desirable foot angle.
	Claw Set	score	Genetic differences in claw set structure (shape and evenness of claws).	Lower EBVs indicate more desirable claw structure.
Selection Indexes	\$A	\$	Genetic differences between animals in net profitability per cow joined in a typical commercial self replacing herd using Angus bulls. This selection index is not specific to a particular market end-point, but identifies animals that will improve overall net profitability in the majority of commercial, self replacing, grass and grain finishing beef production systems.	Higher selection indexes indicate greater profitability.
	\$A-L	\$	<p>Genetic differences between animals in net profitability per cow joined in a typical commercial self replacing herd using Angus bulls. This selection index is not specific to a particular market end-point, but identifies animals that will improve overall net profitability in the majority of commercial, self replacing, grass and grain finishing beef production systems.</p> <p>The \$A-L index is similar to the \$A index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low.</p> <p>While the \$A aims to maintain mature cow weight, the \$A-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.</p>	Higher selection indexes indicate greater profitability.

# UNDERSTANDING ESTIMATED BREEDING VALUES (EBVS)

## Selection Indexes

<b>\$D</b>	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting the domestic supermarket trade. Steers are either finished using pasture, pasture supplemented by grain, or grain (e.g. 50 -70 days) with steers assumed to be slaughtered at 510kg live weight (280kg carcass weight with 12mm P8 fat depth) at 16 months of age.	Higher selection indexes indicate greater profitability.
<b>\$D-L</b>	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting the domestic supermarket trade. Steers are either finished using pasture, pasture supplemented by grain, or grain (e.g. 50 -70 days) with steers assumed to be slaughtered at 510kg live weight (280kg carcass weight with 12mm P8 fat depth) at 16 months of age.  The \$D-L index is similar to the \$D index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low.  While the \$D aims to maintain mature cow weight, the \$D-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.	Higher selection indexes indicate greater profitability.
<b>\$GN</b>	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture grown steers with a 250 day feedlot finishing period for the grain fed high quality, highly marbled markets. Steers are assumed to be slaughtered at 800 kg live weight (455 kg carcass weight with 30 mm P8 fat depth) at 24 months of age, with a significant premium for steers that exhibit superior marbling.	Higher selection indexes indicate greater profitability.
<b>\$GN-L</b>	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture grown steers with a 250 day feedlot finishing period for the grain fed high quality, highly marbled markets. Steers are assumed to be slaughtered at 800 kg live weight (455 kg carcass weight with 30 mm P8 fat depth) at 24 months of age, with a significant premium for steers that exhibit superior marbling.  The \$GN-L index is similar to the \$GN index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low.  While the \$GN aims to maintain mature cow weight, the \$GN-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.	Higher selection indexes indicate greater profitability.
<b>\$GS</b>	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture finished steers. Steers are assumed to be slaughtered at 650 kg live weight (350 kg carcass weight with 12 mm P8 fat depth) at 22 months of age. Emphasis has been placed on eating quality and tenderness to favour animals that are suited to MSA requirements.	Higher selection indexes indicate greater profitability.
<b>\$GS-L</b>	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture finished steers. Steers are assumed to be slaughtered at 650 kg live weight (350 kg carcass weight with 12 mm P8 fat depth) at 22 months of age. Emphasis has been placed on eating quality and tenderness to favour animals that are suited to MSA requirements.  The \$GS-L index is similar to the \$GS index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low.  While the \$GS aims to maintain mature cow weight, the \$GS-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.	Higher selection indexes indicate greater profitability.
<b>\$PRO</b>	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd based in New Zealand that targets the production of grass finished steers for the AngusPure programme. Steers are assumed marketed at approximately 530 kg live weight (290 kg carcass weight with 10 mm P8 fat depth) at 20 months of age, with a significant premium for steers that exhibit superior marbling.	Higher selection indexes indicate greater profitability.
<b>\$T</b>	\$	Genetic difference between animals in net profitability per cow joined in a situation where Angus bulls are being used as a terminal sire over mature breeding females and all progeny, both male and female, are slaughtered. The Angus Terminal Sire Index focusses on increasing growth, carcass yield and eating quality. Daughters are not retained for breeding and therefore no emphasis is given to female fertility or maternal traits.	Higher selection indexes indicate greater profitability.

# RECESSIVE GENETIC CONDITIONS

This is information for bull buyers about the recessive genetic conditions, Arthrogryposis Multiplex (AM), Hydrocephalus (NH), Contractural Arachnodactyly (CA) and Developmental Duplications (DD).

## Putting undesirable Genetic Recessive Conditions in perspective

All animals, including humans, carry single copies (alleles) of undesirable or “broken” genes. In single copy form, these undesirable alleles usually cause no harm to the individual.

But when animals carry 2 copies of certain undesirable or “broken” alleles it often results in bad consequences. Advances in genomics have facilitated the development of accurate diagnostic tests to enable the identification and management of numerous undesirable or “broken” genes.

Angus Australia is proactive in providing its members and their clients with relevant tools and information to assist them in the management of known undesirable genes and our members are leading the industry in their use of this technology.

## What are AM, NH, CA and DD?

AM, NH, CA and DD are all recessive conditions caused by “broken” alleles within the DNA of individual animals. When a calf inherits 2 copies of the AM or NH alleles their development is so adversely affected that they will be still-born.

In other cases, such as CA and DD, calves carrying 2 copies of the broken allele may reach full-term. In such cases the animal may either appear relatively normal, or show physical symptoms that affect their health and/or performance.

## How are the conditions inherited?

Research in the U.S. and Australia indicates that AM, NH, CA and DD are simply inherited recessive conditions. This means that a single gene (or pair of alleles) controls the condition.

For this mode of inheritance two copies of the undesirable allele need to be present before the condition is seen; in which case you may get an abnormal calf. A more common example of a trait with a simple recessive pattern of inheritance is black and red coat colour.

Animals with only one copy of the undesirable allele (and one copy of the normal form of the allele) appear normal and are known as “carriers”.

## What happens when carriers are mated to other animals?

Carriers, will on average, pass the undesirable allele to a random half (50 %) of their progeny.

When a carrier bull and carrier cow is mated, there is a 25% chance that the resultant calf will inherit two normal alleles, a 50% chance that the mating will result in a carrier (i.e. with just 1 copy of the undesirable allele, and a 25% chance that the calf will inherit two copies of the undesirable gene.

If animals tested free of the undesirable gene are mated to carrier animals the condition will not be expressed at all. All calves will appear normal, but approximately half (50%) could be expected to be carriers.

## How is the genetic status of animals reported?

DNA-based diagnostic tests have been developed which can be used to determine whether an individual animal is either a carrier or free of the alleles resulting in AM, NH, CA or DD.

Angus Australia uses advanced software to calculate the probability of (untested) animals to being carriers of AM, NH, CA or DD. The software uses the test results of any relatives in the calculations and the probabilities may change as new results for additional animals become available.

The genetic status of animals is being reported using five categories:

AMF	Tested AM free
AMFU	Based on Pedigree AM free - Animal has not been tested
AM_%	_% probability the animal is an AM carrier
AMC	Tested AM-Carrier
AMA	AM-Affected

For NH, CA and DD, simply replace AM in the above table with NH, CA or DD.

Registration certificates and the Angus Australia web-database display these codes. This information is displayed on the animal details page and can be accessed by conducting an “Database Search” from the Angus Australia website or looking up individual animals listed in a sale catalogue.

## Implications for Commercial Producers

Your decision on the importance of the genetic condition status of replacement bulls should depend on the genetics of your cow herd (which bulls you previously used) and whether some female progeny will be retained or sold as breeders.

Most Angus breeders are proactive and transparent in managing known genetic conditions, endeavouring to provide the best information available. The greatest risk to the commercial sector from undesirable genetic recessive conditions comes from unregistered bulls with unknown genetic background. The genetic condition testing that Angus Australia seedstock producers are investing in provides buyers of registered Angus bulls with unmatched quality assurance.

For further information contact Angus Australia’s Breed Development & Extension Manager on (02) 6773 4618.

# TransTasman Angus Cattle Evaluation - Mid April 2022 Reference Tables



BREED AVERAGE EBVs																							
Calving Ease CEDir	Birth GL	Birth BW	Growth			MCW	Milk	Fertility			Carcase			Other		Structure		Selection Indexes					
			200	400	600			SS	DTC	CWT	EMA	RIB	P8	RFY	IMF	NF-F	DOC	Angle	Claw	\$A	\$A-L		
+2.2	+2.6	-4.7	+4.1	+49	+89	+116	+101	+18	+2.1	-4.7	+66	+6.2	+0.0	-0.4	+0.5	+2.1	+0.19	+7	+0.97	+0.85	+194	+336	
<b>Brd Avg</b>																							

\* Breed average represents the average EBV of all 2020 drop Australian Angus and Angus-influenced seedstock animals analysed in the Mid April 2022 TransTasman Angus Cattle Evaluation

PERCENTILE BANDS TABLE																										
% Band	Calving Ease CEDir	Birth GL	Birth BW	Growth			MCW	Milk	Fertility			Carcase			Other		Structure			Selection Indexes						
				200	400	600			SS	DTC	CWT	EMA	RIB	P8	RFY	IMF	NF-F	DOC	Angle	Claw	\$A	\$A-L				
1%	+11.1	+9.9	-10.6	-0.1	+68	+120	+160	+157	+29	+4.6	-9.9	+93	+12.7	+3.5	+3.5	+2.9	+4.6	-0.55	+36	+0.60	+0.44	+278	+452			
5%	+9.2	+8.3	-8.7	+1.2	+62	+110	+146	+139	+25	+3.7	-8.3	+85	+10.6	+2.3	+2.2	+2.1	+3.8	-0.33	+27	+0.70	+0.56	+255	+421			
10%	+8.1	+7.3	-7.8	+1.9	+59	+105	+139	+129	+23	+3.3	-7.4	+80	+9.5	+1.8	+1.6	+1.7	+3.4	-0.21	+22	+0.76	+0.62	+242	+404			
15%	+7.2	+6.6	-7.2	+2.4	+57	+102	+135	+123	+22	+3.0	-6.9	+77	+8.7	+1.4	+1.2	+1.5	+3.2	-0.14	+19	+0.80	+0.66	+234	+392			
20%	+6.5	+5.9	-6.7	+2.7	+56	+100	+131	+119	+21	+2.8	-6.5	+75	+8.2	+1.1	+0.9	+1.3	+3.0	-0.08	+17	+0.84	+0.70	+227	+382			
25%	+5.8	+5.4	-6.3	+3.0	+54	+98	+128	+115	+20	+2.7	-6.1	+74	+7.7	+0.9	+0.6	+1.1	+2.8	-0.02	+15	+0.86	+0.72	+221	+374			
30%	+5.2	+4.9	-5.9	+3.2	+53	+96	+125	+112	+20	+2.5	-5.8	+72	+7.3	+0.7	+0.4	+1.0	+2.6	+0.02	+13	+0.88	+0.76	+215	+367			
35%	+4.6	+4.4	-5.6	+3.5	+52	+94	+123	+109	+19	+2.4	-5.5	+71	+7.0	+0.5	+0.2	+0.9	+2.5	+0.06	+12	+0.90	+0.78	+210	+360			
40%	+4.0	+4.0	-5.2	+3.7	+51	+92	+121	+106	+19	+2.3	-5.2	+69	+6.6	+0.3	+0.0	+0.7	+2.3	+0.10	+10	+0.92	+0.80	+206	+353			
45%	+3.4	+3.5	-5.0	+3.9	+50	+91	+118	+103	+18	+2.1	-4.9	+68	+6.3	+0.1	-0.2	+0.6	+2.2	+0.14	+9	+0.94	+0.82	+201	+347			
50%	+2.9	+3.0	-4.7	+4.1	+50	+89	+116	+100	+17	+2.0	-4.7	+66	+6.0	+0.0	-0.4	+0.5	+2.1	+0.18	+7	+0.96	+0.84	+196	+340			
55%	+2.3	+2.5	-4.4	+4.3	+49	+88	+114	+98	+17	+1.9	-4.4	+65	+5.7	-0.2	-0.6	+0.4	+1.9	+0.22	+6	+0.98	+0.86	+192	+334			
60%	+1.6	+2.0	-4.1	+4.5	+48	+86	+112	+95	+16	+1.8	-4.1	+64	+5.5	-0.4	-0.8	+0.3	+1.8	+0.26	+4	+1.00	+0.90	+187	+327			
65%	+0.9	+1.4	-3.8	+4.7	+47	+85	+110	+92	+16	+1.7	-3.9	+62	+5.2	-0.5	-0.9	+0.2	+1.7	+0.30	+3	+1.02	+0.92	+182	+320			
70%	+0.2	+0.8	-3.5	+5.0	+46	+83	+107	+90	+15	+1.6	-3.6	+61	+4.9	-0.7	-1.2	+0.0	+1.6	+0.35	+1	+1.06	+0.94	+177	+312			
75%	-0.6	+0.1	-3.1	+5.2	+45	+81	+105	+86	+15	+1.4	-3.2	+59	+4.5	-0.9	-1.4	-0.1	+1.4	+0.40	-1	+1.08	+0.98	+171	+303			
80%	-1.6	-0.6	-2.7	+5.5	+43	+79	+102	+83	+14	+1.3	-2.9	+57	+4.2	-1.1	-1.6	-0.3	+1.3	+0.45	-3	+1.10	+1.00	+164	+293			
85%	-2.8	-1.6	-2.3	+5.8	+42	+77	+99	+79	+13	+1.1	-2.5	+55	+3.7	-1.4	-1.9	-0.5	+1.1	+0.52	-5	+1.14	+1.04	+155	+281			
90%	-4.4	-2.7	-1.7	+6.3	+40	+74	+94	+73	+12	+0.9	-1.9	+53	+3.1	-1.7	-2.3	-0.8	+0.9	+0.60	-8	+1.18	+1.10	+143	+264			
95%	-6.9	-4.6	-0.8	+7.0	+37	+69	+88	+64	+10	+0.6	-1.0	+48	+2.2	-2.2	-2.9	-1.2	+0.5	+0.73	-12	+1.26	+1.18	+123	+236			
99%	-12.3	-8.7	+1.2	+8.3	+30	+59	+73	+46	+7	-0.2	+1.1	+39	+0.3	-3.3	-4.2	-2.0	-0.1	+0.97	-20	+1.40	+1.32	+80	+171			
More Calving Difficulty			Longer Gestation	Heavier Birth	Lighter Live Weight	Lighter Live Weight	Lighter Live Weight	Lighter Live Weight	Lighter Live Weight	Smaller Scrotal Size	Longer Calving Time to Calf	Lighter Carcass Weight	Smaller EMA	Less Fat	Less Fat	Lower Yield	Less IMF	Lower Feed Efficiency	Less Docile	Less Sound	Less Sound	Lower Profitability	Lower Profitability			

\* The percentile bands represent the distribution of EBVs across the 2020 drop Australian Angus and Angus-influenced seedstock animals analysed in the Mid April 2022 TransTasman Angus Cattle Evaluation .

# TransTasman Angus Cattle Evaluation - Mid April 2022 Reference Tables

BREED AVERAGE EBVs										
	\$A	\$D	\$GN	\$GS	\$A-L	\$D-L	\$GN-L	\$GS-L	\$PRO	\$T
Brd Avg	+194	+160	+255	+178	+336	+290	+401	+377	+141	+179

\* Breed average represents the average EBV of all 2020 drop Australian Angus and Angus-influenced seedstock animals analysed in the Mid April 2022 TransTasman Angus Cattle Evaluation .

PERCENTILE BANDS TABLE										
% Band	\$A	\$D	\$GN	\$GS	\$A-L	\$D-L	\$GN-L	\$GS-L	\$PRO	\$T
1%	+278	+231	+373	+265	+452	+391	+549	+511	+217	+242
5%	+255	+211	+341	+241	+421	+363	+509	+476	+196	+225
10%	+242	+200	+323	+228	+404	+348	+488	+456	+185	+216
15%	+234	+192	+311	+219	+382	+338	+472	+442	+177	+210
20%	+227	+186	+301	+212	+360	+330	+460	+430	+170	+204
25%	+221	+181	+292	+206	+374	+322	+449	+421	+165	+200
30%	+215	+177	+285	+200	+367	+316	+439	+412	+160	+195
35%	+210	+173	+277	+195	+360	+310	+430	+404	+156	+192
40%	+206	+169	+270	+190	+353	+304	+422	+396	+152	+188
45%	+201	+165	+264	+185	+347	+299	+413	+389	+147	+184
50%	+196	+161	+257	+180	+340	+293	+405	+382	+143	+181
55%	+192	+158	+250	+175	+334	+288	+397	+374	+139	+177
60%	+187	+154	+244	+170	+327	+282	+388	+366	+135	+174
65%	+182	+150	+237	+165	+320	+276	+379	+358	+130	+170
70%	+177	+145	+229	+159	+312	+269	+369	+349	+125	+166
75%	+171	+141	+221	+153	+303	+262	+358	+339	+120	+161
80%	+164	+135	+211	+146	+293	+254	+346	+328	+113	+156
85%	+155	+128	+200	+137	+281	+243	+330	+314	+105	+149
90%	+143	+119	+185	+126	+264	+230	+310	+296	+94	+141
95%	+123	+103	+159	+106	+236	+206	+275	+265	+76	+127
99%	+80	+70	+104	+67	+171	+152	+196	+191	+39	+95
	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability
	Greater Profitability	Greater Profitability	Greater Profitability	Greater Profitability	Greater Profitability	Greater Profitability	Greater Profitability	Greater Profitability	Greater Profitability	Greater Profitability

\* The percentile bands represent the distribution of EBVs across the 2020 drop Australian Angus and Angus-influenced seedstock animals analysed in the Mid April 2022 TransTasman Angus Cattle Evaluation .



**Reference Sire** **AJC E91<sup>PV</sup>** **NXOE91**

Date of Birth: 25/06/2009 Register: APR Mating Type: AI AMF,CAF,DDF,NHFU

BON VIEW NEW DESIGN 1407# RITO 2V1 OF 2536 1407#  
**SIRE: VLYZ191 LAWSONS DINKY-DI Z191<sup>SV</sup>** **DAM: NXOC626 AJC C626<sup>SV</sup>**  
 G A R PRECISION 1900# AJC Z119#

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+9.2	+1.1	-3.8	+5.2	+47	+78	+111	+97	+20	+2.3	-6.4	+59	+4.6	+0.5	+0.3	-1.5	+4.9	+0.47
Acc	87%	76%	97%	98%	96%	96%	96%	95%	95%	92%	65%	92%	86%	90%	88%	85%	87%	81%
Perc	5	68	65	74	63	83	62	57	28	37	21	77	74	34	31	97	1	82

Traits Observed: GL,CE,BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics

Statistics: Number of Herds: 9, Prog Analysed: 331, Genomic Prog: 86

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$206	40	\$144	72	\$298	22	\$194	36

**Reference Sire** **AJC J45<sup>SV</sup>** **NXOJ45**

Date of Birth: 11/06/2013 Register: APR Mating Type: AI AMF,CAF,DDF,NHF

HYLINE RIGHT TIME 338# TE MANIA BERKLEY B1<sup>PV</sup>  
**SIRE: NORC574 RENNYLEA C574<sup>PV</sup>** **DAM: NXOG33 AJC G33#**  
 RENNYLEA W449<sup>SV</sup> AJC E346#

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+7.6	+13.4	-4.6	+2.1	+47	+95	+114	+112	+14	+4.0	-13.0	+80	+9.5	+1.9	+1.2	-0.4	+3.5	+0.45
Acc	84%	71%	89%	97%	95%	94%	94%	91%	92%	88%	59%	85%	74%	79%	77%	75%	75%	67%
Perc	13	1	51	12	63	33	55	29	82	3	1	10	10	9	14	82	9	80

Traits Observed: GL,CE,BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics

Statistics: Number of Herds: 1, Prog Analysed: 224, Genomic Prog: 80

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$239	12	\$213	5	\$304	19	\$230	9

**Reference Sire** **AJC K130<sup>SV</sup>** **NXOK130**

Date of Birth: 30/06/2014 Register: APR Mating Type: AI AMF,CAF,DDF,NHFU

TUWHARETOA REGENT D145<sup>PV</sup> AJC E278<sup>SV</sup>  
**SIRE: NORG255 RENNYLEA G255<sup>PV</sup>** **DAM: NXOH211 AJC H211#**  
 RENNYLEA C490<sup>PV</sup> AJC B819#

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	-9.6	-15.6	-5.2	+5.8	+60	+111	+158	+149	+19	+2.3	+0.0	+92	+7.0	-4.9	-6.4	+1.5	+4.3	-0.30
Acc	74%	66%	85%	96%	94%	92%	93%	85%	86%	88%	53%	82%	67%	74%	72%	70%	70%	63%
Perc	98	99	40	84	10	5	2	3	35	37	98	2	34	99	99	14	2	6

Traits Observed: GL,CE,BWT,200WT(x2),400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics

Statistics: Number of Herds: 1, Prog Analysed: 164, Genomic Prog: 59

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$172	74	\$115	92	\$266	44	\$160	70

**Reference Sire** **AJC K138<sup>SV</sup>** **NXOK138**

Date of Birth: 1/07/2014 Register: APR Mating Type: AI AMF,CAF,DDF,NHFU

TE MANIA BERKLEY B1<sup>PV</sup> RENNYLEA C574<sup>PV</sup>  
**SIRE: HIOG18 AYRVALE GENERAL G18<sup>PV</sup>** **DAM: NXOH53 AJC H53#**  
 AYRVALE EASE E3<sup>PV</sup> AJC F162#

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+6.3	+7.7	-3.2	+3.8	+58	+100	+140	+128	+18	+2.5	-7.1	+71	+5.7	+1.3	+1.3	-1.1	+4.0	+0.39
Acc	82%	69%	90%	96%	94%	93%	93%	87%	91%	84%	52%	83%	68%	74%	71%	70%	68%	63%
Perc	21	8	74	42	13	20	9	12	48	29	13	35	55	16	13	94	4	74

Traits Observed: GL,CE,BWT,200WT(x2),400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics

Statistics: Number of Herds: 1, Prog Analysed: 169, Genomic Prog: 52

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$246	8	\$185	22	\$339	6	\$236	7

**Reference Sire** **AJC L99<sup>PV</sup>** **NXOL99**

Date of Birth: 19/06/2015 Register: APR Mating Type: AI AMFU,CAFU,DDF,NHFU

MYTTY IN FOCUS<sup>†</sup> RENNYLEA C574<sup>PV</sup>  
**SIRE: USA16073564 W H S LIMELIGHT 64V<sup>#</sup>** **DAM: NXOJ112 AJC J112<sup>SV</sup>**  
 W H S PREDESTINED LASS 77T<sup>#</sup> AJC G92<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+6.7	-1.5	-5.8	+5.3	+64	+112	+149	+134	+21	+3.3	-7.6	+96	+9.0	-0.1	+1.3	+1.0	+2.3	+0.13
Acc	79%	67%	96%	97%	95%	95%	95%	86%	86%	86%	57%	89%	84%	87%	85%	81%	85%	79%
Perc	19	85	31	76	4	5	4	7	23	10	9	1	13	51	13	29	39	43

Traits Observed: GL,CE,BWT,200WT(x2),600WT(x2),SC,Scan(EMA,Rib,Rump,IMF),Genomics

Statistics: Number of Herds: 9, Prog Analysed: 254, Genomic Prog: 85

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$265	3	\$218	3	\$343	5	\$251	3

**Reference Sire** **AJC M53<sup>SV</sup>** **NXOM53**

Date of Birth: 9/06/2016 Register: APR Mating Type: AI AMFU,CAFU,DDF,NHFU

A A R TEN X 7008 S A<sup>SV</sup> RENNYLEA G255<sup>PV</sup>  
**SIRE: USA17307074 DEER VALLEY ALL IN<sup>SV</sup>** **DAM: NXOK59 AJC K59<sup>#</sup>**  
 DEER VALLEY RITA 0274<sup>#</sup> AJC H1043<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	-4.3	+6.3	-6.0	+4.1	+57	+102	+130	+92	+23	+0.4	-2.6	+80	+11.0	-0.8	-3.6	+1.9	+3.3	+0.34
Acc	69%	60%	84%	91%	87%	83%	84%	79%	75%	74%	49%	75%	65%	69%	67%	67%	65%	59%
Perc	90	17	28	49	17	15	22	67	11	96	83	11	4	72	98	8	12	69

Traits Observed: GL,BWT,200WT(x2),400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics

Statistics: Number of Herds: 1, Prog Analysed: 48, Genomic Prog: 9

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$252	7	\$202	9	\$349	4	\$237	7

**Reference Sire** **AJC M95<sup>SV</sup>** **NXOM95**

Date of Birth: 16/06/2016 Register: APR Mating Type: AI AMFU,CAFU,DDF,NHFU

LAWSONS DINKY-DI Z191<sup>SV</sup> AYRVALE GRADE G5<sup>PV</sup>  
**SIRE: NXOE91 AJC E91<sup>PV</sup>** **DAM: NXOK39 AJC K39<sup>#</sup>**  
 AJC C626<sup>SV</sup> AJC H37<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+9.4	+8.2	-6.1	+4.5	+56	+93	+133	+123	+19	+1.8	-8.8	+79	+7.1	+0.6	+0.1	-0.4	+3.2	+0.10
Acc	67%	56%	84%	88%	83%	81%	83%	78%	72%	75%	44%	73%	63%	69%	65%	65%	64%	57%
Perc	5	6	27	59	21	37	17	15	36	59	3	13	33	31	36	82	14	39

Traits Observed: GL,BWT,200WT(x2),400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics

Statistics: Number of Herds: 1, Prog Analysed: 27, Genomic Prog: 8

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$237	14	\$181	26	\$313	15	\$222	14

**Reference Sire** **AJC M769<sup>SV</sup>** **NXOM769**

Date of Birth: 2/08/2016 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

G A R PROPHET<sup>SV</sup> TUWHARETOA REGENT D145<sup>PV</sup>  
**SIRE: NXOK102 AJC K102<sup>SV</sup>** **DAM: NXOJ42 AJC J42<sup>#</sup>**  
 AJC H623<sup>#</sup> AJC G377<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	-5.7	+0.8	-3.3	+7.6	+69	+119	+163	+135	+22	+3.8	-9.1	+87	+5.5	+0.6	+0.1	+0.0	+3.4	+0.79
Acc	68%	57%	71%	92%	88%	85%	87%	80%	77%	77%	44%	76%	61%	68%	65%	64%	63%	55%
Perc	93	70	72	98	1	2	1	7	16	5	3	4	59	31	36	69	10	97

Traits Observed: BWT,200WT(x2),400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics

Statistics: Number of Herds: 1, Prog Analysed: 61, Genomic Prog: 20

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$264	3	\$207	7	\$355	3	\$252	3

**Reference Sire** **AJC M807<sup>SV</sup>** **NXOM807**

Date of Birth: 5/08/2016 Register: APR Mating Type: Natural AMF,CAFU,DDF,NHFU

LAWSONS DINKY-DI Z191<sup>SV</sup> RENNYLEA C574<sup>PV</sup>  
**SIRE: NXOE91 AJC E91<sup>PV</sup>** **DAM: NXOJ46 AJC J46<sup>#</sup>**  
 AJC C626<sup>SV</sup> AJC G709<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+9.5	+5.1	-5.9	+2.7	+50	+96	+140	+112	+24	+2.7	-4.7	+81	+3.2	-1.2	-1.9	-0.9	+4.1	-0.01
Acc	73%	59%	75%	92%	88%	83%	83%	80%	71%	76%	49%	76%	68%	73%	70%	70%	68%	62%
Perc	4	28	30	20	46	29	9	29	9	23	49	9	90	81	84	92	3	26

Traits Observed: BWT,200WT(x2),400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics

Statistics: Number of Herds: 1, Prog Analysed: 65, Genomic Prog: 1

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$215	31	\$153	62	\$300	21	\$205	26

**Reference Sire** **AJC N104<sup>SV</sup>** **NXON104**

Date of Birth: 30/06/2017 Register: APR Mating Type: AI AMF,CAFU,DDF,NHF

LAWSONS DINKY-DI Z191<sup>SV</sup> W H S LIMELIGHT 64V<sup>#</sup>  
**SIRE: NXOE91 AJC E91<sup>PV</sup>** **DAM: NXOL63 AJC L63<sup>#</sup>**  
 AJC C626<sup>SV</sup> AJC J200<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+8.3	-3.2	-3.4	+4.0	+52	+93	+122	+99	+17	+1.9	-4.5	+72	+5.3	-0.9	-1.7	-0.9	+4.5	+0.13
Acc	67%	58%	84%	87%	83%	81%	81%	78%	73%	73%	44%	73%	64%	70%	67%	67%	65%	58%
Perc	9	92	71	47	37	39	37	53	56	54	53	30	63	74	81	92	2	43

Traits Observed: GL,CE,BWT,200WT(x2),400WT,SC,Genomics

Statistics: Number of Herds: 1, Prog Analysed: 25, Genomic Prog: 10

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$220	27	\$166	45	\$317	13	\$206	25

**Reference Sire** **AJC N132<sup>SV</sup>** **NXON132**

Date of Birth: 6/07/2017 Register: APR Mating Type: AI AMF,CAFU,DDF,NHFU

G A R PROGRESS<sup>SV</sup> TE MANIA BERKLEY B1<sup>PV</sup>  
**SIRE: USA16956101 H P C A PROCEED<sup>PV</sup>** **DAM: NXOG377 AJC G377<sup>#</sup>**  
 G A R 28 AMBUSH L119<sup>#</sup> AJC Z70<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+1.7	+2.9	-6.3	+4.6	+49	+90	+125	+128	+19	+2.6	-5.7	+71	+5.1	-1.8	-2.8	-0.2	+4.5	+0.58
Acc	69%	60%	84%	91%	86%	81%	82%	78%	69%	77%	49%	74%	66%	71%	68%	68%	67%	59%
Perc	59	51	24	61	55	48	30	12	40	26	31	34	66	91	94	76	2	89

Traits Observed: GL,BWT,200WT(x2),400WT,600WT,SC,Genomics

Statistics: Number of Herds: 1, Prog Analysed: 55, Genomic Prog: 0

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$181	66	\$133	82	\$261	47	\$168	63

**Reference Sire** **AJC N162<sup>SV</sup>** **NXON162**

Date of Birth: 9/07/2017 Register: APR Mating Type: AI AMF,CAFU,DDF,NHFU

G A R PROGRESS<sup>SV</sup> RENNYLEA C574<sup>PV</sup>  
**SIRE: USA16956101 H P C A PROCEED<sup>PV</sup>** **DAM: NXOJ529 AJC J529<sup>#</sup>**  
 G A R 28 AMBUSH L119<sup>#</sup> AJC F753<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	-10.6	+3.7	-6.9	+8.3	+68	+113	+162	+165	+21	+2.3	-3.9	+94	+9.7	-1.1	-0.5	+0.2	+4.4	+0.26
Acc	70%	60%	85%	94%	91%	86%	87%	81%	76%	76%	48%	76%	65%	70%	67%	67%	65%	58%
Perc	99	43	18	99	2	4	1	1	19	37	64	1	9	79	52	62	2	60

Traits Observed: GL,BWT,200WT(x2),400WT,SC,Genomics

Statistics: Number of Herds: 1, Prog Analysed: 110, Genomic Prog: 12

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$212	34	\$146	70	\$315	14	\$201	30

AJC C18<sup>SV</sup> RENNYLEA C574<sup>PV</sup>  
**SIRE: NXOF615 AJC F615<sup>SV</sup>** **DAM: NXOH132 AJC H132<sup>#</sup>**  
 AJC C21<sup>#</sup> AJC F44<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+4.8	+8.4	-4.0	+3.6	+56	+118	+153	+123	+28	+4.5	-5.8	+100	+7.3	-3.5	-3.5	+1.5	+3.2	+0.01
Acc	68%	56%	72%	93%	89%	85%	85%	80%	73%	77%	43%	75%	64%	70%	68%	67%	65%	55%
Perc	33	5	61	37	18	2	3	16	2	2	30	1	30	99	98	14	14	29

Traits Observed: BWT,200WT(x2),400WT,SC,Genomics  
 Statistics: Number of Herds: 1, Prog Analysed: 74, Genomic Prog: 6

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$242	10	\$206	7	\$318	12	\$232	9

LAWSONS DINKY-DI Z191<sup>SV</sup> AJC J25<sup>SV</sup>  
**SIRE: NXOE91 AJC E91<sup>PV</sup>** **DAM: NXOL847 AJC L847<sup>#</sup>**  
 AJC C626<sup>SV</sup> AJC D4<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+5.0	+6.2	-5.1	+5.0	+50	+86	+112	+101	+14	+4.2	-9.5	+69	+5.4	+1.2	+0.3	-1.1	+5.4	+0.79
Acc	69%	57%	81%	93%	89%	86%	87%	80%	74%	77%	44%	75%	63%	69%	66%	66%	64%	58%
Perc	32	18	42	70	50	62	61	48	80	3	2	41	61	18	31	94	1	97

Traits Observed: GL,CE,BWT,200WT(x2),400WT,SC,Genomics  
 Statistics: Number of Herds: 1, Prog Analysed: 72, Genomic Prog: 19

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$237	14	\$183	24	\$333	7	\$227	11

RENNYLEA C574<sup>PV</sup> RENNYLEA G255<sup>PV</sup>  
**SIRE: NXOJ25 AJC J25<sup>SV</sup>** **DAM: NXOK163 AJC K163<sup>#</sup>**  
 AJC G83<sup>#</sup> AJC H1046<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	-6.1	+7.1	-4.0	+8.0	+61	+106	+148	+154	+11	+1.1	-7.3	+89	+0.8	-1.1	-3.6	-1.4	+5.0	+0.10
Acc	65%	54%	72%	89%	84%	79%	80%	77%	68%	73%	44%	72%	63%	69%	65%	65%	63%	56%
Perc	94	11	61	99	8	10	5	2	95	85	11	3	99	79	98	97	1	39

Traits Observed: BWT,200WT(x2),400WT,600WT,SC,Genomics  
 Statistics: Number of Herds: 1, Prog Analysed: 33, Genomic Prog: 0

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$189	58	\$136	80	\$282	33	\$173	57

RENNYLEA C574<sup>PV</sup> AYRVALE GENETIC G11<sup>PV</sup>  
**SIRE: NXOJ45 AJC J45<sup>SV</sup>** **DAM: NXOM77 AJC M77<sup>#</sup>**  
 AJC G33<sup>#</sup> AJC K76<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+2.7	+7.8	-7.6	+5.2	+66	+126	+162	+164	+15	+2.1	-8.9	+99	+6.9	-1.8	-2.8	+0.9	+2.7	+0.06
Acc	67%	55%	72%	91%	87%	80%	81%	77%	69%	72%	42%	73%	62%	69%	65%	65%	63%	56%
Perc	51	7	11	74	2	1	1	1	74	45	3	1	36	91	94	32	26	34

Traits Observed: BWT,200WT(x2),400WT,SC,Genomics  
 Statistics: Number of Herds: 1, Prog Analysed: 53, Genomic Prog: 0

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$245	9	\$213	5	\$319	12	\$228	10

**Reference Sire** **AJC P80<sup>SV</sup>** **NXOP80**

Date of Birth: 11/06/2018 Register: APR Mating Type: AI AMF,CAF,DDF,NHF

TE MANIA BERKLEY B1<sup>PV</sup> AJC J130<sup>SV</sup>  
**SIRE: HIOG18 AYRVALE GENERAL G18<sup>PV</sup>** **DAM: NXOM754 AJC M754<sup>#</sup>**  
 AYRVALE EASE E3<sup>PV</sup> AJC H105<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+4.6	+4.2	-2.8	+4.9	+59	+105	+143	+124	+20	+3.0	-7.6	+78	+8.2	-1.4	-1.0	+0.8	+3.3	+0.33
Acc	66%	57%	83%	85%	81%	77%	78%	76%	68%	73%	48%	72%	65%	70%	67%	67%	66%	58%
Perc	35	37	79	68	11	11	7	15	31	15	9	15	20	85	66	36	12	68

Traits Observed: GL,BWT,200WT(x2),400WT,SC,Genomics

Statistics: Number of Herds: 1, Prog Analysed: 20, Genomic Prog: 0

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$255	5	\$204	8	\$337	6	\$243	5

**Reference Sire** **AJC P115<sup>SV</sup>** **NXOP115**

Date of Birth: 16/06/2018 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

A A R TEN X 7008 S A<sup>SV</sup> AJC J45<sup>SV</sup>  
**SIRE: NURJ292 MURRAY TEN X J292<sup>SV</sup>** **DAM: NXOM153 AJC M153<sup>#</sup>**  
 MURRAY AFRICA G257<sup>#</sup> AJC K82<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+6.7	+8.8	-6.2	+5.8	+62	+109	+137	+123	+18	+4.0	-7.5	+71	+9.6	-0.1	-1.0	+1.2	+3.2	+0.74
Acc	65%	52%	68%	90%	85%	80%	80%	76%	67%	73%	40%	71%	59%	66%	63%	63%	60%	52%
Perc	19	4	26	84	6	6	13	16	45	3	10	34	10	51	66	22	14	96

Traits Observed: BWT,200WT(x2),400WT,SC,Genomics

Statistics: Number of Herds: 1, Prog Analysed: 43, Genomic Prog: 0

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$262	4	\$224	2	\$343	5	\$247	4

**Reference Sire** **AJC P293<sup>SV</sup>** **NXOP293**

Date of Birth: 9/07/2018 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

W H S LIMELIGHT 64V<sup>#</sup> AJC H29<sup>SV</sup>  
**SIRE: NXOL99 AJC L99<sup>PV</sup>** **DAM: NXOK489 AJC K489<sup>#</sup>**  
 AJC J112<sup>SV</sup> AJC G51<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+9.3	+4.8	-7.6	+3.0	+48	+94	+131	+108	+25	+2.4	-7.1	+82	+4.0	+1.2	+1.5	-1.1	+3.6	+0.46
Acc	68%	54%	71%	90%	85%	80%	81%	77%	68%	73%	42%	73%	64%	70%	66%	66%	65%	58%
Perc	5	31	11	25	57	34	21	36	5	33	13	8	82	18	11	94	7	81

Traits Observed: BWT,200WT,400WT,SC,Genomics

Statistics: Number of Herds: 1, Prog Analysed: 37, Genomic Prog: 0

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$224	23	\$170	39	\$301	20	\$213	19

**Reference Sire** **AJC P645<sup>SV</sup>** **NXOP645**

Date of Birth: 24/07/2018 Register: APR Mating Type: AI AMFU,CAFU,DDF,NHFU

G A R PROGRESS<sup>SV</sup> AJC F128<sup>SV</sup>  
**SIRE: USA16956101 H P C A PROCEED<sup>PV</sup>** **DAM: NXOJ660 AJC J660<sup>#</sup>**  
 G A R 28 AMBUSH L119<sup>#</sup> AJC G185<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+5.6	+9.8	-6.9	+1.9	+47	+87	+112	+85	+27	+2.2	-5.7	+65	+7.3	-1.0	-2.7	+1.4	+3.6	+0.72
Acc	70%	58%	71%	86%	81%	78%	78%	76%	69%	69%	45%	72%	65%	70%	67%	67%	66%	57%
Perc	27	2	18	10	65	57	60	77	3	41	31	58	30	77	94	17	7	95

Traits Observed: BWT,200WT(x2),400WT,SC,Genomics

Statistics: Number of Herds: 1, Prog Analysed: 24, Genomic Prog: 0

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$242	11	\$194	14	\$329	9	\$229	10

**EBV Quick Reference for Speribay North Bull Sale**

Animal Ident	Calving Ease				Growth				Fertility				Carcase				Feed				Selection Indexes		
	CEDir	CEDtrs	GL	BWT	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	RIB	P8	RBV	IMF	NFI-F	\$A	\$D	\$GN	\$GS	
1	NXOR388	+0.5	-9.3	-1.1	+3.6	+63	+111	+158	+150	+22	+1.7	-3.1	+9.5	-1.3	-2.5	+0.6	+3.5	+0.35	\$221	\$158	\$316	\$209	
2	NXOR519	-2.2	-6.3	-2.2	+6.2	+58	+104	+140	+124	+17	+2.0	-3.2	+7.6	-3.1	-4.2	+1.0	+4.4	-0.11	\$216	\$163	\$312	\$203	
3	NXOR55	+2.4	+1.4	-2.8	+4.6	+63	+115	+151	+127	+20	+3.5	-5.4	+11.1	+1.6	+1.8	+0.1	+3.9	+0.74	\$271	\$215	\$369	\$262	
4	NXOR312	+1.7	+1.7	-2.7	+5.6	+56	+92	+123	+107	+15	+3.7	-9.2	+7.0	+1.8	+1.9	-0.3	+3.9	+0.68	\$250	\$197	\$335	\$239	
5	NXOR174	+7.8	+8.4	-6.0	+3.2	+60	+110	+161	+125	+26	+2.6	-7.9	+5.7	+1.9	+1.5	-1.3	+3.6	+0.61	\$275	\$203	\$369	\$268	
6	NXOR60	+6.7	+9.7	-4.1	+4.6	+47	+93	+121	+124	+17	+2.5	-7.3	+7.1	-1.0	-1.6	+0.2	+4.1	+0.27	\$199	\$164	\$268	\$185	
7	NXOR803	+3.2	+7.1	-8.2	+6.3	+62	+109	+151	+155	+13	+1.7	-6.9	+5.5	-1.8	-2.0	+0.8	+2.6	-0.04	\$220	\$178	\$288	\$203	
8	NXOR315	+6.8	+6.8	-4.3	+1.5	+57	+118	+150	+124	+27	+2.9	-5.9	+3.2	-2.7	-3.0	-0.5	+4.0	-0.09	\$243	\$199	\$339	\$231	
9	NXOR386	+8.0	+8.6	-9.1	+3.5	+53	+96	+126	+106	+22	+1.4	-6.9	+6.3	+0.3	+1.0	-1.1	+4.8	+0.54	\$253	\$195	\$357	\$241	
10	NXOR594	-2.5	+4.6	-4.4	+4.3	+64	+105	+135	+94	+22	+1.0	-5.7	+7.4	-1.4	-3.7	+1.5	+3.5	+0.36	\$288	\$229	\$400	\$272	
11	NXOR422	+5.9	+7.3	-4.6	+4.1	+53	+94	+129	+95	+29	+1.9	-7.4	+11.3	-0.5	+0.5	+0.2	+3.4	+0.42	\$262	\$204	\$350	\$251	
12	NXOR42	+10.6	+9.3	-5.4	+2.5	+59	+113	+153	+151	+21	+3.9	-8.3	+7.7	-0.1	-0.4	+0.4	+3.4	+0.13	\$246	\$200	\$325	\$236	
13	NXOR7	+9.2	+8.9	-10.1	+3.0	+56	+105	+138	+113	+21	+0.7	-7.8	+7.8	+1.0	+1.3	-0.8	+3.5	+0.47	\$266	\$214	\$356	\$255	
14	NXOR113	-1.0	-2.6	-9.4	+5.9	+58	+105	+152	+149	+24	+2.4	-4.1	+6.2	-1.4	-0.3	+0.3	+3.6	+0.07	\$203	\$145	\$285	\$190	
15	NXOR324	+0.0	-0.9	-6.9	+4.8	+58	+110	+152	+126	+22	+2.4	-3.3	+5.1	-3.4	-4.9	+1.6	+3.6	-0.29	\$227	\$175	\$314	\$214	
16	NXOR64	+2.6	-2.4	-5.0	+5.8	+64	+118	+159	+150	+20	+2.8	-6.9	+4.2	-1.4	-0.9	+0.0	+3.2	+0.00	\$233	\$187	\$315	\$218	
17	NXOR634	+0.8	+2.9	-0.1	+4.2	+63	+106	+140	+109	+28	+2.7	-4.2	+7.7	-2.5	-4.6	+2.3	+2.0	+0.17	\$249	\$202	\$333	\$230	
18	NXOR750	+1.5	+1.6	-4.3	+5.4	+54	+93	+134	+110	+19	+3.6	-8.8	+5.8	-0.2	-1.8	-0.1	+4.2	+0.79	\$238	\$177	\$325	\$229	
19	NXOR155	+11.7	+6.9	-3.7	+0.1	+45	+90	+125	+76	+29	+3.0	-4.4	+5.6	+0.8	-0.7	-1.4	+4.4	+0.72	\$237	\$171	\$335	\$231	
20	NXOR604	+2.5	+0.1	-4.2	+5.5	+54	+101	+143	+145	+18	+3.0	-4.4	+6.3	-3.5	-4.5	+0.9	+4.1	+0.16	\$185	\$138	\$261	\$172	
21	NXOR227	+3.8	+8.8	-4.0	+5.5	+63	+116	+156	+141	+21	+4.9	-8.7	+7.4	-1.5	-2.8	+1.2	+3.6	+0.41	\$257	\$211	\$339	\$245	
22	NXOR232	+7.7	+5.3	-5.1	+0.8	+50	+102	+130	+111	+24	+0.3	-5.6	+6.7	-1.3	-3.5	-0.2	+4.7	+0.16	\$238	\$188	\$342	\$226	
23	NXOR25	+2.6	+9.5	-5.6	+4.6	+55	+100	+130	+120	+21	+4.7	-11.4	+6.6	+1.5	+1.0	-0.7	+4.1	+0.71	\$244	\$199	\$326	\$234	
24	NXOR291	+5.4	+5.3	-2.7	+4.8	+49	+83	+121	+96	+20	+0.9	-5.3	+7.1	-0.1	-1.4	-0.1	+3.8	+0.20	\$222	\$161	\$303	\$208	
25	NXOR881	+8.6	+5.4	-6.4	+2.0	+54	+97	+123	+99	+22	+3.0	-8.4	+6.1	+0.2	+1.4	-0.7	+4.2	+0.46	\$269	\$214	\$371	\$259	
26	NXOR782	-0.2	-1.4	-1.7	+7.7	+67	+110	+153	+132	+22	+1.7	-5.7	+2.4	-0.7	-0.9	-1.4	+4.0	+0.22	\$234	\$171	\$336	\$216	
27	NXOR8	+8.4	+3.0	-6.6	+2.7	+51	+92	+120	+89	+26	+1.4	-5.1	+10.8	-1.3	-2.0	+1.3	+3.8	+0.44	\$257	\$203	\$352	\$244	
28	NXOR53	+6.1	+3.0	-1.4	+5.2	+58	+105	+144	+133	+16	+3.4	-7.2	+5.3	-1.0	-2.4	+0.0	+4.0	-0.04	\$232	\$181	\$317	\$220	
29	NXOR706	+2.6	+6.5	-6.2	+5.7	+59	+100	+125	+122	+12	+2.2	-6.9	+10.5	+0.9	-0.4	+0.7	+3.5	+0.30	\$241	\$202	\$323	\$225	
30	NXOR473	+10.6	+8.6	-4.2	+0.9	+48	+97	+124	+106	+25	+3.3	-7.3	+9.8	-1.5	-1.5	+0.7	+4.0	+0.29	\$244	\$199	\$330	\$235	
31	NXOR150	+2.2	+1.7	-4.8	+5.3	+57	+102	+134	+131	+15	+2.7	-6.9	+5.5	+1.7	+1.2	-1.4	+4.0	+0.13	\$217	\$170	\$303	\$204	
32	NXOR406	+3.6	+4.1	-2.6	+6.8	+61	+95	+136	+133	+22	+0.8	-6.0	+10.9	+0.9	-0.7	+0.4	+3.1	+0.18	\$227	\$169	\$310	\$209	

**TACE** THE ANIMAL CARE EVALUATION

CEDir	CEDtrs	GL	BWT	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	RIB	P8	RBV	IMF	NFI-F	\$A	\$D	\$GN	\$GS
+2.2	+2.6	-4.7	+4.1	+49	+89	+116	+101	+18	+2.1	-4.7	+66	+6.2	+0.0	-0.4	+0.5	+2.1	+0.19	+194	+160	+255	+178

EBV Quick Reference for Speribyr North Bull Sale

Animal Ident	Calving Ease			Growth							Fertility				Carcase				Feed			Selection Indexes		
	CEDir	CEDtrs	GL	BWT	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	RIB	P8	RBV	IMF	NFI-F	\$A	\$D	\$GN	\$GS		
33	NXOR328	-0.1	-3.7	-4.2	+4.2	+90	+122	+121	+15	+1.7	-2.8	+70	+0.9	-1.2	-1.5	-1.5	+4.9	-0.20	\$161	\$112	\$246	\$148		
34	NXOR704	-8.3	-1.5	-2.3	+7.3	+105	+141	+134	+21	+2.7	-6.9	+79	+6.6	-1.7	-2.6	+1.2	+2.7	+0.20	\$203	\$162	\$276	\$185		
35	NXOR336	+4.6	+6.7	-2.9	+3.5	+105	+132	+108	+26	+3.6	-8.8	+88	+5.4	-1.8	-1.5	+0.1	+3.2	+0.23	\$243	\$205	\$322	\$228		
36	NXOR824	+1.6	-2.9	-6.0	+5.9	+96	+137	+140	+20	+3.4	-5.3	+80	+6.4	-2.3	-3.2	+0.1	+4.7	+0.59	\$189	\$133	\$275	\$176		
37	NXOR47	+10.7	+4.6	-4.0	+1.8	+89	+112	+99	+20	+3.4	-6.5	+73	+8.2	+0.9	+1.6	+0.8	+1.9	+0.44	\$232	\$195	\$299	\$217		
38	NXOR815	+7.9	+4.3	-4.0	+2.2	+49	+131	+106	+24	+2.3	-2.8	+72	+6.3	-1.2	-1.0	-0.2	+4.0	+0.05	\$220	\$157	\$311	\$211		
39	NXOR728	-1.2	+8.6	-1.2	+6.7	+62	+149	+142	+16	+3.2	-9.5	+91	+5.3	+0.3	-0.9	+0.4	+2.6	+0.20	\$228	\$191	\$294	\$212		
40	NXOR743	-0.3	+2.9	-2.8	+6.9	+64	+163	+121	+27	+1.9	-3.8	+88	+3.4	-2.7	-4.9	+0.7	+3.2	-0.38	\$239	\$179	\$328	\$223		
41	NXOR827	+9.8	+9.7	-8.6	+1.4	+46	+126	+109	+24	+4.3	-9.2	+66	+4.9	+0.5	+0.8	-0.8	+3.9	+0.02	\$231	\$185	\$308	\$224		
42	NXOR195	+10.0	+8.5	-4.6	+2.5	+49	+128	+119	+21	+3.6	-8.1	+69	+6.4	+0.9	+0.8	-0.8	+4.1	+0.84	\$223	\$165	\$303	\$214		
43	NXOR221	+6.2	+5.2	-7.2	+3.6	+49	+132	+121	+20	+1.3	-8.9	+72	+3.1	+1.2	+1.4	-1.3	+2.9	+0.33	\$209	\$156	\$272	\$195		
44	NXOR52	+9.4	+11.4	-5.3	+1.9	+52	+120	+104	+18	+3.0	-12.9	+83	+8.9	+1.8	+1.6	-0.4	+3.3	+0.54	\$272	\$236	\$349	\$261		
45	NXOR316	-8.6	+5.0	-5.4	+7.4	+59	+133	+122	+14	+3.1	-6.1	+81	+12.8	-3.1	-4.6	+2.8	+3.7	+0.32	\$227	\$180	\$309	\$214		
46	NXOR699	+2.7	+4.6	-6.1	+7.6	+64	+145	+143	+15	+2.3	-7.7	+81	+6.5	-1.3	-2.1	+1.0	+2.7	+0.11	\$229	\$191	\$300	\$210		
47	NXOR511	+7.1	+5.8	-6.0	+3.5	+97	+140	+124	+23	+3.4	-7.1	+75	+4.9	-1.7	-2.3	+0.7	+3.2	+0.48	\$224	\$171	\$296	\$212		
48	NXOR908	+6.2	+7.2	-5.2	+4.0	+55	+124	+88	+21	+2.9	-7.1	+73	+8.4	-0.2	-2.1	+1.3	+2.7	+0.57	\$262	\$218	\$341	\$248		
49	NXOR808	-1.5	+6.1	-4.9	+7.9	+67	+151	+132	+18	+2.8	-7.0	+81	+9.9	-1.2	-2.2	+1.9	+2.5	+0.44	\$256	\$216	\$332	\$239		
50	NXOR783	-2.7	+5.4	-3.9	+8.5	+68	+152	+155	+14	+4.8	-9.8	+78	+6.3	-1.1	-1.1	+0.8	+3.9	+0.03	\$244	\$197	\$329	\$230		
51	NXOR505	+6.3	+6.9	-5.5	+4.7	+59	+152	+123	+21	+0.7	-5.3	+87	+7.9	-0.6	-1.6	+0.4	+3.1	+0.19	\$253	\$193	\$336	\$240		
52	NXOR888	-5.8	+1.9	-8.8	+8.7	+71	+160	+157	+13	+3.0	-8.7	+95	+8.4	-0.7	-0.6	+0.2	+4.0	+0.50	\$250	\$193	\$344	\$237		
53	NXOR592	-10.2	-10.4	-2.6	+8.3	+74	+173	+164	+22	+1.2	-2.9	+103	+7.1	-3.9	-5.7	+1.7	+2.6	-0.24	\$208	\$153	\$298	\$188		
54	NXOR350	+7.6	+6.1	-3.3	+4.1	+60	+163	+134	+29	+3.6	-5.6	+96	+3.9	-0.5	-1.7	-0.7	+3.7	+0.50	\$240	\$175	\$330	\$230		
55	NXOR527	+1.9	+7.9	-1.5	+4.7	+54	+128	+102	+18	+0.8	-9.7	+71	+1.1	+2.5	+1.3	-2.5	+4.7	+0.74	\$249	\$198	\$347	\$235		



TACE  
Transcript Plus Gene Edition

**Lot 1** **AJC R388<sup>SV</sup>** **NXOR388**

Date of Birth: 16/08/2020 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

RENNYLEA G255<sup>PV</sup> AJC K135<sup>SV</sup>  
**SIRE: NXOK130 AJC K130<sup>SV</sup>** **DAM: NXON302 AJC N302<sup>#</sup>**  
 AJC H211<sup>#</sup> AJC L156<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+0.5	-9.3	-1.1	+3.6	+63	+111	+158	+150	+22	+1.7	-3.1	+92	+9.5	-1.3	-2.5	+0.6	+3.5	+0.35
Acc	56%	51%	68%	74%	72%	71%	72%	69%	66%	69%	40%	67%	61%	67%	63%	64%	62%	53%
Perc	68	99	94	37	5	5	2	2	15	63	77	2	10	83	92	45	9	70

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$221	25	\$158	55	\$316	13	\$209	23

Purchaser..... \$.....

**Lot 2** **AJC R519<sup>SV</sup>** **NXOR519**

Date of Birth: 29/08/2020 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

RENNYLEA G255<sup>PV</sup> AJC K56<sup>SV</sup>  
**SIRE: NXOK130 AJC K130<sup>SV</sup>** **DAM: NXON795 AJC N795<sup>#</sup>**  
 AJC H211<sup>#</sup> AJC L577<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	-2.2	-6.3	-2.2	+6.2	+58	+104	+140	+124	+17	+2.0	-3.2	+78	+7.6	-3.1	-4.2	+1.0	+4.4	-0.11
Acc	55%	50%	67%	73%	70%	70%	71%	68%	65%	66%	38%	65%	59%	65%	61%	62%	60%	51%
Perc	83	98	86	89	12	12	9	14	53	50	75	14	26	99	99	29	2	17

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$216	30	\$163	48	\$312	15	\$203	28

Purchaser..... \$.....

**Lot 3** **AJC R55<sup>PV</sup>** **NXOR55**

Date of Birth: 03/07/2020 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

W H S LIMELIGHT 64V<sup>#</sup> G A R MOMENTUM<sup>PV</sup>  
**SIRE: NXOL99 AJC L99<sup>PV</sup>** **DAM: NXOP114 AJC P114<sup>SV</sup>**  
 AJC J112<sup>SV</sup> AJC M170<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+2.4	+1.4	-2.8	+4.6	+63	+115	+151	+127	+20	+3.5	-5.4	+90	+11.1	+1.6	+1.8	+0.1	+3.9	+0.74
Acc	58%	52%	72%	73%	72%	71%	72%	69%	66%	67%	42%	68%	65%	70%	66%	66%	66%	59%
Perc	54	65	79	61	4	3	3	12	26	7	36	2	4	12	8	66	5	96

Traits Observed: CE,BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$271	2	\$215	4	\$369	2	\$262	2

Purchaser..... \$.....

**Lot 4** **AJC R312<sup>SV</sup>** **NXOR312**

Date of Birth: 08/08/2020 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

AYRVALE GENERAL G18<sup>PV</sup> AYRVALE GRADE G5<sup>PV</sup>  
**SIRE: NXOK138 AJC K138<sup>SV</sup>** **DAM: NXOK208 AJC K208<sup>#</sup>**  
 AJC H53<sup>#</sup> AJC D137<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+1.7	+1.7	-2.7	+5.6	+56	+92	+123	+107	+15	+3.7	-9.2	+72	+7.0	+1.8	+1.9	-0.3	+3.9	+0.68
Acc	58%	51%	70%	73%	71%	70%	71%	69%	66%	67%	38%	65%	59%	65%	61%	62%	59%	51%
Perc	59	63	80	81	20	41	36	38	74	5	2	30	34	10	7	79	5	94

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$250	7	\$197	12	\$335	7	\$239	6

Purchaser..... \$.....



**Lot 5** **AJC R174<sup>SV</sup>** **NXOR174**

Date of Birth: 28/07/2020 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

AJC K102<sup>SV</sup> RENNYLEA C574<sup>PV</sup>  
**SIRE: NXOM769 AJC M769<sup>SV</sup>** **DAM: NXOJ47 AJC J47<sup>#</sup>**  
 AJC J42<sup>#</sup> AJC G40<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>+7.8</b>	<b>+8.4</b>	<b>-6.0</b>	<b>+3.2</b>	<b>+60</b>	<b>+110</b>	<b>+161</b>	<b>+125</b>	<b>+26</b>	<b>+2.6</b>	<b>-7.9</b>	<b>+89</b>	<b>+5.7</b>	<b>+1.9</b>	<b>+1.5</b>	<b>-1.3</b>	<b>+3.6</b>	<b>+0.61</b>
Acc	55%	50%	66%	73%	70%	69%	70%	68%	64%	65%	39%	64%	59%	65%	61%	62%	59%	51%
Perc	12	5	28	29	9	6	1	14	5	26	7	3	55	9	11	96	7	91

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$275	2	\$203	9	\$369	2	\$268	1

Purchaser..... \$.....

**Lot 6** **AJC R60<sup>PV</sup>** **NXOR60**

Date of Birth: 03/07/2020 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

RENNYLEA C574<sup>PV</sup> AJC E91<sup>PV</sup>  
**SIRE: NXOJ45 AJC J45<sup>SV</sup>** **DAM: NXOP532 AJC P532<sup>SV</sup>**  
 AJC G33<sup>#</sup> AJC L523<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>+6.7</b>	<b>+9.7</b>	<b>-4.1</b>	<b>+4.6</b>	<b>+47</b>	<b>+93</b>	<b>+121</b>	<b>+124</b>	<b>+17</b>	<b>+2.5</b>	<b>-7.3</b>	<b>+80</b>	<b>+7.1</b>	<b>-1.0</b>	<b>-1.6</b>	<b>+0.2</b>	<b>+4.1</b>	<b>+0.27</b>
Acc	58%	52%	67%	72%	71%	70%	71%	69%	66%	67%	41%	66%	61%	67%	63%	64%	62%	53%
Perc	19	2	59	61	64	38	39	15	58	29	11	11	33	77	79	62	3	61

Traits Observed: CE,BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$199	48	\$164	47	\$268	42	\$185	45

Purchaser..... \$.....

**Lot 7** **AJC R803<sup>SV</sup>** **NXOR803**

Date of Birth: 27/09/2020 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

AJC J45<sup>SV</sup> MURRAY TEN X J292<sup>SV</sup>  
**SIRE: NXOP55 AJC P55<sup>SV</sup>** **DAM: NXOM223 AJC M223<sup>#</sup>**  
 AJC M77<sup>#</sup> AJC E12<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>+3.2</b>	<b>+7.1</b>	<b>-8.2</b>	<b>+6.3</b>	<b>+62</b>	<b>+109</b>	<b>+151</b>	<b>+155</b>	<b>+13</b>	<b>+1.7</b>	<b>-6.9</b>	<b>+85</b>	<b>+5.5</b>	<b>-1.8</b>	<b>-2.0</b>	<b>+0.8</b>	<b>+2.6</b>	<b>-0.04</b>
Acc	52%	46%	63%	72%	68%	67%	68%	66%	61%	66%	35%	62%	56%	63%	59%	60%	57%	48%
Perc	47	11	8	90	5	6	3	2	83	63	15	5	59	91	86	36	29	23

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$220	26	\$178	30	\$288	28	\$203	28

Purchaser..... \$.....

**Lot 8** **AJC R315<sup>SV</sup>** **NXOR315**

Date of Birth: 09/08/2020 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

AJC F615<sup>SV</sup> AJC K130<sup>SV</sup>  
**SIRE: NXON219 AJC N219<sup>SV</sup>** **DAM: NXON909 AJC N909<sup>#</sup>**  
 AJC H132<sup>#</sup> AJC K588<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>+6.8</b>	<b>+6.8</b>	<b>-4.3</b>	<b>+1.5</b>	<b>+57</b>	<b>+118</b>	<b>+150</b>	<b>+124</b>	<b>+27</b>	<b>+2.9</b>	<b>-5.9</b>	<b>+98</b>	<b>+3.2</b>	<b>-2.7</b>	<b>-3.0</b>	<b>-0.5</b>	<b>+4.0</b>	<b>-0.09</b>
Acc	55%	49%	67%	74%	72%	71%	72%	69%	64%	68%	38%	66%	61%	68%	64%	64%	62%	53%
Perc	18	13	56	7	15	2	4	15	2	17	28	1	90	98	96	85	4	19

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$243	10	\$199	11	\$339	6	\$231	9

Purchaser..... \$.....

**Lot 9** **AJC R386<sup>PV</sup>** **NXOR386**

Date of Birth: 16/08/2020 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

AJC L99<sup>PV</sup> H P C A PROCEED<sup>PV</sup>  
**SIRE: NXOP293 AJC P293<sup>SV</sup>** **DAM: NXOP7 AJC P7<sup>SV</sup>**  
 AJC K489<sup>#</sup> AJC M11<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+8.0	+8.6	-9.1	+3.5	+53	+96	+126	+106	+22	+1.4	-6.9	+76	+6.3	+0.3	+1.0	-1.1	+4.8	+0.54
Acc	55%	49%	66%	72%	70%	69%	70%	68%	62%	65%	37%	65%	61%	67%	63%	64%	62%	53%
Perc	11	4	4	35	31	29	29	39	18	75	15	18	45	39	17	94	1	87

Traits Observed: CE,BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$253	6	\$195	14	\$357	3	\$241	5

Purchaser..... \$.....

**Lot 10** **AJC R594<sup>SV</sup>** **NXOR594**

Date of Birth: 05/09/2020 Register: APR Mating Type: Natural AMFU,CAFU,DD50%,NHFU

DEER VALLEY ALL IN<sup>SV</sup> G A R PROPHET<sup>SV</sup>  
**SIRE: NXOM53 AJC M53<sup>SV</sup>** **DAM: NXOK132 AJC K132<sup>#</sup>**  
 AJC K59<sup>#</sup> AJC H954<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	-2.5	+4.6	-4.4	+4.3	+64	+105	+135	+94	+22	+1.0	-5.7	+78	+7.4	-1.4	-3.7	+1.5	+3.5	+0.36
Acc	56%	51%	70%	73%	70%	69%	71%	69%	64%	66%	40%	65%	60%	66%	62%	63%	61%	53%
Perc	84	33	54	54	4	11	15	62	18	87	31	15	29	85	98	14	9	71

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$288	1	\$229	2	\$400	1	\$272	1

Purchaser..... \$.....

**Lot 11** **AJC R422<sup>SV</sup>** **NXOR422**

Date of Birth: 18/08/2020 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

AYRVALE GENERAL G18<sup>PV</sup> RENNYLEA C574<sup>PV</sup>  
**SIRE: NXOP80 AJC P80<sup>SV</sup>** **DAM: NXOH103 AJC H103<sup>#</sup>**  
 AJC M754<sup>#</sup> AJC F753<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+5.9	+7.3	-4.6	+4.1	+53	+94	+129	+95	+29	+1.9	-7.4	+83	+11.3	-0.5	+0.5	+0.2	+3.4	+0.42
Acc	56%	51%	71%	73%	71%	70%	71%	70%	65%	67%	42%	66%	62%	68%	64%	65%	63%	54%
Perc	24	10	51	49	33	35	23	62	1	54	10	7	4	63	27	62	10	77

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$262	4	\$204	8	\$350	4	\$251	3

Purchaser..... \$.....

**Lot 12** **AJC R42<sup>PV</sup>** **NXOR42**

Date of Birth: 01/07/2020 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

RENNYLEA C574<sup>PV</sup> LAWSONS LINKEDIN L483<sup>SV</sup>  
**SIRE: NXOJ45 AJC J45<sup>SV</sup>** **DAM: NXOP152 AJC P152<sup>SV</sup>**  
 AJC G33<sup>#</sup> AJC M649<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+10.6	+9.3	-5.4	+2.5	+59	+113	+153	+151	+21	+3.9	-8.3	+102	+7.7	-0.1	-0.4	+0.4	+3.4	+0.13
Acc	59%	53%	71%	73%	72%	72%	73%	70%	67%	70%	42%	68%	63%	68%	65%	65%	63%	55%
Perc	2	2	37	17	11	4	3	2	23	4	5	1	25	51	50	54	10	43

Traits Observed: CE,BWT,200WT,600WT(x2),SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$246	9	\$200	11	\$325	10	\$236	7

Purchaser..... \$.....

**Lot 13** **AJC R7<sup>PV</sup>** **NXOR7**

Date of Birth: 10/06/2020 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

AJC L99<sup>PV</sup> AJC K137<sup>SV</sup>  
**SIRE: NXOP293 AJC P293<sup>SV</sup>** **DAM: NXOP492 AJC P492<sup>SV</sup>**  
 AJC K489<sup>#</sup> AJC L652<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+9.2	+8.9	-10.1	+3.0	+56	+105	+138	+113	+21	+0.7	-7.8	+88	+7.8	+1.0	+1.3	-0.8	+3.5	+0.47
Acc	53%	47%	64%	71%	68%	67%	69%	66%	60%	67%	35%	63%	58%	65%	60%	61%	59%	50%
Perc	5	3	2	25	21	10	11	28	23	93	8	3	24	22	13	90	9	82

Traits Observed: CE,BWT,200WT,600WT(x2),SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$266	3	\$214	4	\$356	3	\$255	3

Purchaser..... \$.....

**Lot 14** **AJC R113<sup>SV</sup>** **NXOR113**

Date of Birth: 16/07/2020 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

H P C A PROCEED<sup>PV</sup> AJC E278<sup>SV</sup>  
**SIRE: NXON162 AJC N162<sup>SV</sup>** **DAM: NXOH432 AJC H432<sup>#</sup>**  
 AJC J529<sup>#</sup> AJC B239<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	-1.0	-2.6	-9.4	+5.9	+58	+105	+152	+149	+24	+2.4	-4.1	+82	+6.2	-1.4	-0.3	+0.3	+3.6	+0.07
Acc	55%	48%	67%	73%	71%	69%	71%	69%	64%	65%	38%	65%	59%	65%	61%	62%	60%	50%
Perc	77	90	3	86	12	10	3	3	8	33	60	8	47	85	47	58	7	36

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$203	43	\$145	71	\$285	30	\$190	40

Purchaser..... \$.....

**Lot 15** **AJC R324<sup>SV</sup>** **NXOR324**

Date of Birth: 10/08/2020 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

RENNYLEA G255<sup>PV</sup> AJC F615<sup>SV</sup>  
**SIRE: NXOK130 AJC K130<sup>SV</sup>** **DAM: NXON481 AJC N481<sup>#</sup>**  
 AJC H211<sup>#</sup> AJC G42<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+0.0	-0.9	-6.9	+4.8	+58	+110	+152	+126	+22	+2.4	-3.3	+87	+5.1	-3.4	-4.9	+1.6	+3.6	-0.29
Acc	56%	51%	68%	73%	72%	71%	72%	69%	66%	67%	39%	66%	60%	67%	63%	63%	61%	53%
Perc	71	82	18	66	14	6	3	13	17	33	74	4	66	99	99	12	7	7

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$227	20	\$175	33	\$314	14	\$214	19

Purchaser..... \$.....

**Lot 16** **AJC R64<sup>PV</sup>** **NXOR64**

Date of Birth: 04/07/2020 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

W H S LIMELIGHT 64<sup>#</sup> AJC K102<sup>SV</sup>  
**SIRE: NXOL99 AJC L99<sup>PV</sup>** **DAM: NXOP479 AJC P479<sup>SV</sup>**  
 AJC J112<sup>SV</sup> AJC K65<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+2.6	-2.4	-5.0	+5.8	+64	+118	+159	+150	+20	+2.8	-6.9	+102	+4.2	-1.4	-0.9	+0.0	+3.2	+0.00
Acc	56%	51%	69%	72%	71%	70%	71%	68%	64%	66%	40%	67%	63%	69%	65%	65%	64%	57%
Perc	52	89	44	84	4	2	2	2	25	20	15	1	79	85	63	69	14	27

Traits Observed: CE,BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$233	16	\$187	20	\$315	14	\$218	16

Purchaser..... \$.....

**Lot 17**

**AJC R634<sup>PV</sup>**

**NXOR634**

Date of Birth: 08/09/2020

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

H P C A PROCEED<sup>PV</sup>

AJC K56<sup>SV</sup>

**SIRE: NXOP645 AJC P645<sup>SV</sup>**

**DAM: NXOP843 AJC P843<sup>SV</sup>**

AJC J660<sup>#</sup>

AJC M267<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>+0.8</b>	<b>+2.9</b>	<b>-0.1</b>	<b>+4.2</b>	<b>+63</b>	<b>+106</b>	<b>+140</b>	<b>+109</b>	<b>+28</b>	<b>+2.7</b>	<b>-4.2</b>	<b>+82</b>	<b>+7.7</b>	<b>-2.5</b>	<b>-4.6</b>	<b>+2.3</b>	<b>+2.0</b>	<b>+0.17</b>
Acc	55%	49%	65%	71%	69%	68%	69%	67%	62%	64%	37%	64%	60%	66%	62%	63%	61%	52%
Perc	66	51	97	52	5	9	10	35	2	23	59	8	25	97	99	4	51	48

Traits Observed: CE,BWT,200WT,400WT,600WT,SC,Genomics

**Selection Indexes**

\$A		\$D		\$GN		\$GS	
\$249	8	\$202	9	\$333	7	\$230	9

Purchaser..... \$.....

**Lot 18**

**AJC R750<sup>SV</sup>**

**NXOR750**

Date of Birth: 20/09/2020

Register: APR

Mating Type: Natural

AMF,CAF,DDF,NHF

H P C A PROCEED<sup>PV</sup>

AJC K137<sup>SV</sup>

**SIRE: NXON132 AJC N132<sup>SV</sup>**

**DAM: NXON723 AJC N723<sup>#</sup>**

AJC G377<sup>#</sup>

AJC K100<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>+1.5</b>	<b>+1.6</b>	<b>-4.3</b>	<b>+5.4</b>	<b>+54</b>	<b>+93</b>	<b>+134</b>	<b>+110</b>	<b>+19</b>	<b>+3.6</b>	<b>-8.8</b>	<b>+69</b>	<b>+5.8</b>	<b>-0.2</b>	<b>-1.8</b>	<b>-0.1</b>	<b>+4.2</b>	<b>+0.79</b>
Acc	54%	49%	67%	72%	69%	68%	69%	67%	62%	67%	38%	64%	59%	65%	61%	63%	60%	51%
Perc	61	64	56	78	27	37	16	34	35	6	3	40	54	54	83	73	3	97

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

**Selection Indexes**

\$A		\$D		\$GN		\$GS	
\$238	13	\$177	31	\$325	10	\$229	10

Purchaser..... \$.....

**Lot 19**

**AJC R155<sup>PV</sup>**

**NXOR155**

Date of Birth: 27/07/2020

Register: APR

Mating Type: Natural

AMF,CAF,DDF,NHF

AJC E91<sup>PV</sup>

AJC K135<sup>SV</sup>

**SIRE: NXOM807 AJC M807<sup>SV</sup>**

**DAM: NXOP266 AJC P266<sup>SV</sup>**

AJC J46<sup>#</sup>

AJC J191<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>+11.7</b>	<b>+6.9</b>	<b>-3.7</b>	<b>+0.1</b>	<b>+45</b>	<b>+90</b>	<b>+125</b>	<b>+76</b>	<b>+29</b>	<b>+3.0</b>	<b>-4.4</b>	<b>+72</b>	<b>+5.6</b>	<b>+0.8</b>	<b>-0.7</b>	<b>-1.4</b>	<b>+4.4</b>	<b>+0.72</b>
Acc	56%	50%	67%	72%	71%	69%	71%	68%	63%	64%	39%	66%	61%	67%	63%	64%	62%	54%
Perc	1	13	66	2	73	48	31	88	1	15	55	30	57	26	58	97	2	95

Traits Observed: CE,BWT,200WT,400WT,600WT,SC,Genomics

**Selection Indexes**

\$A		\$D		\$GN		\$GS	
\$237	13	\$171	38	\$335	7	\$231	9

Purchaser..... \$.....

**Lot 20**

**AJC R604<sup>SV</sup>**

**NXOR604**

Date of Birth: 06/09/2020

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

H P C A PROCEED<sup>PV</sup>

AJC K130<sup>SV</sup>

**SIRE: NXON132 AJC N132<sup>SV</sup>**

**DAM: NXON722 AJC N722<sup>#</sup>**

AJC G377<sup>#</sup>

AJC K156<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>+2.5</b>	<b>+0.1</b>	<b>-4.2</b>	<b>+5.5</b>	<b>+54</b>	<b>+101</b>	<b>+143</b>	<b>+145</b>	<b>+18</b>	<b>+3.0</b>	<b>-4.4</b>	<b>+86</b>	<b>+6.3</b>	<b>-3.5</b>	<b>-4.5</b>	<b>+0.9</b>	<b>+4.1</b>	<b>+0.16</b>
Acc	55%	50%	67%	73%	70%	69%	70%	68%	63%	66%	39%	65%	61%	67%	63%	64%	61%	53%
Perc	53	75	58	80	25	18	7	4	48	15	55	4	45	99	99	32	3	47

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

**Selection Indexes**

\$A		\$D		\$GN		\$GS	
\$185	62	\$138	78	\$261	47	\$172	59

Purchaser..... \$.....

Lot 21

AJC R227<sup>PV</sup>

NXOR227

Date of Birth: 01/08/2020

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

RENNYLEA C574<sup>PV</sup>  
SIRE: NXOJ45 AJC J45<sup>SV</sup>  
AJC G33<sup>#</sup>

MURRAY TEN X J292<sup>SV</sup>  
DAM: NXOP862 AJC P862<sup>SV</sup>  
AJC M818<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation

Table with columns: TACE, CEDir, CEDtrs, GL, BW, 200, 400, 600, MCW, Milk, SS, DTC, CWT, EMA, Rib, P8, RBY, IMF, NFI-F. Rows include EBVs, Acc, and Perc.

Traits Observed: CE,BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes

Table with columns: \$A, \$D, \$GN, \$GS. Values: \$257, 5, \$211, 5, \$339, 6, \$245, 4.

Purchaser..... \$.....

Lot 22

AJC R232<sup>SV</sup>

NXOR232

Date of Birth: 02/08/2020

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

RENNYLEA G255<sup>PV</sup>  
SIRE: NXOK130 AJC K130<sup>SV</sup>  
AJC H211<sup>#</sup>

AJC K56<sup>SV</sup>  
DAM: NXON794 AJC N794<sup>#</sup>  
AJC L703<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation

Table with columns: TACE, CEDir, CEDtrs, GL, BW, 200, 400, 600, MCW, Milk, SS, DTC, CWT, EMA, Rib, P8, RBY, IMF, NFI-F. Rows include EBVs, Acc, and Perc.

Traits Observed: BWT,200WT,600WT,Genomics

Selection Indexes

Table with columns: \$A, \$D, \$GN, \$GS. Values: \$238, 13, \$188, 19, \$342, 5, \$226, 11.

Purchaser..... \$.....

Lot 23

AJC R25<sup>PV</sup>

NXOR25

Date of Birth: 26/06/2020

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

RENNYLEA C574<sup>PV</sup>  
SIRE: NXOJ45 AJC J45<sup>SV</sup>  
AJC G33<sup>#</sup>

H P C A PROCEED<sup>PV</sup>  
DAM: NXOP214 AJC P214<sup>SV</sup>  
AJC K121<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation

Table with columns: TACE, CEDir, CEDtrs, GL, BW, 200, 400, 600, MCW, Milk, SS, DTC, CWT, EMA, Rib, P8, RBY, IMF, NFI-F. Rows include EBVs, Acc, and Perc.

Traits Observed: CE,BWT,200WT,600WT(x2),SC,Genomics

Selection Indexes

Table with columns: \$A, \$D, \$GN, \$GS. Values: \$244, 9, \$199, 11, \$326, 9, \$234, 8.

Purchaser..... \$.....

Lot 24

AJC R291<sup>SV</sup>

NXOR291

Date of Birth: 07/08/2020

Register: APR

Mating Type: Natural

AMFU,CAFU,DDFU,NHFU

AYRVALE GENERAL G18<sup>PV</sup>  
SIRE: NXOK138 AJC K138<sup>SV</sup>  
AJC H53<sup>#</sup>

AJC E91<sup>PV</sup>  
DAM: NXOM93 AJC M93<sup>#</sup>  
AJC K381<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation

Table with columns: TACE, CEDir, CEDtrs, GL, BW, 200, 400, 600, MCW, Milk, SS, DTC, CWT, EMA, Rib, P8, RBY, IMF, NFI-F. Rows include EBVs, Acc, and Perc.

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes

Table with columns: \$A, \$D, \$GN, \$GS. Values: \$222, 25, \$161, 51, \$303, 19, \$208, 24.

Purchaser..... \$.....

**Lot 25** **AJC R881<sup>PV</sup>** **NXOR881**

Date of Birth: 16/10/2020 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

W H S LIMELIGHT 64V<sup>#</sup> AJC K56<sup>SV</sup>  
**SIRE: NXOL99 AJC L99<sup>PV</sup>** **DAM: NXOP1229 AJC P1229<sup>SV</sup>**  
 AJC J112<sup>SV</sup> AJC M1006<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>+8.6</b>	<b>+5.4</b>	<b>-6.4</b>	<b>+2.0</b>	<b>+54</b>	<b>+97</b>	<b>+123</b>	<b>+99</b>	<b>+22</b>	<b>+3.0</b>	<b>-8.4</b>	<b>+71</b>	<b>+6.1</b>	<b>+0.2</b>	<b>+1.4</b>	<b>-0.7</b>	<b>+4.2</b>	<b>+0.46</b>
Acc	57%	51%	69%	72%	71%	71%	72%	69%	65%	68%	40%	67%	63%	69%	65%	65%	64%	57%
Perc	8	25	23	11	26	27	36	54	16	15	5	34	48	42	12	89	3	81

Traits Observed: CE,BWT,200WT,400WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$269	3	\$214	4	\$371	2	\$259	2

Purchaser..... \$.....

**Lot 26** **AJC R782<sup>SV</sup>** **NXOR782**

Date of Birth: 24/09/2020 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

LAWSONS DINKY-DI Z191<sup>SV</sup> H P C A INTENSITY<sup>#</sup>  
**SIRE: NXOE91 AJC E91<sup>PV</sup>** **DAM: NXOL134 AJC L134<sup>#</sup>**  
 AJC C626<sup>SV</sup> AJC J1034<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>-0.2</b>	<b>-1.4</b>	<b>-1.7</b>	<b>+7.7</b>	<b>+67</b>	<b>+110</b>	<b>+153</b>	<b>+132</b>	<b>+22</b>	<b>+1.7</b>	<b>-5.7</b>	<b>+86</b>	<b>+2.4</b>	<b>-0.7</b>	<b>-0.9</b>	<b>-1.4</b>	<b>+4.0</b>	<b>+0.22</b>
Acc	61%	56%	73%	74%	73%	72%	73%	72%	69%	70%	46%	69%	66%	71%	68%	68%	67%	60%
Perc	73	84	90	98	2	6	3	8	17	63	31	5	95	69	63	97	4	55

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$234	15	\$171	38	\$336	7	\$216	17

Purchaser..... \$.....

**Lot 27** **AJC R8<sup>PV</sup>** **NXOR8**

Date of Birth: 10/06/2020 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

W H S LIMELIGHT 64V<sup>#</sup> AJC M53<sup>SV</sup>  
**SIRE: NXOL99 AJC L99<sup>PV</sup>** **DAM: NXOP426 AJC P426<sup>SV</sup>**  
 AJC J112<sup>SV</sup> AJC L138<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>+8.4</b>	<b>+3.0</b>	<b>-6.6</b>	<b>+2.7</b>	<b>+51</b>	<b>+92</b>	<b>+120</b>	<b>+89</b>	<b>+26</b>	<b>+1.4</b>	<b>-5.1</b>	<b>+80</b>	<b>+10.8</b>	<b>-1.3</b>	<b>-2.0</b>	<b>+1.3</b>	<b>+3.8</b>	<b>+0.44</b>
Acc	56%	51%	69%	73%	71%	70%	71%	68%	64%	69%	40%	67%	63%	69%	65%	65%	64%	57%
Perc	9	50	21	20	42	40	43	71	4	75	42	11	5	83	86	19	5	79

Traits Observed: CE,BWT,200WT,600WT(x2),SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$257	5	\$203	9	\$352	4	\$244	5

Purchaser..... \$.....

**Lot 28** **AJC R53<sup>PV</sup>** **NXOR53**

Date of Birth: 01/07/2020 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

AJC E91<sup>PV</sup> AJC K138<sup>SV</sup>  
**SIRE: NXON104 AJC N104<sup>SV</sup>** **DAM: NXOP1173 AJC P1173<sup>SV</sup>**  
 AJC L63<sup>#</sup> AJC J84<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>+6.1</b>	<b>+3.0</b>	<b>-1.4</b>	<b>+5.2</b>	<b>+58</b>	<b>+105</b>	<b>+144</b>	<b>+133</b>	<b>+16</b>	<b>+3.4</b>	<b>-7.2</b>	<b>+81</b>	<b>+5.3</b>	<b>-1.0</b>	<b>-2.4</b>	<b>+0.0</b>	<b>+4.0</b>	<b>-0.04</b>
Acc	55%	50%	68%	72%	70%	69%	70%	68%	64%	68%	38%	65%	60%	67%	62%	64%	61%	53%
Perc	23	50	92	74	13	11	7	8	62	8	12	10	63	77	91	69	4	23

Traits Observed: CE,BWT,200WT,600WT(x2),SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$232	17	\$181	26	\$317	13	\$220	15

Purchaser..... \$.....

**Lot 29**

**AJC R706<sup>SV</sup>**

**NXOR706**

Date of Birth: 15/09/2020

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

MURRAY TEN X J292<sup>SV</sup>  
**SIRE: NXOP115 AJC P115<sup>SV</sup>**  
 AJC M153<sup>#</sup>

AJC J218<sup>SV</sup>  
**DAM: NXON1063 AJC N1063<sup>#</sup>**  
 AJC J1150<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>+2.6</b>	<b>+6.5</b>	<b>-6.2</b>	<b>+5.7</b>	<b>+59</b>	<b>+100</b>	<b>+125</b>	<b>+122</b>	<b>+12</b>	<b>+2.2</b>	<b>-6.9</b>	<b>+72</b>	<b>+10.5</b>	<b>+0.9</b>	<b>-0.4</b>	<b>+0.7</b>	<b>+3.5</b>	<b>+0.30</b>
Acc	51%	44%	63%	72%	68%	67%	68%	65%	60%	66%	34%	62%	56%	63%	59%	60%	57%	48%
Perc	52	16	26	83	12	19	32	17	89	41	15	29	6	24	50	40	9	65

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

**Selection Indexes**

\$A		\$D		\$GN		\$GS	
\$241	11	\$202	9	\$323	10	\$225	12

Purchaser..... \$.....

**Lot 30**

**AJC R473<sup>SV</sup>**

**NXOR473**

Date of Birth: 24/08/2020

Register: APR

Mating Type: Natural

AMFU,CAFU,DDFU,NHFU

AJC F615<sup>SV</sup>  
**SIRE: NXON219 AJC N219<sup>SV</sup>**  
 AJC H132<sup>#</sup>

AJC K135<sup>SV</sup>  
**DAM: NXON106 AJC N106<sup>#</sup>**  
 AJC L422<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>+10.6</b>	<b>+8.6</b>	<b>-4.2</b>	<b>+0.9</b>	<b>+48</b>	<b>+97</b>	<b>+124</b>	<b>+106</b>	<b>+25</b>	<b>+3.3</b>	<b>-7.3</b>	<b>+82</b>	<b>+9.8</b>	<b>-1.5</b>	<b>-1.5</b>	<b>+0.7</b>	<b>+4.0</b>	<b>+0.29</b>
Acc	54%	47%	65%	73%	70%	69%	70%	68%	63%	67%	36%	65%	59%	66%	62%	63%	60%	51%
Perc	2	4	58	4	59	26	32	40	6	10	11	8	9	87	77	40	4	63

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

**Selection Indexes**

\$A		\$D		\$GN		\$GS	
\$244	10	\$199	11	\$330	8	\$235	7

Purchaser..... \$.....

**Lot 31**

**AJC R150<sup>SV</sup>**

**NXOR150**

Date of Birth: 26/07/2020

Register: APR

Mating Type: Natural

AMFU,CAFU,DDFU,NHFU

AJC E91<sup>PV</sup>  
**SIRE: NXON255 AJC N255<sup>SV</sup>**  
 AJC L847<sup>#</sup>

AJC H462<sup>SV</sup>  
**DAM: NXON783 AJC N783<sup>#</sup>**  
 AJC H53<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>+2.2</b>	<b>+1.7</b>	<b>-4.8</b>	<b>+5.3</b>	<b>+57</b>	<b>+102</b>	<b>+134</b>	<b>+131</b>	<b>+15</b>	<b>+2.7</b>	<b>-6.9</b>	<b>+81</b>	<b>+5.5</b>	<b>+1.7</b>	<b>+1.2</b>	<b>-1.4</b>	<b>+4.0</b>	<b>+0.13</b>
Acc	53%	46%	66%	72%	69%	68%	69%	66%	61%	66%	35%	62%	57%	63%	59%	60%	57%	49%
Perc	56	63	47	76	16	15	16	9	75	23	15	10	59	11	14	97	4	43

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

**Selection Indexes**

\$A		\$D		\$GN		\$GS	
\$217	29	\$170	39	\$303	20	\$204	27

Purchaser..... \$.....

**Lot 32**

**AJC R406<sup>SV</sup>**

**NXOR406**

Date of Birth: 17/08/2020

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

AJC E91<sup>PV</sup>  
**SIRE: NXOM95 AJC M95<sup>SV</sup>**  
 AJC K39<sup>#</sup>

AJC K135<sup>SV</sup>  
**DAM: NXON205 AJC N205<sup>#</sup>**  
 AJC L708<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>+3.6</b>	<b>+4.1</b>	<b>-2.6</b>	<b>+6.8</b>	<b>+61</b>	<b>+95</b>	<b>+136</b>	<b>+133</b>	<b>+22</b>	<b>+0.8</b>	<b>-6.0</b>	<b>+78</b>	<b>+10.9</b>	<b>+0.9</b>	<b>-0.7</b>	<b>+0.4</b>	<b>+3.1</b>	<b>+0.18</b>
Acc	54%	48%	67%	72%	70%	69%	70%	68%	63%	66%	36%	65%	59%	66%	62%	63%	60%	51%
Perc	44	38	82	94	7	31	13	8	15	91	27	15	5	24	58	54	16	50

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

**Selection Indexes**

\$A		\$D		\$GN		\$GS	
\$227	20	\$169	40	\$310	16	\$209	22

Purchaser..... \$.....

**Lot 33**

**AJC R328<sup>SV</sup>**

**NXOR328**

Date of Birth: 10/08/2020

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

RENNYLEA G255<sup>PV</sup>  
**SIRE: NXOK130 AJC K130<sup>SV</sup>**  
 AJC H211<sup>#</sup>

AJC E91<sup>PV</sup>  
**DAM: NXON241 AJC N241<sup>#</sup>**  
 AJC H30<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	-0.1	-3.7	-4.2	+4.2	+46	+90	+122	+121	+15	+1.7	-2.8	+70	+0.9	-1.2	-1.5	-1.5	+4.9	-0.20
Acc	57%	52%	67%	73%	71%	71%	72%	69%	66%	69%	40%	66%	61%	67%	63%	64%	62%	54%
Perc	72	93	58	52	71	48	37	18	73	63	81	36	99	81	77	97	1	11

Traits Observed: BWT,200WT,400WT,SC,Genomics

**Selection Indexes**

\$A		\$D		\$GN		\$GS	
\$161	82	\$112	93	\$246	59	\$148	80

Purchaser..... \$.....

**Lot 34**

**AJC R704<sup>SV</sup>**

**NXOR704**

Date of Birth: 15/09/2020

Register: APR

Mating Type: Natural

AMFU,CAFU,DDFU,NHFU

H P C A PROCEED<sup>PV</sup>  
**SIRE: NXON132 AJC N132<sup>SV</sup>**  
 AJC G377<sup>#</sup>

AJC K56<sup>SV</sup>  
**DAM: NXON538 AJC N538<sup>#</sup>**  
 AJC L777<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	-8.3	-1.5	-2.3	+7.3	+61	+105	+141	+134	+21	+2.7	-6.9	+79	+6.6	-1.7	-2.6	+1.2	+2.7	+0.20
Acc	53%	47%	65%	71%	68%	66%	68%	65%	60%	66%	35%	62%	57%	63%	59%	60%	58%	49%
Perc	97	85	85	97	8	11	9	7	20	23	15	13	40	90	93	22	26	52

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

**Selection Indexes**

\$A		\$D		\$GN		\$GS	
\$203	44	\$162	50	\$276	37	\$185	45

Purchaser..... \$.....

**Lot 35**

**AJC R336<sup>SV</sup>**

**NXOR336**

Date of Birth: 10/08/2020

Register: APR

Mating Type: Natural

AMFU,CAFU,DDFU,NHFU

AJC F615<sup>SV</sup>  
**SIRE: NXON219 AJC N219<sup>SV</sup>**  
 AJC H132<sup>#</sup>

AJC K135<sup>SV</sup>  
**DAM: NXON177 AJC N177<sup>#</sup>**  
 AJC L793<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+4.6	+6.7	-2.9	+3.5	+55	+105	+132	+108	+26	+3.6	-8.8	+88	+5.4	-1.8	-1.5	+0.1	+3.2	+0.23
Acc	54%	47%	66%	73%	71%	70%	71%	68%	63%	65%	36%	65%	60%	66%	62%	63%	60%	51%
Perc	35	14	78	35	22	12	19	36	3	6	3	3	61	91	77	66	14	56

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

**Selection Indexes**

\$A		\$D		\$GN		\$GS	
\$243	10	\$205	8	\$322	11	\$228	11

Purchaser..... \$.....

**Lot 36**

**AJC R824<sup>SV</sup>**

**NXOR824**

Date of Birth: 02/10/2020

Register: APR

Mating Type: Natural

AMFU,CAFU,DDFU,NHFU

H P C A PROCEED<sup>PV</sup>  
**SIRE: NXON132 AJC N132<sup>SV</sup>**  
 AJC G377<sup>#</sup>

AJC E91<sup>PV</sup>  
**DAM: NXON945 AJC N945<sup>#</sup>**  
 AJC K109<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+1.6	-2.9	-6.0	+5.9	+54	+96	+137	+140	+20	+3.4	-5.3	+80	+6.4	-2.3	-3.2	+0.1	+4.7	+0.59
Acc	55%	50%	67%	71%	70%	68%	69%	67%	62%	67%	39%	65%	61%	67%	62%	64%	61%	53%
Perc	60	91	28	86	26	30	12	5	31	8	38	11	43	96	97	66	1	90

Traits Observed: BWT,200WT,400WT,SC,Genomics

**Selection Indexes**

\$A		\$D		\$GN		\$GS	
\$189	59	\$133	82	\$275	37	\$176	54

Purchaser..... \$.....



**Lot 37** **AJC R47<sup>PV</sup>** **NXOR47**

Date of Birth: 01/07/2020 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

W H S LIMELIGHT 64V<sup>#</sup> LAWSONS LINKEDIN L483<sup>SV</sup>  
**SIRE: NXOL99 AJC L99<sup>PV</sup>** **DAM: NXOP755 AJC P755<sup>SV</sup>**  
 AJC J112<sup>SV</sup> AJC J726<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>+10.7</b>	<b>+4.6</b>	<b>-4.0</b>	<b>+1.8</b>	<b>+52</b>	<b>+89</b>	<b>+112</b>	<b>+99</b>	<b>+20</b>	<b>+3.4</b>	<b>-6.5</b>	<b>+73</b>	<b>+8.2</b>	<b>+0.9</b>	<b>+1.6</b>	<b>+0.8</b>	<b>+1.9</b>	<b>+0.44</b>
Acc	57%	52%	72%	73%	71%	71%	72%	68%	65%	69%	41%	67%	64%	69%	65%	65%	65%	57%
Perc	2	33	61	9	38	52	60	53	32	8	20	28	20	24	10	36	55	79

Traits Observed: CE,BWT,200WT,600WT(x2),SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$232	16	\$195	13	\$299	21	\$217	17

Purchaser..... \$.....

**Lot 38** **AJC R815<sup>PV</sup>** **NXOR815**

Date of Birth: 01/10/2020 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

AJC E91<sup>PV</sup> LAWSONS LINKEDIN L483<sup>SV</sup>  
**SIRE: NXOM807 AJC M807<sup>SV</sup>** **DAM: NXOP57 AJC P57<sup>SV</sup>**  
 AJC J46<sup>#</sup> AJC M287<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>+7.9</b>	<b>+4.3</b>	<b>-4.0</b>	<b>+2.2</b>	<b>+49</b>	<b>+91</b>	<b>+131</b>	<b>+106</b>	<b>+24</b>	<b>+2.3</b>	<b>-2.8</b>	<b>+72</b>	<b>+6.3</b>	<b>-1.2</b>	<b>-1.0</b>	<b>-0.2</b>	<b>+4.0</b>	<b>+0.05</b>
Acc	58%	52%	71%	74%	73%	71%	73%	70%	65%	68%	41%	68%	64%	70%	66%	67%	65%	57%
Perc	11	36	61	13	53	44	21	39	8	37	81	30	45	81	66	76	4	33

Traits Observed: CE,BWT,200WT,400WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$220	26	\$157	57	\$311	16	\$211	21

Purchaser..... \$.....

**Lot 39** **AJC R728<sup>PV</sup>** **NXOR728**

Date of Birth: 18/09/2020 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

RENNYLEA C574<sup>PV</sup> AJC K137<sup>SV</sup>  
**SIRE: NXOJ45 AJC J45<sup>SV</sup>** **DAM: NXOP1037 AJC P1037<sup>SV</sup>**  
 AJC G33<sup>#</sup> AJC L840<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>-1.2</b>	<b>+8.6</b>	<b>-1.2</b>	<b>+6.7</b>	<b>+62</b>	<b>+111</b>	<b>+149</b>	<b>+142</b>	<b>+16</b>	<b>+3.2</b>	<b>-9.5</b>	<b>+91</b>	<b>+5.3</b>	<b>+0.3</b>	<b>-0.9</b>	<b>+0.4</b>	<b>+2.6</b>	<b>+0.20</b>
Acc	59%	53%	69%	73%	72%	72%	73%	71%	68%	68%	42%	67%	62%	68%	64%	65%	63%	55%
Perc	78	4	93	94	6	5	4	4	66	11	2	2	63	39	63	54	29	52

Traits Observed: CE,BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$228	19	\$191	17	\$294	25	\$212	20

Purchaser..... \$.....

**Lot 40** **AJC R743<sup>PV</sup>** **NXOR743**

Date of Birth: 20/09/2020 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

AJC E91<sup>PV</sup> AJC K56<sup>SV</sup>  
**SIRE: NXOM807 AJC M807<sup>SV</sup>** **DAM: NXOP142 AJC P142<sup>SV</sup>**  
 AJC J46<sup>#</sup> AJC M376<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>-0.3</b>	<b>+2.9</b>	<b>-2.8</b>	<b>+6.9</b>	<b>+64</b>	<b>+114</b>	<b>+163</b>	<b>+121</b>	<b>+27</b>	<b>+1.9</b>	<b>-3.8</b>	<b>+88</b>	<b>+3.4</b>	<b>-2.7</b>	<b>-4.9</b>	<b>+0.7</b>	<b>+3.2</b>	<b>-0.38</b>
Acc	56%	50%	67%	73%	72%	70%	71%	69%	64%	66%	38%	66%	62%	68%	64%	65%	62%	54%
Perc	73	51	79	95	4	3	1	17	2	54	66	3	88	98	99	40	14	4

Traits Observed: CE,BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$239	12	\$179	28	\$328	9	\$223	13

Purchaser..... \$.....

Lot 41

AJC R827<sup>PV</sup>

NXOR827

Date of Birth: 02/10/2020

Register: APR

Mating Type: Natural

AMFU,CAFU,DDFU,NHFU

AJC E91<sup>PV</sup>  
SIRE: NXOM807 AJC M807<sup>SV</sup>  
AJC J46<sup>#</sup>

AJC J45<sup>SV</sup>  
DAM: NXOP578 AJC P578<sup>SV</sup>  
AJC M716<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+9.8	+9.7	-8.6	+1.4	+46	+95	+126	+109	+24	+4.3	-9.2	+66	+4.9	+0.5	+0.8	-0.8	+3.9	+0.02
Acc	57%	50%	67%	73%	72%	70%	72%	69%	64%	67%	39%	67%	62%	68%	64%	65%	63%	54%
Perc	4	2	6	6	69	33	29	34	8	2	2	53	69	34	21	90	5	30

Traits Observed: CE,BWT,200WT,400WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$231	17	\$185	22	\$308	17	\$224	13

Purchaser..... \$.....

Lot 42

AJC R195<sup>SV</sup>

NXOR195

Date of Birth: 30/07/2020

Register: APR

Mating Type: Natural

AMFU,CAFU,DDFU,NHFU

AYRVALE GENERAL G18<sup>PV</sup>  
SIRE: NXOK138 AJC K138<sup>SV</sup>  
AJC H53<sup>#</sup>

AJC H109<sup>SV</sup>  
DAM: NXOK1016 AJC K1016<sup>#</sup>  
AJC G887<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+10.0	+8.5	-4.6	+2.5	+49	+89	+128	+119	+21	+3.6	-8.1	+69	+6.4	+0.9	+0.8	-0.8	+4.1	+0.84
Acc	59%	52%	70%	75%	74%	73%	74%	72%	70%	67%	40%	68%	62%	69%	65%	65%	63%	54%
Perc	3	5	51	17	52	51	25	20	21	6	6	39	43	24	21	90	3	98

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$223	24	\$165	46	\$303	20	\$214	19

Purchaser..... \$.....

Lot 43

AJC R221<sup>PV</sup>

NXOR221

Date of Birth: 01/08/2020

Register: APR

Mating Type: Natural

AMFU,CAFU,DDFU,NHFU

AJC E91<sup>PV</sup>  
SIRE: NXOM807 AJC M807<sup>SV</sup>  
AJC J46<sup>#</sup>

AJC K137<sup>SV</sup>  
DAM: NXOP252 AJC P252<sup>SV</sup>  
AJC L422<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+6.2	+5.2	-7.2	+3.6	+49	+90	+132	+121	+20	+1.3	-8.9	+72	+3.1	+1.2	+1.4	-1.3	+2.9	+0.33
Acc	57%	51%	69%	74%	73%	72%	73%	71%	65%	66%	40%	68%	64%	70%	66%	67%	64%	56%
Perc	22	27	15	37	51	47	19	18	31	79	3	31	90	18	12	96	21	68

Traits Observed: CE,BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$209	37	\$156	58	\$272	40	\$195	35

Purchaser..... \$.....

Lot 44

AJC R52<sup>PV</sup>

NXOR52

Date of Birth: 01/07/2020

Register: APR

Mating Type: Natural

AMFU,CAFU,DDFU,NHFU

RENNYLEA C574<sup>PV</sup>  
SIRE: NXOJ45 AJC J45<sup>SV</sup>  
AJC G33<sup>#</sup>

AJC L99<sup>PV</sup>  
DAM: NXOP929 AJC P929<sup>SV</sup>  
AJC K54<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+9.4	+11.4	-5.3	+1.9	+52	+99	+120	+104	+18	+3.0	-12.9	+83	+8.9	+1.8	+1.6	-0.4	+3.3	+0.54
Acc	59%	53%	69%	73%	72%	71%	72%	70%	67%	70%	42%	67%	62%	68%	64%	65%	63%	55%
Perc	5	1	39	10	38	22	41	44	45	15	1	7	14	10	10	82	12	87

Traits Observed: CE,BWT,200WT,600WT(x2),SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$272	2	\$236	1	\$349	4	\$261	2

Purchaser..... \$.....

**Lot 45** **AJC R316<sup>SV</sup>** **NXOR316**

Date of Birth: 09/08/2020 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

H P C A PROCEED<sup>PV</sup> MURRAY TEN X J292<sup>SV</sup>  
**SIRE: NXON162 AJC N162<sup>SV</sup>** **DAM: NXOM554 AJC M554<sup>#</sup>**  
 AJC J529<sup>#</sup> AJC G180<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	-8.6	+5.0	-5.4	+7.4	+59	+99	+133	+122	+14	+3.1	-6.1	+81	+12.8	-3.1	-4.6	+2.8	+3.7	+0.32
Acc	54%	49%	67%	73%	71%	69%	71%	69%	63%	67%	38%	64%	59%	65%	61%	62%	60%	51%
Perc	97	29	37	97	11	21	17	16	82	13	25	9	1	99	99	2	6	67

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$227	20	\$180	27	\$309	16	\$214	18

Purchaser..... \$.....

**Lot 46** **AJC R699<sup>SV</sup>** **NXOR699**

Date of Birth: 14/09/2020 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

MURRAY TEN X J292<sup>SV</sup> AJC J25<sup>SV</sup>  
**SIRE: NXOP115 AJC P115<sup>SV</sup>** **DAM: NXON918 AJC N918<sup>#</sup>**  
 AJC M153<sup>#</sup> AJC K253<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+2.7	+4.6	-6.1	+7.6	+64	+109	+145	+143	+15	+2.3	-7.7	+81	+6.5	-1.3	-2.1	+1.0	+2.7	+0.11
Acc	53%	46%	64%	72%	69%	68%	69%	67%	61%	61%	35%	63%	58%	65%	61%	62%	59%	50%
Perc	51	33	27	98	4	6	6	4	74	37	8	9	42	83	87	29	26	41

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$229	19	\$191	16	\$300	21	\$210	22

Purchaser..... \$.....

**Lot 47** **AJC R511<sup>SV</sup>** **NXOR511**

Date of Birth: 28/08/2020 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

H P C A PROCEED<sup>PV</sup> MURRAY TEN X J292<sup>SV</sup>  
**SIRE: NXON132 AJC N132<sup>SV</sup>** **DAM: NXON720 AJC N720<sup>#</sup>**  
 AJC G377<sup>#</sup> AJC J64<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+7.1	+5.8	-6.0	+3.5	+53	+97	+140	+124	+23	+3.4	-7.1	+75	+4.9	-1.7	-2.3	+0.7	+3.2	+0.48
Acc	54%	48%	66%	72%	69%	68%	69%	66%	61%	66%	38%	64%	59%	65%	61%	62%	60%	51%
Perc	16	21	28	35	30	27	10	15	12	8	13	21	69	90	90	40	14	82

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$224	23	\$171	38	\$296	23	\$212	20

Purchaser..... \$.....

**Lot 48** **AJC R908<sup>SV</sup>** **NXOR908**

Date of Birth: 23/10/2020 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

MURRAY TEN X J292<sup>SV</sup> AJC K137<sup>SV</sup>  
**SIRE: NXOP115 AJC P115<sup>SV</sup>** **DAM: NXON603 AJC N603<sup>#</sup>**  
 AJC M153<sup>#</sup> AJC K59<sup>#</sup>

Mid April 2022 TransTasman Angus Cattle Evaluation																		
TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+6.2	+7.2	-5.2	+4.0	+55	+96	+124	+88	+21	+2.9	-7.1	+73	+8.4	-0.2	-2.1	+1.3	+2.7	+0.57
Acc	52%	46%	63%	71%	69%	67%	68%	66%	60%	61%	35%	63%	57%	64%	59%	61%	58%	49%
Perc	22	11	40	47	21	29	32	73	22	17	13	26	18	54	87	19	26	88

Traits Observed: BWT,200WT,400WT,SC,Genomics

Selection Indexes							
\$A		\$D		\$GN		\$GS	
\$262	4	\$218	4	\$341	6	\$248	4

Purchaser..... \$.....

**Lot 49**

**AJC R808<sup>SV</sup>**

**NXOR808**

Date of Birth: 29/09/2020

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

MURRAY TEN X J292<sup>SV</sup>  
**SIRE: NXOP115 AJC P115<sup>SV</sup>**  
 AJC M153<sup>#</sup>

AJC K137<sup>SV</sup>  
**DAM: NXON915 AJC N915<sup>#</sup>**  
 AJC K614<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>-1.5</b>	<b>+6.1</b>	<b>-4.9</b>	<b>+7.9</b>	<b>+67</b>	<b>+115</b>	<b>+151</b>	<b>+132</b>	<b>+18</b>	<b>+2.8</b>	<b>-7.0</b>	<b>+81</b>	<b>+9.9</b>	<b>-1.2</b>	<b>-2.2</b>	<b>+1.9</b>	<b>+2.5</b>	<b>+0.44</b>
Acc	53%	47%	66%	73%	71%	70%	71%	69%	63%	68%	36%	66%	60%	67%	63%	64%	61%	52%
Perc	80	19	46	99	2	3	4	9	48	20	14	9	8	81	89	8	32	79

Traits Observed: BWT,200WT,400WT,SC,Genomics

**Selection Indexes**

\$A		\$D		\$GN		\$GS	
\$256	5	\$216	4	\$332	8	\$239	6

Purchaser..... \$.....

**Lot 50**

**AJC R783<sup>SV</sup>**

**NXOR783**

Date of Birth: 24/09/2020

Register: APR

Mating Type: Natural

AMFU,CAFU,DDFU,NHFU

MURRAY TEN X J292<sup>SV</sup>  
**SIRE: NXOP115 AJC P115<sup>SV</sup>**  
 AJC M153<sup>#</sup>

AJC K317<sup>SV</sup>  
**DAM: NXON479 AJC N479<sup>#</sup>**  
 AJC J47<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>-2.7</b>	<b>+5.4</b>	<b>-3.9</b>	<b>+8.5</b>	<b>+68</b>	<b>+113</b>	<b>+152</b>	<b>+155</b>	<b>+14</b>	<b>+4.8</b>	<b>-9.8</b>	<b>+78</b>	<b>+6.3</b>	<b>-1.1</b>	<b>-1.1</b>	<b>+0.8</b>	<b>+3.9</b>	<b>+0.03</b>
Acc	54%	47%	66%	73%	71%	69%	70%	68%	63%	68%	37%	65%	60%	66%	62%	63%	60%	51%
Perc	85	25	63	99	1	4	3	2	78	1	2	14	45	79	68	36	5	31

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

**Selection Indexes**

\$A		\$D		\$GN		\$GS	
\$244	9	\$197	12	\$329	9	\$230	9

Purchaser..... \$.....

**Lot 51**

**AJC R505<sup>SV</sup>**

**NXOR505**

Date of Birth: 27/08/2020

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

AJC E91<sup>PV</sup>  
**SIRE: NXOM95 AJC M95<sup>SV</sup>**  
 AJC K39<sup>#</sup>

AJC K138<sup>SV</sup>  
**DAM: NXON361 AJC N361<sup>#</sup>**  
 AJC L141<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>+6.3</b>	<b>+6.9</b>	<b>-5.5</b>	<b>+4.7</b>	<b>+59</b>	<b>+106</b>	<b>+152</b>	<b>+123</b>	<b>+21</b>	<b>+0.7</b>	<b>-5.3</b>	<b>+87</b>	<b>+7.9</b>	<b>-0.6</b>	<b>-1.6</b>	<b>+0.4</b>	<b>+3.1</b>	<b>+0.19</b>
Acc	54%	48%	67%	72%	70%	69%	70%	68%	63%	66%	35%	64%	59%	66%	61%	62%	60%	51%
Perc	21	13	36	64	12	10	3	16	20	93	38	3	23	66	79	54	16	51

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

**Selection Indexes**

\$A		\$D		\$GN		\$GS	
\$253	6	\$193	15	\$336	7	\$240	6

Purchaser..... \$.....

**Lot 52**

**AJC R888<sup>SV</sup>**

**NXOR888**

Date of Birth: 18/10/2020

Register: APR

Mating Type: Natural

AMF,CAF,DDF,NHF

H P C A PROCEED<sup>PV</sup>  
**SIRE: NXON162 AJC N162<sup>SV</sup>**  
 AJC J529<sup>#</sup>

AJC E91<sup>PV</sup>  
**DAM: NXOM39 AJC M39<sup>#</sup>**  
 AJC K463<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
<b>EBVs</b>	<b>-5.8</b>	<b>+1.9</b>	<b>-8.8</b>	<b>+8.7</b>	<b>+71</b>	<b>+116</b>	<b>+160</b>	<b>+157</b>	<b>+13</b>	<b>+3.0</b>	<b>-8.7</b>	<b>+95</b>	<b>+8.4</b>	<b>-0.7</b>	<b>-0.6</b>	<b>+0.2</b>	<b>+4.0</b>	<b>+0.50</b>
Acc	55%	49%	70%	72%	70%	69%	71%	69%	63%	62%	38%	64%	60%	66%	62%	62%	60%	52%
Perc	94	61	5	99	1	2	2	2	84	15	4	1	18	69	55	62	4	84

Traits Observed: BWT,200WT,400WT,SC,Genomics

**Selection Indexes**

\$A		\$D		\$GN		\$GS	
\$250	7	\$193	15	\$344	5	\$237	7

Purchaser..... \$.....

**Lot 53**

**AJC R592<sup>SV</sup>**

**NXOR592**

Date of Birth: 05/09/2020

Register: APR

Mating Type: Natural

AMF,CAF,DDF,NHF

RENNYLEA G255<sup>PV</sup>  
**SIRE: NXOK130 AJC K130<sup>SV</sup>**  
 AJC H211<sup>#</sup>

AJC K135<sup>SV</sup>  
**DAM: NXON53 AJC N53<sup>#</sup>**  
 AJC L376<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	-10.2	-10.4	-2.6	+8.3	+74	+123	+173	+164	+22	+1.2	-2.9	+103	+7.1	-3.9	-5.7	+1.7	+2.6	-0.24
Acc	55%	50%	67%	73%	71%	70%	71%	68%	65%	67%	38%	65%	59%	65%	62%	62%	60%	51%
Perc	99	99	82	99	1	1	1	1	17	82	80	1	33	99	99	10	29	9

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

**Selection Indexes**

\$A		\$D		\$GN		\$GS	
\$208	39	\$153	62	\$298	22	\$188	43

Purchaser..... \$.....

**Lot 54**

**AJC R350<sup>PV</sup>**

**NXOR350**

Date of Birth: 12/08/2020

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

AJC E91<sup>PV</sup>  
**SIRE: NXOM807 AJC M807<sup>SV</sup>**  
 AJC J46<sup>#</sup>

AJC K135<sup>SV</sup>  
**DAM: NXOP814 AJC P814<sup>SV</sup>**  
 AJC J443<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+7.6	+6.1	-3.3	+4.1	+60	+112	+163	+134	+29	+3.6	-5.6	+96	+3.9	-0.5	-1.7	-0.7	+3.7	+0.50
Acc	56%	50%	66%	72%	70%	69%	70%	68%	62%	65%	38%	65%	60%	67%	63%	64%	61%	53%
Perc	13	19	72	49	9	4	1	8	1	6	33	1	83	63	81	89	6	84

Traits Observed: CE,BWT,200WT,400WT,600WT,SC,Genomics

**Selection Indexes**

\$A		\$D		\$GN		\$GS	
\$240	12	\$175	33	\$330	8	\$230	9

Purchaser..... \$.....

**Lot 55**

**AJC R527<sup>SV</sup>**

**NXOR527**

Date of Birth: 30/08/2020

Register: APR

Mating Type: Natural

AMF,CAF,DDF,NHF

AJC J25<sup>SV</sup>  
**SIRE: NXON695 AJC N695<sup>SV</sup>**  
 AJC K163<sup>#</sup>

G A R PROPHET<sup>SV</sup>  
**DAM: NXOK345 AJC K345<sup>#</sup>**  
 AJC H103<sup>#</sup>

**Mid April 2022 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F
EBVs	+1.9	+7.9	-1.5	+4.7	+54	+101	+128	+102	+18	+0.8	-9.7	+71	+1.1	+2.5	+1.3	-2.5	+4.7	+0.74
Acc	55%	50%	68%	72%	70%	69%	70%	69%	63%	65%	40%	65%	60%	66%	62%	63%	61%	53%
Perc	58	7	92	64	27	18	26	47	44	91	2	33	98	4	13	99	1	96

Traits Observed: BWT,200WT,400WT,600WT,SC,Genomics

**Selection Indexes**

\$A		\$D		\$GN		\$GS	
\$249	8	\$198	12	\$347	4	\$235	8

Purchaser..... \$.....

**rma network.** Accredited Member

*Est. 1958*

- » Regular Cattle Sales
- » Selling to Feedlots
- » Rural Property Sales

- » Regular Prime Lamb & Sheep Sales
- » Consignment of Stock
- » Market Appraisals

- » Stud Stock Sales
- » Auctions Plus

**PERSONALISED SERVICE**

**“Leading by Results”**

Licensed Auctioneers - Stock, Station & Real Estate Agents

118 Wentworth St (PO Box 189), Glen Innes. NSW 2370

[www.colinsay.com.au](http://www.colinsay.com.au)

office@colinsay.com.au

**Shad Bailey**

0458 322 283

**Nathan Purvis**

0427 324 078

**Craig Thomas**

0428 669 500

**Steve Daley**

0400 406 667

# DISCLAIMER AND PRIVACY INFORMATION

## Attention Buyer

Animal details included in this catalogue, including but not limited to pedigree, DNA information, Estimated Breeding Values (EBVs) and Index values, are based on information provided by the breeder or owner of the animal. Whilst all reasonable care has been taken to ensure that the information provided in this catalogue was correct at the time of publication, Angus Australia will assume no responsibility for the accuracy or completeness of the information, nor for the outcome (including consequential loss) of any action taken based on this information.

## Parent Verification Suffixes

The animals listed within this catalogue including its pedigree, are displaying a Parent Verification Suffix which indicates the DNA parent verification status that has been conducted on the animal. The Parent Verification Suffixes that will appear at the end of each animal's name.

The suffix displayed at the end of each animal's name indicates the DNA parentage verification that has been conducted by Angus Australia.

PV : both parents have been verified by DNA.  
SV : the sire has been verified by DNA.  
DV : the dam has been verified by DNA.  
# : DNA verification has not been conducted.  
E : DNA verification has identified that the sire and/or dam may possibly be incorrect, but this cannot be confirmed conclusively.

## Privacy Information

In order for Angus Australia to process the transfer of a registered animal in this catalogue, the vendor will need to provide certain information to Angus Australia and the buyer consents to the collection and disclosure of that information by Angus Australia in certain circumstances. If the buyer does not wish for his or her information to be stored and disclosed by Angus Australia, the buyer must complete the form included below and forward it to Angus Australia. If the form is not completed, the buyer will be taken to have consented to the disclosure of such information.

.....

## BUYERS OPTION TO OPT OUT OF DISCLOSING PERSONAL INFORMATION TO ANGUS AUSTRALIA

If you do not complete this form, you will be taken to have consented to Angus Australia using your name, address and phone number for the purposes of effecting a change of registration of the animal(s) that you have purchased, maintaining its database and disclosing that information to its members on its website.

I, the buyer of animals with the following ids.....  
.....

from member.....(name) do not consent to Angus Australia using my name, address and phone number for the purposes of effecting a change of registration of the animals I have mentioned above that I have purchased, maintaining its database and disclosing that information to its members on its website.

Name: ..... Signature: .....


Date: .....

Please forward this completed consent form to Angus Australia, 86 Glen Innes Road, Armidale NSW 2350.

.....



If you have any questions or queries regarding any of the above, please contact Angus Australia on (02) 6773 4600 or email [office@angusaustralia.com.au](mailto:office@angusaustralia.com.au)



**Achmea Farm Insurance,  
Australia's specialist farm insurer,  
is delighted to support the  
2022 Speriby North  
Angus Bull Sale**



“With competitive rates, insure your stud bulls with Achmea Australia today. To finalise your cover, contact me directly.”

**MATTHEW WILSON**, Farm Insurance Specialist  
0427 813 972 | [matthew.wilson@achmea.com.au](mailto:matthew.wilson@achmea.com.au)


**[achmea.com.au](http://achmea.com.au)**

## HOME OF OUTSTANDING GENETICS

As a result of Speriby North steers proven performance under feedlot conditions, Rangers Valley Feedlot have purchased Speriby North steers for more than 28 years.

26 sale bulls are in the top 5% for IMF% per the Mid April 2022 TransTasman Angus Cattle Evaluation. Home bred sire AJC J45 was the number 1 trait leader for Calving Ease Daughters in the Angus Australia Sire Summary Autumn 2022.

### DIRECTIONS:



**PHONE:** 02 6737 3655

**MOBILE:** 0427 373 655

**WEB:** [speribynorth.com.au](http://speribynorth.com.au)


**FOLLOW** [speribynorthangus](#) ON



### THANK YOU:

Thank you for supporting our annual Bull Sale and we look forward to future associations with you.

A special thank you to everyone who helped in the preparation and running of our sale. Your assistance is greatly appreciated.



## Speriby North Heifers

# FOR SALE IN JUNE

# ONLY ON AuctionsPlus

Weaner heifers

\* Offered in Deck Lots

\* Sire Identified

\* Date of Birth Recorded

\* Treatments Recorded

For more information -

 **Ben Sharpe**  
**Ray White Tenterfield**  
**0428 364 487**

**Arthur Cox**  
**02 6737 3655**  
**[speribynorth@bigpond.com](mailto:speribynorth@bigpond.com)**