



AuctionsPlus

**Dunoon
Angus**

Autumn Bull Sale



190
Sire Assured
Bulls

Monday, 27th February 2023 at 1.00pm

The Harbison Family, 'Dunoon', HOLBROOK, NSW 2644

Jock: 0429 369 299



Dunoon Prime Minister P758^{SV}

MONDAY, 27TH FEBRUARY 2023

All Dunoon bulls:

- have TACE figures
- have been structure assessed
- have been temperament assessed
- carry the Dunoon guarantee
- have delayed payment available to all buyers
- have been tested negative for Pestivirus





Autumn BULL SALE

Auctioneer: Lincoln McKinlay

This sale will be Covid-19 Compliant

Dunoon Angus 45th Bull Sale

MONDAY, 27TH FEBRUARY 2023

Offering **190 Bulls**

Sale Commences: 1.00pm at 'Dunoon', Holbrook.

Location: 22kms east of Holbrook on Jingellic Road.

Sale is interfaced with AuctionsPlus.

Morning Tea and Luncheon at 'Dunoon'.

Dunoon Angus - The Harbison Family

Roger & Jane
'Dunoon' ph: (02) 6036 9225

Jock & Natasha
'Timaru' ph: (02) 6036 9299
mob: 0429 369 299

email: dunooncattleco@bigpond.com

Selling Agents - Elders

Matt Tinkler 0429 387 939
Jenni O'Sullivan 0428 222 080
Ross Milne 0408 057 558
Lincoln McKinlay 0400 552 458



AuctionsPlus

Buy and Sell stock nationally

Elders

All EBVs in this catalogue are January 2023 TransTasman Angus Cattle Evaluation

Dear Fellow Cattle Producers,

Welcome to our 45th Angus bull sale, which is being held on Monday, 27th February at 'Dunoon', starting at 1:00 pm.

This sale has 190 bulls catalogued, with an exciting, new & fresh mix of genetics and performance. We are very proud of this group of bulls, until the 3rd of January this year, these bulls have had nothing but grass since they were born. As usual, we've had Jim Green assess them all for structure and temperament, and as you'll see through out the lots, they scored very well.

In this sale there is roughly 110 bulls that we'd happily use over heifers - they possess lower birth weights and positive calving ease numbers, and are identified with the 'HFR' logo.

Of the bulls catalogued, there are 151 bulls sired by AI sires and 39 sired by our own yearling 'Q' bulls. With a host of new sires, this sale has 40 sons of Dunoon Prime Minister P758, 40 sons of Merlewood Ponting P8, 18 sons of Booroomooka Paragon P96, 16 sons of Murdeduke Quarterback Q011, 14 sons of Baldrige Command, 9 sons of Millah Murrah Paratrooper P15, 8 sons of Te Mania P446 and 6 sons of Chiltern Park Moe M6. Our own 'Q' yearling bulls have [as usual] bred well, they are well represented by some very good young bulls through the catalogue.

ALL the 190 bulls have been 'Sire Verified' which means that they definitely sired by the sire that the pedigree states. They are also all vaccinated twice with 7 in 1, Vibrovax, Pestiguard and Bovillis MN + IBR, along with being tested negative for pestivirus.

This sale has 28 bulls catalogued that were used last Spring over heifers and cows. These guys finished joining on the 21st December, 2022. These bulls are catalogued from lots 41 - 68. These yearling bulls worked well and hard, coming in well behind the other bulls in condition, however, they bounce back quickly and by sale day, they will present in good shape.

As is the norm now, we have Brandon Sykes from BJS Livestock Photography video all the bulls, these videos should be available to view in mid February - either on Auctions + or on You Tube, if you search 'Dunoon Angus Autumn Bulls 2023' the playlist should be in front of you ready to view.

Please be sensible about Covid - 19, we'll have sanitiser available, and you are most welcome to wear a mask if you would like to.

We are proud of this line up of bulls, and if you would like to look at the bulls anytime before the sale, please give Jock a call.

Kind Regards,

The Harbisons

INSPECTION

All lots catalogued for sale are available for inspection anytime prior to sale by appointment, and from 9.00a.m. on Sale Day - Friday 26th August.

TERMS

We are offering the option of "Buyer Friendly" terms to all buyers.

The option terms are as follows:-

(A) Normal Settlement Terms:

OR

(B) One half of purchase price to be paid on receipt of invoice, with balance payable on July 15, 2023, interest free.

If you wish to take "Buyer Friendly" terms, you must nominate this clearly to the sale office at the completion of the sale. Late decisions will not be accepted.

JBAS - Dunoon is a JBAS 6 Herd.

Scrotal Measurements were taken on the 06/12/2022.

"THE DUNOON 2 YEAR GUARANTEE"

All breeding cattle sold by Dunoon are fertile and structurally sound to the best of our knowledge. If an animal becomes infertile or breakdown due to reasons other than injury or misadventure, at any time in the next 24 months, we will:-

1. Provide you with a satisfactory replacement if available, or
2. Issue you with a credit equal to the purchase price less the salvage value that may be used to purchase any animal in future Dunoon sales.

This is not a Life Insurance Policy. Normal care needs to be taken as we cannot replace an animal that is injured or dies for any reason.

We recommend you insure all animals purchased against injury and death. An insurance representative will be available on sale day.

Any claims are to be accompanied by a certificate from a registered veterinarian. All vet costs are the responsibility of the purchaser.

SEMEN COLLECTION

Each bull is being sold with 100% possession, marketing and ownership. Dunoon is reserving the right, [if desired in the future], to collect semen in any bull, for our own in herd use only. All costs associated with the collecting of semen would be met by Dunoon, and collection would be done at a time suitable to the purchaser. The purchaser would have total control of the bull, including any marketing of the physical bull or semen.

If you have any concerns about this, please contact Jock.



HEALTH

DRENCH: All bulls were drenched with **Cydectin Pour On** on the 10th February 2023.

This year all of our bulls have had the following vaccinations:

2x Ultravac 7 in 1: Used for the routine immunisation of cattle for the prevention of pulpy kidney, tetanus, black disease, malignant oedema, blackleg and leptospirosis.

2x Pestigard: Is a vaccine used for the prevention of BDV - otherwise known as bovine pestivirus in cattle.

2x Vibrovax: A vaccine used for the prevention of infertility and abortion in cattle caused by vibriosis.

2x Bovilis MH + IBR: Our initial trials have shown that the vaccine is aiding in the prevention of penile infections in bulls.

NOTICE TO BUYERS

Our bulls are run in large contemporary groups until two months before the sale, when they are split up into their smaller mobs. Listed below is how the bulls have been running in the lead up to the sale.

| | |
|-------------------------|--------------------------|
| LOTS 1 - 40 are mates | LOTS 109 - 137 are mates |
| LOTS 41 - 54 are mates | LOTS 138 - 162 are mates |
| LOTS 55 - 68 are mates | LOTS 163 - 190 are mates |
| LOTS 69 - 108 are mates | |

SALE DAY SAFETY

All the sale bulls have been screened for temperament and are quiet to handle under normal circumstances. However, there are inherent risks associated with cattle handling.

VISITORS ENTER THE CATTLE PENS AT THEIR OWN RISK. CHILDREN MUST NOT ENTER THE YARDS.

People entering the yards are at the risk of injury. Be especially alert for bulls fighting. We do not expect the bulls to be aggressive with humans, but sale day places extraordinary pressure on them as they experience an entirely foreign environment. Remember the quietest bull is in fact an unpredictable animal.

Do not crowd the bulls or loiter inside the pens.

Don't enter the pens unnecessarily.

CHILDREN UNDER 16 YEARS OF AGE ARE NOT PERMITTED IN PENS.

DISCLAIMER

Animal details included in this catalogue, including but not limited to pedigree, DNA information, Estimated Breeding Values (EBVs) and Index values, are based on information provided by the breeder or owner of the animal. Whilst all reasonable care has been taken to ensure that the information provided in this catalogue was correct at the time of publication, Angus Australia will assume no responsibility for the accuracy or completeness of the information, nor for the outcome (including consequential loss) of any action taken based on this information.

PARENT VERIFICATION SUFFIXES

The animals listed within this catalogue including its pedigree, are displaying a Parent Verification Suffix which indicates the DNA parent verification status that has been conducted on the animal. The Parent Verification Suffixes that will appear at the end of each animal's name.

The suffix displayed at the end of each animal's name indicates the DNA parentage verification that has been conducted by Angus Australia.

PV: both parents have been verified by DNA.

SV: the sire has been verified by DNA.

DV: the dam has been verified by DNA.

#: DNA verification has not been conducted.

E: DNA verification has identified that the sire and/or dam may possibly be incorrect, but this cannot be confirmed conclusively.

NOTICE TO ALL AGENTS & BUYERS - SALE REBATES

1. A rebate of 2% will be paid to all outside agents who attend this sale with or on behalf of their client(s) **and settle within 7 days.**
2. A discount of 2% will be given to all buyers who do not settle through an agent, and pay in full on sale day. Dunoon's 'Buyer Friendly Term' cannot be used if discount is given.
3. If you are not using an agent, or not paying on sale day, an invoice will be sent to you, and you can pay after receiving this invoice.

PLEASE NOTE: ONLY ONE OF THE ABOVE THREE CLAUSES CAN BE USED ON ANY ONE LOT.

INSURANCE

We recommend insuring your new bulls - we insure all new bulls we buy for the first 12 months - you are best to insure the bulls with your own insurance company or a company you are happy with.

NLIS

All NLIS transfers are the responsibility of the purchaser.

TRANSPORT

If you have your own transport, please tell the office staff at the time of settlement, otherwise Jock will organise the transport of your bulls for you. They will be transported efficiently, safely and at a time that suits you - the buyer. All buyers will be contacted before the bulls are loaded at "Dunoon".

A Guide to Angus Selection Indexes



Ten selection indexes are published for animals within the TransTasman Angus Cattle Evaluation (TACE).

The selection indexes cater for a range of different breeding systems, target markets and production systems, and include:

| Index Name | Abbreviation |
|------------------------------------|--------------|
| Angus Breeding Index | \$A |
| Domestic Index | \$D |
| Heavy Grain Index | \$GN |
| Heavy Grass Index | \$GS |
| Angus Breeding Low Feed Cost Index | \$A-L |
| Domestic Low Feed Cost Index | \$D-L |
| Heavy Grain Low Feed Cost Index | \$GN-L |
| Heavy Grass Low Feed Cost Index | \$GS-L |
| AngusPRO Index | \$PRO |
| Angus Terminal Sire Index | \$T |

What is a selection index?

Selection indexes are utilised by livestock breeders of many species around the world and are considered an essential part of any modern livestock breeding program.

Selection indexes aid in the selection of animals for use within a breeding program where there are several traits of economic or functional importance by providing an overall "score" of an animal's genetic value.

Selection indexes are derived for a specific breeding purpose and are calculated based on weightings placed on individual traits that are deemed to be important for that purpose.

The selection indexes assist in making "balanced" selection decisions, taking into account the relevant attributes of

each animal to identify animals with genetics that are most aligned with the breeding objective for the given selection scenario.

Example Selection Index Calculation

$$\text{Selection Index} = b_1T_1 + b_2T_2 + b_3T_3 + \dots + b_nT_n$$

Where b = weighting placed on the trait

T = trait

How are selection indexes calculated?

The selection indexes published within the TransTasman Angus Cattle Evaluation are economic selection indexes and are derived using BreedObject software, as developed by the Animal Genetics & Breeding Unit (AGBU) in Armidale, NSW.

A range of different selection indexes are published, with each individual selection index reflecting differences in net profitability, being income minus expenses, in a defined breeding system, target market and production system.

For the breeding system, target market and production system relevant to each respective selection index, the BreedObject software firstly calculates the net economic value of changing each trait in the breeding objective by one unit, independent of any change in other traits. The BreedObject software then links the economic value of the traits in the breeding objective with the Estimated Breeding Value (EBV) traits published in the TransTasman Angus Cattle Evaluation, and places appropriate emphasis on each EBV based on its relative economic importance in the defined breeding system, target market and production system.



*Scan to read the full article on 'A Guide to Angus Selection Indexes'.

Angus Selection Indexes

Ten selection indexes are published for animals within the TransTasman Angus Cattle Evaluation.

Each selection index caters for a defined breeding system, target market and production system.

Breeding Systems

The majority of selection indexes are maternal selection indexes and are designed for use in a self replacing breeding program where a portion of female progeny are retained as replacements. The exception is the Angus Terminal Sire Index which is designed for use in situations where Angus bulls are being used as a terminal sire over mature breeding females and all progeny, both male and female, are slaughtered.

Target Markets

The Angus Breeding and Angus Breeding Low Feed Cost selection indexes are general purpose selection indexes that are suitable for use in the majority of commercial beef operations.

The Domestic, Domestic Low Feed Cost, Heavy Grain, Heavy Grain Low Feed Cost, Heavy Grass, Heavy Grass Low Feed Cost and AngusPRO selection indexes are specific to beef operations targeting a defined market endpoint with their steer progeny.

Production Systems

The Angus Breeding, Domestic, Heavy Grain, Heavy Grass, AngusPRO and Angus Terminal selection indexes are designed for use in a production system where pasture is fully utilised for the majority of the year.

The Angus Breeding Low Feed Cost, Domestic Low Feed Cost, Heavy Grain Low Feed Cost and Heavy Grass Low Feed Cost selection indexes are suitable for use in production systems where pasture is not fully utilised for the majority of the year, or the cost of supplying additional feed is low, and hence, where an increase in the maintenance requirements of the mature female breeding herd results in minimal additional costs being incurred.

The low feed cost versions of the selection indexes do not aim to limit any increase in mature cow weight, which is an objective in the other versions of these selection indexes.

The breeding system, target market and production system catered for by each individual selection index is summarised in the table below.



Table 1 - Angus Selection Indexes

| Breeding System | Self-replacing | Self-replacing | Terminal |
|--|---|--|---------------------------------|
| Production system | Pasture is fully utilised for the majority of the year. An increase in the maintenance requirements of the mature female breeding herd results in additional costs being incurred. | Pasture is not fully utilised for the majority of the year, or the cost of supplying additional feed is low. An increase in the maintenance requirements of the mature female breeding herd results in minimal additional costs being incurred. | Not applicable |
| Mature Weight Objective | Maintain mature weight | Do not maintain mature weight | Not applicable |
| Index Names & Abbreviations | Angus Breeding Index (\$A) Domestic Index (\$D) Heavy Grain Index (\$GN) Heavy Grass Index (\$GS) AngusPRO (\$PRO) | Angus Breeding Low Feed Cost Index (\$A-L) Domestic Low Feed Cost Index (\$D-L) Heavy Grain Low Feed Cost Index (\$GN-L) Heavy Grass Low Feed Cost Index (\$GS-L) | Angus Terminal Sire Index (\$T) |





AuctionsPlus

How to Register and Bid on AuctionsPlus

1

Go to www.auctionsplus.com.au to register at least 48 hours before the sale.

2

Select “**Sign Up**” in the top right hand corner.

3

Fill out your name, mobile number, email address and create a password.

4

Go to your emails and confirm the account.

5

Return to AuctionsPlus and log in.

6

Select “**Dashboard**” and then select “**Request Approval to Buy**”.

7

Fill in buyer details and once completed go back to Dashboard.

8

Complete buyer induction module (approx. 30 minutes).

9

AuctionsPlus will email you to let you know that your account has been approved.

10

Log in on sale day and connect to auction.

11

Bid using the two-step process – unlock the bid button and bid at that price.

12

If you are successful, the selling agent will contact you post sale.

For more information please contact us on:

Phone: (02) 9262 4222

Email: info@auctionsplus.com.au

Penile Infections in Bulls

[Balanoposthitis, Granular Posthitis]

Penile infections are a common disorder in young bulls in their first joining season following introduction to a new breed.

A range of bacterial, viral and other organisms (“bugs”) cause these infections with the most common being the genital form of infectious bovine rhinotracheitis (IBR) virus.

Any given property has its own population of “bugs” and if the new bulls have had no exposure previously to these “bugs” they will likely develop a penile infection on in the joining.

These penile infections can be severe with the bulls developing a reddened inflamed penis, often with pustules or ulceration on the surface, and will likely stop the bull serving due to pain.

If bulls with active infection are detected (red and inflamed penis) they should be isolated from females and treated with antibiotics and anti-inflammatory medication.

Oxytetracycline antibiotic therapy is the treatment of choice.

In some cases penile infections can cause extensive swelling in the prepuce and the condition can look like the bull has a broken penis or sheath injury. These bulls if treated promptly may regain normal function.

Penile infections are transient and bulls usually recover after 3 - 4 weeks. If undetected this type of disorder can cause a huge decrease in conception rate and possible permanent infertility in the bull in a small percentage of cases.

Affected bulls may continually mount cows without serving. A sound healthy bull should serve on every 1 or 2 mounts.

Pre-exposure of the bulls by joining them to a small number of females well before the normal joining is one method of ensuring young bulls have maximum immunity to the “bugs” on a property.


Achieving satisfactory pregnancy rates is essential in running a profitable beef enterprise.

For this reason the joining period is one of the most critical periods of the year.

The bulls and cows need to be observed regularly in this period to identify any problems and address them as soon as possible.

It is also advisable to pregnancy test 6 to 8 weeks following joining to ensure satisfactory pregnancy rates have been reached.


Follow Dunoon Angus on Facebook



An Explanation of the Beef Class Structural Assessment System

The Beef Class Structural Assessment System uses a 1-9 scoring system for feet and leg structure;

- A score of **5** is ideal;
- A score of **4 or 6** shows slight variation from ideal, but this includes most sound animals. An animal scoring 4 or 6 would be acceptable in any breeding program;
- A score of **3 or 7** shows greater variation but would be acceptable in most commercial programs. However, seedstock producers should be vigilant and understand that this score indicates greater variation from ideal;
- A score of **2 or 8** are low scoring animals and should be looked at cautiously and inspected very closely before purchasing;
- A score of **1 or 9** should not be catalogued and are considered immediate culls.



Temperament


The Temperament or docility score separates animals from the same contemporary on their calmness in a confined area. Animals which are extremely quiet (touchable) score '1'. Animals that are aggressive or extremely agitated in the crush are scored as '5'.

Sheath

The sheath score indicates the "tightness" of the sheath. '5' is tight, '1' is loose.

For more information please contact:

Jim Green 0402 003 137 or Liam Cardile 0409 572 570.



LIVESTOCK PHOTOGRAPHY

All bulls in this sale have been videoed - the videos will be on YouTube and AuctionsPlus sometime around the 15th of February.



QUICK REFERENCE ANGUS SALE BULLS

| Lot | Ident | Sire ID | BW | Milk | 600 | SC | EMA | IMF | \$GN-L | Doc |
|---------------------------|-----------|-------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|------------|
| 1 | BHR21S106 | VTMP446 | +4.6 | +21 | +143 | +3.3 | +6.5 | +3.5 | \$523 | +20 |
| 2 | BHR21S255 | BHRP758 | +3.0 | +15 | +123 | +3.6 | +9.8 | +2.2 | \$504 | +33 |
| 3 | BHR21S263 | BHRP758 | +5.3 | +18 | +130 | +1.5 | +8.0 | +2.6 | \$448 | +34 |
| 4 | BHR21S334 | BHRP758 | +5.7 | +18 | +135 | +3.3 | +9.3 | +2.1 | \$452 | +17 |
| 5 | BHR21S609 | BHRQ220 | +4.7 | +25 | +143 | +2.2 | +13.0 | +4.2 | \$516 | +26 |
| 6 | BHR21S117 | HODP8 | +3.8 | +15 | +114 | +2.6 | +5.8 | +3.2 | \$442 | +29 |
| 7 | BHR21S136 | BHRP758 | +4.6 | +17 | +123 | +3.4 | +11.1 | +1.2 | \$475 | +29 |
| 8 | BHR21S184 | HODP8 | +6.6 | +15 | +148 | +4.3 | +9.1 | +1.8 | \$441 | +38 |
| 9 | BHR21S589 | BHRP758 | +4.1 | +17 | +120 | +2.8 | +6.0 | +4.0 | \$452 | +35 |
| 10 | BHR21S338 | BHRP758 | +4.7 | +22 | +150 | +2.8 | +5.3 | +5.0 | \$491 | +34 |
| 11 | BHR21S541 | CSWQ011 | +2.8 | +26 | +156 | +4.9 | +5.0 | +5.1 | \$521 | +32 |
| 12 | BHR21S116 | BHRP758 | +2.4 | +13 | +119 | +4.0 | +10.1 | +4.9 | \$509 | +26 |
| 13 | BHR21S150 | HODP8 | +5.0 | +11 | +122 | +2.0 | +12.0 | +4.4 | \$480 | +32 |
| 14 | BHR21S567 | NMMP15 | +1.1 | +23 | +98 | +2.3 | +10.5 | +3.1 | \$479 | +28 |
| 15 | BHR21S143 | VTMP446 | +5.1 | +18 | +132 | +4.9 | +9.7 | +3.6 | \$477 | +17 |
| 16 | BHR21S169 | USA18219911 | +5.8 | +18 | +143 | +0.1 | +9.8 | +0.8 | \$472 | +31 |
| 17 | BHR21S121 | GTNM6 | +6.8 | +20 | +154 | +2.5 | +10.4 | +2.3 | \$470 | +41 |
| 18 | BHR21S186 | BHRP758 | +4.9 | +19 | +133 | +3.9 | +9.3 | +2.6 | \$469 | +36 |
| 19 | BHR21S188 | NMMP15 | +5.2 | +18 | +139 | +2.0 | +4.1 | +2.9 | \$466 | +30 |
| 20 | BHR21S190 | NMMP15 | +3.1 | +19 | +117 | +1.0 | +4.7 | +2.3 | \$466 | +22 |
| 21 | BHR21S281 | BHRP758 | +4.0 | +23 | +133 | +2.4 | +2.8 | +4.2 | \$463 | +36 |
| 22 | BHR21S261 | CSWQ011 | +4.4 | +14 | +137 | +5.5 | +4.3 | +2.0 | \$462 | +22 |
| 23 | BHR21S592 | ATZP24 | +4.3 | +14 | +115 | +0.2 | +11.3 | +3.3 | \$451 | +24 |
| 24 | BHR21S286 | BHRP758 | +5.8 | +21 | +130 | +3.8 | +9.8 | +4.7 | \$450 | +33 |
| 25 | BHR21S361 | BHRP758 | +5.6 | +20 | +139 | +4.4 | +6.3 | +2.9 | \$449 | +34 |
| 26 | BHR21S218 | GTNM6 | +2.8 | +21 | +122 | +1.5 | +2.0 | +2.6 | \$445 | +37 |
| 27 | BHR21S280 | BHRP758 | +1.9 | +17 | +104 | +2.1 | +15.8 | +2.4 | \$442 | +32 |
| 28 | BHR21S132 | BHRP758 | +5.4 | +22 | +139 | +3.7 | +5.0 | +2.3 | \$438 | +38 |
| 29 | BHR21S613 | BHRQ843 | +5.3 | +15 | +123 | +2.9 | +9.7 | +3.7 | \$436 | +26 |
| 30 | BHR21S152 | GTNM6 | +5.2 | +22 | +125 | +1.8 | +8.0 | +3.2 | \$430 | +40 |
| 31 | BHR21S562 | HODP8 | +4.0 | +7 | +117 | +3.2 | +8.1 | +2.0 | \$423 | +38 |
| 32 | BHR21S288 | VTMP446 | +7.1 | +17 | +151 | +2.3 | -0.1 | +2.0 | \$417 | +15 |
| 33 | BHR21S256 | GTNM6 | +6.7 | +17 | +147 | +2.0 | +5.8 | +2.5 | \$413 | +43 |
| 34 | BHR21S314 | BHRP758 | +6.8 | +16 | +133 | +2.9 | +5.6 | +1.8 | \$412 | +35 |
| 35 | BHR21S619 | HODP8 | +5.1 | +11 | +114 | +2.4 | +5.6 | +1.4 | \$406 | +37 |
| 36 | BHR21S593 | BHRP758 | +4.6 | +20 | +101 | +2.3 | +6.3 | +2.9 | \$403 | +36 |
| 37 | BHR21S232 | HODP8 | +7.0 | +13 | +130 | +2.5 | +4.4 | +2.5 | \$401 | +37 |
| 38 | BHR21S282 | HODP8 | +6.4 | +9 | +128 | +3.2 | +5.5 | +2.9 | \$388 | +27 |
| 39 | BHR21S259 | HODP8 | +7.0 | +11 | +131 | +3.9 | +2.8 | +3.0 | \$372 | +39 |
| 40 | BHR21S308 | VTMP446 | +4.3 | +12 | +110 | +2.4 | +1.0 | +1.1 | \$352 | +11 |
| 41 | BHR21S378 | BHRP758 | +3.3 | +18 | +128 | +2.4 | +11.0 | +3.8 | \$530 | +41 |
| 42 | BHR21S147 | HODP8 | +3.9 | +21 | +130 | +2.9 | +9.0 | +4.5 | \$515 | +21 |
| 43 | BHR21S174 | BHRP758 | +3.7 | +16 | +134 | +4.6 | +10.4 | +4.0 | \$511 | +32 |
| 44 | BHR21S171 | NMMP15 | +5.6 | +15 | +163 | +3.4 | +6.9 | +3.0 | \$504 | +29 |
| Breed Average EBVs | | | +4.1 | +17 | +117 | +2.1 | +6.4 | +2.2 | +407 | +21 |



QUICK REFERENCE ANGUS SALE BULLS

| Lot | Ident | Sire ID | BW | Milk | 600 | SC | EMA | IMF | \$GN-L | Doc |
|---------------------------|------------|-------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|------------|
| 45 | BHR21S642 | BHRP758 | +5.8 | +22 | +140 | +3.5 | +12.2 | +2.0 | \$485 | +33 |
| 46 | BHR21S1017 | HODP8 | +3.9 | +12 | +127 | +3.0 | +11.0 | +3.4 | \$483 | +35 |
| 47 | BHR21S1202 | ATZP24 | +6.0 | +22 | +125 | +3.0 | +9.2 | +3.4 | \$472 | +19 |
| 48 | BHR21S324 | BHRP758 | +4.4 | +15 | +124 | +3.1 | +7.7 | +3.4 | \$454 | +34 |
| 49 | BHR21S204 | HODP8 | +4.0 | +15 | +120 | +4.8 | +5.6 | +3.1 | \$453 | +35 |
| 50 | BHR21S394 | BHRP758 | +2.9 | +21 | +108 | +3.3 | +9.1 | +3.6 | \$449 | +33 |
| 51 | BHR21S295 | BHRP758 | +3.3 | +21 | +127 | +3.3 | +6.7 | +2.4 | \$441 | +28 |
| 52 | BHR21S1194 | BHRP758 | +5.6 | +19 | +118 | +3.8 | +3.9 | +4.0 | \$434 | +42 |
| 53 | BHR21S127 | BHRP758 | +3.0 | +21 | +113 | +3.0 | +9.9 | +4.1 | \$433 | +39 |
| 54 | BHR21S276 | HODP8 | +5.6 | +14 | +114 | +2.4 | +6.0 | +3.3 | \$358 | +36 |
| 55 | BHR21S759 | BHRP758 | +4.9 | +16 | +138 | +4.6 | +12.2 | +3.7 | \$516 | +30 |
| 56 | BHR21S834 | NGMP96 | +4.5 | +20 | +151 | +4.1 | +10.3 | +2.1 | \$500 | +39 |
| 57 | BHR21S875 | NGMP96 | +3.1 | +14 | +125 | +1.9 | +13.2 | +3.6 | \$499 | +36 |
| 58 | BHR21S824 | NGMP96 | +3.8 | +30 | +133 | +3.3 | +7.8 | +5.1 | \$486 | +20 |
| 59 | BHR21S722 | NGMP96 | +3.4 | +21 | +135 | +2.6 | +12.0 | +2.5 | \$468 | +33 |
| 60 | BHR21S827 | CSWQ011 | +4.4 | +22 | +132 | +3.3 | +6.7 | +3.0 | \$457 | +21 |
| 61 | BHR21S946 | BHRQ208 | +4.3 | +19 | +119 | +2.3 | +7.4 | +3.6 | \$451 | +35 |
| 62 | BHR21S1055 | HODP8 | +3.7 | +13 | +126 | +3.3 | +5.6 | +4.0 | \$451 | +41 |
| 63 | BHR21S929 | NGMP96 | +5.5 | +24 | +136 | +2.7 | +11.2 | +2.5 | \$448 | +36 |
| 64 | BHR21S716 | CSWQ011 | +0.5 | +23 | +119 | +4.1 | +1.3 | +5.4 | \$448 | +21 |
| 65 | BHR21S908 | NGMP96 | +3.9 | +20 | +131 | +2.4 | +10.1 | +2.2 | \$441 | +44 |
| 66 | BHR21S854 | NGMP96 | +6.3 | +23 | +148 | +2.1 | +12.9 | +2.9 | \$423 | +28 |
| 67 | BHR21S920 | HODP8 | +6.4 | +16 | +114 | +2.5 | +5.5 | +3.5 | \$342 | +34 |
| 68 | BHR21S907 | HODP8 | +6.2 | +20 | +119 | +2.1 | +2.3 | +3.2 | \$327 | +38 |
| 69 | BHR21S914 | NGMP96 | +2.4 | +22 | +128 | +4.1 | +14.9 | +3.1 | \$515 | +34 |
| 70 | BHR21S796 | CSWQ011 | +4.3 | +17 | +103 | +2.6 | +15.5 | +3.8 | \$492 | +22 |
| 71 | BHR21S777 | NGMP96 | +3.9 | +25 | +142 | +2.7 | +8.4 | +3.1 | \$489 | +39 |
| 72 | BHR21S944 | BHRQ813 | +5.8 | +14 | +139 | +3.9 | +6.6 | +4.5 | \$469 | +23 |
| 73 | BHR21S804 | NGMP96 | +3.3 | +26 | +131 | +3.0 | +13.6 | +2.0 | \$461 | +9 |
| 74 | BHR21S886 | USA18219911 | +7.9 | +11 | +143 | +0.7 | +11.6 | +1.3 | \$451 | +26 |
| 75 | BHR21S915 | CSWQ011 | +1.7 | +16 | +105 | +2.6 | +6.3 | +4.4 | \$450 | +35 |
| 76 | BHR21S782 | CSWQ011 | +2.2 | +22 | +120 | +4.5 | +10.1 | +3.9 | \$447 | +20 |
| 77 | BHR21S781 | BHRP758 | +4.2 | +18 | +118 | +4.1 | +6.7 | +3.7 | \$436 | +31 |
| 78 | BHR21S818 | NGMP96 | +4.8 | +20 | +150 | +2.1 | +13.4 | +0.6 | \$435 | +40 |
| 79 | BHR21S720 | NGMP96 | +1.9 | +17 | +109 | +2.6 | +13.1 | +0.9 | \$434 | +39 |
| 80 | BHR21S775 | BHRP758 | +4.1 | +14 | +112 | +0.4 | +5.8 | +3.0 | \$427 | +37 |
| 81 | BHR21S737 | NMMP15 | +5.4 | +20 | +132 | +2.7 | +4.4 | +2.5 | \$426 | +29 |
| 82 | BHR21S903 | HODP8 | +6.5 | +10 | +126 | +4.5 | +7.9 | +2.3 | \$422 | +39 |
| 83 | BHR21S856 | NGMP96 | +6.4 | +13 | +165 | +2.8 | +5.0 | +1.5 | \$419 | +39 |
| 84 | BHR21S961 | BHRQ261 | +1.9 | +20 | +105 | +3.4 | +7.3 | +5.9 | \$418 | +35 |
| 85 | BHR21S713 | BHRP758 | +4.8 | +17 | +130 | +3.4 | -1.7 | +3.5 | \$418 | +29 |
| 86 | BHR21S725 | HODP8 | +3.7 | +14 | +111 | +3.0 | +5.9 | +2.6 | \$414 | +38 |
| 87 | BHR21S771 | BHRP758 | +3.4 | +13 | +103 | +1.6 | +2.4 | +4.0 | \$410 | +37 |
| 88 | BHR21S945 | BHRQ208 | +6.2 | +18 | +116 | +2.2 | +7.2 | +3.5 | \$408 | +27 |
| Breed Average EBVs | | | +4.1 | +17 | +117 | +2.1 | +6.4 | +2.2 | +407 | +21 |

QUICK REFERENCE ANGUS SALE BULLS

| Lot | Ident | Sire ID | BW | Milk | 600 | SC | EMA | IMF | \$GN-L | Doc |
|---------------------------|------------|-------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|------------|
| 89 | BHR21S933 | NGMP96 | +2.6 | +25 | +111 | +2.8 | +7.7 | +2.6 | \$401 | +28 |
| 90 | BHR21S868 | NGMP96 | +3.7 | +12 | +126 | +1.4 | +7.5 | +2.1 | \$401 | +14 |
| 91 | BHR21S848 | CSWQ011 | +5.4 | +16 | +130 | +4.2 | +11.4 | +3.4 | \$401 | +26 |
| 92 | BHR21S931 | CSWQ011 | +1.7 | +19 | +85 | +2.6 | +8.5 | +4.9 | \$398 | +17 |
| 93 | BHR21S736 | USA18219911 | +4.7 | +19 | +118 | +0.4 | +3.4 | +3.4 | \$397 | +31 |
| 94 | BHR21S959 | BHRQ891 | +6.1 | +17 | +132 | +2.3 | +6.4 | +2.2 | \$394 | +13 |
| 95 | BHR21S788 | BHRP758 | +3.9 | +18 | +114 | +2.2 | +9.6 | +1.6 | \$389 | +23 |
| 96 | BHR21S830 | USA18219911 | +0.5 | +18 | +79 | +0.9 | +5.0 | +3.8 | \$389 | +5 |
| 97 | BHR21S825 | BHRP758 | +6.7 | +16 | +130 | +3.0 | +4.3 | +2.0 | \$386 | +39 |
| 98 | BHR21S723 | HODP8 | +6.5 | +14 | +149 | +1.6 | +2.4 | +3.1 | \$382 | +34 |
| 99 | BHR21S851 | HODP8 | +8.5 | +17 | +142 | +3.3 | +9.9 | +2.0 | \$381 | +29 |
| 100 | BHR21S974 | BHRN098 | +4.5 | +16 | +117 | +1.1 | +1.9 | +3.3 | \$381 | +15 |
| 101 | BHR21S808 | NGMP96 | +5.7 | +23 | +121 | +3.0 | +9.2 | +2.7 | \$378 | +43 |
| 102 | BHR21S735 | HODP8 | +6.8 | +18 | +139 | +3.3 | +7.8 | +2.0 | \$378 | +40 |
| 103 | BHR21S924 | CSWQ011 | +2.7 | +19 | +96 | +3.8 | +4.7 | +3.0 | \$373 | +17 |
| 104 | BHR21S863 | USA18219911 | +5.5 | +23 | +122 | +2.0 | +8.0 | +3.0 | \$372 | +20 |
| 105 | BHR21S778 | NGMP96 | +6.5 | +18 | +133 | +1.5 | +7.5 | +0.5 | \$368 | +34 |
| 106 | BHR21S769 | HODP8 | +3.6 | +18 | +89 | +2.4 | +2.2 | +3.5 | \$363 | +40 |
| 107 | BHR21S957 | BHRN098 | +3.0 | +12 | +95 | +1.1 | +3.5 | +5.0 | \$357 | +27 |
| 108 | BHR21S790 | HODP8 | +8.2 | +14 | +150 | +2.3 | +0.7 | +3.7 | \$336 | +34 |
| 109 | BHR21S120 | USA18219911 | +2.3 | +21 | +138 | +2.1 | +8.3 | +3.3 | \$513 | +29 |
| 110 | BHR21S258 | USA18219911 | +4.5 | +19 | +153 | +2.2 | +7.4 | +1.8 | \$512 | +33 |
| 111 | BHR21S234 | CSWQ011 | +2.7 | +29 | +130 | +4.9 | +10.0 | +4.5 | \$490 | +18 |
| 112 | BHR21S522 | BHRP758 | +3.8 | +16 | +130 | +3.9 | +7.1 | +2.8 | \$482 | +32 |
| 113 | BHR21S191 | BHRP758 | +6.3 | +17 | +136 | +1.2 | +8.8 | +3.5 | \$478 | +24 |
| 114 | BHR21S578 | NGMP96 | +6.1 | +28 | +164 | +3.0 | +11.2 | +1.4 | \$477 | +37 |
| 115 | BHR21S581 | NMMP15 | +3.0 | +28 | +119 | +2.5 | +11.1 | +3.2 | \$467 | +25 |
| 116 | BHR21S216 | GTNM6 | +5.3 | +17 | +125 | +1.0 | +7.0 | +3.8 | \$462 | +33 |
| 117 | BHR21S362 | USA18219911 | +4.3 | +14 | +123 | +0.3 | +9.0 | +3.2 | \$457 | +27 |
| 118 | BHR21S569 | BHRP758 | +4.0 | +18 | +117 | +4.5 | +7.9 | +3.4 | \$454 | +33 |
| 119 | BHR21S107 | USA18219911 | +2.8 | +15 | +106 | -0.1 | +12.1 | +2.0 | \$452 | +28 |
| 120 | BHR21S623 | USA18219911 | +3.5 | +25 | +130 | +1.8 | +4.8 | +2.1 | \$445 | +33 |
| 121 | BHR21S622 | BHRQ256 | +2.9 | +24 | +109 | +2.6 | +11.7 | +4.8 | \$438 | +12 |
| 122 | BHR21S596 | BHRQ256 | +2.2 | +23 | +82 | +1.8 | +15.3 | +4.5 | \$432 | +31 |
| 123 | BHR21S090 | HODP8 | +5.6 | +16 | +105 | +4.1 | +6.2 | +3.3 | \$431 | +43 |
| 124 | BHR21S265 | NMMP15 | +1.9 | +25 | +117 | +1.1 | +8.9 | +1.9 | \$428 | +30 |
| 125 | BHR21S597 | BHRP758 | +5.1 | +13 | +113 | +3.1 | +6.9 | +4.1 | \$417 | +32 |
| 126 | BHR21S616 | CSWQ011 | +2.0 | +13 | +97 | +3.8 | +5.2 | +4.5 | \$413 | +19 |
| 127 | BHR21S1168 | BHRQ824 | +2.2 | +25 | +98 | +2.7 | +7.6 | +4.6 | \$412 | +21 |
| 128 | BHR21S114 | BHRP758 | +3.3 | +18 | +100 | +1.9 | +6.1 | +2.9 | \$412 | +37 |
| 129 | BHR21S077 | VTMP446 | +2.5 | +15 | +109 | +2.2 | +9.0 | +1.8 | \$410 | +17 |
| 130 | BHR21S228 | GTNM6 | +4.6 | +26 | +131 | +2.5 | +11.1 | +2.1 | \$409 | +34 |
| 131 | BHR21S210 | HODP8 | +4.4 | +12 | +115 | +2.8 | +4.2 | +2.6 | \$403 | +14 |
| 132 | BHR21S063 | VTMP446 | +4.7 | +8 | +118 | +2.6 | +0.9 | +3.0 | \$400 | +9 |
| Breed Average EBVs | | | +4.1 | +17 | +117 | +2.1 | +6.4 | +2.2 | +407 | +21 |



QUICK REFERENCE ANGUS SALE BULLS

| Lot | Ident | Sire ID | BW | Milk | 600 | SC | EMA | IMF | \$GN-L | Doc |
|---------------------------|------------|-------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|------------|
| 133 | BHR21S1170 | HODP8 | +3.8 | +10 | +101 | +2.0 | +4.6 | +4.1 | \$394 | +30 |
| 134 | BHR21S254 | HODP8 | +4.9 | +21 | +121 | +3.2 | +5.9 | +3.3 | \$393 | +35 |
| 135 | BHR21S358 | USA18219911 | +2.7 | +25 | +108 | +1.5 | +12.0 | +2.2 | \$391 | +32 |
| 136 | BHR21S243 | USA18219911 | +4.6 | +22 | +118 | +0.6 | +10.9 | +1.7 | \$391 | +24 |
| 137 | BHR21S115 | BHRP758 | +3.2 | +19 | +97 | +3.8 | +7.8 | +2.5 | \$373 | +36 |
| 138 | BHR21S317 | BHRP758 | +6.5 | +21 | +151 | +2.6 | +11.4 | +2.3 | \$525 | +31 |
| 139 | BHR21S270 | CSWQ011 | +3.4 | +15 | +119 | +3.1 | +11.0 | +4.7 | \$518 | +11 |
| 140 | BHR21S268 | CSWQ011 | +5.9 | +18 | +139 | +4.9 | +6.4 | +4.3 | \$511 | +26 |
| 141 | BHR21S293 | BHRP758 | +6.7 | +10 | +141 | +5.2 | +10.9 | +3.7 | \$509 | +34 |
| 142 | BHR21S1110 | BHRQ566 | +4.9 | +23 | +156 | +3.7 | +4.8 | +3.8 | \$509 | +23 |
| 143 | BHR21S269 | VTMP446 | +5.1 | +19 | +132 | +3.6 | +5.0 | +3.0 | \$476 | +30 |
| 144 | BHR21S340 | BHRP758 | +5.2 | +17 | +120 | +3.0 | +10.1 | +1.3 | \$468 | +34 |
| 145 | BHR21S159 | USA18219911 | +0.8 | +16 | +94 | +1.0 | +12.1 | +2.8 | \$468 | +23 |
| 146 | BHR21S066 | BHRP758 | +5.3 | +22 | +156 | +2.6 | +3.4 | +2.0 | \$466 | +37 |
| 147 | BHR21S690 | ATZP24 | +2.6 | +17 | +116 | +0.8 | +8.5 | +2.3 | \$462 | +7 |
| 148 | BHR21S692 | BHRQ943 | +2.9 | +12 | +125 | +2.9 | +13.3 | +2.9 | \$455 | +35 |
| 149 | BHR21S667 | BHRQ256 | +3.5 | +14 | +115 | +1.7 | +11.6 | +2.2 | \$448 | +29 |
| 150 | BHR21S267 | CSWQ011 | +4.0 | +18 | +104 | +2.7 | +9.9 | +5.0 | \$430 | +21 |
| 151 | BHR21S321 | VTMP446 | +5.1 | +14 | +130 | +2.5 | +3.3 | +2.4 | \$430 | +5 |
| 152 | BHR21S199 | HODP8 | +7.2 | +16 | +159 | +3.2 | +7.1 | +1.3 | \$427 | +38 |
| 153 | BHR21S658 | HODP8 | +2.4 | +15 | +90 | +2.6 | +11.9 | +3.0 | \$421 | +31 |
| 154 | BHR21S686 | ATZP24 | +6.7 | +18 | +142 | +1.9 | +5.6 | +3.8 | \$416 | +2 |
| 155 | BHR21S695 | BHRQ057 | +3.7 | +23 | +123 | +3.0 | +2.4 | +3.9 | \$407 | +36 |
| 156 | BHR21S694 | BHRQ858 | +4.0 | +17 | +120 | +3.5 | +3.9 | +2.7 | \$407 | +9 |
| 157 | BHR21S329 | HODP8 | +3.5 | +9 | +85 | +2.2 | +7.0 | +2.6 | \$389 | +37 |
| 158 | BHR21S323 | HODP8 | +4.9 | +9 | +110 | +3.5 | +6.4 | +2.6 | \$380 | +44 |
| 159 | BHR21S157 | HODP8 | +6.2 | +9 | +124 | +3.1 | +12.8 | +1.6 | \$378 | +16 |
| 160 | BHR21S1138 | BHRQ732 | +2.8 | +13 | +103 | +2.4 | +7.3 | +3.6 | \$372 | +35 |
| 161 | BHR21S351 | HODP8 | +6.7 | +22 | +148 | +3.9 | +3.7 | +0.5 | \$335 | +43 |
| 162 | BHR21S1277 | BHRQ857 | +5.6 | +25 | +167 | +2.0 | +5.9 | +0.7 | \$491 | +24 |
| 163 | BHR21S1013 | USA18219911 | +2.5 | +20 | +120 | +1.0 | +10.2 | +3.0 | \$461 | +28 |
| 164 | BHR21S952 | BHRQ857 | +7.3 | +18 | +156 | +3.0 | +3.7 | +1.8 | \$458 | +9 |
| 165 | BHR21S969 | BHRQ261 | +5.3 | +15 | +121 | +3.4 | +3.5 | +4.8 | \$454 | +35 |
| 166 | BHR21S1025 | BHRQ857 | +1.9 | +21 | +116 | +0.4 | +5.9 | +2.7 | \$453 | +15 |
| 167 | BHR21S1024 | HODP8 | +5.8 | +8 | +119 | +3.2 | +6.2 | +4.4 | \$453 | +31 |
| 168 | BHR21S1067 | CSWQ011 | +3.2 | +19 | +105 | +5.5 | +10.5 | +3.7 | \$447 | +10 |
| 169 | BHR21S1247 | BHRQ057 | +7.5 | +16 | +171 | +1.9 | +11.3 | +3.0 | \$447 | +17 |
| 170 | BHR21S1065 | NMMP15 | +2.9 | +17 | +114 | +4.1 | +4.8 | +3.6 | \$440 | +30 |
| 171 | BHR21S1058 | NMMP15 | +3.4 | +19 | +123 | +3.2 | +6.1 | +1.8 | \$440 | +17 |
| 172 | BHR21S1235 | BHRQ143 | +0.4 | +11 | +100 | +0.1 | +8.9 | +3.9 | \$427 | +26 |
| 173 | BHR21S1066 | BHRQ772 | +5.1 | +13 | +116 | +2.0 | +4.9 | +3.0 | \$416 | +0 |
| 174 | BHR21S1192 | HODP8 | +7.4 | +14 | +139 | +2.4 | +4.7 | +3.7 | \$414 | +41 |
| 175 | BHR21S1088 | BHRQ772 | +4.4 | +23 | +114 | +2.9 | +8.5 | +2.7 | \$414 | +36 |
| 176 | BHR21S1255 | BHRQ124 | +3.4 | +23 | +107 | +0.2 | +12.2 | +3.5 | \$411 | +31 |
| Breed Average EBVs | | | +4.1 | +17 | +117 | +2.1 | +6.4 | +2.2 | +407 | +21 |

QUICK REFERENCE ANGUS SALE BULLS

| Lot | Ident | Sire ID | BW | Milk | 600 | SC | EMA | IMF | \$GN-L | Doc |
|---------------------------|------------|---------|-------------|------------|-------------|-------------|-------------|-------------|-------------|------------|
| 177 | BHR21S1021 | HODP8 | +6.8 | +12 | +143 | +4.2 | +6.1 | +3.8 | \$410 | +39 |
| 178 | BHR21S1052 | HODP8 | +5.1 | +14 | +133 | +3.1 | +7.1 | +1.5 | \$408 | +41 |
| 179 | BHR21S1197 | HODP8 | +7.6 | +10 | +136 | +2.1 | +8.2 | +2.4 | \$395 | +35 |
| 180 | BHR21S1208 | BHRQ769 | +6.3 | +15 | +135 | +1.6 | +2.3 | +2.8 | \$391 | +34 |
| 181 | BHR21S1040 | HODP8 | +7.0 | +6 | +135 | +2.3 | +9.7 | +2.2 | \$390 | +47 |
| 182 | BHR21S963 | BHRQ891 | +5.3 | +13 | +123 | +2.6 | +5.8 | -0.1 | \$388 | +21 |
| 183 | BHR21S979 | BHRQ772 | +5.0 | +19 | +116 | +2.1 | +3.1 | +4.0 | \$382 | +37 |
| 184 | BHR21S1091 | BHRQ261 | +7.8 | +16 | +140 | +2.2 | +8.1 | +3.8 | \$368 | +28 |
| 185 | BHR21S1207 | BHRQ813 | +3.4 | +14 | +94 | +2.5 | +8.8 | +3.5 | \$366 | +30 |
| 186 | BHR21S1003 | HODP8 | +4.0 | +14 | +110 | +2.1 | +8.0 | +0.2 | \$365 | +27 |
| 187 | BHR21S984 | BHRN098 | +5.7 | +21 | +119 | +2.0 | +5.1 | +3.6 | \$354 | +19 |
| 188 | BHR21S1281 | BHRQ943 | +4.9 | +18 | +114 | +2.1 | +9.0 | +1.3 | \$350 | +30 |
| 189 | BHR21S1215 | BHRQ261 | +6.7 | +14 | +109 | +2.0 | +12.4 | +4.6 | \$347 | +29 |
| 190 | BHR21S1019 | HODP8 | +6.2 | +8 | +98 | +1.5 | +1.0 | +4.3 | \$320 | +37 |
| Breed Average EBVs | | | +4.1 | +17 | +117 | +2.1 | +6.4 | +2.2 | +407 | +21 |



Autumn 2022 Top Priced Bull- Dunoon Recharge R102^{PV}
Sold to Clunie Range Angus & Nairn Park Angus

1 DUNOON S106^{PV}

Calved: 6/07/2021 BHR21S106 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 5 | 5 | 5 | 42 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|------|------|-----|------|------|------|-----|------|------|-----|------|------|------|------|-------|-------|------|-------|-------|
| EBVs | +3.6 | +3.6 | -6.1 | +4.6 | +59 | +108 | +143 | +124 | +21 | +3.3 | -7.3 | +88 | +6.5 | +1.4 | +1.7 | -0.2 | +3.5 | +0.42 | +20 | +0.88 | +0.90 |
| Acc | 57% | 47% | 71% | 73% | 73% | 70% | 70% | 68% | 61% | 66% | 38% | 61% | 60% | 62% | 62% | 56% | 65% | 51% | 56% | 65% | 65% |
| Perc | 43 | 58 | 28 | 62 | 14 | 9 | 8 | 16 | 18 | 12 | 3 | 5 | 46 | 18 | 16 | 86 | 17 | 79 | 51 | 56 | 31 |

TE MANIA KIRK K226^{PV} LANDFALL KEYSTONE K132^{PV}
TE MANIA PARENTHESIS P446^{PV} **DUNOON Q034^{SV}**
TE MANIA DANDLOO H320^{PV} DUNOON BEEAC N219[#]

An eye - catcher! This heifer's first calf has lots to offer, he's really well balanced, stylish with the added bonus of the Dandloo x Beeac cross with the cow families, plus that impressive data.

HFR

\$

2 DUNOON S255^{PV}

Calved: 11/07/2021 BHR21S255 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 5 | 5 | 5 | 45 | 5 | 2 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|------|------|-----|-----|------|------|-----|------|------|-----|------|------|------|------|-------|-------|------|-------|-------|
| EBVs | +6.5 | +6.5 | -8.7 | +3.0 | +54 | +97 | +123 | +99 | +15 | +3.6 | -6.0 | +71 | +9.8 | +3.0 | +3.7 | +0.3 | +2.2 | +0.41 | +33 | +0.50 | +0.86 |
| Acc | 55% | 43% | 72% | 74% | 73% | 71% | 70% | 67% | 59% | 66% | 35% | 60% | 59% | 61% | 61% | 55% | 64% | 50% | 56% | 64% | 63% |
| Perc | 18 | 18 | 6 | 26 | 32 | 30 | 37 | 53 | 73 | 8 | 17 | 35 | 14 | 4 | 3 | 60 | 47 | 78 | 9 | 3 | 22 |

RENNYLEA L508^{PV} DUNOON LARRY L1267^{SV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON P413^{SV}**
DUNOON JAPARA M1008[#] DUNOON BEEAC M185[#]

You won't miss this guy - solid and impressive shape will stop your eyes - he's one of those we always looked up in a mob of cows and calves - we look a lot of PM's up!

HFR

\$

3 DUNOON S263^{PV}

Calved: 11/07/2021 BHR21S263 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 6 | 6 | 40 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|------|------|-----|------|------|------|-----|------|------|-----|------|------|------|------|-------|-------|------|-------|-------|
| EBVs | -1.2 | -1.2 | -7.3 | +5.3 | +59 | +100 | +130 | +108 | +18 | +1.5 | -4.7 | +78 | +8.0 | +0.1 | -0.1 | +0.6 | +2.6 | +0.08 | +34 | +0.84 | +0.88 |
| Acc | 57% | 46% | 72% | 74% | 73% | 71% | 70% | 67% | 60% | 67% | 38% | 61% | 60% | 62% | 62% | 56% | 65% | 52% | 57% | 66% | 65% |
| Perc | 79 | 89 | 14 | 76 | 14 | 24 | 24 | 38 | 46 | 73 | 49 | 18 | 29 | 45 | 45 | 40 | 36 | 36 | 8 | 48 | 26 |

RENNYLEA L508^{PV} AYRVALE HERCULES H9^{PV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON P851^{SV}**
DUNOON JAPARA M1008[#] DUNOON DAME L847[#]

Great skins and loads of volume are often the notes we write next to these PM sons. A big, long, attractive bull with very good structure and great sire appeal!

HFR

\$

4 DUNOON S334^{SV}

Calved: 14/07/2021 BHR21S334 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 47 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|------|------|-----|-----|------|------|-----|------|------|-----|------|------|------|------|-------|-------|------|-------|-------|
| EBVs | +1.6 | +1.6 | -6.4 | +5.7 | +58 | +97 | +135 | +123 | +18 | +3.3 | -5.9 | +81 | +9.3 | -1.3 | -1.5 | +0.9 | +2.1 | +0.33 | +17 | +0.92 | +0.90 |
| Acc | 58% | 47% | 72% | 74% | 74% | 71% | 71% | 68% | 61% | 67% | 39% | 62% | 61% | 63% | 63% | 57% | 66% | 53% | 59% | 65% | 64% |
| Perc | 61 | 74 | 24 | 83 | 18 | 32 | 17 | 17 | 41 | 12 | 18 | 12 | 17 | 78 | 72 | 22 | 50 | 70 | 68 | 64 | 31 |

RENNYLEA L508^{PV} PATHFINDER GENERAL K7^{SV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON BEEAC N108[#]**
DUNOON JAPARA M1008[#] DUNOON BEEAC J032[#]

An impressive PM - lots of bulk here coupled with style - those who are after performance bulls which are a joy to look at, these PM's will get your day off to a great start!

HFR

\$

5 DUNOON S609^{PV}

Calved: 10/08/2021 BHR21S609 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 5 | 5 | 5 | 42 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|------|------|-----|------|------|------|-----|------|------|-----|-------|------|------|------|-------|-------|------|-------|-------|
| EBVs | -2.1 | -2.1 | -2.6 | +4.7 | +62 | +108 | +143 | +121 | +25 | +2.2 | -5.5 | +90 | +13.0 | -0.7 | -1.7 | +0.7 | +4.2 | +0.60 | +26 | +1.20 | +0.92 |
| Acc | 54% | 43% | 68% | 70% | 70% | 67% | 68% | 66% | 59% | 65% | 36% | 59% | 59% | 60% | 61% | 54% | 64% | 52% | 44% | 64% | 64% |
| Perc | 83 | 42 | 82 | 64 | 7 | 9 | 8 | 19 | 6 | 44 | 27 | 4 | 3 | 65 | 75 | 33 | 8 | 92 | 23 | 96 | 35 |

TOPBOS LEADING EDGE L292^{PV} RENNYLEA L508^{PV}
DUNOON Q220^{SV} **DUNOON P089^{SV}**
DUNOON DANDLOO L567[#] DUNOON LOWAN M080[#]

S609 is a really good looking bull, chocked full of red meat, plus he has a data set to match - don't sit back and let this guy go by, why not try and take him home!

HFR

\$

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



6 DUNOON S117^{PV}

Calved: 6/07/2021 BHR21S117 Register: APR

| Structural Assessment | | | | | | | | | Scrotal | Sheath | Temp. |
|-----------------------|---|---|---|---|---|----|---|---|---------|--------|-------|
| F | R | F | R | F | R | F | R | F | | | |
| 6 | 5 | 6 | 6 | 5 | 5 | 42 | 5 | 1 | | | |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +2.0 | +2.0 | -4.1 | +3.8 | +49 | +91 | +114 | +110 | +15 | +2.6 | -6.8 | +63 | +5.8 | +1.2 | +1.0 | +0.1 | +3.2 | +0.19 | +29 | +0.80 | +0.96 |
| Acc | 54% | 43% | 63% | 73% | 69% | 63% | 63% | 61% | 54% | 59% | 35% | 56% | 53% | 56% | 56% | 50% | 58% | 47% | 55% | 65% | 65% |
| Perc | 58 | 55 | 61 | 43 | 58 | 49 | 59 | 34 | 67 | 29 | 7 | 60 | 56 | 21 | 25 | 72 | 22 | 51 | 16 | 39 | 45 |

CLUNIE RANGE LEGEND L348^{PV} G A R SURE FIRE^{SV}
MERLEWOOD PONTING P8^{SV} **DUNOON P754^{SV}**
 MERLEWOOD JAPARA M5* DUNOON ARCHER M403*

S117 is one of those 'easy to use' Ponting sons - it says a lot about a sire when you see a line of bulls that are so consistent - it gives you lots of confidence!!

HFR

\$

7 DUNOON S136^{PV}

Calved: 7/07/2021 BHR21S136 Register: HBR

| Structural Assessment | | | | | | | | | Scrotal | Sheath | Temp. |
|-----------------------|---|---|---|---|---|----|---|---|---------|--------|-------|
| F | R | F | R | F | R | F | R | F | | | |
| 6 | 5 | 5 | 6 | 5 | 5 | 44 | 5 | 1 | | | |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|-------|------|-----|-----|------|-----|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +6.9 | +6.9 | -11.4 | +4.6 | +51 | +91 | +123 | +85 | +17 | +3.4 | -6.5 | +82 | +11.1 | +0.5 | +0.6 | +1.3 | +1.2 | +0.64 | +29 | +0.78 | +0.80 |
| Acc | 58% | 46% | 72% | 74% | 74% | 71% | 70% | 68% | 61% | 68% | 38% | 62% | 61% | 63% | 63% | 57% | 65% | 52% | 58% | 64% | 63% |
| Perc | 16 | 17 | 1 | 62 | 44 | 49 | 38 | 77 | 49 | 10 | 10 | 11 | 8 | 35 | 32 | 8 | 76 | 93 | 16 | 34 | 13 |

RENNYLEA L508^{PV} PATHFINDER GENERAL K7^{SV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON P857^{SV}**
 DUNOON JAPARA M1008* DUNOON PRINCESS F958*

One of those really solid PM sons - lots to be impressed with here, the shape, volume and well balanced. Our K7 cows are long, angular and lovely uddered.

HFR

\$

8 DUNOON S184^{PV}

Calved: 9/07/2021 BHR21S184 Register: HBR

| Structural Assessment | | | | | | | | | Scrotal | Sheath | Temp. |
|-----------------------|---|---|---|---|---|----|---|---|---------|--------|-------|
| F | R | F | R | F | R | F | R | F | | | |
| 6 | 5 | 6 | 6 | 5 | 5 | 46 | 5 | 1 | | | |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -7.8 | -7.8 | -9.0 | +6.6 | +66 | +114 | +148 | +145 | +15 | +4.3 | -5.7 | +89 | +9.1 | -1.3 | -3.0 | +1.2 | +1.8 | +0.07 | +38 | +0.68 | +0.96 |
| Acc | 54% | 42% | 69% | 73% | 73% | 69% | 70% | 67% | 59% | 65% | 34% | 60% | 58% | 60% | 60% | 52% | 63% | 50% | 53% | 60% | 60% |
| Perc | 97 | 66 | 5 | 93 | 3 | 4 | 5 | 4 | 66 | 3 | 22 | 5 | 19 | 78 | 90 | 10 | 59 | 35 | 4 | 17 | 45 |

CLUNIE RANGE LEGEND L348^{PV} MOOGENILLA J51^{SV}
MERLEWOOD PONTING P8^{SV} **DUNOON P570^{SV}**
 MERLEWOOD JAPARA M5* DUNOON LOWAN K043*

The 'wow factor' here - a most impressive Ponting son with sire appeal, muscle expression, length and heaps of growth - one of the good ones!

HFR

\$

9 DUNOON S589^{SV}

Calved: 9/08/2021 BHR21S589 Register: HBR

| Structural Assessment | | | | | | | | | Scrotal | Sheath | Temp. |
|-----------------------|---|---|---|---|---|----|---|---|---------|--------|-------|
| F | R | F | R | F | R | F | R | F | | | |
| 5 | 5 | 6 | 6 | 5 | 5 | 43 | 5 | 1 | | | |

Genetic Conditions:AMF,CAF,DDC,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +3.6 | +3.6 | -6.4 | +4.1 | +47 | +92 | +120 | +112 | +17 | +2.8 | -6.1 | +67 | +6.0 | +3.6 | +4.3 | -0.9 | +4.0 | +0.68 | +35 | +0.76 | +0.74 |
| Acc | 59% | 49% | 73% | 75% | 74% | 72% | 71% | 69% | 63% | 68% | 42% | 63% | 62% | 64% | 64% | 58% | 66% | 54% | 61% | 67% | 66% |
| Perc | 43 | 52 | 24 | 51 | 65 | 45 | 46 | 31 | 54 | 23 | 15 | 47 | 53 | 2 | 2 | 98 | 10 | 95 | 6 | 30 | 7 |

RENNYLEA L508^{PV} TUWHARETOA REGENT D145^{PV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON BEEAC H173[#]**
 DUNOON JAPARA M1008* DUNOON BEEAC Z120*

This young PM son is bred in the purple - H173 is a full sister to Gabba! Lots to like about this fellow, high marbling, great fertility and ready to go!

HFR

\$

10 DUNOON S338^{PV}

Calved: 14/07/2021 BHR21S338 Register: HBR

| Structural Assessment | | | | | | | | | Scrotal | Sheath | Temp. |
|-----------------------|---|---|---|---|---|----|---|---|---------|--------|-------|
| F | R | F | R | F | R | F | R | F | | | |
| 6 | 5 | 6 | 6 | 6 | 5 | 41 | 5 | 1 | | | |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|-------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +3.2 | +3.2 | -10.5 | +4.7 | +59 | +113 | +150 | +136 | +22 | +2.8 | -4.3 | +85 | +5.3 | -0.6 | -2.9 | -0.3 | +5.0 | +0.28 | +34 | +0.68 | +1.02 |
| Acc | 58% | 47% | 72% | 73% | 73% | 71% | 70% | 67% | 60% | 66% | 38% | 61% | 60% | 62% | 62% | 56% | 64% | 52% | 57% | 69% | 68% |
| Perc | 47 | 36 | 2 | 64 | 13 | 5 | 4 | 7 | 14 | 23 | 61 | 7 | 62 | 62 | 89 | 89 | 3 | 64 | 8 | 17 | 61 |

RENNYLEA L508^{PV} V A R DISCOVERY 2240^{PV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON P1241^{SV}**
 DUNOON JAPARA M1008* DUNOON DANDLOO K679*

Wow! +5 for IMF and +150 for growth - this PM has so much to offer, with a valuable pedigree mix of the Japara and Dandloo cow families! Imagine going home with this fellow?

HFR

\$

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



11 DUNOON S541^{SV}

Calved: 4/08/2021 BHR21S541 Register: HBR

Selection Indexes

\$A \$230

\$A-L \$431

\$G \$313

\$G-L \$521

TACE

Structural Assessment

| | | | | | | | | |
|---|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 47 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

LAWSONS MOMENTOUS M518^{PV} DUNOON GABBA G548^{PV}

MURDEDUKE QUARTERBACK Q011^{PV} DUNOON DANDLOO K100[#]

MURDEDUKE BARUNAH N026^{PV} DUNOON DANDLOO E266[#]

The Gabba cows are often behind the good ones - a fairly impressive group of EBVs here - IMF, growth, fertility and birth weight are all in the right spots, plus he's very quiet!

HFR \$

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | | | | |
|--|--------|------|------|------|-----|------|------|------|-----|------|---|-----|------|------|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +7.0 | +7.0 | -8.8 | +2.8 | +61 | +114 | +156 | +154 | +26 | +4.9 | -5.3 | +81 | +5.0 | -0.8 | -1.4 | -0.3 | +5.1 | +0.31 | +32 | +0.68 | +0.80 |
| Acc | 59% | 48% | 74% | 75% | 75% | 73% | 72% | 69% | 62% | 70% | 40% | 63% | 63% | 64% | 64% | 58% | 66% | 54% | 60% | 64% | 64% |
| Perc | 15 | 78 | 5 | 23 | 9 | 4 | 2 | 2 | 3 | 1 | 31 | 13 | 66 | 67 | 70 | 89 | 3 | 67 | 11 | 17 | 13 |

12 DUNOON S116^{PV}

Calved: 6/07/2021 BHR21S116 Register: HBR

Selection Indexes

\$A \$243

\$A-L \$416

\$G \$330

\$G-L \$509

TACE

Structural Assessment

| | | | | | | | | |
|---|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 7 | 7 | 6 | 5 | 45 | 4 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

RENNYLEA L508^{PV} V A R DISCOVERY 2240^{PV}

DUNOON PRIME MINISTER P758^{SV} DUNOON P329^{SV}

DUNOON JAPARA M1008[#] DUNOON DANDLOO G433[#]

A really solid PM son, lots to like about this fellow - calving ease, growth and great carcass numbers.

HFR \$

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | | | | |
|--|--------|------|-------|------|-----|-----|------|------|-----|------|---|-----|-------|------|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +7.9 | +7.9 | -11.3 | +2.4 | +50 | +97 | +119 | +102 | +13 | +4.0 | -5.4 | +63 | +10.1 | +2.1 | +1.3 | -0.2 | +4.9 | +1.12 | +26 | +1.02 | +0.88 |
| Acc | 57% | 46% | 72% | 74% | 74% | 71% | 70% | 67% | 60% | 67% | 38% | 62% | 61% | 62% | 63% | 56% | 65% | 52% | 58% | 67% | 66% |
| Perc | 10 | 16 | 1 | 17 | 51 | 32 | 48 | 47 | 83 | 4 | 29 | 62 | 12 | 9 | 21 | 86 | 4 | 99 | 23 | 81 | 26 |

13 DUNOON S150^{SV}

Calved: 7/07/2021 BHR21S150 Register: APR

Selection Indexes

\$A \$229

\$A-L \$393

\$G \$312

\$G-L \$480

TACE

Structural Assessment

| | | | | | | | | |
|---|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 42 | 4 | 2 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

CLUNIE RANGE LEGEND L348^{PV} V A R INDEX 3282^{PV}

MERLEWOOD PONTING P8^{SV} DUNOON ARCHER N128[#]

MERLEWOOD JAPARA M5[#] DUNOON ARCHER K512[#]

One of those impressive Ponting sons with high marbling and heaps of EMA - a nice allrounder here!

HFR \$

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | | | | |
|--|--------|------|------|------|-----|-----|------|------|-----|------|---|-----|-------|------|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +2.4 | +2.4 | -7.7 | +5.0 | +57 | +94 | +122 | +121 | +11 | +2.0 | -5.2 | +65 | +12.0 | +0.0 | -2.2 | +0.3 | +4.4 | +0.27 | +32 | +0.68 | +0.84 |
| Acc | 55% | 43% | 69% | 74% | 73% | 69% | 70% | 67% | 59% | 64% | 35% | 60% | 58% | 60% | 60% | 53% | 63% | 49% | 55% | 63% | 63% |
| Perc | 54 | 37 | 11 | 71 | 18 | 39 | 41 | 19 | 93 | 53 | 34 | 56 | 5 | 47 | 82 | 60 | 7 | 62 | 10 | 17 | 19 |

14 DUNOON S567^{SV}

Calved: 7/08/2021 BHR21S567 Register: HBR

Selection Indexes

\$A \$256

\$A-L \$385

\$G \$347

\$G-L \$479

TACE

Structural Assessment

| | | | | | | | | |
|---|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 5 | 5 | 5 | 6 | 41 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDC,NHF,RGF

EF COMMANDO 1366^{PV} G A R PROPHET^{SV}

MILLAH MURRAH PARATROOPER P15^{PV} DUNOON NEW TREND M993[#]

MILLAH MURRAH ELA M9^{PV} DUNOON NEW TREND J922[#]

Paratrooper has bred muscle and overall width, he's fine to use over heifers and this son will be perfect, plus he'll look the part aswell!

HFR \$

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | | | | |
|--|--------|------|------|------|-----|-----|-----|------|-----|------|---|-----|-------|------|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +7.3 | +7.3 | -4.4 | +1.1 | +49 | +86 | +98 | +52 | +23 | +2.3 | -5.7 | +59 | +10.5 | +1.3 | +0.8 | +0.5 | +3.1 | +0.54 | +28 | +0.80 | +0.90 |
| Acc | 61% | 48% | 74% | 74% | 74% | 72% | 72% | 68% | 60% | 70% | 39% | 62% | 63% | 64% | 64% | 58% | 66% | 52% | 58% | 69% | 69% |
| Perc | 13 | 34 | 56 | 5 | 58 | 64 | 87 | 98 | 10 | 40 | 22 | 71 | 10 | 19 | 28 | 47 | 24 | 88 | 20 | 39 | 31 |

15 DUNOON S143^{PV}

Calved: 7/07/2021 BHR21S143 Register: APR

Selection Indexes

\$A \$241

\$A-L \$399

\$G \$315

\$G-L \$477

TACE

Structural Assessment

| | | | | | | | | |
|---|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 41 | 4 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

TE MANIA KIRK K226^{PV} DUNOON NYNGAN N265^{SV}

TE MANIA PARENTHESIS P446^{PV} DUNOON Q631^{SV}

TE MANIA DANDLOO H320^{PV} DUNOON DANDLOO J330[#]

Another two year old's first calf, a pedigree with a double cross of the Dandloo cow family and strong carcass EBVs.

HFR \$

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | | | | |
|--|--------|------|------|------|-----|------|------|------|-----|------|---|-----|------|------|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | -2.0 | -2.0 | -5.1 | +5.1 | +62 | +105 | +132 | +120 | +18 | +4.9 | -7.0 | +80 | +9.7 | -2.8 | -4.0 | +0.9 | +3.6 | +0.44 | +17 | +0.98 | +0.76 |
| Acc | 57% | 47% | 71% | 73% | 73% | 69% | 69% | 67% | 60% | 66% | 37% | 60% | 59% | 61% | 61% | 54% | 64% | 50% | 53% | 64% | 64% |
| Perc | 83 | 93 | 44 | 73 | 8 | 13 | 21 | 20 | 42 | 1 | 5 | 13 | 15 | 96 | 96 | 22 | 15 | 81 | 64 | 75 | 8 |

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



16 DUNOON S169^{PV}

Calved: 9/07/2021 BHR21S169 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 39 | 5 | 2 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | | | | |
|--|--------|------|------|------|-----|------|------|------|-----|------|---|-----|------|------|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +3.9 | +3.9 | -5.9 | +5.8 | +62 | +109 | +143 | +130 | +18 | +0.1 | -4.6 | +72 | +9.8 | -4.1 | -6.9 | +2.2 | +0.8 | -0.17 | +31 | +0.82 | +0.58 |
| Acc | 61% | 50% | 72% | 74% | 73% | 71% | 72% | 70% | 65% | 69% | 39% | 64% | 64% | 64% | 65% | 59% | 67% | 54% | 57% | 70% | 70% |
| Perc | 41 | 26 | 31 | 84 | 8 | 8 | 8 | 11 | 41 | 98 | 52 | 32 | 14 | 99 | 99 | 1 | 85 | 12 | 12 | 43 | 1 |

EF COMMANDO 1366^{PV} TOPBOS LEADING EDGE L292^{PV}
BALDRIDGE COMMAND C036^{PV} **DUNOON JOYLE Q103^{SV}**
BALDRIDGE BLACKBIRD A030[#] DUNOON JOYLE L565[#]

A Command son here out of a heifer by L292 - a powerful combo! Thickness with growth and muscle.

\$

17 DUNOON S121^{PV}

Calved: 6/07/2021 BHR21S121 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 6 | 6 | 39 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | | | | |
|--|--------|------|------|------|-----|------|------|------|-----|------|---|-----|-------|------|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | -2.4 | -2.4 | -5.1 | +6.8 | +65 | +113 | +154 | +142 | +20 | +2.5 | -5.9 | +88 | +10.4 | -3.5 | -4.8 | +1.2 | +2.3 | +0.20 | +41 | +0.40 | +0.90 |
| Acc | 62% | 49% | 72% | 73% | 74% | 71% | 72% | 69% | 63% | 69% | 39% | 64% | 64% | 65% | 65% | 58% | 68% | 56% | 55% | 66% | 66% |
| Perc | 85 | 89 | 44 | 94 | 4 | 5 | 3 | 5 | 24 | 33 | 18 | 5 | 11 | 99 | 99 | 10 | 44 | 53 | 2 | 1 | 31 |

TE MANIA FOE F734^{SV} DUNOON NEBO N077^{SV}
CHILTERN PARK MOE M6^{PV} **DUNOON JAPARA Q1102^{SV}**
STRATHEWEN TIMEOUT JADE F15^{PV} DUNOON JAPARA M1086[#]

One of a handful of Moe sons in the sale, out of a 2 year old - loads of early growth here! Regardless of where the market is at - more weight is more dollars!

\$

18 DUNOON S186^{PV}

Calved: 9/07/2021 BHR21S186 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 45 | 5 | 2 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | | | | |
|--|--------|------|------|------|-----|------|------|------|-----|------|---|-----|------|------|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +3.9 | +3.9 | -8.1 | +4.9 | +58 | +102 | +133 | +124 | +19 | +3.9 | -4.6 | +68 | +9.3 | +0.1 | -0.9 | +0.6 | +2.6 | +0.47 | +36 | +0.74 | +0.82 |
| Acc | 57% | 45% | 72% | 74% | 74% | 71% | 70% | 67% | 60% | 67% | 38% | 61% | 61% | 62% | 62% | 56% | 65% | 52% | 57% | 66% | 65% |
| Perc | 41 | 45 | 9 | 69 | 18 | 18 | 19 | 15 | 38 | 5 | 52 | 44 | 17 | 45 | 61 | 40 | 36 | 83 | 6 | 26 | 16 |

RENNYLEA L508^{PV} V A R DISCOVERY 2240^{PV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON P113^{SV}**
DUNOON JAPARA M1008[#] DUNOON DANDLOO K072[#]

A nicely balanced PM son - they're so consistant with shape, growth and that great mix of fertility and docility - cattle like this make farming easy!

HFR

\$

19 DUNOON S188^{SV}

Calved: 9/07/2021 BHR21S188 Register: APR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 5 | 5 | 5 | 5 | 41 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDC,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | | | | |
|--|--------|------|------|------|-----|------|------|------|-----|------|---|-----|------|------|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +0.2 | +0.2 | -6.1 | +5.2 | +65 | +110 | +139 | +118 | +18 | +2.0 | -4.2 | +99 | +4.1 | -1.6 | -1.9 | +0.0 | +2.9 | -0.09 | +30 | +0.76 | +0.78 |
| Acc | 61% | 47% | 72% | 74% | 74% | 72% | 72% | 68% | 61% | 69% | 37% | 61% | 62% | 63% | 63% | 57% | 65% | 51% | 58% | 69% | 69% |
| Perc | 71 | 49 | 28 | 75 | 4 | 7 | 12 | 22 | 48 | 53 | 64 | 1 | 77 | 83 | 78 | 77 | 29 | 17 | 14 | 30 | 10 |

EF COMMANDO 1366^{PV} AYRVALE HERCULES H9^{PV}
MILLAH MURRAH PARATROOPER P15^{PV} **DUNOON JAPARA N836[#]**
MILLAH MURRAH ELA M9^{PV} DUNOON JAPARA H1094[#]

A Paratrooper son here with that high early growth, which might not seem important until you have hundreds of calves with it, then you'll find out how profitable it is!

HFR

\$

20 DUNOON S190^{PV}

Calved: 9/07/2021 BHR21S190 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 6 | 6 | 6 | 5 | 5 | 40 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | | | | |
|--|--------|------|------|------|-----|-----|------|------|-----|------|---|-----|------|------|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +5.7 | +5.7 | -7.2 | +3.1 | +57 | +98 | +117 | +86 | +19 | +1.0 | -4.1 | +75 | +4.7 | +1.0 | +0.8 | -0.1 | +2.3 | +0.50 | +22 | +0.72 | +0.62 |
| Acc | 61% | 46% | 72% | 74% | 74% | 72% | 72% | 68% | 61% | 69% | 36% | 61% | 62% | 63% | 63% | 57% | 65% | 51% | 58% | 69% | 69% |
| Perc | 25 | 9 | 15 | 28 | 21 | 27 | 52 | 75 | 36 | 88 | 67 | 24 | 70 | 24 | 28 | 82 | 44 | 86 | 38 | 23 | 2 |

EF COMMANDO 1366^{PV} TOPBOS LEADING EDGE L292^{PV}
MILLAH MURRAH PARATROOPER P15^{PV} **DUNOON P303^{SV}**
MILLAH MURRAH ELA M9^{PV} DUNOON DANDLOO G447[#]

Calving ease mixed with low birth is always a winner - this Paratrooper son is backed by the terrific Dandloo cow family.

HFR

\$

| January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs | | | | | | | | | | | | | | | | | | | | | |
|---|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



21 **DUNOON S281^{PV}**
 Calved: 12/07/2021 BHR21S281 Register: HBR

RENNYLEA L508^{PV} V A R DISCOVERY 2240^{PV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON P128^{SV}**
 DUNOON JAPARA M1008[#] DUNOON DANDLOO L564[#]

When it comes to consistent performance, PM delivers! These sons are an impressive group of bulls - they're born early, grow like weeds and continually catch your eyes!

HFR

Selection Indexes: \$A \$213, \$A-L \$381, \$G \$290, \$G-L \$463

Structural Assessment: F5, R5, F6, R6, 5, 5, 39, 5, 2

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +5.2 | +5.2 | -6.8 | +4.0 | +54 | +101 | +133 | +114 | +23 | +2.4 | -4.8 | +74 | +2.8 | +0.4 | -0.6 | -0.7 | +4.2 | +0.25 | +36 | +0.66 | +0.74 |
| Acc | 56% | 45% | 72% | 74% | 73% | 71% | 70% | 67% | 60% | 67% | 38% | 61% | 60% | 62% | 62% | 56% | 64% | 51% | 57% | 66% | 65% |
| Perc | 29 | 13 | 19 | 48 | 32 | 21 | 19 | 28 | 11 | 36 | 46 | 26 | 89 | 37 | 55 | 97 | 8 | 60 | 5 | 14 | 7 |

22 **DUNOON S261^{PV}**
 Calved: 11/07/2021 BHR21S261 Register: HBR

LAWSONS MOMENTOUS M518^{PV} AYRVALE GENERAL G18^{PV}
MURDEDUKE QUARTERBACK Q011^{PV} **DUNOON P264^{SV}**
 MURDEDUKE BARUNAH N026^{PV} DUNOON LOWAN H291[#]

A Quarterback son with plenty of growth, with that 400 day wt at +102, his calves will be feedlot steers before you know it!

HFR

Selection Indexes: \$A \$218, \$A-L \$399, \$G \$277, \$G-L \$462

Structural Assessment: F6, R6, F6, R6, 5, 5, 48, 5, 1

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +2.7 | +2.7 | -8.2 | +4.4 | +61 | +102 | +137 | +138 | +14 | +5.5 | -7.4 | +70 | +4.3 | +0.3 | +0.8 | +0.2 | +2.0 | +0.17 | +22 | +1.10 | +1.12 |
| Acc | 59% | 48% | 73% | 74% | 74% | 72% | 71% | 68% | 61% | 70% | 40% | 62% | 63% | 64% | 64% | 58% | 66% | 54% | 58% | 65% | 65% |
| Perc | 52 | 95 | 8 | 57 | 9 | 20 | 14 | 6 | 74 | 1 | 3 | 38 | 75 | 40 | 28 | 66 | 53 | 49 | 40 | 90 | 81 |

23 **DUNOON S592^{SV}**
 Calved: 9/08/2021 BHR21S592 Register: HBR

ESSLEMONT LOTTO L3^{PV} TE MANIA GASCOYNE G333^{SV}
THE ROCK LOTTO P24^{PV} **DUNOON LOWAN L242[#]**
 THE ROCK M40^{PV} DUNOON LOWAN D212[#]

A son of The Rock Lotto P24 out of a nice G333 daughter, this guy has a lovely skin plus impressive carcass numbers which make for a very useable young bull.

HFR

Selection Indexes: \$A \$226, \$A-L \$376, \$G \$298, \$G-L \$451

Structural Assessment: F6, R5, F6, R6, 5, 5, 40, 5, 2

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +1.2 | +1.2 | -8.5 | +4.3 | +48 | +91 | +115 | +106 | +14 | +0.2 | -5.3 | +70 | +11.3 | -0.7 | -0.3 | +1.0 | +3.3 | +0.90 | +24 | +1.08 | +1.08 |
| Acc | 56% | 47% | 70% | 72% | 72% | 69% | 70% | 67% | 61% | 66% | 38% | 61% | 60% | 61% | 62% | 55% | 64% | 52% | 49% | 61% | 61% |
| Perc | 64 | 50 | 7 | 55 | 60 | 50 | 56 | 40 | 78 | 98 | 31 | 39 | 7 | 65 | 49 | 18 | 20 | 99 | 30 | 88 | 73 |

24 **DUNOON S286^{PV}**
 Calved: 12/07/2021 BHR21S286 Register: HBR

RENNYLEA L508^{PV} DUNOON LICORICE L848^{SV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON P093^{SV}**
 DUNOON JAPARA M1008[#] DUNOON DANDLOO M448[#]

Plenty to like with this stylish PM son - you probably found him on paper, and it won't take long to find him in the pen - great carcass and fertility.

HFR

Selection Indexes: \$A \$223, \$A-L \$366, \$G \$304, \$G-L \$450

Structural Assessment: F5, R5, F6, R6, 5, 5, 44, 5, 2

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -0.8 | -0.8 | -6.3 | +5.8 | +55 | +99 | +130 | +106 | +21 | +3.8 | -5.0 | +71 | +9.8 | -0.2 | -1.8 | +0.1 | +4.7 | +0.33 | +33 | +0.94 | +0.94 |
| Acc | 56% | 44% | 72% | 74% | 73% | 71% | 70% | 67% | 59% | 66% | 36% | 61% | 60% | 61% | 62% | 55% | 64% | 51% | 56% | 64% | 63% |
| Perc | 77 | 89 | 25 | 84 | 26 | 25 | 25 | 41 | 21 | 6 | 40 | 34 | 14 | 52 | 76 | 72 | 5 | 70 | 8 | 68 | 40 |

25 **DUNOON S361^{PV}**
 Calved: 16/07/2021 BHR21S361 Register: HBR

RENNYLEA L508^{PV} AYRVALE HERCULES H9^{PV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON P931^{SV}**
 DUNOON JAPARA M1008[#] DUNOON DANDLOO G737^{SV}

These PM sons will be so easy to fit in to many operations - they've just got most of the bases covered, and a pleasure to look at.

HFR

Selection Indexes: \$A \$220, \$A-L \$383, \$G \$283, \$G-L \$449

Structural Assessment: F6, R5, F6, R5, 5, 5, 43, 5, 1

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -1.1 | -1.1 | -4.4 | +5.6 | +58 | +104 | +139 | +125 | +20 | +4.4 | -5.6 | +80 | +6.3 | -0.9 | -2.2 | +0.8 | +2.9 | +0.52 | +34 | +0.52 | +0.86 |
| Acc | 57% | 46% | 72% | 74% | 73% | 71% | 70% | 67% | 60% | 67% | 38% | 61% | 61% | 62% | 62% | 56% | 65% | 52% | 57% | 66% | 65% |
| Perc | 79 | 54 | 56 | 81 | 17 | 14 | 11 | 14 | 24 | 2 | 24 | 14 | 49 | 69 | 82 | 27 | 29 | 87 | 7 | 3 | 22 |

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



26 DUNOON S218^{PV}

Calved: 10/07/2021 BHR21S218 Register: HBR

| Structural Assessment | | | | | | | | | Scrotal | Sheath | Temp. |
|-----------------------|---|---|---|---|---|---|---|----|---------|--------|-------|
| F | R | F | R | F | R | F | R | F | | | |
| 6 | 6 | 7 | 6 | 6 | 6 | 6 | 6 | 36 | 5 | 1 | |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | |
|--|--------|------|------|------|-----|-----|------|------|-----|------|------|-----|------|---|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +5.6 | +5.6 | -1.7 | +2.8 | +54 | +93 | +122 | +98 | +21 | +1.5 | -5.8 | +73 | +2.0 | -0.1 | +0.2 | -0.5 | +2.6 | +0.13 | +37 | +1.00 | +1.08 |
| Acc | 62% | 50% | 72% | 74% | 74% | 72% | 72% | 69% | 65% | 70% | 40% | 65% | 64% | 65% | 66% | 59% | 68% | 57% | 57% | 67% | 67% |
| Perc | 25 | 13 | 90 | 23 | 33 | 41 | 40 | 54 | 24 | 73 | 20 | 29 | 93 | 50 | 39 | 94 | 36 | 43 | 4 | 78 | 73 |

TE MANIA FOE F734^{SV} THE ROCK K8^{PV}
CHILTERN PARK MOE M6^{PV} **DUNOON DANDLOO Q1125^{SV}**
 STRATHEWEN TIMEOUT JADE F15^{PV} DUNOON DANDLOO G230[#]

This fellow is a son of Moe, with a first calf heifer as his mum - we're proud of how our heifers can rear their first calves!

HFR

\$

27 DUNOON S280^{SV}

Calved: 12/07/2021 BHR21S280 Register: HBR

| Structural Assessment | | | | | | | | | Scrotal | Sheath | Temp. |
|-----------------------|---|---|---|---|---|---|---|----|---------|--------|-------|
| F | R | F | R | F | R | F | R | F | | | |
| 6 | 5 | 6 | 6 | 5 | 5 | 5 | 5 | 41 | 5 | 1 | |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | |
|--|--------|-------|------|------|-----|-----|------|------|-----|------|------|-----|-------|---|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +10.0 | +10.0 | -9.0 | +1.9 | +43 | +78 | +104 | +81 | +17 | +2.1 | -4.4 | +61 | +15.8 | -0.9 | -3.2 | +2.2 | +2.4 | +0.52 | +32 | +0.64 | +0.82 |
| Acc | 58% | 48% | 72% | 75% | 75% | 72% | 72% | 69% | 63% | 68% | 42% | 63% | 62% | 64% | 64% | 58% | 67% | 54% | 59% | 64% | 63% |
| Perc | 3 | 6 | 5 | 11 | 81 | 84 | 79 | 82 | 54 | 49 | 58 | 68 | 1 | 69 | 92 | 1 | 41 | 87 | 11 | 12 | 16 |

RENNYLEA L508^{PV} TUWHARETOA REGENT D145^{PV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON BEEAC J382[#]**
 DUNOON JAPARA M1008[#] DUNOON BEEAC C256[#]

A really appealing PM son - his mum J382 has done a fantastic job for us, and shes' still going strong! +10 for Calving ease, +1.9 for birth and +15.8 for EMA is a rare combo!!

HFR

\$

28 DUNOON S132^{SV}

Calved: 7/07/2021 BHR21S132 Register: HBR

| Structural Assessment | | | | | | | | | Scrotal | Sheath | Temp. |
|-----------------------|---|---|---|---|---|---|---|----|---------|--------|-------|
| F | R | F | R | F | R | F | R | F | | | |
| 6 | 5 | 6 | 6 | 5 | 5 | 5 | 5 | 42 | 5 | 1 | |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC | | | | | | | |
|--|--------|------|------|------|-----|------|------|------|-----|------|------|-----|------|--------------------------------|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +1.8 | +1.8 | -7.2 | +5.4 | +57 | +103 | +139 | +118 | +22 | +3.7 | -4.9 | +80 | +5.0 | -0.3 | -1.0 | +0.2 | +2.3 | +0.37 | +38 | +0.96 | +1.00 |
| Acc | 52% | 40% | 63% | 73% | 67% | 64% | 62% | 59% | 53% | 58% | 35% | 55% | 54% | 56% | 56% | 51% | 56% | 45% | 58% | 64% | 63% |
| Perc | 59 | 49 | 15 | 78 | 19 | 18 | 12 | 22 | 16 | 7 | 43 | 14 | 66 | 55 | 63 | 66 | 44 | 74 | 4 | 72 | 56 |

RENNYLEA L508^{PV} CLUNIE RANGE HANK H358^{SV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON BLACKBIRD N1142[#]**
 DUNOON JAPARA M1008[#] DUNOON BLACKBIRD H583[#]

One of those likeable PM sons here, with that typical length, volume and overall completeness. Our Blackbird cows always put some "ooph" into their calves!

HFR

\$

29 DUNOON S613^{PV}

Calved: 10/08/2021 BHR21S613 Register: HBR

| Structural Assessment | | | | | | | | | Scrotal | Sheath | Temp. |
|-----------------------|---|---|---|---|---|---|---|----|---------|--------|-------|
| F | R | F | R | F | R | F | R | F | | | |
| 6 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 43 | 5 | 1 | |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | |
|--|--------|------|------|------|-----|-----|------|------|-----|------|------|-----|------|---|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | -6.6 | -6.6 | -2.9 | +5.3 | +56 | +95 | +123 | +125 | +15 | +2.9 | -6.7 | +65 | +9.7 | +0.3 | -1.4 | +0.7 | +3.7 | +0.73 | +26 | +0.68 | +0.76 |
| Acc | 54% | 44% | 68% | 71% | 70% | 68% | 68% | 66% | 60% | 65% | 36% | 59% | 59% | 60% | 60% | 54% | 63% | 51% | 45% | 63% | 63% |
| Perc | 95 | 52 | 79 | 76 | 24 | 37 | 38 | 14 | 70 | 20 | 8 | 54 | 15 | 40 | 70 | 33 | 14 | 96 | 25 | 17 | 8 |

RENNYLEA L508^{PV} V A R DISCOVERY 2240^{PV}
DUNOON Q843^{SV} **DUNOON P902^{SV}**
 DUNOON PRINCESS K1130[#] DUNOON DANDLOO K1025[#]

A Grandson of L508 here with a pedigree containing Gabba & Earnie on the dams side, plus that valuable cross of the Princess and Dandloo cow families, which locks 'reliability' in.

HFR

\$

30 DUNOON S152^{PV}

Calved: 8/07/2021 BHR21S152 Register: HBR

| Structural Assessment | | | | | | | | | Scrotal | Sheath | Temp. |
|-----------------------|---|---|---|---|---|---|---|----|---------|--------|-------|
| F | R | F | R | F | R | F | R | F | | | |
| 6 | 5 | 6 | 6 | 5 | 5 | 5 | 5 | 42 | 5 | 1 | |

Genetic Conditions:AMF,CAF,DDC,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | |
|--|--------|------|------|------|-----|-----|------|------|-----|------|------|-----|------|---|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | -1.5 | -1.5 | -1.1 | +5.2 | +56 | +96 | +125 | +101 | +22 | +1.8 | -5.1 | +77 | +8.0 | -1.7 | -2.7 | +0.8 | +3.2 | +0.16 | +40 | +0.80 | +0.86 |
| Acc | 61% | 48% | 72% | 74% | 74% | 71% | 72% | 69% | 63% | 69% | 39% | 64% | 64% | 65% | 65% | 58% | 68% | 56% | 55% | 66% | 66% |
| Perc | 81 | 89 | 94 | 75 | 22 | 35 | 34 | 50 | 13 | 61 | 37 | 21 | 29 | 85 | 88 | 27 | 22 | 47 | 3 | 39 | 22 |

TE MANIA FOE F734^{SV} DUNOON NELLIGEN N087^{SV}
CHILTERN PARK MOE M6^{PV} **DUNOON Q374^{SV}**
 STRATHEWEN TIMEOUT JADE F15^{PV} DUNOON ELSA M157[#]

From a two year old heifer, this Moe son a nice mix of docility, EMA, IMF and growth - traits which are important in every link of the chain.

HFR

\$

| January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs | | | | | | | | | | | | | | | | | | | | | |
|---|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



31 **DUNOON S562^{SV}**
 Calved: 7/08/2021 BHR21S562 Register: HBR

CLUNIE RANGE LEGEND L348^{PV} DUNOON ELEMENTARY E297^{PV}
MERLEWOOD PONTING P8^{SV} **DUNOON ANGUISH H785^{SV}**
 MERLEWOOD JAPARA M5* DUNOON ANGUISH B164#

These Ponting sons are a very uniform group, they're long, have real muscle and the day you put them out with the cows, you'll be very pleased you've got them!

HFR

Selection Indexes: \$A \$200, \$A-L \$361, \$G \$257, \$G-L \$423

Structural Assessment: F 6, R 5, F 6, R 6, 5, 5, Scrotal 41, Sheath 5, Temp. 1

Genetic Conditions: AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +2.3 | +2.3 | -6.5 | +4.0 | +50 | +93 | +117 | +115 | +7 | +3.2 | -4.7 | +52 | +8.1 | +0.5 | +0.4 | +0.7 | +2.0 | +0.17 | +38 | +0.98 | +1.10 |
| Acc | 56% | 44% | 69% | 74% | 74% | 70% | 70% | 68% | 61% | 66% | 35% | 61% | 58% | 60% | 61% | 54% | 63% | 50% | 56% | 61% | 61% |
| Perc | 55 | 22 | 23 | 48 | 53 | 44 | 52 | 26 | 99 | 14 | 49 | 87 | 28 | 35 | 36 | 33 | 53 | 49 | 4 | 75 | 77 |

32 **DUNOON S288^{PV}**
 Calved: 12/07/2021 BHR21S288 Register: APR

TE MANIA KIRK K226^{PV} CLUNIE RANGE HANK H358^{SV}
TE MANIA PARENTHESIS P446^{PV} **DUNOON P1132^{SV}**
 TE MANIA DANDLOO H320^{PV} DUNOON ARCHER G404#

There'll be some growth in this fellow's calves, and while we're still being paid for weight, weight matters!

Selection Indexes: \$A \$192, \$A-L \$362, \$G \$243, \$G-L \$417

Structural Assessment: F 6, R 5, F 6, R 6, 5, 5, Scrotal 40, Sheath 5, Temp. 1

Genetic Conditions: AMF,CAF,DDC,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -3.3 | -3.3 | -6.4 | +7.1 | +62 | +109 | +151 | +147 | +17 | +2.3 | -6.7 | +91 | -0.1 | -2.0 | -2.3 | -0.1 | +2.0 | -0.58 | +15 | +0.98 | +0.84 |
| Acc | 57% | 47% | 71% | 73% | 70% | 70% | 68% | 61% | 66% | 66% | 38% | 61% | 60% | 62% | 62% | 56% | 65% | 51% | 56% | 63% | 64% |
| Perc | 88 | 82 | 24 | 96 | 8 | 8 | 4 | 3 | 55 | 40 | 8 | 3 | 98 | 89 | 83 | 82 | 53 | 1 | 74 | 75 | 19 |

33 **DUNOON S256^{PV}**
 Calved: 11/07/2021 BHR21S256 Register: HBR

TE MANIA FOE F734^{SV} DUNOON NAVY N322^{SV}
CHILTERN PARK MOE M6^{PV} **DUNOON LOWAN Q1049^{SV}**
 STRATHEWEN TIMEOUT JADE F15^{PV} DUNOON LOWAN L697#

A heifer's first calf, sired by Moe who has become known for siring quiet cattle with great structure - plenty of growth here!

Selection Indexes: \$A \$202, \$A-L \$344, \$G \$270, \$G-L \$413

Structural Assessment: F 5, R 5, F 6, R 6, 5, 5, Scrotal 38, Sheath 5, Temp. 1

Genetic Conditions: AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -7.4 | -7.4 | -3.3 | +6.7 | +59 | +109 | +147 | +122 | +17 | +2.0 | -5.8 | +89 | +5.8 | +0.8 | +2.1 | -0.6 | +2.5 | +0.24 | +43 | +0.74 | +0.86 |
| Acc | 61% | 49% | 72% | 74% | 74% | 72% | 72% | 69% | 64% | 69% | 39% | 64% | 64% | 65% | 66% | 58% | 68% | 56% | 55% | 65% | 66% |
| Perc | 96 | 97 | 74 | 93 | 13 | 8 | 6 | 17 | 56 | 53 | 20 | 5 | 56 | 28 | 12 | 95 | 38 | 58 | 2 | 26 | 22 |

34 **DUNOON S314^{PV}**
 Calved: 13/07/2021 BHR21S314 Register: APR

RENNYLEA L508^{PV} DUNOON MARLEY M189^{SV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON P1346^{SV}**
 DUNOON JAPARA M1008# DUNOON PRINCESS K1073#

Another thick made PM son, with width through his hind quarter and such a strong top line - you can pick the PM bulls without the book!!

Selection Indexes: \$A \$202, \$A-L \$351, \$G \$260, \$G-L \$412

Structural Assessment: F 5, R 5, F 6, R 6, 5, 5, Scrotal 42, Sheath 5, Temp. 1

Genetic Conditions: AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +0.0 | +0.0 | -7.1 | +6.8 | +56 | +100 | +133 | +117 | +16 | +2.9 | -4.9 | +75 | +5.6 | +0.1 | -0.9 | +0.6 | +1.8 | +0.00 | +35 | +0.76 | +0.94 |
| Acc | 56% | 45% | 72% | 73% | 73% | 70% | 69% | 67% | 59% | 67% | 37% | 60% | 60% | 61% | 62% | 55% | 64% | 51% | 56% | 66% | 64% |
| Perc | 72 | 90 | 16 | 94 | 22 | 24 | 20 | 23 | 63 | 20 | 43 | 23 | 58 | 45 | 61 | 40 | 59 | 26 | 6 | 30 | 40 |

35 **DUNOON S619^{SV}**
 Calved: 12/08/2021 BHR21S619 Register: HBR

CLUNIE RANGE LEGEND L348^{PV} DUNOON DECIMAL D342^{PV}
MERLEWOOD PONTING P8^{SV} **DUNOON PRINCESS K483#**
 MERLEWOOD JAPARA M5* DUNOON PRINCESS F144#

There's a big solid Decimal cow behind this attractive Ponting son, that's probably why he has lots of eye appeal, along with the docility and our Princess cows are some of our best!

Selection Indexes: \$A \$204, \$A-L \$346, \$G \$261, \$G-L \$406

Structural Assessment: F 6, R 5, F 6, R 6, 5, 5, Scrotal 41, Sheath 5, Temp. 2

Genetic Conditions: AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +1.5 | +1.5 | -5.2 | +5.1 | +53 | +93 | +114 | +102 | +11 | +2.4 | -5.9 | +71 | +5.6 | +0.5 | -0.4 | +0.7 | +1.4 | +0.32 | +37 | +0.60 | +0.82 |
| Acc | 56% | 45% | 71% | 74% | 74% | 70% | 70% | 67% | 61% | 65% | 37% | 61% | 59% | 61% | 61% | 54% | 64% | 51% | 56% | 61% | 61% |
| Perc | 62 | 95 | 42 | 73 | 36 | 42 | 58 | 47 | 91 | 36 | 18 | 35 | 58 | 35 | 51 | 33 | 70 | 68 | 4 | 8 | 16 |

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



36 **DUNOON S593^{SV}**
 Calved: 9/08/2021 BHR21S593 Register: HBR

RENNYLEA L508^{PV} TE MANIA CARINGBAH C192^{SV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON DANDLOO J006[#]**
 DUNOON JAPARA M1008[#] DUNOON DANDLOO G230[#]

Selection Indexes: \$A \$211, \$A-L \$330, \$G \$282, \$G-L \$403

TACE

Structural Assessment: F6, R5, F6, R6, 5, 5, 39, 5, 1

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +3.0 | +3.0 | -5.8 | +4.6 | +48 | +77 | +101 | +68 | +20 | +2.3 | -4.5 | +61 | +6.3 | +1.8 | +0.6 | +0.4 | +2.9 | +0.59 | +36 | +0.36 | +0.60 |
| Acc | 58% | 47% | 74% | 75% | 75% | 72% | 72% | 69% | 62% | 69% | 39% | 63% | 62% | 64% | 64% | 58% | 66% | 53% | 60% | 65% | 64% |
| Perc | 49 | 26 | 33 | 62 | 63 | 85 | 82 | 93 | 26 | 40 | 55 | 66 | 49 | 12 | 32 | 53 | 29 | 91 | 5 | 1 | 1 |

Traits Observed: BWT, 200WT, DOC, Genomics

HFR

37 **DUNOON S232^{SV}**
 Calved: 10/07/2021 BHR21S232 Register: HBR

CLUNIE RANGE LEGEND L348^{PV} DUNOON MAITLAND M401^{SV}
MERLEWOOD PONTING P8^{SV} **DUNOON P1196[#]**
 MERLEWOOD JAPARA M5[#] DUNOON JAPARA H198[#]

Selection Indexes: \$A \$191, \$A-L \$343, \$G \$247, \$G-L \$401

TACE

Structural Assessment: F6, R6, F6, R6, 6, 5, 39, 5, 1

Genetic Conditions: AMF, CAF, DDC, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -5.1 | -5.1 | -5.2 | +7.0 | +56 | +99 | +130 | +131 | +13 | +2.5 | -6.3 | +71 | +4.4 | +0.1 | -0.5 | +0.3 | +2.5 | +0.05 | +37 | +0.80 | +1.00 |
| Acc | 50% | 40% | 58% | 73% | 68% | 62% | 61% | 58% | 49% | 52% | 32% | 52% | 48% | 52% | 51% | 46% | 52% | 42% | 52% | 59% | 59% |
| Perc | 93 | 87 | 42 | 95 | 22 | 26 | 25 | 10 | 83 | 33 | 12 | 34 | 74 | 45 | 53 | 60 | 38 | 32 | 5 | 39 | 56 |

Traits Observed: BWT, 200WT, DOC

One of those impressive Ponting sons - chocked full of volume and capacity, just like their sire! Ponting is a great calf getter, but never loses much condition when hes' out with the cows.

38 **DUNOON S282^{SV}**
 Calved: 12/07/2021 BHR21S282 Register: APR

CLUNIE RANGE LEGEND L348^{PV} TE MANIA EMPEROR E343^{PV}
MERLEWOOD PONTING P8^{SV} **DUNOON ARISTOCRAT M207[#]**
 MERLEWOOD JAPARA M5[#] DUNOON ARISTOCRAT B361[#]

Selection Indexes: \$A \$174, \$A-L \$335, \$G \$223, \$G-L \$388

TACE

Structural Assessment: F6, R6, F6, R6, 5, 5, 45, 5, 2

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -4.7 | -4.7 | -6.6 | +6.4 | +52 | +97 | +128 | +138 | +9 | +3.2 | -5.5 | +61 | +5.5 | -0.5 | -2.7 | +0.5 | +2.9 | +0.47 | +27 | +0.66 | +0.90 |
| Acc | 57% | 48% | 71% | 74% | 74% | 70% | 71% | 68% | 61% | 66% | 39% | 62% | 59% | 61% | 62% | 55% | 64% | 52% | 56% | 61% | 61% |
| Perc | 92 | 18 | 22 | 91 | 41 | 31 | 28 | 6 | 97 | 14 | 27 | 66 | 60 | 60 | 88 | 47 | 29 | 83 | 21 | 14 | 31 |

Traits Observed: BWT, 200WT, DOC, Genomics

Ponting offers an outcross, and what a find he is - breeding shape, style, muscle and keeping the data in good shape - our daughters of Ponting started cycling at 6 months old!

39 **DUNOON S259^{PV}**
 Calved: 11/07/2021 BHR21S259 Register: HBR

CLUNIE RANGE LEGEND L348^{PV} RENNYLEA L508^{PV}
MERLEWOOD PONTING P8^{SV} **DUNOON P982^{SV}**
 MERLEWOOD JAPARA M5[#] DUNOON BEEAC G314[#]

Selection Indexes: \$A \$165, \$A-L \$319, \$G \$216, \$G-L \$372

TACE

Structural Assessment: F5, R5, F6, R6, 5, 5, 45, 5, 1

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -10.4 | -10.4 | -5.2 | +7.0 | +55 | +102 | +131 | +146 | +11 | +3.9 | -6.6 | +62 | +2.8 | +1.1 | +0.7 | -0.2 | +3.0 | +0.62 | +39 | +0.74 | +1.04 |
| Acc | 56% | 45% | 70% | 74% | 74% | 70% | 70% | 68% | 61% | 66% | 38% | 62% | 60% | 62% | 62% | 55% | 65% | 53% | 56% | 60% | 60% |
| Perc | 99 | 78 | 42 | 95 | 27 | 19 | 22 | 4 | 93 | 5 | 9 | 65 | 89 | 23 | 30 | 86 | 26 | 93 | 3 | 26 | 65 |

Traits Observed: BWT, 200WT, DOC, Genomics

These young bulls by Ponting will be real 'pleasers' - either on cows or heifers, their calves will be the type that buyers will love!

40 **DUNOON S308^{PV}**
 Calved: 13/07/2021 BHR21S308 Register: HBR

TE MANIA KIRK K226^{PV} DUNOON MELLONG M502^{SV}
TE MANIA PARENTHESIS P446^{PV} **DUNOON P1426^{SV}**
 TE MANIA DANDLOO H320^{PV} DUNOON ELINE G410[#]

Selection Indexes: \$A \$159, \$A-L \$305, \$G \$202, \$G-L \$352

TACE

Structural Assessment: F6, R5, F6, R6, 5, 5, 41, 5, 2

Genetic Conditions: AMF, CAF, DDF, NHC, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +2.4 | +2.4 | -7.6 | +4.3 | +49 | +80 | +110 | +113 | +12 | +2.4 | -5.5 | +56 | +1.0 | +0.0 | -0.8 | +0.4 | +1.1 | +0.24 | +11 | +0.72 | +0.84 |
| Acc | 55% | 44% | 70% | 73% | 72% | 69% | 69% | 67% | 59% | 65% | 35% | 60% | 59% | 60% | 61% | 54% | 63% | 49% | 54% | 64% | 64% |
| Perc | 54 | 68 | 12 | 55 | 57 | 80 | 66 | 29 | 88 | 36 | 27 | 80 | 96 | 47 | 59 | 53 | 78 | 58 | 90 | 23 | 19 |

Traits Observed: BWT, 200WT, DOC, Genomics

A P446 son with length and a great skin, P1426 is a hard working cow, who does her job very well.

HFR

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



41 **DUNOON S378^{SV}**
 Calved: 18/07/2021 BHR21S378 Register: HBR

RENNYLEA L508^{PV} LAWSONS KI EVIDENT H H6201^{SV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON ANGUISH L171[#]**
 DUNOON JAPARA M1008[#] DUNOON ANGUISH H189[#]

USED ON HEIFERS - SPRING '22 JOINING; S378 is a most impressive Prime Minister son! He ran with our heifers in the Spring joining last year, and still looks terrific! Long, thick, he has real sire appeal, excellent structure and docility, whilst having a great set of EBVs. L171 is always in good order, rearing nice calves year after year. This fellow is one of the better bulls we've bred, so don't go home wondering!!!

HFR

Selection Indexes: \$A \$262, \$A-L \$437, \$G \$349, \$G-L \$530

Structural Assessment: F5, R5, F6, R6, 5, 5, 41, 5, 1

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +6.7 | +6.7 | -8.5 | +3.3 | +54 | +101 | +128 | +111 | +18 | +2.4 | -5.3 | +77 | +11.0 | +1.0 | +1.4 | +0.7 | +3.8 | +0.25 | +41 | +0.58 | +0.74 |
| Acc | 56% | 44% | 72% | 74% | 74% | 71% | 71% | 68% | 61% | 67% | 37% | 62% | 61% | 62% | 63% | 56% | 65% | 52% | 58% | 65% | 63% |
| Perc | 17 | 19 | 7 | 32 | 31 | 21 | 27 | 32 | 46 | 36 | 31 | 20 | 8 | 24 | 19 | 33 | 13 | 60 | 2 | 7 | 7 |

Traits Observed: BWT, 200WT, DOC, Genomics

42 **DUNOON S147^{SV}**
 Calved: 7/07/2021 BHR21S147 Register: HBR

CLUNIE RANGE LEGEND L348^{PV} V A R FOREMAN 3339^{PV}
MERLEWOOD PONTING P8^{SV} **DUNOON LOWAN N919[#]**
 MERLEWOOD JAPARA M5[#] DUNOON LOWAN G385[#]

USED ON COWS - SPRING '22 JOINING; A smart young bull here! An impressive Ponting son with shape, presence and eye appeal, plus really likeable data - don't miss this fellow!

HFR

Selection Indexes: \$A \$253, \$A-L \$417, \$G \$347, \$G-L \$515

Structural Assessment: F6, R5, F6, R6, 5, 5, 43, 5, 2

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +3.8 | +3.8 | -7.6 | +3.9 | +56 | +104 | +130 | +107 | +21 | +2.9 | -5.8 | +75 | +9.0 | +1.8 | +1.8 | -0.2 | +4.5 | +0.52 | +21 | +0.96 | +1.18 |
| Acc | 55% | 44% | 69% | 74% | 73% | 69% | 69% | 66% | 59% | 65% | 35% | 60% | 57% | 60% | 60% | 53% | 62% | 49% | 57% | 63% | 63% |
| Perc | 42 | 72 | 12 | 46 | 24 | 15 | 23 | 39 | 22 | 20 | 20 | 25 | 20 | 12 | 15 | 86 | 6 | 87 | 45 | 72 | 89 |

Traits Observed: BWT, 200WT, DOC, Genomics

43 **DUNOON S174^{PV}**
 Calved: 9/07/2021 BHR21S174 Register: HBR

RENNYLEA L508^{PV} PATHFINDER GENERAL K7^{SV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON P180^{SV}**
 DUNOON JAPARA M1008[#] DUNOON ARCHER J262[#]

USED ON HEIFERS - SPRING '22 JOINING; These blokes looked great out with the heifers - another PM son with calving ease, growth and carcass, and backed by a K7 daughter.

HFR

Selection Indexes: \$A \$252, \$A-L \$428, \$G \$329, \$G-L \$511

Structural Assessment: F6, R5, F6, R6, 6, 6, 42, 5, 1

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|-------|------|-----|------|------|------|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +5.4 | +5.4 | -11.0 | +3.7 | +58 | +100 | +134 | +115 | +16 | +4.6 | -5.9 | +79 | +10.4 | -0.6 | -2.0 | +0.5 | +4.0 | +0.81 | +32 | +0.74 | +0.68 |
| Acc | 57% | 46% | 72% | 74% | 74% | 71% | 71% | 68% | 61% | 67% | 39% | 62% | 61% | 63% | 63% | 56% | 65% | 53% | 59% | 66% | 65% |
| Perc | 27 | 13 | 1 | 41 | 18 | 23 | 18 | 26 | 64 | 2 | 18 | 15 | 11 | 62 | 79 | 47 | 10 | 98 | 11 | 26 | 3 |

Traits Observed: BWT, 200WT, DOC, Genomics

44 **DUNOON S171^{PV}**
 Calved: 9/07/2021 BHR21S171 Register: HBR

EF COMMANDO 1366^{PV} G A R DRIVE^{PV}
MILLAH MURRAH PARATROOPER P15^{PV} **DUNOON DANDLOO Q797^{SV}**
 MILLAH MURRAH ELA M9^{PV} DUNOON DANDLOO M772[#]

USED ON COWS - SPRING '22 JOINING; Some genuine length and muscle in this Paratrooper son, serious growth with more IMF than his sire - lots of performance here!

HFR

Selection Indexes: \$A \$231, \$A-L \$420, \$G \$310, \$G-L \$504

Structural Assessment: F6, R6, F6, R6, 5, 5, 43, 5, 1

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -0.7 | -0.7 | -5.9 | +5.6 | +68 | +126 | +163 | +156 | +15 | +3.4 | -3.8 | +96 | +6.9 | -1.2 | -1.0 | +0.2 | +3.0 | +0.39 | +29 | +1.02 | +1.18 |
| Acc | 60% | 45% | 71% | 74% | 73% | 71% | 71% | 67% | 59% | 68% | 35% | 60% | 61% | 62% | 62% | 56% | 63% | 48% | 57% | 68% | 68% |
| Perc | 77 | 59 | 31 | 81 | 2 | 1 | 1 | 2 | 69 | 10 | 74 | 2 | 41 | 76 | 63 | 66 | 26 | 76 | 15 | 81 | 89 |

Traits Observed: BWT, 200WT, DOC, Genomics

45 **DUNOON S642^{SV}**
 Calved: 14/08/2021 BHR21S642 Register: HBR

RENNYLEA L508^{PV} LAWSONS KI EVIDENT H H6201^{SV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON LOWAN M850[#]**
 DUNOON JAPARA M1008[#] DUNOON LOWAN H496[#]

USED ON COWS - SPRING '22 JOINING; This guy is a really impressive PM son! Lots of style, loaded with muscle, so well balanced and he looked so good out with the cows - as though he owned the joint!!

HFR

Selection Indexes: \$A \$245, \$A-L \$411, \$G \$315, \$G-L \$485

Structural Assessment: F5, R5, F6, R6, 5, 5, 43, 5, 1

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +3.0 | +3.0 | -6.7 | +5.8 | +61 | +106 | +140 | +119 | +22 | +3.5 | -4.4 | +84 | +12.2 | -3.7 | -4.4 | +1.8 | +2.0 | +0.31 | +33 | +0.62 | +0.64 |
| Acc | 56% | 44% | 71% | 74% | 73% | 71% | 70% | 67% | 60% | 66% | 36% | 61% | 60% | 61% | 62% | 55% | 64% | 51% | 57% | 66% | 65% |
| Perc | 49 | 18 | 21 | 84 | 10 | 12 | 10 | 21 | 14 | 9 | 58 | 8 | 4 | 99 | 98 | 2 | 53 | 67 | 9 | 10 | 2 |

Traits Observed: BWT, 200WT, DOC, Genomics

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



46 **DUNOON S1017^{SV}**
 Calved: 28/08/2021 BHR21S1017 Register: HBR

CLUNIE RANGE LEGEND L348^{PV} V A R RESERVE 1111^{PV}
MERLEWOOD PONTING P8^{SV} **DUNOON BEEAC L1065[#]**
 MERLEWOOD JAPARA M5[#] DUNOON BEEAC E222^{PV}

USED ON COWS - SPRING '22 JOINING; A smart individual here, he looked great out with the cows, length, natural balance, thickness and sired by 'Mr Consistant' - Ponting. Great data and a bull to match it!

HFR

Selection Indexes: \$A \$233, \$A-L \$406, \$G \$305, \$G-L \$483

Structural Assessment: F, R, F, R, F, R, Scrotal, Sheath, Temp. (6, 5, 6, 6, 5, 6, 43, 5, 1)

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +4.3 | +4.3 | -8.4 | +3.9 | +54 | +101 | +127 | +120 | +12 | +3.0 | -4.9 | +67 | +11.0 | -1.1 | -2.1 | +0.9 | +3.4 | +0.22 | +35 | +0.94 | +1.00 |
| Acc | 56% | 45% | 70% | 74% | 73% | 69% | 69% | 67% | 60% | 65% | 36% | 60% | 58% | 60% | 60% | 53% | 63% | 50% | 57% | 65% | 65% |
| Perc | 37 | 20 | 7 | 46 | 33 | 21 | 29 | 20 | 88 | 18 | 43 | 47 | 8 | 74 | 81 | 22 | 19 | 55 | 6 | 68 | 56 |

Traits Observed: BWT, 200WT, DOC, Genomics

47 **DUNOON S1202^{SV}**
 Calved: 7/09/2021 BHR21S1202 Register: HBR

ESSLEMONT LOTTO L3^{PV} DUNOON GROUNDBREAKER G501^{SV}
THE ROCK LOTTO P24^{PV} **DUNOON LOWAN J897[#]**
 THE ROCK M40^{PV} DUNOON LOWAN G414[#]

USED ON COWS - SPRING '22 JOINING; A different pedigree here, by P24, out of a G501 daughter - a really east doing young bull, who seemed to handle being out with cows very well.

HFR

Selection Indexes: \$A \$236, \$A-L \$393, \$G \$312, \$G-L \$472

Structural Assessment: F, R, F, R, F, R, Scrotal, Sheath, Temp. (6, 5, 6, 6, 5, 5, 39, 5, 1)

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -0.3 | -0.3 | -4.2 | +6.0 | +55 | +100 | +125 | +114 | +22 | +3.0 | -6.5 | +85 | +9.2 | -0.8 | +0.1 | +0.6 | +3.4 | +0.49 | +19 | +0.72 | +1.06 |
| Acc | 55% | 45% | 68% | 72% | 71% | 68% | 69% | 66% | 60% | 65% | 36% | 60% | 58% | 60% | 60% | 53% | 63% | 50% | 47% | 60% | 60% |
| Perc | 74 | 77 | 59 | 87 | 26 | 24 | 34 | 27 | 16 | 18 | 10 | 8 | 18 | 67 | 41 | 40 | 19 | 85 | 53 | 23 | 69 |

Traits Observed: BWT, 200WT, DOC, Genomics

48 **DUNOON S324^{PV}**
 Calved: 14/07/2021 BHR21S324 Register: HBR

RENNYLEA L508^{PV} DUNOON LEASE L755^{SV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON P847^{SV}**
 DUNOON JAPARA M1008[#] DUNOON DANDLOO M612[#]

USED ON COWS - SPRING '22 JOINING; Another son of PM that we used - these bulls almost selected themselves! Data, shape, and type were high requests, and these fellows fitted the bill, easily!

HFR

Selection Indexes: \$A \$232, \$A-L \$384, \$G \$298, \$G-L \$454

Structural Assessment: F, R, F, R, F, R, Scrotal, Sheath, Temp. (6, 5, 6, 6, 5, 5, 42, 5, 1)

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +3.5 | +3.5 | -5.4 | +4.4 | +52 | +93 | +124 | +99 | +15 | +3.1 | -5.2 | +71 | +7.7 | -1.8 | -3.0 | +1.0 | +3.4 | +0.57 | +34 | +0.66 | +0.94 |
| Acc | 56% | 44% | 71% | 73% | 73% | 70% | 69% | 66% | 59% | 66% | 35% | 60% | 59% | 61% | 61% | 54% | 64% | 50% | 56% | 66% | 65% |
| Perc | 44 | 20 | 39 | 57 | 43 | 43 | 36 | 53 | 68 | 16 | 34 | 34 | 32 | 86 | 90 | 18 | 19 | 90 | 7 | 14 | 40 |

Traits Observed: BWT, 200WT, DOC, Genomics

49 **DUNOON S204^{PV}**
 Calved: 9/07/2021 BHR21S204 Register: HBR

CLUNIE RANGE LEGEND L348^{PV} DUNOON LEASE L755^{SV}
MERLEWOOD PONTING P8^{SV} **DUNOON P963^{SV}**
 MERLEWOOD JAPARA M5[#] DUNOON LOWAN M635[#]

USED ON COWS - SPRING '22 JOINING; One of those really likeable Ponting sons - a square, thick quartered, stylish individual who worked the cows like he'd been doing it for years!

HFR

Selection Indexes: \$A \$215, \$A-L \$388, \$G \$275, \$G-L \$453

Structural Assessment: F, R, F, R, F, R, Scrotal, Sheath, Temp. (6, 5, 6, 6, 5, 6, 42, 5, 1)

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +5.4 | +5.4 | -8.8 | +4.0 | +53 | +96 | +120 | +117 | +15 | +4.8 | -6.8 | +65 | +5.6 | -1.2 | -2.2 | +0.3 | +3.1 | +0.36 | +35 | +0.86 | +0.98 |
| Acc | 53% | 41% | 69% | 73% | 73% | 69% | 69% | 66% | 59% | 64% | 33% | 60% | 57% | 59% | 59% | 52% | 63% | 49% | 53% | 60% | 60% |
| Perc | 27 | 53 | 5 | 48 | 35 | 33 | 45 | 24 | 69 | 1 | 7 | 54 | 58 | 76 | 82 | 60 | 24 | 73 | 6 | 52 | 51 |

Traits Observed: BWT, 200WT, DOC, Genomics

50 **DUNOON S394^{SV}**
 Calved: 20/07/2021 BHR21S394 Register: HBR

RENNYLEA L508^{PV} TUWHARETOA REGENT D145^{PV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON DANDLOO J155[#]**
 DUNOON JAPARA M1008[#] DUNOON DANDLOO F106[#]

USED ON HEIFERS - SPRING '22 JOINING; We are really pleased that we used these good young PM sons on our heifers, they're long fronted, have clean shoulders, yet well muscled hind quarters!!

HFR

Selection Indexes: \$A \$233, \$A-L \$375, \$G \$303, \$G-L \$449

Structural Assessment: F, R, F, R, F, R, Scrotal, Sheath, Temp. (6, 5, 6, 6, 6, 6, 41, 5, 1)

Genetic Conditions: AMF, CAF, DDF, NHF, RGF


January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +5.6 | +5.6 | -5.7 | +2.9 | +45 | +83 | +108 | +78 | +21 | +3.3 | -6.4 | +66 | +9.1 | +1.0 | +0.1 | +0.5 | +3.6 | +0.82 | +33 | +0.66 | +0.78 |
| Acc | 58% | 48% | 74% | 75% | 74% | 72% | 71% | 69% | 62% | 68% | 42% | 63% | 62% | 64% | 64% | 58% | 66% | 54% | 60% | 66% | 65% |
| Perc | 25 | 46 | 34 | 24 | 73 | 73 | 70 | 85 | 20 | 12 | 11 | 50 | 19 | 24 | 41 | 47 | 15 | 98 | 8 | 14 | 10 |

Traits Observed: BWT, 200WT, DOC, Genomics

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



51 **DUNOON S295^{SV}**
 Calved: 12/07/2021 BHR21S295 Register: HBR

RENNYLEA L508^{PV} V A R RESERVE 1111^{PV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON JAPARA M156[#]**
 DUNOON JAPARA M1008[#] DUNOON JAPARA H320[#]

Selection Indexes: \$A \$206, \$A-L \$375, \$G \$266, \$G-L \$441

Structural Assessment: F R F R [Images] Scrotal Sheath Temp. 6 5 6 6 5 5 41 5 1

Genetic Conditions: AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +8.9 | +8.9 | -8.6 | +3.3 | +52 | +97 | +127 | +112 | +21 | +3.3 | -4.4 | +74 | +6.7 | -1.9 | -3.5 | +0.7 | +2.4 | +0.19 | +28 | +0.72 | +0.84 |
| Acc | 57% | 46% | 73% | 74% | 73% | 71% | 70% | 67% | 61% | 66% | 38% | 61% | 60% | 62% | 62% | 56% | 64% | 52% | 59% | 68% | 67% |
| Perc | 6 | 10 | 6 | 32 | 41 | 30 | 29 | 31 | 19 | 12 | 58 | 27 | 43 | 87 | 94 | 33 | 41 | 51 | 20 | 23 | 19 |

TACE

 USED ON HEIFERS - SPRING '22 JOINING; This PM son has great length and was an easy choice to use, with his data showing he's ideal for heifers. These bulls worked very well.

HFR

52 **DUNOON S1194^{SV}**
 Calved: 5/09/2021 BHR21S1194 Register: HBR

RENNYLEA L508^{PV} DUNOON EMBASSY E062^{SV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON DANDLOO H112[#]**
 DUNOON JAPARA M1008[#] DUNOON DANDLOO F025[#]

Selection Indexes: \$A \$214, \$A-L \$363, \$G \$281, \$G-L \$434

Structural Assessment: F R F R [Images] Scrotal Sheath Temp. 5 5 6 6 5 5 45 5 1

Genetic Conditions: AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +0.0 | +0.0 | -3.7 | +5.6 | +52 | +89 | +118 | +108 | +19 | +3.8 | -6.9 | +58 | +3.9 | +1.2 | +0.5 | +0.0 | +4.0 | +0.60 | +42 | +0.64 | +0.70 |
| Acc | 56% | 44% | 74% | 75% | 74% | 72% | 71% | 68% | 61% | 68% | 37% | 61% | 60% | 62% | 62% | 56% | 64% | 51% | 59% | 64% | 63% |
| Perc | 72 | 80 | 68 | 81 | 41 | 56 | 49 | 38 | 34 | 6 | 6 | 74 | 79 | 21 | 34 | 77 | 10 | 92 | 2 | 12 | 4 |

TACE

 USED ON COWS - SPRING '22 JOINING; The youngest PM son in the sale - lots of IMF plus that typical 'easy on the eye' appeal that PM breeds. We used a lot of sons last year and they all got through joining well.

53 **DUNOON S127^{SV}**
 Calved: 7/07/2021 BHR21S127 Register: HBR

RENNYLEA L508^{PV} TE MANIA GASCOYNE G333^{SV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON DANDLOO L006[#]**
 DUNOON JAPARA M1008[#] DUNOON DANDLOO J219[#]

Selection Indexes: \$A \$212, \$A-L \$361, \$G \$279, \$G-L \$433

Structural Assessment: F R F R [Images] Scrotal Sheath Temp. 6 5 6 6 6 6 39 5 1

Genetic Conditions: AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +2.8 | +2.8 | -8.2 | +3.0 | +46 | +86 | +113 | +105 | +21 | +3.0 | -5.7 | +68 | +9.9 | -0.5 | -2.3 | +0.9 | +4.1 | +0.61 | +39 | +0.58 | +0.82 |
| Acc | 58% | 47% | 74% | 75% | 74% | 72% | 71% | 68% | 61% | 68% | 39% | 62% | 61% | 63% | 63% | 57% | 65% | 53% | 59% | 65% | 64% |
| Perc | 51 | 73 | 8 | 26 | 70 | 65 | 60 | 43 | 23 | 18 | 22 | 46 | 13 | 60 | 83 | 22 | 9 | 92 | 3 | 7 | 16 |

TACE

 USED ON HEIFERS - SPRING '22 JOINING; It's exciting to use these low birth PM sons over our heifers, they worked really well, and looked after themselves - great traits in young bulls.

HFR

54 **DUNOON S276^{PV}**
 Calved: 12/07/2021 BHR21S276 Register: HBR

CLUNIE RANGE LEGEND L348^{PV} RENNYLEA L508^{PV}
MERLEWOOD PONTING P8^{SV} **DUNOON P136^{SV}**
 MERLEWOOD JAPARA M5[#] DUNOON DANDLOO F128[#]

Selection Indexes: \$A \$166, \$A-L \$298, \$G \$224, \$G-L \$358

Structural Assessment: F R F R [Images] Scrotal Sheath Temp. 6 5 6 6 5 5 43 5 1

Genetic Conditions: AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -9.2 | -9.2 | -2.6 | +5.6 | +52 | +93 | +114 | +122 | +14 | +2.4 | -5.2 | +61 | +6.0 | -1.2 | -2.5 | +0.5 | +3.3 | +0.06 | +36 | +0.80 | +0.92 |
| Acc | 57% | 46% | 70% | 74% | 74% | 70% | 70% | 68% | 60% | 66% | 37% | 62% | 59% | 61% | 61% | 54% | 65% | 52% | 56% | 61% | 61% |
| Perc | 98 | 41 | 82 | 81 | 39 | 44 | 58 | 17 | 78 | 36 | 34 | 66 | 53 | 76 | 85 | 47 | 20 | 34 | 5 | 39 | 35 |

TACE

 USED ON COWS - SPRING '22 JOINING; Ponting has really stamped his sons - all very similar, powerful bulls with good front ends, data and balance.

55 **DUNOON S759^{SV}**
 Calved: 25/07/2021 BHR21S759 Register: APR

RENNYLEA L508^{PV} PATHFINDER GENERAL K7^{SV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON DANDLOO N771[#]**
 DUNOON JAPARA M1008[#] DUNOON DANDLOO K791[#]

Selection Indexes: \$A \$250, \$A-L \$430, \$G \$332, \$G-L \$516

Structural Assessment: F R F R [Images] Scrotal Sheath Temp. 5 5 6 6 5 5 50 5 1

Genetic Conditions: AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +2.2 | +2.2 | -9.7 | +4.9 | +62 | +105 | +138 | +133 | +16 | +4.6 | -6.3 | +77 | +12.2 | +0.0 | -0.9 | +0.6 | +3.7 | +0.71 | +30 | +0.88 | +1.00 |
| Acc | 58% | 45% | 72% | 74% | 74% | 71% | 70% | 67% | 60% | 67% | 37% | 61% | 61% | 62% | 63% | 56% | 64% | 51% | 58% | 65% | 64% |
| Perc | 56 | 76 | 3 | 69 | 8 | 13 | 13 | 9 | 59 | 2 | 12 | 20 | 4 | 47 | 61 | 40 | 14 | 96 | 14 | 56 | 56 |

TACE

 USED ON COWS - SPRING '22 JOINING; Just about as much length as you can get, here - This PM son has real eye appeal, loads of performance and backed by a K7 daughter from the Dandloo cow family - a good one!

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



56 DUNOON S834^{PV}

Calved: 31/07/2021 BHR21S834 Register: HBR

Structural Assessment

| | | | | | | | | |
|---|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 5 | 5 | 6 | 6 | 5 | 6 | 41 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -0.8 | -0.8 | -7.6 | +4.5 | +60 | +115 | +151 | +119 | +20 | +4.1 | -7.4 | +95 | +10.3 | -2.2 | -2.2 | +1.2 | +2.1 | +0.38 | +39 | +0.68 | +0.90 |
| Acc | 58% | 46% | 71% | 74% | 73% | 71% | 71% | 68% | 60% | 67% | 37% | 61% | 60% | 62% | 62% | 55% | 64% | 51% | 58% | 65% | 64% |
| Perc | 77 | 81 | 12 | 60 | 11 | 4 | 4 | 20 | 26 | 4 | 3 | 2 | 11 | 82 | 10 | 50 | 75 | 3 | 17 | 31 | |

ESBLEMONT LOTTO L3^{PV} DUNOON KINDRED K1372^{PV}

BOOROOMOOKA PARAGON P96^{PV} **DUNOON P458^{SV}**

BOOROOMOOKA SILICATED M566^{SV} DUNOON DANDLOO L201[#]

USED ON COWS - SPRING '22 JOINING; One of the Paragon P96 sons, moderate birth with explosive growth, then heaps of fertility and EMA. Our heifers by P96 look really nice!

HFR \$

57 DUNOON S875^{PV}

Calved: 3/08/2021 BHR21S875 Register: HBR

Structural Assessment

| | | | | | | | | |
|---|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 5 | 5 | 6 | 6 | 5 | 5 | 40 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +2.3 | +2.3 | -5.2 | +3.1 | +55 | +97 | +125 | +109 | +14 | +1.9 | -5.8 | +84 | +13.2 | -2.6 | -2.7 | +1.5 | +3.6 | +0.71 | +36 | +0.80 | +0.76 |
| Acc | 58% | 46% | 72% | 74% | 73% | 71% | 72% | 68% | 60% | 67% | 37% | 61% | 60% | 62% | 62% | 55% | 64% | 52% | 57% | 64% | 64% |
| Perc | 55 | 51 | 42 | 28 | 28 | 31 | 34 | 36 | 79 | 57 | 20 | 9 | 3 | 94 | 88 | 4 | 15 | 96 | 5 | 39 | 8 |

ESBLEMONT LOTTO L3^{PV} DUNOON LEICARDT L604^{SV}

BOOROOMOOKA PARAGON P96^{PV} **DUNOON P422^{SV}**

BOOROOMOOKA SILICATED M566^{SV} DUNOON JAPARA J503[#]

USED ON COWS - SPRING '22 JOINING; Great birth to growth with this P96 son, plus lots of EMA & IMF. These P96 calves were very small born, then gee, did they grow, at weaning they were some of the heaviest!!

HFR \$

58 DUNOON S824^{SV}

Calved: 31/07/2021 BHR21S824 Register: HBR

Structural Assessment

| | | | | | | | | |
|---|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 5 | 5 | 6 | 6 | 6 | 5 | 41 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +0.3 | +0.3 | -5.4 | +3.8 | +53 | +96 | +133 | +94 | +30 | +3.3 | -7.0 | +83 | +7.8 | -0.3 | -0.3 | +0.0 | +5.1 | +0.56 | +20 | +0.86 | +0.94 |
| Acc | 59% | 48% | 72% | 75% | 74% | 72% | 72% | 69% | 62% | 68% | 40% | 63% | 61% | 63% | 63% | 57% | 66% | 54% | 58% | 63% | 61% |
| Perc | 70 | 81 | 39 | 43 | 37 | 35 | 19 | 62 | 1 | 12 | 5 | 10 | 31 | 55 | 49 | 77 | 3 | 90 | 51 | 52 | 40 |

ESBLEMONT LOTTO L3^{PV} DUNOON JULIA CREEK J590^{SV}

BOOROOMOOKA PARAGON P96^{PV} **DUNOON PRINCESS M859[#]**

BOOROOMOOKA SILICATED M566^{SV} DUNOON PRINCESS H1083[#]

USED ON COWS - SPRING '22 JOINING; A positive mix of growth and marbling with this P96 son, all whilst the birth is still below av. Our Princess cows always produce sons that we use - every year!

HFR \$

59 DUNOON S722^{SV}

Calved: 22/07/2021 BHR21S722 Register: HBR

Structural Assessment

| | | | | | | | | |
|---|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 6 | 39 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +1.1 | +1.1 | -7.1 | +3.4 | +51 | +102 | +135 | +111 | +21 | +2.6 | -6.5 | +88 | +12.0 | -2.2 | -2.3 | +1.4 | +2.5 | +0.73 | +33 | +0.96 | +0.92 |
| Acc | 56% | 45% | 64% | 74% | 70% | 66% | 66% | 62% | 54% | 60% | 38% | 57% | 55% | 57% | 57% | 53% | 57% | 47% | 59% | 65% | 65% |
| Perc | 65 | 76 | 16 | 34 | 47 | 20 | 17 | 32 | 20 | 29 | 10 | 5 | 5 | 91 | 83 | 6 | 38 | 96 | 8 | 72 | 35 |

ESBLEMONT LOTTO L3^{PV} TE MANIA GASCOYNE G333^{SV}

BOOROOMOOKA PARAGON P96^{PV} **DUNOON DANDLOO N011[#]**

BOOROOMOOKA SILICATED M566^{SV} DUNOON DANDLOO L182[#]

USED ON COWS - SPRING '22 JOINING; A really nice bull here, so much length, a well rounded hind quarter and yet that wonderful neck extension and outlook - this P96 son always makes your head turn!

HFR \$

60 DUNOON S827^{SV}

Calved: 31/07/2021 BHR21S827 Register: HBR

Structural Assessment

| | | | | | | | | |
|---|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 5 | 5 | 6 | 6 | 5 | 5 | 40 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +1.3 | +1.3 | -5.3 | +4.4 | +54 | +97 | +132 | +118 | +22 | +3.3 | -6.3 | +84 | +6.7 | +1.2 | +2.7 | -0.2 | +3.0 | +0.44 | +21 | +0.66 | +0.96 |
| Acc | 59% | 49% | 74% | 75% | 74% | 72% | 71% | 68% | 62% | 69% | 41% | 62% | 63% | 64% | 64% | 58% | 66% | 53% | 60% | 63% | 65% |
| Perc | 63 | 84 | 41 | 57 | 31 | 30 | 21 | 23 | 14 | 12 | 12 | 8 | 43 | 21 | 7 | 86 | 26 | 81 | 43 | 14 | 45 |

LAWSONS MOMENTOUS M518^{PV} TUWHARETOA REGENT D145^{PV}

MURDEDUKE QUARTERBACK Q011^{PV} **DUNOON JAPARA K154[#]**


MURDEDUKE BARUNAH N026^{PV} DUNOON JAPARA C361[#]

USED ON COWS - SPRING '22 JOINING; Nice birth to growth here with this Quarterback son - he's backed by a great old cow who has done a good job for years. The paperwork is in good shape on this fellow!

HFR \$

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



61 DUNOON S946^{SV}

Calved: 15/08/2021 BHR21S946 Register: APR

RENNYLEA L519^{PV}
DUNOON Q208^{SV}
DUNOON PRINCESS K107[#]

DUNOON HABIT H516^{SV}
DUNOON K1212[#]
DUNOON F914[#]

USED ON COWS - SPRING '22 JOINING; Q208 was a very good L519 son, we felt this bull had some interesting numbers and a nice pedigree, so we used him and sure pleased we did, he went well.

HFR

\$

| Structural Assessment | | | | | | | | | | Scrotal | Sheath | Temp. |
|-----------------------|---|---|---|---|---|---|---|----|---|---------|--------|-------|
| F | R | F | R | F | R | F | R | F | R | | | |
| 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 39 | 5 | 1 | | |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC | | | | | | | | |
|--|--------|------|------|------|-----|-----|------|------|-----|------|------|-----|--------------------------------|------|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +1.9 | +1.9 | -5.0 | +4.3 | +51 | +90 | +119 | +101 | +19 | +2.3 | -6.3 | +77 | +7.4 | +2.3 | +2.9 | -0.3 | +3.6 | +0.57 | +35 | +0.86 | +0.96 |
| Acc | 50% | 40% | 57% | 72% | 66% | 61% | 61% | 58% | 54% | 55% | 33% | 53% | 50% | 52% | 52% | 47% | 53% | 42% | 45% | 57% | 57% |
| Perc | 58 | 85 | 46 | 55 | 46 | 52 | 47 | 50 | 34 | 40 | 12 | 20 | 35 | 8 | 89 | 15 | 90 | 6 | 52 | 45 | 45 |

62 DUNOON S1055^{PV}

Calved: 30/08/2021 BHR21S1055 Register: HBR

CLUNIE RANGE LEGEND L348^{PV}
MERLEWOOD PONTING P8^{SV}
MERLEWOOD JAPARA M5[#]

V A R DISCOVERY 2240^{PV}
DUNOON P1164^{SV}
DUNOON DANDLOO L1113[#]

USED ON COWS - SPRING '22 JOINING; This Ponting son has loads of potential, great type with plenty of IMF and still a very likeable spread of EBVs, Our Dandloo cows always 'punch above their weight'!

HFR

\$

| Structural Assessment | | | | | | | | | | Scrotal | Sheath | Temp. |
|-----------------------|---|---|---|---|---|---|---|----|---|---------|--------|-------|
| F | R | F | R | F | R | F | R | F | R | | | |
| 6 | 5 | 6 | 6 | 5 | 5 | 5 | 5 | 40 | 5 | 1 | | |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC | | | | | | | | |
|--|--------|------|------|------|-----|------|------|------|-----|------|------|-----|--------------------------------|------|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +0.6 | +0.6 | -5.1 | +3.7 | +54 | +102 | +126 | +117 | +13 | +3.3 | -5.1 | +66 | +5.6 | +0.0 | -0.7 | -0.1 | +4.0 | +0.35 | +41 | +0.92 | +1.10 |
| Acc | 53% | 42% | 63% | 73% | 69% | 63% | 63% | 61% | 54% | 58% | 34% | 56% | 53% | 55% | 55% | 50% | 57% | 46% | 55% | 64% | 64% |
| Perc | 68 | 54 | 44 | 41 | 32 | 20 | 32 | 24 | 85 | 12 | 37 | 51 | 58 | 47 | 57 | 82 | 10 | 72 | 2 | 64 | 77 |

63 DUNOON S929^{SV}

Calved: 9/08/2021 BHR21S929 Register: HBR

ESSLEMONT LOTTO L3^{PV}
BOOROOMOOKA PARAGON P96^{PV}
BOOROOMOOKA SILICATED M566^{SV}

DUNOON GARMIN G562^{SV}
DUNOON DANDLOO J916[#]
DUNOON DANDLOO 1F591[#]

USED ON COWS - SPRING '22 JOINING; These P96 sons continue to impress, they all cover a lot of ground, have great front ends and boy, were they keen when it came time for joining!

HFR

\$

| Structural Assessment | | | | | | | | | | Scrotal | Sheath | Temp. |
|-----------------------|---|---|---|---|---|---|---|----|---|---------|--------|-------|
| F | R | F | R | F | R | F | R | F | R | | | |
| 6 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 41 | 5 | 1 | | |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | | |
|--|--------|------|------|------|-----|------|------|------|-----|------|------|-----|---|------|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | -3.5 | -3.5 | -3.7 | +5.5 | +55 | +100 | +136 | +105 | +24 | +2.7 | -6.3 | +92 | +11.2 | -1.6 | -1.6 | +1.4 | +2.5 | +0.43 | +36 | +0.78 | +0.94 |
| Acc | 60% | 48% | 72% | 74% | 73% | 72% | 71% | 68% | 62% | 66% | 37% | 61% | 60% | 62% | 62% | 56% | 64% | 51% | 58% | 64% | 64% |
| Perc | 89 | 87 | 68 | 80 | 28 | 22 | 15 | 43 | 9 | 26 | 12 | 3 | 7 | 83 | 73 | 6 | 38 | 80 | 5 | 34 | 40 |

64 DUNOON S716^{SV}

Calved: 21/07/2021 BHR21S716 Register: HBR

LAWSONS MOMENTOUS M518^{PV}
MURDEDUKE QUARTERBACK Q011^{PV}
MURDEDUKE BARUNAH N026^{PV}

DUNOON JUDICIOUS J010^{SV}
DUNOON PRINCESS L1352[#]
DUNOON PRINCESS F838[#]

USED ON COWS - SPRING '22 JOINING; Some very interesting data on this fellow - with calving ease, birth, fertility and IMF all at the top end, plus, that good old Princess cow family is there again!

HFR

\$

| Structural Assessment | | | | | | | | | | Scrotal | Sheath | Temp. |
|-----------------------|---|---|---|---|---|---|---|----|---|---------|--------|-------|
| F | R | F | R | F | R | F | R | F | R | | | |
| 6 | 6 | 6 | 6 | 5 | 6 | 6 | 6 | 41 | 5 | 1 | | |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | | |
|--|--------|------|-------|------|-----|-----|------|------|-----|------|------|-----|---|------|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +8.7 | +8.7 | -10.2 | +0.5 | +46 | +92 | +119 | +116 | +23 | +4.1 | -5.3 | +63 | +1.3 | +0.5 | +0.7 | -0.8 | +5.4 | +0.32 | +21 | +0.76 | +0.86 |
| Acc | 57% | 45% | 72% | 74% | 74% | 72% | 70% | 68% | 61% | 69% | 37% | 61% | 61% | 63% | 63% | 56% | 65% | 52% | 58% | 64% | 64% |
| Perc | 6 | 40 | 2 | 3 | 72 | 46 | 47 | 25 | 9 | 4 | 31 | 61 | 96 | 35 | 30 | 98 | 2 | 68 | 43 | 30 | 22 |

65 DUNOON S908^{SV}

Calved: 6/08/2021 BHR21S908 Register: HBR

ESSLEMONT LOTTO L3^{PV}
BOOROOMOOKA PARAGON P96^{PV}
BOOROOMOOKA SILICATED M566^{SV}

TE MANIA GASCOYNE G333^{SV}
DUNOON DANDLOO M125[#]
DUNOON DANDLOO H780^{SV}

USED ON COWS - SPRING '22 JOINING; These P96 sons are all very similar, low birth, lots of growth and big EMAs - the heifers by P96 look exciting, they'll start calving in July.

HFR

\$

| Structural Assessment | | | | | | | | | | Scrotal | Sheath | Temp. |
|-----------------------|---|---|---|---|---|---|---|----|---|---------|--------|-------|
| F | R | F | R | F | R | F | R | F | R | | | |
| 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 43 | 5 | 1 | | |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | Traits Observed: BWT,DOC | | | | | | | | |
|--|--------|------|------|------|-----|------|------|------|-----|------|------|-----|--------------------------|------|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | -0.8 | -0.8 | -6.2 | +3.9 | +51 | +101 | +131 | +115 | +20 | +2.4 | -6.1 | +86 | +10.1 | -1.3 | -1.1 | +1.1 | +2.2 | +0.45 | +44 | +0.92 | +1.04 |
| Acc | 55% | 44% | 67% | 73% | 66% | 64% | 64% | 60% | 52% | 58% | 36% | 55% | 53% | 56% | 56% | 52% | 55% | 45% | 57% | 65% | 65% |
| Perc | 77 | 79 | 27 | 46 | 47 | 21 | 22 | 26 | 29 | 36 | 15 | 7 | 12 | 78 | 65 | 14 | 47 | 82 | 1 | 64 | 65 |

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



66 DUNOON S854^{PV}

Calved: 1/08/2021 BHR21S854 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 6 | 6 | 40 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | |
|--|--------|------|------|------|-----|------|------|------|-----|------|------|------|-------|---|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | -8.4 | -8.4 | -6.2 | +6.3 | +58 | +109 | +148 | +121 | +23 | +2.1 | -4.3 | +103 | +12.9 | -3.1 | -3.8 | +1.6 | +2.9 | +0.39 | +28 | +0.94 | +0.82 |
| Acc | 58% | 46% | 72% | 74% | 74% | 71% | 72% | 68% | 60% | 67% | 37% | 62% | 60% | 62% | 62% | 55% | 65% | 52% | 57% | 61% | 61% |
| Perc | 97 | 93 | 27 | 90 | 16 | 8 | 5 | 18 | 11 | 49 | 61 | 1 | 3 | 97 | 95 | 3 | 29 | 76 | 20 | 68 | 16 |

ESSLEMONT LOTTO L3^{PV} DUNOON LARRY L1267^{SV}
BOOROOMOOKA PARAGON P96^{PV} **DUNOON P577^{SV}**
 BOOROOMOOKA SILICATED M566^{SV} DUNOON DANDLOO K035^F

USED ON COWS - SPRING '22 JOINING; Another of the P96 sons - they offer loads of growth and muscle, they stand over a lot of ground and we expect their calves to be exciting.

\$

67 DUNOON S920^{SV}

Calved: 7/08/2021 BHR21S920 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 6 | 6 | 44 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | |
|--|--------|------|------|------|-----|-----|------|------|-----|------|------|-----|------|---|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | -6.9 | -6.9 | -2.0 | +6.4 | +50 | +85 | +114 | +106 | +16 | +2.5 | -4.0 | +61 | +5.5 | -1.3 | -1.7 | +0.3 | +3.5 | +0.12 | +34 | +0.78 | +1.04 |
| Acc | 56% | 45% | 72% | 75% | 74% | 71% | 71% | 68% | 63% | 67% | 37% | 62% | 59% | 62% | 62% | 55% | 64% | 51% | 59% | 61% | 61% |
| Perc | 96 | 75 | 88 | 91 | 50 | 66 | 59 | 41 | 59 | 33 | 69 | 66 | 60 | 78 | 75 | 60 | 17 | 42 | 8 | 34 | 65 |

CLUNIE RANGE LEGEND L348^{PV} TE MANIA CARINGBAH C192^{SV}
MERLEWOOD PONTING P8^{SV} **DUNOON LOWAN F298^F**
 MERLEWOOD JAPARA M5^F DUNOON LOWAN D020^F

USED ON COWS - SPRING '22 JOINING; This young Ponting son ran in the same paddock as Ponting himself - it's a tough gig running with big bulls, however, this guy and S722 handled it well - a big paddock helped!

\$

68 DUNOON S907^{SV}

Calved: 6/08/2021 BHR21S907 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 6 | 42 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | |
|--|--------|------|------|------|-----|-----|------|------|-----|------|------|-----|------|---|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | -7.0 | -7.0 | -3.0 | +6.2 | +49 | +91 | +119 | +115 | +20 | +2.1 | -4.6 | +66 | +2.3 | -1.4 | -3.3 | +0.1 | +3.2 | -0.03 | +38 | +0.66 | +0.94 |
| Acc | 55% | 44% | 69% | 73% | 73% | 69% | 69% | 66% | 59% | 65% | 35% | 60% | 58% | 60% | 60% | 53% | 62% | 49% | 55% | 64% | 64% |
| Perc | 96 | 58 | 78 | 89 | 54 | 50 | 46 | 26 | 26 | 49 | 52 | 53 | 92 | 80 | 93 | 72 | 22 | 23 | 4 | 14 | 40 |

CLUNIE RANGE LEGEND L348^{PV} TE MANIA CARINGBAH C192^{SV}
MERLEWOOD PONTING P8^{SV} **DUNOON DANDLOO H945^F**
 MERLEWOOD JAPARA M5^F DUNOON DANDLOO E952^F

USED ON COWS - SPRING '22 JOINING; A time proven cow behind this Ponting son, from the strong breeding Dandloo cow family - these Ponting sons will breed just like their sire - very consistently!

\$

69 DUNOON S914^{SV}

Calved: 7/08/2021 BHR21S914 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 6 | 6 | 41 | 5 | 2 |

Genetic Conditions:AMF,CAFU,DDC,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | |
|--|--------|------|------|------|-----|-----|------|------|-----|------|------|-----|-------|---|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +5.4 | +5.4 | -7.9 | +2.4 | +52 | +98 | +128 | +92 | +22 | +4.1 | -6.7 | +86 | +14.9 | -1.3 | -0.3 | +1.3 | +3.1 | +0.73 | +34 | +1.04 | +1.02 |
| Acc | 59% | 48% | 74% | 75% | 74% | 72% | 72% | 69% | 62% | 68% | 40% | 63% | 61% | 63% | 63% | 57% | 66% | 54% | 59% | 65% | 65% |
| Perc | 27 | 72 | 10 | 17 | 40 | 29 | 28 | 66 | 14 | 4 | 8 | 7 | 1 | 78 | 49 | 8 | 24 | 96 | 7 | 84 | 61 |

ESSLEMONT LOTTO L3^{PV} TE MANIA GASCOYNE G333^{SV}
BOOROOMOOKA PARAGON P96^{PV} **DUNOON JAPARA L705^F**
 BOOROOMOOKA SILICATED M566^{SV} DUNOON JAPARA J564^F

HFR

\$

70 DUNOON S796^{SV}

Calved: 28/07/2021 BHR21S796 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 43 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDC,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | |
|--|--------|------|------|------|-----|-----|------|------|-----|------|------|-----|-------|---|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +3.3 | +3.3 | -6.0 | +4.3 | +54 | +84 | +103 | +84 | +17 | +2.6 | -6.3 | +66 | +15.5 | +1.5 | +1.4 | +0.8 | +3.8 | +0.53 | +22 | +1.00 | +1.00 |
| Acc | 60% | 50% | 73% | 75% | 75% | 73% | 71% | 69% | 63% | 70% | 42% | 63% | 64% | 65% | 65% | 59% | 67% | 55% | 61% | 66% | 66% |
| Perc | 46 | 93 | 30 | 55 | 33 | 71 | 80 | 79 | 51 | 29 | 12 | 53 | 1 | 16 | 19 | 27 | 13 | 88 | 38 | 78 | 56 |

LAWSONS MOMENTOUS M518^{PV} TUWHARETOA REGENT D145^{PV}
MURDEDUKE QUARTERBACK Q011^{PV} **DUNOON BEEAC H371^F**
 MURDEDUKE BARUNAH N026^{PV} DUNOON BEEAC E110^{SV}

HFR

\$

| January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs | | | | | | | | | | | | | | | | | | | | | |
|---|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



71 **DUNOON S777^{SV}**
 Calved: 27/07/2021 BHR21S777 Register: APR

ESSLEMONT LOTTO L3^{PV} MERRIDALE GAFFA G4^{SV}
BOOROOMOOKA PARAGON P96^{PV} **DUNOON ARISTOCRAT N031[#]**
 BOOROOMOOKA SILICATED M566^{SV} DUNOON ARISTOCRAT L296[#]

Selection Indexes: \$A \$249, \$A-L \$408, \$G \$327, \$G-L \$489

TACE

Structural Assessment: F 6, R 5, F 6, R 6, 5, 5, Scrotal 43, Sheath 5, Temp. 1

Genetic Conditions: AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -0.7 | -0.7 | -5.6 | +3.9 | +54 | +112 | +142 | +106 | +25 | +2.7 | -6.1 | +92 | +8.4 | +1.2 | +1.8 | +0.2 | +3.1 | +0.55 | +39 | +0.82 | +0.96 |
| Acc | 58% | 46% | 71% | 73% | 73% | 71% | 71% | 67% | 60% | 66% | 37% | 61% | 59% | 61% | 62% | 55% | 63% | 50% | 57% | 66% | 66% |
| Perc | 77 | 68 | 36 | 46 | 30 | 5 | 9 | 40 | 5 | 26 | 15 | 3 | 25 | 21 | 15 | 66 | 24 | 89 | 3 | 43 | 45 |

Traits Observed: BWT,200WT,DOC,Genomics

HFR

72 **DUNOON S944^{SV}**
 Calved: 15/08/2021 BHR21S944 Register: HBR

RENNYLEA L519^{PV} TEXAS MOUNT K002^{PV}
DUNOON Q813^{SV} **DUNOON BARWON M776[#]**
 DUNOON DANDLOO M1335[#] DUNOON BARWON Z144[#]

Selection Indexes: \$A \$217, \$A-L \$388, \$G \$294, \$G-L \$469

TACE

Structural Assessment: F 6, R 5, F 6, R 5, 5, 5, Scrotal 42, Sheath 5, Temp. 1

Genetic Conditions: AMF,CAF,DDC,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -0.3 | -0.3 | -6.2 | +5.8 | +57 | +107 | +139 | +135 | +14 | +3.9 | -5.3 | +77 | +6.6 | +0.9 | +0.6 | -0.3 | +4.5 | +0.65 | +23 | +0.66 | +0.94 |
| Acc | 54% | 43% | 69% | 72% | 71% | 68% | 68% | 66% | 60% | 64% | 36% | 59% | 58% | 60% | 60% | 53% | 62% | 48% | 47% | 60% | 61% |
| Perc | 74 | 90 | 27 | 84 | 18 | 10 | 11 | 7 | 76 | 5 | 31 | 21 | 45 | 26 | 32 | 89 | 6 | 94 | 37 | 14 | 40 |

Traits Observed: BWT,200WT,DOC,Genomics

73 **DUNOON S804^{SV}**
 Calved: 29/07/2021 BHR21S804 Register: HBR

ESSLEMONT LOTTO L3^{PV} DUNOON FREQUENT F339^{SV}
BOOROOMOOKA PARAGON P96^{PV} **DUNOON ELSA J053[#]**
 BOOROOMOOKA SILICATED M566^{SV} DUNOON DANDLOO G009[#]

Selection Indexes: \$A \$245, \$A-L \$390, \$G \$313, \$G-L \$461

TACE

Structural Assessment: F 6, R 5, F 6, R 6, 6, 5, Scrotal 41, Sheath 5, Temp. 2

Genetic Conditions: AMF,CAF,DDC,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +2.6 | +2.6 | -3.2 | +3.3 | +51 | +97 | +131 | +96 | +26 | +3.0 | -5.0 | +77 | +13.6 | -2.6 | -2.2 | +2.0 | +2.0 | +0.35 | +9 | +0.70 | +1.02 |
| Acc | 59% | 47% | 72% | 75% | 74% | 72% | 72% | 68% | 61% | 68% | 39% | 62% | 60% | 62% | 62% | 56% | 65% | 52% | 59% | 65% | 65% |
| Perc | 52 | 76 | 75 | 32 | 44 | 30 | 22 | 58 | 4 | 18 | 40 | 20 | 2 | 94 | 82 | 1 | 53 | 72 | 94 | 20 | 61 |

Traits Observed: BWT,200WT,DOC,Genomics

HFR

74 **DUNOON S886^{SV}**
 Calved: 3/08/2021 BHR21S886 Register: HBR

EF COMMANDO 1366^{PV} TUWHARETOA REGENT D145^{PV}
BALDRIDGE COMMAND C036^{PV} **DUNOON LOWAN J598[#]**
 BALDRIDGE BLACKBIRD A030[#] DUNOON LOWAN C462[#]

Selection Indexes: \$A \$224, \$A-L \$376, \$G \$297, \$G-L \$461

TACE

Structural Assessment: F 6, R 5, F 6, R 6, 6, 5, Scrotal 40, Sheath 5, Temp. 1

Genetic Conditions: AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -5.0 | -5.0 | -3.2 | +7.9 | +70 | +114 | +143 | +144 | +11 | +0.7 | -4.2 | +85 | +11.6 | -3.3 | -4.2 | +1.8 | +1.3 | -0.02 | +26 | +0.82 | +0.88 |
| Acc | 63% | 53% | 74% | 75% | 75% | 73% | 73% | 71% | 68% | 70% | 44% | 65% | 65% | 66% | 66% | 61% | 68% | 55% | 60% | 69% | 69% |
| Perc | 93 | 99 | 75 | 99 | 2 | 4 | 8 | 4 | 94 | 93 | 64 | 8 | 6 | 98 | 97 | 2 | 73 | 24 | 24 | 43 | 26 |

Traits Observed: BWT,200WT,DOC,Genomics

75 **DUNOON S915^{SV}**
 Calved: 7/08/2021 BHR21S915 Register: HBR

LAWSONS MOMENTOUS M518^{PV} LAWSONS KI EVIDENT H H6201^{SV}
MURDEDUKE QUARTERBACK Q011^{PV} **DUNOON ARCHER M381[#]**
 MURDEDUKE BARUNAH N026^{PV} DUNOON ARCHER F131[#]

Selection Indexes: \$A \$213, \$A-L \$366, \$G \$293, \$G-L \$450

TACE

Structural Assessment: F 6, R 6, F 6, R 6, 6, 6, Scrotal 39, Sheath 5, Temp. 1

Genetic Conditions: AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +6.9 | +6.9 | -5.5 | +1.7 | +47 | +84 | +105 | +99 | +16 | +2.6 | -5.5 | +55 | +6.3 | +1.9 | +2.6 | -0.2 | +4.4 | +0.53 | +35 | +0.88 | +1.16 |
| Acc | 58% | 46% | 74% | 74% | 74% | 72% | 70% | 68% | 61% | 70% | 38% | 62% | 62% | 63% | 63% | 57% | 66% | 52% | 58% | 65% | 65% |
| Perc | 16 | 82 | 37 | 9 | 65 | 70 | 77 | 54 | 59 | 29 | 27 | 82 | 49 | 11 | 8 | 86 | 7 | 88 | 6 | 56 | 86 |

Traits Observed: BWT,200WT,DOC,Genomics

HFR

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



76 DUNOON S782^{SV}

Calved: 27/07/2021 BHR21S782 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 6 | 5 | 40 | 4 | 1 |

Genetic Conditions:AMF,CAF,DDC,NHF,RGF

HFR

LAWSONS MOMENTOUS M518^{PV} TE MANIA EMPEROR E343^{PV}
MURDEDUKE QUARTERBACK Q011^{PV} **DUNOON DANDLOO M790[#]**
MURDEDUKE BARUNAH N026^{PV} DUNOON DANDLOO G264[#]

\$

77 DUNOON S781^{SV}

Calved: 27/07/2021 BHR21S781 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 6 | 6 | 6 | 5 | 6 | 45 | 5 | 2 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

HFR

RENNYLEA L508^{PV} TUWHARETOA REGENT D145^{PV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON SCOTCH LASS J873[#]**
DUNOON JAPARA M1008[#] DUNOON SCOTCH LASS Y594[#]

\$

78 DUNOON S818^{SV}

Calved: 30/07/2021 BHR21S818 Register: APR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 6 | 6 | 42 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

ESSLEMONT LOTTO L3^{PV} HAZELDEAN HARLEQUIN H2^{PV}
BOOROOMOOKA PARAGON P96^{PV} **DUNOON TOOFAR L502[#]**
BOOROOMOOKA SILICATED M566^{SV} DUNOON J583[#]

\$

79 DUNOON S720^{SV}

Calved: 21/07/2021 BHR21S720 Register: APR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 6 | 6 | 6 | 5 | 5 | 41 | 5 | 2 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

HFR

ESSLEMONT LOTTO L3^{PV} TE MANIA GASCOYNE G333^{SV}
BOOROOMOOKA PARAGON P96^{PV} **DUNOON L790[#]**
BOOROOMOOKA SILICATED M566^{SV} DUNOON F914[#]

\$

80 DUNOON S775^{SV}

Calved: 27/07/2021 BHR21S775 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 6 | 6 | 39 | 5 | 2 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF


HFR

RENNYLEA L508^{PV} V A R RESERVE 1111^{PV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON LUBRA L1076[#]**
DUNOON JAPARA M1008[#] DUNOON LUBRA B368^{SV}

\$

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



81 **DUNOON S737^{SV}**
 Calved: 24/07/2021 BHR21S737 Register: HBR

EF COMMANDO 1366^{PV} DUNOON GABBA G548^{PV}
 MILLAH MURRAH PARATROOPER P15^{PV} DUNOON ANGUISH K1047[#]
 MILLAH MURRAH ELA M9^{PV} DUNOON ANGUISH D346[#]

Selection Indexes: \$A \$202, \$A-L \$353, \$G \$272, \$G-L \$426

TACE

Structural Assessment: F6, R5, F6, R6, 5, 5, 5, 43, 4, 1

Genetic Conditions: AMF, CAF, DDC, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -0.6 | -0.6 | -8.6 | +5.4 | +59 | +96 | +132 | +115 | +20 | +2.7 | -4.8 | +75 | +4.4 | -0.3 | +0.2 | -0.2 | +2.5 | -0.11 | +29 | +0.78 | +0.90 |
| Acc | 61% | 46% | 74% | 74% | 74% | 72% | 72% | 68% | 62% | 69% | 36% | 61% | 62% | 63% | 63% | 57% | 64% | 50% | 58% | 68% | 67% |
| Perc | 76 | 28 | 6 | 78 | 14 | 33 | 21 | 27 | 31 | 26 | 46 | 23 | 74 | 55 | 39 | 86 | 38 | 16 | 16 | 34 | 31 |

82 **DUNOON S903^{SV}**
 Calved: 6/08/2021 BHR21S903 Register: APR

CLUNIE RANGE LEGEND L348^{PV} DUNOON EVIDENT E614^{PV}
 MERLEWOOD PONTING P8^{SV} DUNOON BEEAC H974[#]
 MERLEWOOD JAPARA M5[#] DUNOON BEEAC E414[#]

Selection Indexes: \$A \$209, \$A-L \$357, \$G \$271, \$G-L \$422

TACE

Structural Assessment: F6, R5, F6, R6, 5, 5, 5, 45, 4, 2

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -7.0 | -7.0 | -4.5 | +6.5 | +59 | +104 | +126 | +120 | +10 | +4.5 | -6.9 | +65 | +7.9 | -0.2 | +0.4 | +0.2 | +2.3 | +0.50 | +39 | +0.80 | +0.90 |
| Acc | 56% | 45% | 71% | 74% | 74% | 70% | 70% | 67% | 61% | 66% | 37% | 61% | 58% | 61% | 61% | 54% | 63% | 50% | 57% | 64% | 64% |
| Perc | 96 | 88 | 54 | 92 | 15 | 14 | 31 | 20 | 94 | 2 | 6 | 55 | 30 | 52 | 36 | 66 | 44 | 86 | 3 | 39 | 31 |

83 **DUNOON S856^{SV}**
 Calved: 2/08/2021 BHR21S856 Register: HBR

ESSLEMONT LOTTO L3^{PV} MERRIDALE GAFFA G4^{SV}
 BOOROOMOOKA PARAGON P96^{PV} DUNOON LUBRA N062[#]
 BOOROOMOOKA SILICATED M566^{SV} DUNOON LUBRA L125[#]

Selection Indexes: \$A \$182, \$A-L \$362, \$G \$236, \$G-L \$419

TACE

Structural Assessment: F7, R6, F7, R6, 6, 6, 6, 42, 5, 1

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|------|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -7.2 | -7.2 | -2.5 | +6.4 | +67 | +120 | +165 | +176 | +13 | +2.8 | -4.7 | +102 | +5.0 | -2.3 | -3.2 | +0.7 | +1.5 | -0.02 | +39 | +1.06 | +0.96 |
| Acc | 58% | 46% | 71% | 74% | 73% | 71% | 71% | 67% | 59% | 67% | 37% | 60% | 59% | 61% | 61% | 55% | 63% | 50% | 57% | 67% | 67% |
| Perc | 96 | 83 | 84 | 91 | 3 | 2 | 1 | 1 | 83 | 23 | 49 | 1 | 66 | 92 | 92 | 33 | 68 | 24 | 3 | 86 | 45 |

84 **DUNOON S961^{SV}**
 Calved: 19/08/2021 BHR21S961 Register: HBR

G A R DRIVE^{PV} TUWHARETOA REGENT D145^{PV}
 DUNOON Q261^{SV} DUNOON DANDLOO K1049[#]
 DUNOON DANDLOO K006[#] DUNOON DANDLOO B168[#]

Selection Indexes: \$A \$202, \$A-L \$334, \$G \$283, \$G-L \$418

TACE

Structural Assessment: F6, R5, F6, R6, 5, 6, 6, 40, 5, 1

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +4.3 | +4.3 | -2.9 | +1.9 | +42 | +79 | +105 | +84 | +20 | +3.4 | -5.0 | +69 | +7.3 | +0.2 | +0.6 | -0.4 | +5.9 | +0.89 | +35 | +1.30 | +1.10 |
| Acc | 55% | 46% | 69% | 71% | 71% | 68% | 69% | 67% | 61% | 66% | 38% | 60% | 59% | 61% | 61% | 54% | 64% | 51% | 45% | 63% | 63% |
| Perc | 37 | 91 | 79 | 11 | 84 | 82 | 77 | 78 | 31 | 10 | 40 | 41 | 36 | 42 | 32 | 92 | 1 | 99 | 6 | 99 | 77 |

85 **DUNOON S713^{SV}**
 Calved: 21/07/2021 BHR21S713 Register: HBR

RENNYLEA L508^{PV} TE MANIA INFINITY 04 379 AB[#]
 DUNOON PRIME MINISTER P758^{SV} DUNOON LOWAN F455[#]
 DUNOON JAPARA M1008[#] DUNOON LOWAN A589[#]

Selection Indexes: \$A \$190, \$A-L \$347, \$G \$258, \$G-L \$418

TACE

Structural Assessment: F7, R5, F6, R6, 5, 6, 6, 42, 5, 1

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +2.2 | +2.2 | -6.5 | +4.8 | +55 | +99 | +130 | +113 | +17 | +3.4 | -4.2 | +73 | -1.7 | +0.7 | +1.5 | -1.0 | +3.5 | +0.31 | +29 | +0.70 | +0.72 |
| Acc | 59% | 49% | 74% | 75% | 75% | 72% | 71% | 68% | 63% | 68% | 42% | 63% | 62% | 64% | 64% | 58% | 66% | 54% | 60% | 66% | 65% |
| Perc | 56 | 29 | 23 | 67 | 26 | 25 | 24 | 29 | 55 | 10 | 64 | 29 | 99 | 31 | 18 | 99 | 17 | 67 | 17 | 20 | 5 |

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



86 **DUNOON S725^{PV}**
 Calved: 23/07/2021 BHR21S725 Register: HBR

CLUNIE RANGE LEGEND L348^{PV} DUNOON KABAB K042^{PV}
 MERLEWOOD PONTING P8^{SV} DUNOON DANDLOO M642^{SV}
 MERLEWOOD JAPARA M5[#] DUNOON DANDLOO K722[#]

Selection Indexes: \$A \$198, \$A-L \$349, \$G \$259, \$G-L \$414

TACE

Structural Assessment: F6, R5, F6, R6, 5, 5, 43, 5, 1

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +3.6 | +3.6 | -8.8 | +3.7 | +49 | +85 | +111 | +103 | +14 | +3.0 | -5.4 | +55 | +5.9 | +2.3 | +0.8 | +0.2 | +2.6 | +0.43 | +38 | +0.82 | +0.94 |
| Acc | 53% | 41% | 68% | 73% | 72% | 69% | 68% | 66% | 58% | 63% | 34% | 59% | 56% | 59% | 59% | 52% | 62% | 48% | 52% | 61% | 63% |
| Perc | 43 | 49 | 5 | 41 | 58 | 67 | 65 | 46 | 80 | 18 | 29 | 82 | 54 | 8 | 28 | 66 | 36 | 80 | 4 | 43 | 40 |

Traits Observed: BWT, 200WT, DOC, Genomics

HFR

87 **DUNOON S771^{SV}**
 Calved: 26/07/2021 BHR21S771 Register: HBR

RENNYLEA L508^{PV} DUNOON JOURNEY J276^{SV}
 DUNOON PRIME MINISTER P758^{SV} DUNOON PRINCESS M1075[#]
 DUNOON JAPARA M1008[#] DUNOON PRINCESS G782^{SV}

Selection Indexes: \$A \$205, \$A-L \$331, \$G \$280, \$G-L \$410

TACE

Structural Assessment: F6, R5, F7, R6, 5, 5, 38, 5, 2

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +5.7 | +5.7 | -6.2 | +3.4 | +45 | +78 | +103 | +68 | +13 | +1.6 | -4.2 | +59 | +2.4 | +2.4 | +3.2 | -0.8 | +4.0 | +0.62 | +37 | +0.84 | +0.84 |
| Acc | 56% | 44% | 71% | 74% | 73% | 71% | 70% | 67% | 60% | 67% | 36% | 61% | 60% | 62% | 62% | 55% | 64% | 51% | 56% | 63% | 61% |
| Perc | 25 | 22 | 27 | 34 | 76 | 85 | 80 | 93 | 83 | 69 | 64 | 72 | 91 | 7 | 5 | 98 | 10 | 93 | 5 | 48 | 19 |

Traits Observed: BWT, 200WT, DOC, Genomics

HFR

88 **DUNOON S945^{SV}**
 Calved: 15/08/2021 BHR21S945 Register: HBR

RENNYLEA L519^{PV} TE MANIA DAIQUIRI D19^{PV}
 DUNOON Q208^{SV} DUNOON BEEAC H358[#]
 DUNOON PRINCESS K107[#] DUNOON BEEAC E222^{PV}

Selection Indexes: \$A \$206, \$A-L \$341, \$G \$270, \$G-L \$408

TACE

Structural Assessment: F5, R5, F6, R6, 5, 5, 40, 5, 2

Genetic Conditions: AMF, CAF, DDF, NHF, RGC

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -5.2 | -5.2 | -4.0 | +6.2 | +50 | +87 | +116 | +109 | +18 | +2.2 | -6.7 | +64 | +7.2 | -1.3 | +0.5 | +0.6 | +3.5 | +0.14 | +27 | +0.84 | +0.84 |
| Acc | 56% | 47% | 68% | 72% | 71% | 69% | 69% | 67% | 62% | 66% | 39% | 60% | 59% | 61% | 61% | 55% | 64% | 51% | 49% | 63% | 63% |
| Perc | 93 | 81 | 63 | 89 | 53 | 62 | 54 | 35 | 48 | 44 | 8 | 59 | 37 | 78 | 34 | 40 | 17 | 44 | 22 | 48 | 19 |

Traits Observed: BWT, 200WT, DOC, Genomics

89 **DUNOON S933^{SV}**
 Calved: 12/08/2021 BHR21S933 Register: HBR

ESSLEMONT LOTTO L3^{PV} HAZELDEAN HARLEQUIN H2^{PV}
 BOOROOMOOKA PARAGON P96^{PV} DUNOON DANDLOO L734[#]
 BOOROOMOOKA SILICATED M566^{SV} DUNOON DANDLOO J488[#]

Selection Indexes: \$A \$201, \$A-L \$334, \$G \$266, \$G-L \$401

TACE

Structural Assessment: F6, R6, F6, R7, 6, 6, 42, 5, 2

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -1.2 | -1.2 | -4.4 | +2.6 | +47 | +87 | +111 | +91 | +25 | +2.8 | -6.0 | +65 | +7.7 | +0.7 | +0.6 | +0.3 | +2.6 | +0.45 | +28 | +0.68 | +0.92 |
| Acc | 58% | 46% | 73% | 74% | 73% | 71% | 71% | 67% | 60% | 67% | 37% | 61% | 60% | 62% | 62% | 55% | 63% | 51% | 58% | 66% | 66% |
| Perc | 79 | 66 | 56 | 19 | 64 | 61 | 65 | 68 | 6 | 23 | 17 | 55 | 32 | 31 | 32 | 60 | 36 | 82 | 18 | 17 | 35 |

Traits Observed: BWT, 200WT, DOC, Genomics

HFR

90 **DUNOON S868^{SV}**
 Calved: 3/08/2021 BHR21S868 Register: HBR

ESSLEMONT LOTTO L3^{PV} QUAKER HILL RAMPAGE OA36^{PV}
 BOOROOMOOKA PARAGON P96^{PV} DUNOON BEEAC M408[#]
 BOOROOMOOKA SILICATED M566^{SV} DUNOON BEECA F103[#]

Selection Indexes: \$A \$203, \$A-L \$346, \$G \$255, \$G-L \$401

TACE

Structural Assessment: F6, R5, F6, R6, 6, 6, 38, 5, 1

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation


| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -3.4 | -3.4 | -0.6 | +3.7 | +49 | +95 | +126 | +116 | +12 | +1.4 | -6.8 | +76 | +7.5 | -0.8 | -0.8 | +1.0 | +2.1 | +0.29 | +14 | +1.06 | +1.04 |
| Acc | 58% | 46% | 73% | 74% | 73% | 71% | 71% | 68% | 60% | 67% | 37% | 61% | 60% | 62% | 62% | 55% | 63% | 50% | 57% | 67% | 67% |
| Perc | 88 | 99 | 96 | 41 | 56 | 38 | 31 | 24 | 86 | 76 | 7 | 22 | 34 | 67 | 59 | 18 | 50 | 65 | 80 | 86 | 65 |

Traits Observed: BWT, 200WT, DOC, Genomics

HFR

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



91 **DUNOON S848^{SV}**
 Calved: 1/08/2021 BHR21S848 Register: HBR

Selection Indexes: \$A \$181, \$A-L \$335, \$G \$244, \$G-L \$401

Structural Assessment: F6, R5, F6, R6, 5, 5, 41, 5, 2

Genetic Conditions: AMF, CAF, DDC, NHF, RGC

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -2.0 | -2.0 | -1.4 | +5.4 | +51 | +96 | +130 | +138 | +16 | +4.2 | -3.5 | +74 | +11.4 | -1.0 | -0.8 | +1.0 | +3.4 | +0.44 | +26 | +0.74 | +0.68 |
| Acc | 59% | 48% | 74% | 75% | 75% | 73% | 71% | 69% | 63% | 70% | 40% | 63% | 64% | 65% | 65% | 59% | 67% | 54% | 60% | 64% | 64% |
| Perc | 83 | 97 | 92 | 78 | 47 | 34 | 23 | 6 | 58 | 3 | 81 | 26 | 7 | 72 | 59 | 18 | 19 | 81 | 24 | 26 | 3 |

Parents: LAWSONS MOMENTOUS M518^{PV} (MURDEDUKE QUARTERBACK Q011^{PV}), DUNOON GABBA G548^{PV} (DUNOON PRINCESS K1109[#])

92 **DUNOON S931^{SV}**
 Calved: 12/08/2021 BHR21S931 Register: HBR

Selection Indexes: \$A \$199, \$A-L \$325, \$G \$268, \$G-L \$398

Structural Assessment: F5, R5, F6, R6, 5, 5, 44, 5, 1

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|-----|-----|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +9.2 | +9.2 | -4.6 | +1.7 | +35 | +67 | +85 | +67 | +19 | +2.6 | -6.0 | +43 | +8.5 | +0.7 | +0.5 | +0.1 | +4.9 | +0.85 | +17 | +0.78 | +0.86 |
| Acc | 58% | 47% | 74% | 74% | 74% | 72% | 70% | 68% | 61% | 69% | 39% | 62% | 62% | 63% | 63% | 57% | 65% | 52% | 59% | 66% | 66% |
| Perc | 5 | 76 | 53 | 9 | 97 | 97 | 96 | 93 | 32 | 29 | 17 | 97 | 24 | 31 | 34 | 72 | 4 | 99 | 69 | 34 | 22 |

Parents: LAWSONS MOMENTOUS M518^{PV} (MURDEDUKE QUARTERBACK Q011^{PV}), V A R RESERVE 1111^{PV} (DUNOON DANDLOO L1075[#])

93 **DUNOON S736^{SV}**
 Calved: 24/07/2021 BHR21S736 Register: HBR

Selection Indexes: \$A \$192, \$A-L \$328, \$G \$258, \$G-L \$397

Structural Assessment: F6, R5, F6, R6, 5, 5, 38, 5, 1

Genetic Conditions: AMF, CAF, DDC, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +3.8 | +3.8 | -7.6 | +4.7 | +51 | +90 | +118 | +97 | +19 | +0.4 | -3.2 | +53 | +3.4 | -3.6 | -4.4 | +0.5 | +3.4 | -0.14 | +31 | +0.78 | +0.96 |
| Acc | 64% | 53% | 74% | 75% | 75% | 73% | 73% | 71% | 68% | 70% | 43% | 65% | 65% | 66% | 66% | 60% | 67% | 54% | 61% | 70% | 70% |
| Perc | 42 | 29 | 12 | 64 | 48 | 52 | 50 | 57 | 36 | 96 | 86 | 87 | 84 | 99 | 98 | 47 | 19 | 14 | 12 | 34 | 45 |

Parents: EF COMMANDO 1366^{PV} (BALDRIDGE COMMAND C036^{PV}), TE MANIA AFRICA A217^{PV} (DUNOON BEEAC F278[#])

94 **DUNOON S959^{SV}**
 Calved: 18/08/2021 BHR21S959 Register: HBR

Selection Indexes: \$A \$181, \$A-L \$330, \$G \$242, \$G-L \$394

Structural Assessment: F6, R5, F6, R6, 5, 5, 38, 5, 1

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -5.5 | -5.5 | -2.6 | +6.1 | +56 | +100 | +132 | +130 | +17 | +2.3 | -5.1 | +76 | +6.4 | +0.1 | +0.4 | +0.0 | +2.2 | +0.04 | +13 | +1.00 | +1.04 |
| Acc | 53% | 43% | 69% | 70% | 70% | 67% | 68% | 65% | 60% | 64% | 36% | 59% | 58% | 60% | 60% | 53% | 63% | 50% | 46% | 60% | 60% |
| Perc | 94 | 70 | 82 | 88 | 24 | 23 | 21 | 10 | 55 | 40 | 37 | 22 | 47 | 45 | 36 | 77 | 47 | 31 | 85 | 78 | 65 |

Parents: TOPBOS LEADING EDGE L292^{PV} (DUNOON Q891^{SV}), MERRIDALE GAFFA G4^{SV} (DUNOON DANDLOO L1192[#])

95 **DUNOON S788^{SV}**
 Calved: 27/07/2021 BHR21S788 Register: HBR

Selection Indexes: \$A \$191, \$A-L \$330, \$G \$246, \$G-L \$389

Structural Assessment: F5, R5, F6, R6, 5, 5, 38, 5, 2

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +2.2 | +2.2 | -3.9 | +3.9 | +47 | +90 | +114 | +101 | +18 | +2.2 | -3.9 | +61 | +9.6 | -1.3 | -2.4 | +1.4 | +1.6 | +0.46 | +23 | +0.60 | +0.76 |
| Acc | 57% | 46% | 72% | 74% | 74% | 71% | 70% | 67% | 61% | 67% | 38% | 61% | 61% | 63% | 63% | 56% | 65% | 52% | 58% | 66% | 65% |
| Perc | 56 | 69 | 65 | 46 | 66 | 52 | 58 | 49 | 43 | 44 | 72 | 68 | 15 | 78 | 84 | 6 | 65 | 83 | 35 | 8 | 8 |

Parents: RENNYLEA L508^{PV} (DUNOON PRIME MINISTER P758^{SV}), V A R INDEX 3282^{PV} (DUNOON LOWAN N1066[#])

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



96 **DUNOON S830^{SV}**
 Calved: 31/07/2021 BHR21S830 Register: HBR

EF COMMANDO 1366^{PV} TUWHARETOA REGENT D145^{PV}
BALDRIDGE COMMAND C036^{PV} **DUNOON PRINCESS H319[#]**
 BALDRIDGE BLACKBIRD A030[#] DUNOON PRINCESS C223[#]

Selection Indexes: \$A \$205, \$A-L \$315, \$G \$276, \$G-L \$389

TACE

Structural Assessment: F6, R5, F6, R6, 5, 5, 39, 5, 2

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|-----|-----|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +9.6 | +9.6 | -2.2 | +0.5 | +38 | +63 | +79 | +46 | +18 | +0.9 | -5.3 | +47 | +5.0 | +0.7 | +0.5 | +0.3 | +3.8 | +0.10 | +5 | +1.00 | +0.78 |
| Acc | 63% | 53% | 74% | 75% | 74% | 73% | 73% | 71% | 68% | 70% | 43% | 65% | 65% | 66% | 66% | 61% | 68% | 55% | 60% | 70% | 70% |
| Perc | 3 | 39 | 86 | 3 | 93 | 98 | 98 | 99 | 46 | 89 | 31 | 94 | 66 | 31 | 34 | 60 | 13 | 39 | 98 | 78 | 10 |

Traits Observed: BWT, 200WT, DOC, Genomics

HFR

97 **DUNOON S825^{SV}**
 Calved: 31/07/2021 BHR21S825 Register: HBR

RENNYLEA L508^{PV} TE MANIA AFRICA A217^{PV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON BEEAC G630[#]**
 DUNOON JAPARA M1008[#] DUNOON BEEAC X140[#]

Selection Indexes: \$A \$175, \$A-L \$333, \$G \$224, \$G-L \$386

TACE

Structural Assessment: F6, R6, F6, R6, 5, 6, 41, 5, 2

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -2.9 | -2.9 | -3.9 | +6.7 | +53 | +96 | +130 | +137 | +16 | +3.0 | -5.0 | +51 | +4.3 | -0.8 | -0.3 | +0.6 | +2.0 | +0.20 | +39 | +0.86 | +0.80 |
| Acc | 58% | 48% | 74% | 75% | 75% | 72% | 71% | 68% | 63% | 68% | 42% | 63% | 62% | 64% | 64% | 58% | 66% | 54% | 60% | 65% | 64% |
| Perc | 87 | 61 | 65 | 93 | 37 | 34 | 24 | 7 | 58 | 18 | 40 | 89 | 75 | 67 | 49 | 40 | 53 | 53 | 3 | 52 | 13 |

Traits Observed: BWT, 200WT, DOC, Genomics

98 **DUNOON S723^{SV}**
 Calved: 22/07/2021 BHR21S723 Register: HBR

CLUNIE RANGE LEGEND L348^{PV} MOOGENILLA J51^{SV}
MERLEWOOD PONTING P8^{SV} **DUNOON DANDLOO N1400[#]**
 MERLEWOOD JAPARA M5[#] DUNOON JERK J612[#]

Selection Indexes: \$A \$169, \$A-L \$324, \$G \$224, \$G-L \$382

TACE

Structural Assessment: F6, R5, F6, R6, 5, 5, 40, 5, 1

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -10.5 | -10.5 | -7.4 | +6.5 | +59 | +116 | +149 | +155 | +14 | +1.6 | -4.8 | +83 | +2.4 | -1.8 | -3.2 | +0.3 | +3.1 | +0.05 | +34 | +1.02 | +0.96 |
| Acc | 55% | 44% | 69% | 73% | 73% | 69% | 69% | 67% | 59% | 65% | 36% | 61% | 58% | 60% | 60% | 53% | 64% | 51% | 54% | 61% | 63% |
| Perc | 99 | 83 | 14 | 92 | 15 | 3 | 5 | 2 | 78 | 69 | 46 | 10 | 91 | 86 | 92 | 60 | 24 | 32 | 8 | 81 | 45 |

Traits Observed: BWT, 200WT, DOC, Genomics

99 **DUNOON S851^{SV}**
 Calved: 1/08/2021 BHR21S851 Register: APR

CLUNIE RANGE LEGEND L348^{PV} V A R INDEX 3282^{PV}
MERLEWOOD PONTING P8^{SV} **DUNOON DANDLOO N350[#]**
 MERLEWOOD JAPARA M5[#] DUNOON DANDLOO G113[#]

Selection Indexes: \$A \$183, \$A-L \$315, \$G \$249, \$G-L \$381

TACE

Structural Assessment: F6, R5, F7, R6, 6, 6, 44, 4, 1

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -12.9 | -12.9 | -1.6 | +8.5 | +64 | +111 | +142 | +134 | +17 | +3.3 | -4.4 | +85 | +9.9 | -1.3 | -1.5 | +0.6 | +2.0 | +0.31 | +29 | +0.82 | +1.24 |
| Acc | 55% | 43% | 69% | 73% | 73% | 69% | 70% | 67% | 59% | 64% | 34% | 60% | 57% | 59% | 60% | 53% | 62% | 49% | 55% | 64% | 64% |
| Perc | 99 | 86 | 91 | 99 | 5 | 6 | 9 | 8 | 54 | 12 | 58 | 7 | 13 | 78 | 72 | 40 | 53 | 67 | 17 | 43 | 94 |

Traits Observed: BWT, Genomics

100 **DUNOON S974^{SV}**
 Calved: 22/08/2021 BHR21S974 Register: HBR

V A R DISCOVERY 2240^{PV} DUNOON JOURNEY J276^{SV}
DUNOON NETHERBY N098^{SV} **DUNOON DANDLOO M1062[#]**
 DUNOON JAPARA K091[#] DUNOON DANDLOO G373[#]

Selection Indexes: \$A \$172, \$A-L \$321, \$G \$228, \$G-L \$381

TACE

Structural Assessment: F6, R5, F6, R6, 5, 6, 39, 5, 2

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation


| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +2.0 | +2.0 | -2.5 | +4.5 | +48 | +91 | +117 | +118 | +16 | +1.1 | -4.8 | +66 | +1.9 | -0.8 | -2.0 | +0.0 | +3.3 | -0.09 | +15 | +0.74 | +0.88 |
| Acc | 54% | 43% | 67% | 73% | 72% | 69% | 69% | 66% | 60% | 67% | 36% | 60% | 59% | 61% | 61% | 54% | 63% | 50% | 50% | 63% | 63% |
| Perc | 58 | 85 | 84 | 60 | 63 | 48 | 52 | 22 | 58 | 85 | 46 | 50 | 93 | 67 | 79 | 77 | 20 | 17 | 75 | 26 | 26 |

Traits Observed: BWT, 200WT, DOC, Genomics

HFR

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



| | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| 101 Selection Indexes \$A \$202 \$A-L \$312 \$G \$268 \$G-L \$378 TACE | DUNOON S808^{SV} Calved: 29/07/2021 BHR21S808 Register: HBR | | | | | | | | | | ESSLEMONT LOTTO L3 ^{PV} BOOROOMOOKA PARAGON P96^{PV} BOOROOMOOKA SILICATED M566 ^{SV} | | | | | TE MANIA CARINGBAH C192 ^{SV} DUNOON LOWAN J816[#] DUNOON LOWAN G488 [#] | | | | |
| | Structural Assessment | | | | | | | | | | | | | | | | | | | |
| | Genetic Conditions:AMF,CAF,DDF,NHF,RGF | | | | | | | | | | | | | | | | | | | |
| | January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | | | |
| | CEDir CEDtrs GL BW 200 400 600 MCW Milk SS DTC CWT EMA Rib P8 RBY IMF NFI-F Doc Claw Angle EBVs -10.0 -10.0 -2.1 +5.7 +52 +92 +121 +92 +23 +3.0 -6.3 +75 +9.2 -1.2 +1.0 +0.5 +2.7 +0.72 +43 +0.88 +1.00 Acc 59% 47% 73% 74% 73% 71% 71% 67% 61% 67% 39% 62% 60% 62% 62% 56% 64% 52% 58% 67% 67% Perc 99 94 87 83 40 44 41 65 10 18 12 23 18 76 25 47 33 96 2 56 56 | | | | | | | | | | | | | | | | | | | |
| 102 Selection Indexes \$A \$181 \$A-L \$316 \$G \$242 \$G-L \$378 TACE | DUNOON S735^{SV} Calved: 24/07/2021 BHR21S735 Register: APR | | | | | | | | | | CLUNIE RANGE LEGEND L348 ^{PV} MERLEWOOD PONTING P8^{SV} MERLEWOOD JAPARA M5 [#] | | | | | DUNOON JOHNNY J1148 ^{SV} DUNOON LUBRA M1070[#] DUNOON LUBRA E367 [#] | | | | |
| | Structural Assessment | | | | | | | | | | | | | | | | | | | |
| | Genetic Conditions:AMF,CAF,DDF,NHF,RGF | | | | | | | | | | | | | | | | | | | |
| | January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | | | |
| | CEDir CEDtrs GL BW 200 400 600 MCW Milk SS DTC CWT EMA Rib P8 RBY IMF NFI-F Doc Claw Angle EBVs -6.8 -6.8 -5.6 +6.8 +61 +105 +139 +125 +18 +3.3 -4.0 +81 +7.8 -2.8 -3.6 +0.7 +2.0 +0.20 +40 +0.84 +0.92 Acc 52% 40% 67% 72% 71% 68% 67% 65% 56% 62% 32% 58% 55% 58% 58% 51% 60% 46% 51% 63% 63% Perc 96 96 36 94 10 13 11 14 41 12 69 12 31 96 94 33 53 53 3 48 35 | | | | | | | | | | | | | | | | | | | |
| 103 Selection Indexes \$A \$189 \$A-L \$314 \$G \$245 \$G-L \$373 TACE | DUNOON S924^{SV} Calved: 8/08/2021 BHR21S924 Register: HBR | | | | | | | | | | LAWSONS MOMENTOUS M518 ^{PV} MURDEDUKE QUARTERBACK Q011^{PV} MURDEDUKE BARUNAH N026 ^{PV} | | | | | DUNOON EVIDENT E614 ^{PV} DUNOON FLOWER J592[#] DUNOON FLOWER B469 [#] | | | | |
| | Structural Assessment | | | | | | | | | | | | | | | | | | | |
| | Genetic Conditions:AMF,CAF,DDC,NHF,RGF | | | | | | | | | | HFR | | | | | | | | | |
| | January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | | | |
| | CEDir CEDtrs GL BW 200 400 600 MCW Milk SS DTC CWT EMA Rib P8 RBY IMF NFI-F Doc Claw Angle EBVs +5.3 +5.3 -5.3 +2.7 +40 +77 +96 +74 +19 +3.8 -5.4 +55 +4.7 -0.4 -0.2 +0.6 +3.0 +0.34 +17 +0.62 +0.72 Acc 59% 48% 74% 75% 74% 72% 71% 68% 62% 69% 39% 62% 62% 63% 63% 57% 65% 52% 59% 67% 67% Perc 28 90 41 21 90 86 89 89 39 6 29 82 70 57 47 40 26 71 67 10 5 | | | | | | | | | | | | | | | | | | | |
| 104 Selection Indexes \$A \$198 \$A-L \$305 \$G \$265 \$G-L \$372 TACE | DUNOON S863^{SV} Calved: 3/08/2021 BHR21S863 Register: HBR | | | | | | | | | | EF COMMANDO 1366 ^{PV} BALDRIDGE COMMAND C036^{PV} BALDRIDGE BLACKBIRD A030 [#] | | | | | TUWHARETOA REGENT D145 ^{PV} DUNOON DANDLOO H712[#] DUNOON DANDLOO A096 [#] | | | | |
| | Structural Assessment | | | | | | | | | | | | | | | | | | | |
| | Genetic Conditions:AMF,CAF,DDC,NHF,RGF | | | | | | | | | | | | | | | | | | | |
| | January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | | | |
| | CEDir CEDtrs GL BW 200 400 600 MCW Milk SS DTC CWT EMA Rib P8 RBY IMF NFI-F Doc Claw Angle EBVs -0.9 -0.9 -0.8 +5.5 +53 +89 +122 +82 +23 +2.0 -3.4 +74 +8.0 -3.9 -5.1 +1.1 +3.0 -0.05 +20 +0.80 +0.84 Acc 63% 54% 74% 75% 75% 73% 73% 71% 68% 70% 44% 65% 65% 66% 66% 61% 68% 55% 61% 70% 70% Perc 78 98 95 80 36 55 41 80 10 53 83 28 29 99 99 14 26 21 51 39 19 | | | | | | | | | | | | | | | | | | | |
| 105 Selection Indexes \$A \$177 \$A-L \$322 \$G \$221 \$G-L \$368 TACE | DUNOON S778^{SV} Calved: 27/07/2021 BHR21S778 Register: HBR | | | | | | | | | | ESSLEMONT LOTTO L3 ^{PV} BOOROOMOOKA PARAGON P96^{PV} BOOROOMOOKA SILICATED M566 ^{SV} | | | | | DUNOON GABBA G548 ^{PV} DUNOON BEEAC K1029[#] DUNOON BEEAC F268 [#] | | | | |
| | Structural Assessment | | | | | | | | | | | | | | | | | | | |
| | Genetic Conditions:AMF,CAF,DDC,NHF,RGF | | | | | | | | | | | | | | | | | | | |
| | January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | | | |
| | CEDir CEDtrs GL BW 200 400 600 MCW Milk SS DTC CWT EMA Rib P8 RBY IMF NFI-F Doc Claw Angle EBVs -6.9 -6.9 -5.0 +6.5 +53 +97 +133 +134 +18 +1.5 -6.3 +85 +7.5 -1.0 -0.6 +1.2 +0.5 -0.31 +34 +0.76 +0.86 Acc 60% 48% 74% 75% 74% 72% 72% 68% 62% 68% 40% 62% 61% 63% 63% 57% 65% 53% 59% 64% 64% Perc 96 95 46 92 35 30 19 8 41 73 12 7 34 72 55 10 90 5 7 30 22 | | | | | | | | | | | | | | | | | | | |

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| | | | | | | | | | | | | | | | | | | | | | |
|-------------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



106 DUNOON S769^{SV}

Calved: 26/07/2021 BHR21S769 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | | | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 49 | 5 | 1 |

Genetic Conditions:AMC,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|------|------|-----|-----|-----|------|-----|------|------|-----|------|------|------|------|-------|-------|------|-------|-------|
| EBVs | +0.2 | +0.2 | -2.1 | +3.6 | +45 | +74 | +89 | +84 | +18 | +2.4 | -5.7 | +46 | +2.2 | +1.3 | +0.8 | -0.5 | +3.5 | +0.22 | +40 | +0.58 | +0.78 |
| Acc | 56% | 45% | 71% | 74% | 74% | 70% | 70% | 67% | 61% | 66% | 37% | 61% | 58% | 61% | 61% | 54% | 63% | 50% | 56% | 63% | 64% |
| Perc | 71 | 46 | 87 | 39 | 76 | 90 | 94 | 78 | 41 | 36 | 22 | 95 | 92 | 19 | 28 | 94 | 17 | 55 | 3 | 7 | 10 |

CLUNIE RANGE LEGEND L348^{PV} TE MANIA CARINGBAH C192^{SV}

MERLEWOOD PONTING P8^{SV} DUNOON DANDLOO F441[#]

MERLEWOOD JAPARA M5[#] DUNOON DANDLOO Y111[#]

HFR

\$

Traits Observed: BWT,200WT,DOC,Genomics

107 DUNOON S957^{SV}

Calved: 18/08/2021 BHR21S957 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | | | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 6 | 37 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|------|------|-----|-----|-----|------|-----|------|------|-----|------|------|------|------|-------|-------|------|-------|-------|
| EBVs | +2.5 | +2.5 | -3.1 | +3.0 | +42 | +75 | +95 | +88 | +12 | +1.1 | -4.0 | +51 | +3.5 | -0.1 | -2.4 | -0.1 | +5.0 | +0.46 | +27 | +0.62 | +0.70 |
| Acc | 57% | 47% | 70% | 74% | 73% | 70% | 70% | 67% | 62% | 67% | 39% | 61% | 60% | 62% | 62% | 56% | 64% | 52% | 52% | 61% | 61% |
| Perc | 53 | 92 | 77 | 26 | 84 | 88 | 90 | 72 | 87 | 85 | 69 | 89 | 83 | 50 | 84 | 82 | 3 | 83 | 22 | 10 | 4 |

V A R DISCOVERY 2240^{PV} TE MANIA GASCOYNE G333^{SV}

DUNOON NETHERBY N098^{SV} DUNOON DANDLOO L1147[#]

DUNOON JAPARA K091[#] DUNOON DANDLOO G734[#]

HFR

\$

Traits Observed: BWT,200WT,DOC,Genomics

108 DUNOON S790^{SV}

Calved: 28/07/2021 BHR21S790 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | | | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 41 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|-------|------|------|-----|------|------|------|-----|------|------|-----|------|------|------|------|-------|-------|------|-------|-------|
| EBVs | -14.1 | -14.1 | -3.6 | +8.2 | +64 | +110 | +150 | +153 | +14 | +2.3 | -3.6 | +82 | +0.7 | -1.2 | -1.0 | -0.8 | +3.7 | +0.19 | +34 | +0.76 | +0.84 |
| Acc | 56% | 45% | 71% | 75% | 74% | 70% | 70% | 67% | 61% | 66% | 36% | 61% | 59% | 61% | 61% | 54% | 64% | 50% | 56% | 60% | 60% |
| Perc | 99 | 99 | 69 | 99 | 5 | 7 | 4 | 2 | 77 | 40 | 79 | 10 | 97 | 76 | 63 | 98 | 14 | 51 | 8 | 30 | 19 |

CLUNIE RANGE LEGEND L348^{PV} DUNOON GABBA G548^{PV}

MERLEWOOD PONTING P8^{SV} DUNOON DANDLOO K1028[#]

MERLEWOOD JAPARA M5[#] DUNOON DANDLOO D267[#]

HFR

\$

Traits Observed: BWT,200WT,DOC,Genomics

109 DUNOON S120^{PV}

Calved: 6/07/2021 BHR21S120 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | | | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 43 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|------|------|-----|------|------|------|-----|------|------|-----|------|------|------|------|-------|-------|------|-------|-------|
| EBVs | +7.7 | +7.7 | -4.4 | +2.3 | +60 | +108 | +138 | +115 | +21 | +2.1 | -4.8 | +73 | +8.3 | -1.5 | -2.3 | +0.4 | +3.3 | +0.34 | +29 | +0.76 | +0.78 |
| Acc | 62% | 50% | 72% | 73% | 73% | 72% | 70% | 65% | 70% | 40% | 64% | 64% | 64% | 65% | 59% | 67% | 54% | 58% | 70% | 70% | 70% |
| Perc | 11 | 35 | 56 | 15 | 12 | 9 | 13 | 26 | 19 | 49 | 46 | 30 | 26 | 81 | 83 | 53 | 20 | 71 | 16 | 30 | 10 |

EF COMMANDO 1366^{PV} TOPBOS LEADING EDGE L292^{PV}

BALDRIDGE COMMAND C036^{PV} DUNOON ANGUISH Q815^{SV}

BALDRIDGE BLACKBIRD A030[#] DUNOON ANGUISH H1003[#]

From a 2 year old heifer, this low birth Command son has some really impressive numbers - the paperwork is almost spot on!

HFR

\$

Traits Observed: BWT,200WT,DOC,Genomics

110 DUNOON S258^{PV}

Calved: 11/07/2021 BHR21S258 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | | | Scrotal | Sheath | Temp. |
| 6 | 6 | 6 | 6 | 6 | 6 | 46 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|------|------|-----|------|------|------|-----|------|------|-----|------|------|------|------|-------|-------|------|-------|-------|
| EBVs | +4.8 | +4.8 | -4.3 | +4.5 | +66 | +117 | +153 | +133 | +19 | +2.2 | -5.6 | +85 | +7.4 | +0.0 | +0.5 | -0.1 | +1.8 | -0.20 | +33 | +0.90 | +0.82 |
| Acc | 62% | 50% | 72% | 74% | 74% | 72% | 70% | 65% | 70% | 40% | 64% | 64% | 65% | 65% | 59% | 67% | 53% | 58% | 70% | 70% | 70% |
| Perc | 33 | 74 | 58 | 60 | 4 | 3 | 3 | 9 | 34 | 44 | 24 | 8 | 35 | 47 | 34 | 82 | 59 | 10 | 9 | 61 | 16 |

EF COMMANDO 1366^{PV} CLUNIE RANGE HANK H358^{SV}

BALDRIDGE COMMAND C036^{PV} DUNOON Q972^{SV}

BALDRIDGE BLACKBIRD A030[#] DUNOON BEEAC J1018[#]

A young Command son, out of a two year old heifer, with some serious growth - he is backed by the prepotent 'Beeac' cow family, who have bred well.


HFR

\$

Traits Observed: BWT,200WT,DOC,Genomics

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



111 DUNOON S234^{SV}

Calved: 10/07/2021 BHR21S234 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | | | Scrotal | Sheath | Temp. |
| 7 | 5 | 7 | 6 | 6 | 6 | 44 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|------|------|-----|------|------|------|-----|------|------|-----|-------|------|------|------|-------|-------|------|-------|-------|
| EBVs | +4.7 | +4.7 | -6.7 | +2.7 | +51 | +100 | +130 | +96 | +29 | +4.9 | -5.9 | +79 | +10.0 | +1.5 | +1.2 | +0.0 | +4.5 | +0.68 | +18 | +1.12 | +1.18 |
| Acc | 59% | 49% | 74% | 74% | 74% | 72% | 71% | 69% | 61% | 69% | 41% | 62% | 63% | 64% | 64% | 58% | 66% | 54% | 59% | 66% | 66% |
| Perc | 33 | 87 | 21 | 21 | 45 | 24 | 24 | 59 | 1 | 1 | 18 | 16 | 13 | 16 | 22 | 77 | 6 | 95 | 61 | 92 | 89 |

LAWSONS MOMENTOUS M518^{PV} TE MANIA EMPEROR E343^{PV}
MURDEDUKE QUARTERBACK Q011^{PV} **DUNOON DANDLOO M250[#]**
MURDEDUKE BARUNAH N026^{PV} DUNOON DANDLOO F140[#]

This strong performing Quarterback son has a very nice mix of EBVs, strong carcass with great birth to growth - old M250 has been one of those cows who always has a nice calf at foot.

HFR \$

112 DUNOON S522^{SV}

Calved: 2/08/2021 BHR21S522 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | | | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 42 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|------|------|-----|-----|------|------|-----|------|------|-----|------|------|------|------|-------|-------|------|-------|-------|
| EBVs | +4.5 | +4.5 | -6.4 | +3.8 | +54 | +97 | +130 | +116 | +16 | +3.9 | -7.2 | +72 | +7.1 | +0.9 | +0.5 | +0.2 | +2.8 | +0.87 | +32 | +0.68 | +0.84 |
| Acc | 56% | 45% | 72% | 74% | 74% | 71% | 70% | 67% | 60% | 67% | 38% | 61% | 61% | 62% | 62% | 56% | 65% | 52% | 58% | 66% | 65% |
| Perc | 35 | 24 | 24 | 43 | 34 | 31 | 25 | 24 | 59 | 5 | 4 | 33 | 38 | 26 | 34 | 66 | 31 | 99 | 11 | 17 | 19 |

RENNYLEA L508^{PV} PATHFINDER GENERAL K7^{SV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON BEEAC N1108[#]**
DUNOON JAPARA M1008[#] DUNOON BEEAC G361[#]

HFR \$

113 DUNOON S191^{SV}

Calved: 9/07/2021 BHR21S191 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | | | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 40 | 5 | 2 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|------|------|-----|------|------|------|-----|------|------|-----|------|------|------|------|-------|-------|------|-------|-------|
| EBVs | -1.4 | -1.4 | -5.5 | +6.3 | +62 | +106 | +136 | +119 | +17 | +1.2 | -4.0 | +90 | +8.8 | -1.0 | -1.5 | +0.6 | +3.5 | +0.32 | +24 | +0.84 | +0.90 |
| Acc | 57% | 46% | 72% | 74% | 74% | 71% | 70% | 68% | 60% | 67% | 38% | 62% | 61% | 63% | 63% | 57% | 65% | 52% | 58% | 66% | 64% |
| Perc | 80 | 37 | 37 | 90 | 8 | 11 | 15 | 21 | 50 | 82 | 69 | 4 | 21 | 72 | 72 | 40 | 17 | 68 | 30 | 48 | 31 |

RENNYLEA L508^{PV} AYRVALE HERCULES H9^{PV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON DANDLOO N768[#]**
DUNOON JAPARA M1008[#] DUNOON DANDLOO K138[#]

Another PM son - that same power through out his middle and hind quarter, these PM's have all got the bodies to match the data, plus structure, fertility and docility!

HFR \$

114 DUNOON S578^{SV}

Calved: 8/08/2021 BHR21S578 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | | | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 6 | 6 | 42 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|------|------|-----|------|------|------|-----|------|------|------|-------|------|------|------|-------|-------|------|-------|-------|
| EBVs | -4.5 | -4.5 | -6.6 | +6.1 | +63 | +116 | +164 | +142 | +28 | +3.0 | -7.1 | +102 | +11.2 | -3.1 | -3.6 | +1.5 | +1.4 | +0.53 | +37 | +1.00 | +0.90 |
| Acc | 59% | 47% | 73% | 74% | 73% | 72% | 72% | 68% | 61% | 67% | 37% | 61% | 60% | 62% | 62% | 56% | 64% | 51% | 57% | 65% | 65% |
| Perc | 91 | 70 | 22 | 88 | 6 | 3 | 1 | 5 | 2 | 18 | 5 | 1 | 7 | 97 | 94 | 4 | 70 | 88 | 4 | 78 | 31 |

ESSLEMONT LOTTO L3^{PV} CLUNIE RANGE HANK H358^{SV}
BOOROOMOOKA PARAGON P96^{PV} **DUNOON ANGUISH M506[#]**
BOOROOMOOKA SILICATED M566^{SV} DUNOON ANGUISH K461[#]

HFR \$

115 DUNOON S581^{SV}

Calved: 8/08/2021 BHR21S581 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | | | Scrotal | Sheath | Temp. |
| 5 | 5 | 6 | 6 | 5 | 5 | 42 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|------|------|-----|-----|------|------|-----|------|------|-----|-------|------|------|------|-------|-------|------|-------|-------|
| EBVs | +4.3 | +4.3 | -4.6 | +3.0 | +52 | +92 | +119 | +89 | +28 | +2.5 | -5.1 | +75 | +11.1 | -2.9 | -2.8 | +1.0 | +3.2 | +0.07 | +25 | +0.94 | +1.06 |
| Acc | 62% | 49% | 72% | 75% | 74% | 73% | 73% | 69% | 63% | 70% | 41% | 63% | 63% | 64% | 64% | 58% | 66% | 52% | 59% | 69% | 68% |
| Perc | 37 | 12 | 53 | 26 | 40 | 47 | 46 | 71 | 2 | 33 | 37 | 26 | 8 | 96 | 89 | 18 | 22 | 35 | 27 | 68 | 69 |

EF COMMANDO 1366^{PV} ARDROSSAN EQUATOR A241^{PV}
MILLAH MURRAH PARATROOPER P15^{PV} **DUNOON BEEAC J137[#]**
MILLAH MURRAH ELA M9^{PV} DUNOON BEEAC A002^{PV}

HFR \$

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



116 DUNOON S216^{PV}

Calved: 10/07/2021 BHR21S216 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 5 | 5 | 6 | 6 | 5 | 5 | 39 | 5 | 2 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -1.1 | -1.1 | -2.2 | +5.3 | +55 | +97 | +125 | +96 | +17 | +1.0 | -5.9 | +75 | +7.0 | +1.2 | +2.6 | -0.2 | +3.8 | +0.60 | +33 | +0.66 | +0.96 |
| Acc | 60% | 48% | 72% | 73% | 73% | 71% | 72% | 69% | 64% | 69% | 39% | 64% | 64% | 65% | 65% | 58% | 68% | 56% | 55% | 67% | 67% |
| Perc | 79 | 95 | 86 | 76 | 27 | 30 | 33 | 58 | 57 | 88 | 18 | 24 | 40 | 21 | 8 | 86 | 13 | 92 | 9 | 14 | 45 |

TE MANIA FOE F734^{SV} DUNOON NARRABEEN N060^{SV}
CHILTERN PARK MOE M6^{PV} **DUNOON DANDLOO Q1139^{SV}**
 STRATHEWEN TIMEOUT JADE F15^{SV} DUNOON DANDLOO J715[#]

Out of a two year old heifer, this Moe son has that naturally balanced outlook, with presence and a great skin.

HFR

\$

117 DUNOON S362^{PV}

Calved: 16/07/2021 BHR21S362 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 5 | 5 | 6 | 6 | 5 | 5 | 39 | 4 | 1 |

Genetic Conditions:AMF,CAF,DDC,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +5.3 | +5.3 | -3.0 | +4.3 | +55 | +95 | +123 | +105 | +14 | +0.3 | -4.2 | +69 | +9.0 | -2.6 | -4.1 | +1.0 | +3.2 | +0.27 | +27 | +0.86 | +0.80 |
| Acc | 62% | 50% | 72% | 74% | 73% | 71% | 72% | 70% | 65% | 69% | 39% | 64% | 64% | 64% | 64% | 59% | 67% | 54% | 58% | 70% | 70% |
| Perc | 28 | 49 | 78 | 55 | 29 | 36 | 38 | 43 | 75 | 97 | 64 | 41 | 20 | 94 | 97 | 18 | 22 | 62 | 21 | 52 | 13 |

EF COMMANDO 1366^{PV} TOPBOS LEADING EDGE L292^{PV}
BALDRIDGE COMMAND C036^{PV} **DUNOON P808^{SV}**
 BALDRIDGE BLACKBIRD A030[#] DUNOON DANDLOO L700[#]

We crossed Command over most of the L292 daughters, which has worked well, producing cattle with thickness, length and volume.

HFR

\$

118 DUNOON S569^{SV}

Calved: 7/08/2021 BHR21S569 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 7 | 6 | 6 | 43 | 4 | 1 |

Genetic Conditions:AMF,CAF,DDC,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +5.6 | +5.6 | -9.3 | +4.0 | +49 | +91 | +117 | +91 | +18 | +4.5 | -6.4 | +57 | +7.9 | -0.6 | -2.3 | +0.6 | +3.4 | +0.55 | +33 | +0.86 | +0.88 |
| Acc | 58% | 47% | 73% | 75% | 75% | 72% | 72% | 69% | 63% | 69% | 41% | 63% | 62% | 64% | 64% | 58% | 66% | 54% | 60% | 64% | 63% |
| Perc | 25 | 25 | 4 | 48 | 57 | 50 | 52 | 68 | 43 | 2 | 11 | 78 | 30 | 62 | 83 | 40 | 19 | 89 | 9 | 52 | 26 |

RENNYLEA L508^{PV} TE MANIA DAIQUIRI D19^{PV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON DANDLOO J113[#]**
 DUNOON JAPARA M1008[#] DUNOON DANDLOO E116^{PV}

HFR

\$

119 DUNOON S107^{PV}

Calved: 6/07/2021 BHR21S107 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 7 | 6 | 7 | 6 | 6 | 5 | 38 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDC,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +6.9 | +6.9 | -6.0 | +2.8 | +49 | +87 | +106 | +86 | +15 | -0.1 | -5.1 | +49 | +12.1 | -1.1 | -1.7 | +1.4 | +2.0 | +0.25 | +28 | +1.06 | +1.08 |
| Acc | 62% | 50% | 72% | 74% | 74% | 72% | 72% | 70% | 66% | 70% | 40% | 64% | 64% | 65% | 65% | 59% | 68% | 54% | 58% | 69% | 69% |
| Perc | 16 | 49 | 30 | 23 | 57 | 61 | 74 | 75 | 66 | 99 | 37 | 92 | 5 | 74 | 75 | 6 | 53 | 60 | 20 | 86 | 73 |

EF COMMANDO 1366^{PV} TOPBOS LEADING EDGE L292^{PV}
BALDRIDGE COMMAND C036^{PV} **DUNOON Q509^{SV}**
 BALDRIDGE BLACKBIRD A030[#] DUNOON BLACKBIRD M923[#]

This heifer's first calf has loads of calving ease whilst having that EMA figure of +12! It'll be great to have your first calvers rearing calves with shape like this guy!

HFR

\$

120 DUNOON S623^{SV}

Calved: 13/08/2021 BHR21S623 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 5 | 5 | 5 | 5 | 40 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|-----|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +5.5 | +5.5 | -5.2 | +3.5 | +57 | +104 | +130 | +99 | +25 | +1.8 | -4.1 | +71 | +4.8 | -3.2 | -2.8 | +0.7 | +2.1 | -0.06 | +33 | +0.72 | +0.88 |
| Acc | 64% | 54% | 73% | 75% | 75% | 73% | 74% | 72% | 69% | 71% | 43% | 66% | 65% | 66% | 66% | 61% | 68% | 55% | 61% | 70% | 70% |
| Perc | 26 | 78 | 42 | 36 | 21 | 16 | 25 | 53 | 6 | 61 | 67 | 35 | 69 | 98 | 89 | 33 | 50 | 20 | 9 | 23 | 26 |


EF COMMANDO 1366^{PV} TE MANIA AFRICA A217^{PV}
BALDRIDGE COMMAND C036^{PV} **DUNOON DANDLOO F115[#]**
 BALDRIDGE BLACKBIRD A030[#] DUNOON DANDLOO W241[#]

HFR

\$

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



121 **DUNOON S622^{PV}**
 Calved: 13/08/2021 BHR21S622 Register: HBR

Selection Indexes
 \$A \$217
 \$A-L \$344
 \$G \$309
 \$G-L \$438

TACE
 Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +1.2 | +1.2 | -0.3 | +2.9 | +47 | +85 | +109 | +87 | +24 | +2.6 | -4.3 | +47 | +11.7 | +2.0 | +1.9 | +0.2 | +4.8 | +0.34 | +12 | +0.90 | +1.04 |
| Acc | 55% | 45% | 68% | 71% | 70% | 68% | 68% | 66% | 60% | 65% | 35% | 59% | 58% | 60% | 60% | 53% | 63% | 50% | 46% | 64% | 64% |
| Perc | 64 | 95 | 97 | 24 | 68 | 66 | 70 | 73 | 7 | 29 | 61 | 94 | 6 | 10 | 14 | 66 | 4 | 71 | 87 | 61 | 65 |

Structural Assessment
 F R F R Scrotal Sheath Temp.
 6 5 6 6 6 6 40 5 1

Parents: LAWSONS MOMENTOUS M518^{PV} V A R DISCOVERY 2240^{PV}
 DUNOON Q256^{SV} DUNOON P1152^{SV}
 DUNOON BEEAC K071[#] DUNOON DANDLOO J1123[#]

HFR

122 **DUNOON S596^{PV}**
 Calved: 9/08/2021 BHR21S596 Register: HBR

Selection Indexes
 \$A \$246
 \$A-L \$338
 \$G \$338
 \$G-L \$432

TACE
 Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|-----|-----|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +5.4 | +5.4 | -2.8 | +2.2 | +40 | +64 | +82 | +34 | +23 | +1.8 | -4.5 | +47 | +15.3 | +0.8 | +1.0 | +1.3 | +4.5 | +0.72 | +31 | +0.82 | +1.00 |
| Acc | 54% | 43% | 67% | 71% | 70% | 67% | 68% | 65% | 59% | 65% | 35% | 59% | 57% | 59% | 60% | 52% | 63% | 50% | 43% | 60% | 60% |
| Perc | 27 | 82 | 80 | 14 | 90 | 98 | 98 | 99 | 12 | 61 | 55 | 94 | 1 | 28 | 25 | 8 | 6 | 96 | 13 | 43 | 56 |

Structural Assessment
 F R F R Scrotal Sheath Temp.
 6 5 6 6 5 5 38 5 2

Parents: LAWSONS MOMENTOUS M518^{PV} DUNOON MICK M103^{SV}
 DUNOON Q256^{SV} DUNOON P1364^{SV}
 DUNOON BEEAC K071[#] DUNOON JAPARA H610[#]

HFR

123 **DUNOON S090^{SV}**
 Calved: 5/07/2021 BHR21S090 Register: HBR

Selection Indexes
 \$A \$224
 \$A-L \$356
 \$G \$298
 \$G-L \$431

TACE
 Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -3.9 | -3.9 | -6.0 | +5.6 | +51 | +89 | +105 | +83 | +16 | +4.1 | -7.9 | +53 | +6.2 | +3.1 | +4.1 | -0.5 | +3.3 | +0.33 | +43 | +0.70 | +0.90 |
| Acc | 56% | 44% | 71% | 74% | 73% | 69% | 70% | 67% | 60% | 65% | 35% | 60% | 58% | 60% | 60% | 53% | 63% | 50% | 55% | 61% | 61% |
| Perc | 90 | 70 | 30 | 81 | 47 | 57 | 77 | 79 | 58 | 4 | 1 | 86 | 50 | 3 | 2 | 94 | 20 | 70 | 2 | 20 | 31 |

Structural Assessment
 F R F R Scrotal Sheath Temp.
 6 5 6 6 6 5 44 5 1

Parents: CLUNIE RANGE LEGEND L348^{PV} LAWSONS KI EVIDENT H H6201^{SV}
 MERLEWOOD PONTING P8^{SV} DUNOON DANDLOO L593[#]
 MERLEWOOD JAPARA M5[#] DUNOON DANDLOO G412[#]

A well rounded young bull, a Ponting son with heaps of fertility - consistency counts in anyone's breeding program, these bulls by Ponting will pop them out like peas in a pod!

HFR

124 **DUNOON S265^{SV}**
 Calved: 11/07/2021 BHR21S265 Register: HBR

Selection Indexes
 \$A \$218
 \$A-L \$357
 \$G \$286
 \$G-L \$428

TACE
 Genetic Conditions:AMF,CAF,DDC,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +7.9 | +7.9 | -7.2 | +1.9 | +45 | +89 | +117 | +74 | +25 | +1.1 | -4.4 | +72 | +8.9 | +0.4 | +0.2 | +0.5 | +1.9 | +0.48 | +30 | +0.80 | +0.88 |
| Acc | 61% | 46% | 72% | 74% | 74% | 72% | 72% | 68% | 63% | 70% | 37% | 62% | 62% | 63% | 63% | 57% | 65% | 50% | 60% | 68% | 68% |
| Perc | 10 | 26 | 15 | 11 | 73 | 55 | 52 | 88 | 5 | 85 | 58 | 32 | 20 | 37 | 39 | 47 | 56 | 84 | 14 | 39 | 26 |

Structural Assessment
 F R F R Scrotal Sheath Temp.
 6 5 6 6 6 5 44 5 1

Parents: EF COMMANDO 1366^{PV} DUNOON EARNEST E477^{SV}
 MILLAH MURRAH PARATROOPER P15^{PV} DUNOON BEEAC L280[#]
 MILLAH MURRAH ELA M9^{PV} DUNOON BEEAC E211^{SV}

Our Paratrooper calves were born small and easily - this fellow's birth to growth is likeable, strong calving ease numbers and high for EMA.

HFR

125 **DUNOON S597^{SV}**
 Calved: 9/08/2021 BHR21S597 Register: HBR

Selection Indexes
 \$A \$200
 \$A-L \$351
 \$G \$262
 \$G-L \$417

TACE
 Genetic Conditions:AMF,CAF,DDC,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +3.2 | +3.2 | -6.0 | +5.1 | +45 | +90 | +113 | +104 | +13 | +3.1 | -4.3 | +55 | +6.9 | -1.5 | -2.0 | +0.6 | +4.1 | +0.38 | +32 | +0.56 | +0.84 |
| Acc | 56% | 45% | 74% | 74% | 74% | 72% | 71% | 68% | 61% | 67% | 37% | 62% | 60% | 62% | 63% | 56% | 64% | 51% | 58% | 63% | 61% |
| Perc | 47 | 23 | 30 | 73 | 73 | 51 | 61 | 45 | 81 | 16 | 61 | 83 | 41 | 81 | 79 | 40 | 9 | 75 | 11 | 5 | 19 |

Structural Assessment
 F R F R Scrotal Sheath Temp.
 5 5 6 6 5 5 41 5 1

Parents: RENNYLEA L508^{PV} LAWSONS COMBAT G585^{SV}
 DUNOON PRIME MINISTER P758^{SV} DUNOON DANDLOO K002[#]
 DUNOON JAPARA M1008[#] DUNOON DANDLOO G664[#]

HFR

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



126 DUNOON S616^{SV}

Calved: 11/08/2021 BHR21S616 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 47 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|------|------|-----|-----|-----|------|-----|------|------|-----|------|------|------|------|-------|-------|------|-------|-------|
| EBVs | +6.8 | +6.8 | -8.4 | +2.0 | +40 | +79 | +97 | +88 | +13 | +3.8 | -6.4 | +50 | +5.2 | +1.8 | +1.7 | -0.4 | +4.5 | +0.57 | +19 | +0.92 | +0.94 |
| Acc | 57% | 45% | 72% | 75% | 74% | 72% | 71% | 68% | 61% | 69% | 37% | 62% | 62% | 63% | 63% | 57% | 65% | 51% | 59% | 66% | 66% |
| Perc | 16 | 80 | 7 | 12 | 90 | 82 | 88 | 72 | 85 | 6 | 11 | 91 | 64 | 12 | 16 | 92 | 6 | 90 | 57 | 64 | 40 |

LAWSONS MOMENTOUS M518^{PV} TE MANIA GASCOYNE G333^{SV}

MURDEDUKE QUARTERBACK Q011^{PV} DUNOON PRINCESS L190[#]

MURDEDUKE BARUNAH N026^{PV} DUNOON PRINCESS G758[#]

HF

\$

127 DUNOON S1168^{PV}

Calved: 9/09/2021 BHR21S1168 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 38 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|------|------|-----|-----|-----|------|-----|------|------|-----|------|------|------|------|-------|-------|------|-------|-------|
| EBVs | +3.3 | +3.3 | -4.1 | +2.2 | +38 | +74 | +98 | +56 | +25 | +2.7 | -5.5 | +58 | +7.6 | +3.9 | +3.5 | -0.7 | +4.6 | +0.40 | +21 | +0.50 | +0.92 |
| Acc | 55% | 46% | 69% | 72% | 72% | 69% | 70% | 68% | 61% | 66% | 38% | 61% | 60% | 62% | 62% | 55% | 65% | 52% | 49% | 57% | 57% |
| Perc | 46 | 22 | 61 | 14 | 93 | 90 | 87 | 97 | 5 | 26 | 27 | 76 | 33 | 2 | 4 | 97 | 5 | 77 | 45 | 3 | 35 |

RENNYLEA L519^{PV} RENNYLEA L508^{PV}

DUNOON Q824^{SV} DUNOON P999^{SV}

DUNOON LUBRA H1020[#] DUNOON LUBRA J832[#]

Here's a grandson of both L519 & L508, a most useable young September born bull who also has two shots of the ever reliable 'Lubra' cow family.

HF

\$

128 DUNOON S114^{PV}

Calved: 6/07/2021 BHR21S114 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 5 | 5 | 6 | 6 | 5 | 5 | 39 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|------|------|-----|-----|------|------|-----|------|------|-----|------|------|------|------|-------|-------|------|-------|-------|
| EBVs | +5.0 | +5.0 | -8.7 | +3.3 | +44 | +80 | +100 | +73 | +18 | +1.9 | -5.3 | +52 | +6.1 | +1.6 | +0.7 | +0.4 | +2.9 | +0.47 | +37 | +0.58 | +0.66 |
| Acc | 55% | 43% | 72% | 74% | 74% | 71% | 70% | 67% | 60% | 67% | 37% | 61% | 61% | 62% | 62% | 56% | 65% | 52% | 57% | 66% | 64% |
| Perc | 31 | 42 | 6 | 32 | 78 | 80 | 84 | 89 | 42 | 57 | 31 | 87 | 52 | 15 | 30 | 53 | 29 | 83 | 4 | 7 | 2 |

RENNYLEA L508^{PV} TOPBOS LEADING EDGE L292^{PV}

DUNOON PRIME MINISTER P758^{SV} DUNOON P226^{SV}

DUNOON JAPARA M1008[#] DUNOON BEEAC H703[#]

A PM son who will be just right for those 'front paddock' heifers - nice heifers deserve a nice bull and this fellow will fit the bill.

HF

\$

129 DUNOON S077^{PV}

Calved: 4/07/2021 BHR21S077 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 6 | 6 | 6 | 5 | 6 | 41 | 5 | 2 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|------|------|-----|-----|------|------|-----|------|------|-----|------|------|------|------|-------|-------|------|-------|-------|
| EBVs | +5.7 | +5.7 | -7.3 | +2.5 | +44 | +83 | +109 | +92 | +15 | +2.2 | -5.3 | +56 | +9.0 | -1.2 | -1.7 | +1.3 | +1.8 | +0.45 | +17 | +1.08 | +1.00 |
| Acc | 54% | 44% | 71% | 73% | 72% | 69% | 69% | 67% | 60% | 65% | 35% | 60% | 59% | 61% | 61% | 54% | 63% | 50% | 53% | 63% | 63% |
| Perc | 25 | 27 | 14 | 18 | 80 | 73 | 70 | 66 | 67 | 44 | 31 | 80 | 20 | 76 | 75 | 8 | 59 | 82 | 68 | 88 | 56 |

TE MANIA KIRK K226^{PV} DUNOON NEWEENA N242^{SV}

TE MANIA PARENTHESIS P446^{PV} DUNOON ELSA Q956^{SV}

TE MANIA DANDLOO H320^{PV} DUNOON ELSA M1145[#]

From a 2 year old heifer, this low birth P446 son will work and work well over young heifers - live unassisted calves is high on most people's list!

HF

\$

130 DUNOON S228^{PV}

Calved: 10/07/2021 BHR21S228 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 6 | 6 | 7 | 6 | 6 | 43 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|------|------|-----|-----|------|------|-----|------|------|-----|-------|------|------|------|-------|-------|------|-------|-------|
| EBVs | -5.5 | -5.5 | -2.4 | +4.6 | +57 | +98 | +131 | +96 | +26 | +2.5 | -5.4 | +69 | +11.1 | -2.7 | -3.5 | +1.1 | +2.1 | +0.00 | +34 | +0.72 | +0.86 |
| Acc | 62% | 49% | 72% | 74% | 74% | 71% | 72% | 69% | 64% | 69% | 39% | 64% | 64% | 65% | 65% | 58% | 68% | 56% | 55% | 67% | 67% |
| Perc | 94 | 83 | 85 | 62 | 19 | 28 | 22 | 59 | 4 | 33 | 29 | 42 | 8 | 95 | 94 | 14 | 50 | 26 | 7 | 23 | 22 |

TE MANIA FOE F734^{SV} DUNOON NEWELL N241^{SV}

CHILTERN PARK MOE M6^{PV} DUNOON Q990^{SV}


STRATHEWEN TIMEOUT JADE F15^{PV} DUNOON BLACKBIRD L802[#]

A high EMA son of Moe out of a two year old heifer - she's done a good job on this guy, plus the growth numbers are all at the right end of the scale.

HF

\$

| January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs | | | | | | | | | | | | | | | | | | | | | |
|---|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



131 **DUNOON S210^{PV}**
 Calved: 9/07/2021 BHR21S210 Register: HBR

CLUNIE RANGE LEGEND L348^{PV} MOOGENILLA J51^{SV}
MERLEWOOD PONTING P8^{SV} **DUNOON P572^{SV}**
 MERLEWOOD JAPARA M5⁺ DUNOON PRINCESS H1083⁺

Selection Indexes: \$A \$178, \$A-L \$343, \$G \$234, \$G-L \$403

Structural Assessment: F, R, F, R, F, R, Scrotal, Sheath, Temp. (6, 5, 6, 6, 5, 5, 41, 5, 1)

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation
 Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -0.1 | -0.1 | -8.3 | +4.4 | +50 | +92 | +115 | +126 | +12 | +2.8 | -5.9 | +59 | +4.2 | +1.7 | +0.5 | -0.2 | +2.6 | +0.28 | +14 | +1.06 | +0.92 |
| Acc | 55% | 45% | 70% | 74% | 74% | 70% | 70% | 68% | 60% | 66% | 37% | 61% | 59% | 61% | 61% | 54% | 64% | 52% | 55% | 60% | 60% |
| Perc | 73 | 24 | 8 | 57 | 52 | 44 | 57 | 14 | 88 | 23 | 18 | 73 | 76 | 14 | 34 | 86 | 36 | 64 | 81 | 86 | 35 |

This fellow is one of those easy to use Ponting sons - they're very consistant and they'll breed that way also!

HFR \$.....

132 **DUNOON S063^{PV}**
 Calved: 4/07/2021 BHR21S063 Register: HBR

TE MANIA KIRK K226^{PV} DUNOON NELLIGEN N087^{SV}
TE MANIA PARENTHESIS P446^{PV} **DUNOON Q463^{SV}**
 TE MANIA DANDLOO H320^{PV} DUNOON BEEAC M169⁺

Selection Indexes: \$A \$183, \$A-L \$344, \$G \$234, \$G-L \$400

Structural Assessment: F, R, F, R, F, R, Scrotal, Sheath, Temp. (6, 5, 6, 6, 5, 5, 39, 5, 2)

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation
 Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +1.4 | +1.4 | -8.1 | +4.7 | +49 | +96 | +118 | +121 | +8 | +2.6 | -5.9 | +65 | +0.9 | -0.9 | -0.7 | -0.1 | +3.0 | +0.35 | +9 | +0.68 | +0.72 |
| Acc | 55% | 45% | 70% | 73% | 72% | 69% | 69% | 67% | 59% | 65% | 36% | 60% | 59% | 60% | 61% | 54% | 63% | 50% | 54% | 64% | 64% |
| Perc | 62 | 76 | 9 | 64 | 55 | 34 | 48 | 19 | 98 | 29 | 18 | 56 | 97 | 69 | 57 | 82 | 26 | 72 | 95 | 17 | 5 |

One of those P446 sons out of a first calf heifer - good shape with marbling is always a plus.

HFR \$.....

133 **DUNOON S1170^{SV}**
 Calved: 9/09/2021 BHR21S1170 Register: HBR

CLUNIE RANGE LEGEND L348^{PV} LAWSONS COMBAT G585^{SV}
MERLEWOOD PONTING P8^{SV} **DUNOON DANDLOO K058[#]**
 MERLEWOOD JAPARA M5⁺ DUNOON DANDLOO H171⁺

Selection Indexes: \$A \$187, \$A-L \$332, \$G \$245, \$G-L \$394

Structural Assessment: F, R, F, R, F, R, Scrotal, Sheath, Temp. (5, 5, 6, 5, 5, 5, 37, 5, 1)

Genetic Conditions: AMF, CAF, DDC, NHF, RGC

January 2023 TransTasman Angus Cattle Evaluation
 Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +2.8 | +2.8 | -5.9 | +3.8 | +42 | +80 | +101 | +99 | +10 | +2.0 | -5.3 | +49 | +4.6 | -0.6 | -1.3 | +0.3 | +4.1 | +0.49 | +30 | +0.88 | +1.16 |
| Acc | 56% | 45% | 71% | 74% | 73% | 70% | 70% | 67% | 61% | 65% | 35% | 61% | 58% | 60% | 60% | 53% | 63% | 50% | 56% | 64% | 64% |
| Perc | 51 | 34 | 31 | 43 | 86 | 81 | 83 | 53 | 94 | 53 | 31 | 92 | 71 | 62 | 68 | 60 | 9 | 85 | 14 | 56 | 86 |

When you're after an even calf crop, taking home a Ponting son or two will pretty much guarantee that next year's calves will all look the same. Just like all of these Ponting sons appear the same!

HFR \$.....

134 **DUNOON S254^{PV}**
 Calved: 11/07/2021 BHR21S254 Register: HBR

CLUNIE RANGE LEGEND L348^{PV} AYRVALE HERCULES H9^{PV}
MERLEWOOD PONTING P8^{SV} **DUNOON P636^{SV}**
 MERLEWOOD JAPARA M5⁺ DUNOON BEEAC M310⁺

Selection Indexes: \$A \$187, \$A-L \$333, \$G \$244, \$G-L \$393

Structural Assessment: F, R, F, R, F, R, Scrotal, Sheath, Temp. (6, 6, 6, 6, 5, 6, 45, 4, 1)

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation
 Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -1.6 | -1.6 | -8.5 | +4.9 | +48 | +90 | +121 | +111 | +21 | +3.2 | -5.4 | +72 | +5.9 | -0.4 | -1.8 | +0.4 | +3.3 | +0.48 | +35 | +0.82 | +1.02 |
| Acc | 56% | 45% | 70% | 73% | 73% | 69% | 70% | 67% | 60% | 65% | 36% | 61% | 58% | 60% | 61% | 54% | 64% | 51% | 55% | 63% | 63% |
| Perc | 81 | 36 | 7 | 69 | 60 | 52 | 42 | 32 | 21 | 14 | 29 | 32 | 54 | 57 | 76 | 53 | 20 | 84 | 6 | 43 | 61 |

Here's a strong Ponting son - the same capacity and balance as the other sons of this powerful breeding sire - outcross genetics that are attractive in many ways.

HFR \$.....

135 **DUNOON S358^{SV}**
 Calved: 16/07/2021 BHR21S358 Register: HBR

EF COMMANDO 1366^{PV} TE MANIA GASCOYNE G333^{SV}
BALDRIDGE COMMAND C036^{PV} **DUNOON JAPARA M558[#]**
 BALDRIDGE BLACKBIRD A030⁺ DUNOON JAPARA J563⁺

Selection Indexes: \$A \$198, \$A-L \$325, \$G \$260, \$G-L \$391

Structural Assessment: F, R, F, R, F, R, Scrotal, Sheath, Temp. (6, 6, 6, 6, 5, 5, 42, 5, 1)

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation
 Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +6.7 | +6.7 | -6.6 | +2.7 | +42 | +84 | +108 | +82 | +25 | +1.5 | -3.4 | +53 | +12.0 | -1.6 | -2.6 | +1.5 | +2.2 | +0.25 | +32 | +0.96 | +0.86 |
| Acc | 62% | 51% | 74% | 74% | 74% | 72% | 73% | 71% | 66% | 70% | 41% | 65% | 64% | 65% | 65% | 60% | 67% | 54% | 59% | 70% | 70% |
| Perc | 17 | 82 | 22 | 21 | 85 | 71 | 71 | 81 | 6 | 73 | 83 | 86 | 5 | 83 | 86 | 4 | 47 | 60 | 11 | 72 | 22 |

A Command x Gascoyne cross here, producing a quality young bull with low birth and heaps of EMA!

HFR \$.....

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



136 DUNOON S243^{PV}

Calved: 11/07/2021 BHR21S243 Register: HBR

| Structural Assessment | | | | | | | | | Scrotal | Sheath | Temp. |
|-----------------------|---|---|---|---|---|----|---|---|---------|--------|-------|
| F | R | F | R | F | R | F | R | F | | | |
| 6 | 5 | 6 | 6 | 5 | 5 | 40 | 5 | 2 | | | |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|------|------|-----|-----|------|------|-----|------|------|-----|-------|------|------|------|-------|-------|------|-------|-------|
| EBVs | +3.3 | +3.3 | -5.3 | +4.6 | +52 | +86 | +118 | +94 | +22 | +0.6 | -3.0 | +70 | +10.9 | -2.5 | -3.8 | +1.4 | +1.7 | -0.01 | +24 | +0.94 | +0.86 |
| Acc | 60% | 48% | 71% | 73% | 73% | 71% | 71% | 69% | 64% | 69% | 37% | 62% | 62% | 63% | 63% | 57% | 66% | 51% | 55% | 69% | 69% |
| Perc | 46 | 81 | 41 | 62 | 39 | 65 | 50 | 63 | 14 | 94 | 89 | 39 | 8 | 94 | 95 | 6 | 62 | 25 | 30 | 68 | 22 |

EF COMMANDO 1366^{PV} DUNOON NADA N190^{SV}
BALDRIDGE COMMAND C036^{PV} **DUNOON BEEAC Q927^{SV}**
BALDRIDGE BLACKBIRD A030[#] DUNOON BEEAC G719^{SV}

Again, a high EMA son of Command out of a 2 year old heifer from the Beeac cow family - our first calf heifers have done well!

HFR

\$

137 DUNOON S115^{PV}

Calved: 6/07/2021 BHR21S115 Register: HBR

| Structural Assessment | | | | | | | | | Scrotal | Sheath | Temp. |
|-----------------------|---|---|---|---|---|----|---|---|---------|--------|-------|
| F | R | F | R | F | R | F | R | F | | | |
| 6 | 5 | 6 | 6 | 5 | 5 | 45 | 5 | 1 | | | |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|-------|------|-----|-----|-----|------|-----|------|------|-----|------|------|------|------|-------|-------|------|-------|-------|
| EBVs | +6.5 | +6.5 | -10.4 | +3.2 | +38 | +66 | +97 | +79 | +19 | +3.8 | -5.8 | +44 | +7.8 | +1.1 | +0.5 | +0.6 | +2.5 | +0.65 | +36 | +0.46 | +0.90 |
| Acc | 55% | 43% | 71% | 74% | 73% | 70% | 69% | 66% | 59% | 66% | 35% | 60% | 59% | 61% | 61% | 55% | 64% | 50% | 55% | 65% | 64% |
| Perc | 18 | 29 | 2 | 30 | 93 | 97 | 88 | 83 | 38 | 6 | 20 | 97 | 31 | 23 | 34 | 40 | 38 | 94 | 5 | 2 | 31 |

RENNYLEA L508^{PV} DUNOON LEASE L755^{SV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON P827^{SV}**
DUNOON JAPARA M1008[#] DUNOON DANDLOO M1005[#]

A heifer bull here, sired by PM out of a Dandloo cow, with great fertility and docility thrown into the mix - bulls with shape in with your heifers is really pleasing when you check them!

HFR

\$

138 DUNOON S317^{PV}

Calved: 13/07/2021 BHR21S317 Register: HBR

| Structural Assessment | | | | | | | | | Scrotal | Sheath | Temp. |
|-----------------------|---|---|---|---|---|----|---|---|---------|--------|-------|
| F | R | F | R | F | R | F | R | F | | | |
| 5 | 5 | 6 | 6 | 5 | 5 | 43 | 5 | 1 | | | |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|------|------|-----|------|------|------|-----|------|------|-----|-------|------|------|------|-------|-------|------|-------|-------|
| EBVs | +3.4 | +3.4 | -7.2 | +6.5 | +62 | +113 | +151 | +126 | +21 | +2.6 | -6.1 | +93 | +11.4 | -0.6 | -1.5 | +1.0 | +2.3 | +0.10 | +31 | +0.76 | +0.88 |
| Acc | 57% | 47% | 72% | 74% | 74% | 71% | 70% | 67% | 60% | 67% | 39% | 62% | 61% | 62% | 63% | 56% | 65% | 53% | 59% | 66% | 65% |
| Perc | 45 | 34 | 15 | 92 | 7 | 5 | 4 | 14 | 19 | 29 | 15 | 3 | 7 | 62 | 72 | 18 | 44 | 39 | 12 | 30 | 26 |

RENNYLEA L508^{PV} AYRVALE GENERAL G18^{PV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON P056^{SV}**
DUNOON JAPARA M1008[#] DUNOON DANDLOO M032[#]

A PM son with that eye catching style - plenty of growth and muscle in this fellow, plus the Dandloo cow family - a good bull here!

HFR

\$

139 DUNOON S270^{SV}

Calved: 11/07/2021 BHR21S270 Register: HBR

| Structural Assessment | | | | | | | | | Scrotal | Sheath | Temp. |
|-----------------------|---|---|---|---|---|----|---|---|---------|--------|-------|
| F | R | F | R | F | R | F | R | F | | | |
| 5 | 6 | 6 | 6 | 5 | 5 | 43 | 4 | 1 | | | |

Genetic Conditions:AMF,CAF,DDC,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|------|------|-----|-----|------|------|-----|------|------|-----|-------|------|------|------|-------|-------|------|-------|-------|
| EBVs | +4.8 | +4.8 | -6.4 | +3.4 | +57 | +95 | +119 | +94 | +15 | +3.1 | -6.1 | +70 | +11.0 | +0.7 | +0.0 | -0.1 | +4.7 | +0.50 | +11 | +0.86 | +0.76 |
| Acc | 57% | 44% | 71% | 74% | 73% | 71% | 70% | 67% | 59% | 68% | 35% | 60% | 61% | 62% | 62% | 56% | 64% | 50% | 59% | 68% | 68% |
| Perc | 33 | 36 | 24 | 34 | 21 | 38 | 46 | 63 | 66 | 16 | 15 | 40 | 8 | 31 | 43 | 82 | 5 | 86 | 89 | 52 | 8 |

LAWSONS MOMENTOUS M518^{PV} QUAKER HILL RAMPAGE OA36^{PV}
MURDEDUKE QUARTERBACK Q011^{PV} **DUNOON BEEAC N136[#]**
MURDEDUKE BARUNAH N026^{PV} DUNOON BEEAC K044[#]

Strong carcass data here with this Quarterback son - very high for both EMA & IMF. A really solid Beeac cow behind this bloke, she breeds plenty of power year after year.

HFR

\$

140 DUNOON S268^{SV}

Calved: 11/07/2021 BHR21S268 Register: HBR

| Structural Assessment | | | | | | | | | Scrotal | Sheath | Temp. |
|-----------------------|---|---|---|---|---|----|---|---|---------|--------|-------|
| F | R | F | R | F | R | F | R | F | | | |
| 6 | 5 | 6 | 6 | 5 | 5 | 48 | 5 | 1 | | | |

Genetic Conditions:AMF,CAF,DDC,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
|-------|--------|------|------|------|-----|------|------|------|-----|------|------|-----|------|------|------|------|-------|-------|------|-------|-------|
| EBVs | +3.3 | +3.3 | -7.5 | +5.9 | +59 | +108 | +139 | +124 | +18 | +4.9 | -7.4 | +76 | +6.4 | +2.3 | +1.1 | -0.7 | +4.3 | +0.73 | +26 | +0.70 | +1.14 |
| Acc | 61% | 51% | 74% | 74% | 74% | 72% | 71% | 68% | 61% | 69% | 41% | 62% | 63% | 64% | 64% | 58% | 66% | 54% | 60% | 67% | 67% |
| Perc | 46 | 72 | 13 | 86 | 13 | 10 | 11 | 15 | 41 | 1 | 3 | 22 | 47 | 8 | 23 | 97 | 8 | 96 | 24 | 20 | 84 |

LAWSONS MOMENTOUS M518^{PV} TE MANIA EMPEROR E343^{PV}
MURDEDUKE QUARTERBACK Q011^{PV} **DUNOON BEEAC M106[#]**
MURDEDUKE BARUNAH N026^{PV} DUNOON BEEAC G098[#]

That same cross as the previous lot - Q011 x Beeac, more growth here, coupled with the high fertility and perfect carcass numbers.

HFR

\$

| January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs | | | | | | | | | | | | | | | | | | | | | |
|---|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



141 **DUNOON S293^{SV}**
 Calved: 12/07/2021 BHR21S293 Register: HBR

RENNYLEA L508^{PV} PATHFINDER GENERAL K7^{SV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON DANDLOO N018[#]**
 DUNOON JAPARA M1008[#] DUNOON DANDLOO L204[#]

Selection Indexes: \$A \$252, \$A-L \$429, \$G \$328, \$G-L \$509

Structural Assessment: F6, R5, F6, R6, 5, 5, 46, 5, 1

Genetic Conditions: AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +1.1 | +1.1 | -3.8 | +6.7 | +63 | +110 | +141 | +131 | +10 | +5.2 | -6.3 | +81 | +10.9 | -1.0 | -1.6 | +0.6 | +3.7 | +1.09 | +34 | +0.58 | +0.72 |
| Acc | 57% | 45% | 72% | 74% | 74% | 71% | 71% | 68% | 60% | 67% | 38% | 61% | 60% | 62% | 62% | 56% | 64% | 52% | 58% | 66% | 65% |
| Perc | 65 | 86 | 66 | 93 | 6 | 7 | 10 | 10 | 96 | 1 | 12 | 13 | 8 | 72 | 73 | 40 | 14 | 99 | 8 | 7 | 5 |

The cross of PM over our K7 cows is one that has worked well - volume, thickness and a data set that has profit written all over it! These PM bulls are worth trying to get your name on!

142 **DUNOON S1110^{PV}**
 Calved: 25/08/2021 BHR21S1110 Register: HBR

DUNOON N821^{SV} THE ROCK K8^{PV}
DUNOON Q566^{SV} **DUNOON Q986^{SV}**
 DUNOON PRINCESS N002[#] DUNOON BEEAC K1323[#]

Selection Indexes: \$A \$235, \$A-L \$421, \$G \$318, \$G-L \$509

Structural Assessment: F5, R5, F6, R6, 6, 6, 40, 5, 1

Genetic Conditions: AMF,CAF,DDC,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +3.6 | +3.6 | -5.5 | +4.9 | +66 | +121 | +156 | +139 | +23 | +3.7 | -4.1 | +98 | +4.8 | -2.5 | -3.0 | -0.1 | +3.8 | -0.03 | +23 | +0.66 | +0.84 |
| Acc | 51% | 39% | 66% | 71% | 70% | 67% | 67% | 65% | 57% | 64% | 31% | 57% | 56% | 58% | 58% | 51% | 61% | 47% | 42% | 59% | 59% |
| Perc | 43 | 34 | 37 | 69 | 3 | 2 | 2 | 6 | 11 | 7 | 67 | 1 | 69 | 94 | 90 | 82 | 13 | 23 | 33 | 14 | 19 |

This two year old's first calf has a product mix that will stop lots of eyes! Calving ease with serious growth, plus fertility and marbling makes a valuable package!

143 **DUNOON S269^{PV}**
 Calved: 11/07/2021 BHR21S269 Register: HBR

TE MANIA KIRK K226^{PV} V A R GENERATION 2100^{PV}
TE MANIA PARENTHESIS P446^{PV} **DUNOON P1023^{SV}**
 TE MANIA DANDLOO H320^{PV} DUNOON DANDLOO L976[#]

Selection Indexes: \$A \$228, \$A-L \$400, \$G \$299, \$G-L \$476

Structural Assessment: F6, R5, F6, R6, 5, 5, 41, 5, 1

Genetic Conditions: AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +2.1 | +2.1 | -5.7 | +5.1 | +56 | +105 | +132 | +121 | +19 | +3.6 | -5.6 | +71 | +5.0 | +0.2 | +1.3 | +0.1 | +3.0 | +0.24 | +30 | +0.88 | +0.86 |
| Acc | 57% | 47% | 71% | 73% | 73% | 70% | 70% | 67% | 61% | 66% | 38% | 61% | 60% | 61% | 61% | 55% | 64% | 51% | 56% | 65% | 65% |
| Perc | 57 | 28 | 34 | 73 | 22 | 13 | 21 | 18 | 39 | 8 | 24 | 36 | 66 | 42 | 21 | 72 | 26 | 58 | 15 | 56 | 22 |

A different pedigree here with a P446 son, out of a 2100 cow - nicely balanced numbers across the board - two shots of the Dandloo cow family.

144 **DUNOON S340^{PV}**
 Calved: 15/07/2021 BHR21S340 Register: HBR

RENNYLEA L508^{PV} PATHFINDER GENERAL K7^{SV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON P045^{PV}**
 DUNOON JAPARA M1008[#] DUNOON PRINCESS M265^{SV}

Selection Indexes: \$A \$234, \$A-L \$402, \$G \$295, \$G-L \$468

Structural Assessment: F5, R5, F6, R5, 5, 5, 42, 5, 1

Genetic Conditions: AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +4.1 | +4.1 | -2.9 | +5.2 | +53 | +94 | +120 | +114 | +17 | +3.0 | -6.6 | +67 | +10.1 | +1.0 | +1.2 | +1.2 | +1.3 | +0.28 | +34 | +0.48 | +0.74 |
| Acc | 57% | 45% | 72% | 74% | 74% | 71% | 70% | 67% | 60% | 67% | 38% | 61% | 61% | 62% | 62% | 56% | 65% | 52% | 58% | 67% | 66% |
| Perc | 39 | 46 | 79 | 75 | 35 | 39 | 45 | 28 | 54 | 18 | 9 | 48 | 12 | 24 | 22 | 10 | 73 | 64 | 8 | 2 | 7 |

Another of those high volume PM sons with plenty of width from head to tail - solid bulls breed solid calves, that's why these Prime Minister sons look like they do!

145 **DUNOON S159^{SV}**
 Calved: 8/07/2021 BHR21S159 Register: HBR

EF COMMANDO 1366^{PV} PATHFINDER GENERAL K7^{SV}
BALDRIDGE COMMAND C036^{PV} **DUNOON DANDLOO N934[#]**
 BALDRIDGE BLACKBIRD A030[#] DUNOON DANDLOO G264[#]

Selection Indexes: \$A \$248, \$A-L \$387, \$G \$324, \$G-L \$468

Structural Assessment: F6, R5, F6, R6, 5, 5, 38, 5, 2

Genetic Conditions: AMF,CAF,DDC,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|-----|-----|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +11.4 | +11.4 | -8.0 | +0.8 | +46 | +83 | +94 | +65 | +16 | +1.0 | -5.1 | +60 | +12.1 | -0.9 | -2.6 | +1.6 | +2.8 | +0.68 | +23 | +0.78 | +0.76 |
| Acc | 62% | 50% | 72% | 74% | 74% | 72% | 72% | 70% | 66% | 69% | 41% | 64% | 64% | 65% | 65% | 60% | 67% | 53% | 59% | 69% | 69% |
| Perc | 1 | 2 | 9 | 4 | 69 | 73 | 91 | 95 | 58 | 88 | 37 | 70 | 5 | 69 | 86 | 3 | 31 | 95 | 37 | 34 | 8 |

Put this bloke with your heifers and stay at the beach while calving is on!! Genuine low birth with breed leading calving ease, but still +12 for EMA!

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



146 **DUNOON S066^{SV}**
 Calved: 4/07/2021 BHR21S066 Register: HBR

RENNYLEA L508^{PV} MERRIDALE GAFFA G4^{SV}
DUNOON PRIME MINISTER P758^{SV} **DUNOON ANGUISH L183[#]**
 DUNOON JAPARA M1008[#] DUNOON ANGUISH E246[#]

Here's a PM son with loads of growth - he's backed by a big roomy Gaffa daughter, our heifers by PM are special, they'll calve in July, we can't wait!

Selection Indexes: \$A \$209, \$A-L \$390, \$G \$279, \$G-L \$466

TACE

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +3.5 | +3.5 | -6.9 | +5.3 | +63 | +118 | +156 | +144 | +22 | +2.6 | -2.7 | +98 | +3.4 | -0.9 | -0.6 | +0.2 | +2.0 | -0.04 | +37 | +0.62 | +0.82 |
| Acc | 57% | 45% | 74% | 74% | 74% | 72% | 71% | 68% | 61% | 68% | 38% | 62% | 61% | 65% | 63% | 56% | 65% | 52% | 59% | 64% | 63% |
| Perc | 44 | 32 | 18 | 76 | 6 | 2 | 2 | 4 | 15 | 29 | 92 | 1 | 84 | 69 | 55 | 66 | 53 | 22 | 5 | 10 | 16 |

147 **DUNOON S690^{SV}**
 Calved: 21/08/2021 BHR21S690 Register: HBR

ESSLEMONT LOTTO L3^{PV} TEXAS MOUNT K002^{PV}
THE ROCK LOTTO P24^{PV} **DUNOON LOWAN M747[#]**
 THE ROCK M40^{PV} DUNOON LOWAN G385[#]

Selection Indexes: \$A \$233, \$A-L \$389, \$G \$301, \$G-L \$462

TACE

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +5.2 | +5.2 | -3.5 | +2.6 | +48 | +95 | +116 | +102 | +17 | +0.8 | -5.5 | +78 | +8.5 | +0.4 | +0.8 | +1.1 | +2.3 | +0.21 | +7 | +1.02 | +1.06 |
| Acc | 55% | 45% | 70% | 72% | 71% | 68% | 68% | 66% | 60% | 65% | 37% | 60% | 59% | 61% | 61% | 54% | 63% | 51% | 49% | 63% | 64% |
| Perc | 29 | 68 | 71 | 19 | 59 | 37 | 54 | 49 | 51 | 91 | 27 | 18 | 24 | 37 | 28 | 14 | 44 | 54 | 97 | 81 | 69 |

148 **DUNOON S692^{PV}**
 Calved: 22/08/2021 BHR21S692 Register: HBR

THE ROCK K8^{PV} DUNOON N688^{SV}
DUNOON Q943^{SV} **DUNOON Q613^{SV}**
 DUNOON DANDLOO J762[#] DUNOON LOWAN N1053[#]

Selection Indexes: \$A \$226, \$A-L \$377, \$G \$300, \$G-L \$455

TACE

Genetic Conditions:AMC,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +2.8 | +2.8 | -2.8 | +2.9 | +53 | +96 | +125 | +111 | +12 | +2.9 | -3.4 | +79 | +13.3 | -0.9 | -0.9 | +1.4 | +2.9 | +0.28 | +35 | +1.28 | +0.96 |
| Acc | 51% | 40% | 66% | 70% | 70% | 67% | 67% | 64% | 57% | 63% | 31% | 57% | 56% | 58% | 58% | 50% | 61% | 47% | 42% | 61% | 61% |
| Perc | 51 | 79 | 80 | 24 | 34 | 33 | 33 | 32 | 89 | 20 | 83 | 16 | 3 | 69 | 61 | 6 | 29 | 64 | 6 | 99 | 45 |

149 **DUNOON S667^{SV}**
 Calved: 17/08/2021 BHR21S667 Register: HBR

LAWSONS MOMENTOUS M518^{PV} THE ROCK K8^{PV}
DUNOON Q256^{SV} **DUNOON PRINCESS N1428[#]**
 DUNOON BEEAC K071[#] DUNOON PRINCESS J817[#]

Selection Indexes: \$A \$232, \$A-L \$372, \$G \$305, \$G-L \$448

TACE

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +2.4 | +2.4 | -3.1 | +3.5 | +52 | +91 | +115 | +98 | +14 | +1.7 | -4.5 | +67 | +11.6 | +0.3 | +0.6 | +1.4 | +2.2 | +0.32 | +29 | +0.84 | +0.90 |
| Acc | 53% | 42% | 66% | 71% | 71% | 68% | 68% | 65% | 59% | 63% | 34% | 59% | 57% | 60% | 60% | 52% | 62% | 49% | 45% | 60% | 60% |
| Perc | 54 | 86 | 77 | 36 | 43 | 48 | 57 | 54 | 74 | 65 | 55 | 47 | 6 | 40 | 32 | 6 | 47 | 68 | 16 | 48 | 31 |

150 **DUNOON S267^{PV}**
 Calved: 11/07/2021 BHR21S267 Register: HBR

LAWSONS MOMENTOUS M518^{PV} DUNOON LARRY L1267^{SV}
MURDEDUKE QUARTERBACK Q011^{PV} **DUNOON P446^{SV}**
 MURDEDUKE BARUNAH N026^{PV} DUNOON JAPARA M290[#]

IMF at the top end here - a son of Quarterback with very strong carcass data whilst still being ok for heifers - he's the correct shape.

Selection Indexes: \$A \$204, \$A-L \$347, \$G \$284, \$G-L \$430

TACE


Genetic Conditions:AMF,CAF,DDC,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +3.5 | +3.5 | -6.1 | +4.0 | +46 | +81 | +104 | +100 | +18 | +2.7 | -4.6 | +55 | +9.9 | +0.1 | -0.2 | +0.2 | +5.0 | +0.64 | +21 | +0.88 | +0.80 |
| Acc | 57% | 45% | 72% | 74% | 74% | 71% | 71% | 67% | 59% | 68% | 36% | 61% | 61% | 63% | 63% | 56% | 65% | 52% | 57% | 63% | 63% |
| Perc | 44 | 69 | 28 | 48 | 72 | 78 | 78 | 51 | 46 | 26 | 52 | 83 | 13 | 45 | 47 | 66 | 3 | 93 | 42 | 56 | 13 |

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



151 **DUNOON S321^{PV}**
 Calved: 14/07/2021 BHR21S321 Register: HBR

TE MANIA KIRK K226^{PV} DUNOON MATLOCK M460^{SV}
 TE MANIA PARENTHESIS P446^{PV} DUNOON P1309^{SV}
 TE MANIA DANDLOO H320^{PV} DUNOON BEEAC J1019[#]

Selection Indexes: \$A \$203, \$A-L \$366, \$G \$263, \$G-L \$430

Structural Assessment: F6, R5, F6, R6, 5, 5, 41, 5, 1

Genetic Conditions: AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -0.8 | -0.8 | -7.5 | +5.1 | +56 | +100 | +130 | +124 | +14 | +2.5 | -6.2 | +68 | +3.3 | +0.0 | +0.2 | -0.1 | +2.4 | +0.05 | +5 | +0.86 | +0.86 |
| Acc | 54% | 45% | 71% | 73% | 73% | 70% | 70% | 68% | 61% | 66% | 38% | 61% | 60% | 62% | 62% | 56% | 65% | 52% | 56% | 60% | 60% |
| Perc | 77 | 50 | 13 | 73 | 22 | 24 | 24 | 16 | 80 | 33 | 14 | 44 | 85 | 47 | 39 | 82 | 41 | 32 | 98 | 52 | 22 |

Traits Observed: BWT,200WT,DOC,Genomics

152 **DUNOON S199^{PV}**
 Calved: 9/07/2021 BHR21S199 Register: HBR

CLUNIE RANGE LEGEND L348^{PV} AYRVALE HERCULES H9^{PV}
 MERLEWOOD PONTING P8^{SV} DUNOON P1158^{SV}
 MERLEWOOD JAPARA M5[#] DUNOON BEEAC J669[#]

Selection Indexes: \$A \$193, \$A-L \$370, \$G \$247, \$G-L \$427

Structural Assessment: F6, R5, F6, R6, 6, 6, 43, 5, 1

Genetic Conditions: AMF,CAF,DDC,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -6.9 | -6.9 | -7.0 | +7.2 | +67 | +120 | +159 | +169 | +16 | +3.2 | -5.5 | +95 | +7.1 | -2.4 | -4.3 | +1.1 | +1.3 | +0.04 | +38 | +0.98 | +0.98 |
| Acc | 56% | 46% | 70% | 73% | 73% | 69% | 69% | 67% | 60% | 65% | 38% | 61% | 59% | 61% | 61% | 54% | 64% | 52% | 55% | 64% | 64% |
| Perc | 96 | 92 | 17 | 96 | 3 | 2 | 2 | 1 | 65 | 14 | 27 | 2 | 38 | 93 | 97 | 14 | 73 | 31 | 4 | 75 | 51 |

Traits Observed: BWT,200WT,DOC,Genomics

153 **DUNOON S658^{PV}**
 Calved: 16/08/2021 BHR21S658 Register: APR

CLUNIE RANGE LEGEND L348^{PV} DUNOON HASTY H512^{SV}
 MERLEWOOD PONTING P8^{SV} DUNOON FARAWAY M816^{SV}
 MERLEWOOD JAPARA M5[#] DUNOON FARAWAY K542[#]

Selection Indexes: \$A \$209, \$A-L \$348, \$G \$278, \$G-L \$421

Structural Assessment: F6, R5, F6, R6, 5, 5, 44, 4, 2

Genetic Conditions: AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|-----|-----|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +4.2 | +4.2 | -3.6 | +2.4 | +43 | +77 | +90 | +84 | +15 | +2.6 | -5.1 | +54 | +11.9 | +1.1 | -0.1 | +1.0 | +3.0 | +0.48 | +31 | +0.64 | +1.02 |
| Acc | 54% | 42% | 68% | 74% | 73% | 69% | 70% | 67% | 59% | 64% | 34% | 60% | 57% | 60% | 60% | 52% | 62% | 49% | 55% | 63% | 61% |
| Perc | 38 | 21 | 69 | 17 | 80 | 86 | 93 | 78 | 72 | 29 | 37 | 84 | 5 | 23 | 45 | 18 | 26 | 84 | 12 | 12 | 61 |

Traits Observed: BWT,200WT,DOC,Genomics

154 **DUNOON S686^{SV}**
 Calved: 20/08/2021 BHR21S686 Register: HBR

ESSLEMONT LOTTO L3^{PV} TUWHARETOA REGENT D145^{PV}
 THE ROCK LOTTO P24^{PV} DUNOON BEEAC J173[#]
 THE ROCK M40^{PV} DUNOON BEECA F103[#]

Selection Indexes: \$A \$197, \$A-L \$346, \$G \$265, \$G-L \$416

Structural Assessment: F6, R5, F6, R6, 6, 7, 41, 5, 2

Genetic Conditions: AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -8.8 | -8.8 | -1.3 | +6.7 | +56 | +104 | +142 | +140 | +18 | +1.9 | -6.0 | +95 | +5.6 | +0.6 | +1.5 | +0.0 | +3.8 | +0.68 | +2 | +0.98 | +0.98 |
| Acc | 57% | 49% | 70% | 73% | 72% | 69% | 70% | 68% | 61% | 66% | 41% | 61% | 60% | 62% | 62% | 56% | 65% | 54% | 51% | 63% | 63% |
| Perc | 98 | 97 | 93 | 93 | 22 | 15 | 9 | 5 | 46 | 57 | 17 | 2 | 58 | 33 | 18 | 77 | 13 | 95 | 99 | 75 | 51 |

Traits Observed: BWT,200WT,DOC,Genomics

155 **DUNOON S695^{SV}**
 Calved: 23/08/2021 BHR21S695 Register: HBR

G A R DRIVE^{PV} CLUNIE RANGE HANK H358^{SV}
 DUNOON Q057^{SV} DUNOON DANDLOO N596[#]
 DUNOON PRINCESS N029[#] DUNOON DANDLOO L1240[#]

Selection Indexes: \$A \$189, \$A-L \$337, \$G \$255, \$G-L \$407

Structural Assessment: F6, R6, F6, R6, 5, 5, 43, 5, 2

Genetic Conditions: AMF,CAF,DDF,NHF,RCG

January 2023 TransTasman Angus Cattle Evaluation

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +1.9 | +1.9 | -3.6 | +3.7 | +48 | +96 | +123 | +108 | +23 | +3.0 | -4.5 | +68 | +2.4 | -0.4 | +0.1 | -0.3 | +3.9 | +0.55 | +36 | +0.88 | +1.06 |
| Acc | 53% | 42% | 66% | 71% | 70% | 67% | 67% | 65% | 58% | 64% | 34% | 58% | 57% | 59% | 59% | 52% | 61% | 48% | 45% | 64% | 64% |
| Perc | 58 | 73 | 69 | 41 | 61 | 35 | 37 | 38 | 12 | 18 | 55 | 45 | 91 | 57 | 41 | 89 | 12 | 89 | 5 | 56 | 69 |

Traits Observed: BWT,200WT,DOC,Genomics

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



156 DUNOON S694^{PV}

Calved: 23/08/2021 BHR21S694 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 44 | 5 | 2 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | |
|--|--------|------|------|------|-----|-----|------|------|-----|------|------|-----|------|---|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +2.0 | +2.0 | -4.2 | +4.0 | +44 | +95 | +120 | +117 | +17 | +3.5 | -6.4 | +60 | +3.9 | +0.8 | +0.3 | +0.5 | +2.7 | +0.07 | +9 | +0.64 | +0.82 |
| Acc | 51% | 42% | 67% | 69% | 69% | 66% | 67% | 64% | 58% | 64% | 33% | 57% | 57% | 59% | 59% | 51% | 62% | 49% | 37% | 57% | 57% |
| Perc | 58 | 86 | 59 | 48 | 77 | 36 | 44 | 24 | 51 | 9 | 11 | 70 | 79 | 28 | 37 | 47 | 33 | 35 | 93 | 12 | 16 |

DUNOON NORSOUTH N280^{SV} DUNOON MARLEY M189^{SV}
DUNOON Q858^{SV} DUNOON P1322^{SV}
DUNOON PRINCESS G779^{SV} DUNOON DANDLOO K785[#]

HFR

\$

157 DUNOON S329^{PV}

Calved: 14/07/2021 BHR21S329 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 6 | 6 | 6 | 5 | 5 | 43 | 4 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | |
|--|--------|------|------|------|-----|-----|-----|------|-----|------|------|-----|------|---|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +2.9 | +2.9 | -4.6 | +3.5 | +40 | +72 | +85 | +80 | +9 | +2.2 | -6.9 | +49 | +7.0 | +1.2 | +1.1 | +0.5 | +2.6 | +0.45 | +37 | +0.64 | +0.88 |
| Acc | 54% | 42% | 69% | 74% | 73% | 69% | 70% | 67% | 59% | 65% | 35% | 60% | 57% | 59% | 60% | 52% | 63% | 50% | 56% | 63% | 63% |
| Perc | 50 | 37 | 53 | 36 | 90 | 92 | 96 | 83 | 97 | 44 | 6 | 92 | 40 | 21 | 23 | 47 | 36 | 82 | 5 | 12 | 26 |

CLUNIE RANGE LEGEND L348^{PV} DUNOON KANSAS K813^{SV}
MERLEWOOD PONTING P8^{SV} DUNOON P523^{SV}
MERLEWOOD JAPARA M5[#] DUNOON DANDLOO G198[#]

Here's a Ponting son which the computer system thinks lacks some growth - his calves will be 'very shapely' and will be noticed for their balance and volume.

HFR

\$

158 DUNOON S323^{PV}

Calved: 14/07/2021 BHR21S323 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 5 | 5 | 6 | 6 | 5 | 5 | 44 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | |
|--|--------|------|------|------|-----|-----|------|------|-----|------|------|-----|------|---|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | -1.7 | -1.7 | -5.4 | +4.9 | +46 | +87 | +110 | +108 | +9 | +3.5 | -6.0 | +62 | +6.4 | +0.4 | +0.0 | +0.5 | +2.6 | +0.43 | +44 | +0.74 | +1.12 |
| Acc | 55% | 43% | 69% | 73% | 73% | 69% | 69% | 67% | 59% | 65% | 36% | 61% | 58% | 60% | 60% | 54% | 63% | 51% | 55% | 64% | 64% |
| Perc | 82 | 76 | 39 | 69 | 71 | 61 | 67 | 38 | 97 | 9 | 17 | 63 | 47 | 37 | 43 | 47 | 36 | 80 | 1 | 26 | 81 |

CLUNIE RANGE LEGEND L348^{PV} G A R SURE FIRE^{SV}
MERLEWOOD PONTING P8^{SV} DUNOON P709^{SV}
MERLEWOOD JAPARA M5[#] DUNOON BEEAC M311[#]

A quality line of bulls is the best way to describe these Ponting sons, and where you see evenness, you feel confidence - they'll breed well!

HFR

\$

159 DUNOON S157^{SV}

Calved: 8/07/2021 BHR21S157 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 41 | 5 | 2 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | |
|--|--------|------|------|------|-----|-----|------|------|-----|------|------|-----|-------|---|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | -7.6 | -7.6 | -8.3 | +6.2 | +53 | +93 | +124 | +125 | +9 | +3.1 | -4.3 | +65 | +12.8 | +1.3 | +0.4 | +1.1 | +1.6 | +0.37 | +16 | +0.96 | +1.12 |
| Acc | 54% | 42% | 68% | 73% | 73% | 69% | 69% | 66% | 59% | 64% | 33% | 59% | 57% | 59% | 59% | 52% | 61% | 48% | 56% | 63% | 63% |
| Perc | 97 | 58 | 8 | 89 | 36 | 43 | 36 | 14 | 97 | 16 | 61 | 56 | 3 | 19 | 36 | 14 | 65 | 74 | 69 | 72 | 81 |

CLUNIE RANGE LEGEND L348^{PV} V A R FOREMAN 3339^{PV}
MERLEWOOD PONTING P8^{SV} DUNOON DANDLOO N1086[#]
MERLEWOOD JAPARA M5[#] DUNOON DANDLOO D124[#]

These Ponting sons just keep coming - it's pleasing when you try a new bull and his progeny are so even, his daughters are real 'head turners'!!

HFR

\$

160 DUNOON S1138^{SV}

Calved: 30/08/2021 BHR21S1138 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 41 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | |
|--|--------|------|------|------|-----|-----|------|------|-----|------|------|-----|------|---|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +4.4 | +4.4 | -4.1 | +2.8 | +43 | +86 | +103 | +112 | +13 | +2.4 | -2.8 | +55 | +7.3 | -0.7 | -1.0 | +0.3 | +3.6 | +0.55 | +35 | +0.88 | +0.96 |
| Acc | 55% | 44% | 70% | 72% | 71% | 68% | 69% | 66% | 60% | 65% | 37% | 60% | 58% | 60% | 61% | 54% | 63% | 50% | 46% | 61% | 61% |
| Perc | 36 | 84 | 61 | 23 | 83 | 66 | 80 | 31 | 85 | 36 | 91 | 83 | 36 | 65 | 63 | 60 | 15 | 89 | 6 | 56 | 45 |

RENNYLEA L519^{PV} TE MANIA GASCOYNE G333^{SV}
DUNOON Q732^{SV} DUNOON JOYLE M505[#]
DUNOON JAPARA M388[#] DUNOON JOYLE K411[#]

Low birth bulls never go out of fashion - we find it very rewarding to have the big majority of our heifers have live unassisted calves, it sets things up for a very problem free cow herd!

HFR

\$

| January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs | | | | | | | | | | | | | | | | | | | | | |
|---|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



161 **DUNOON S351^{PV}**
 Calved: 15/07/2021 BHR21S351 Register: HBR

CLUNIE RANGE LEGEND L348^{PV} DUNOON KINDRED K1372^{PV}
 MERLEWOOD PONTING P8^{SV} DUNOON P587^{SV}
 MERLEWOOD JAPARA M5[#] DUNOON ANGUISH L046[#]

Selection Indexes: \$A \$146, \$A-L \$281, \$G \$200, \$G-L \$335

TACE

Structural Assessment: F5, R5, F6, R6, 5, 5, Scrotal 45, Sheath 5, Temp. 1

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -11.9 | -11.9 | -5.1 | +6.7 | +67 | +115 | +148 | +149 | +22 | +3.9 | -3.8 | +85 | +3.7 | -2.0 | -2.8 | +0.6 | +0.5 | -0.09 | +43 | +0.98 | +1.02 |
| Acc | 53% | 41% | 69% | 73% | 73% | 69% | 69% | 66% | 58% | 65% | 33% | 59% | 57% | 59% | 59% | 52% | 62% | 48% | 54% | 61% | 61% |
| Perc | 99 | 99 | 44 | 93 | 3 | 4 | 5 | 3 | 16 | 5 | 74 | 8 | 81 | 89 | 89 | 40 | 90 | 17 | 2 | 75 | 61 |

If you're after a big solid quiet bull, well, here he is - lots of bull and so quiet, great for the cows!

162 **DUNOON S1277^{SV}**
 Calved: 25/09/2021 BHR21S1277 Register: HBR

TOPBOS LEADING EDGE L292^{PV} CLUNIE RANGE HANK H358^{SV}
 DUNOON BLACK HAWK Q857^{SV} DUNOON PRINCESS M344[#]
 DUNOON BLACKBIRD L785[#] DUNOON PRINCESS K130[#]

Selection Indexes: \$A \$232, \$A-L \$423, \$G \$295, \$G-L \$491

TACE

Structural Assessment: F6, R5, F6, R6, 5, 5, Scrotal 39, Sheath 5, Temp. 1

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|------|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +0.8 | +0.8 | -3.7 | +5.6 | +68 | +129 | +167 | +151 | +25 | +2.0 | -5.6 | +101 | +5.9 | -1.7 | -3.2 | +0.6 | +0.7 | -0.09 | +24 | +0.90 | +1.08 |
| Acc | 54% | 42% | 69% | 71% | 71% | 68% | 68% | 66% | 60% | 65% | 35% | 60% | 59% | 60% | 61% | 54% | 63% | 51% | 48% | 63% | 61% |
| Perc | 67 | 64 | 68 | 81 | 2 | 1 | 1 | 2 | 5 | 53 | 24 | 1 | 54 | 85 | 92 | 40 | 87 | 17 | 30 | 61 | 73 |

A late September born youngster, with a power of growth - if you like your calves to grow as fast as weeds, then this guy will produce just that!

163 **DUNOON S1013^{SV}**
 Calved: 28/08/2021 BHR21S1013 Register: HBR

EF COMMANDO 1366^{PV} TUWHARETOA REGENT D145^{PV}
 BALDRIDGE COMMAND C036^{PV} DUNOON BEEAC K045^{SV}
 BALDRIDGE BLACKBIRD A030[#] DUNOON BEEAC H133[#]

Selection Indexes: \$A \$232, \$A-L \$380, \$G \$310, \$G-L \$461

TACE

Structural Assessment: F6, R6, F7, R6, 5, 5, Scrotal 37, Sheath 5, Temp. 2

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +8.9 | +8.9 | -7.7 | +2.5 | +55 | +91 | +120 | +96 | +20 | +1.0 | -4.2 | +71 | +10.2 | -2.0 | -4.0 | +1.2 | +3.0 | +0.10 | +28 | +0.88 | +1.06 |
| Acc | 64% | 54% | 74% | 75% | 74% | 72% | 73% | 71% | 67% | 70% | 44% | 65% | 65% | 66% | 66% | 60% | 68% | 55% | 60% | 71% | 71% |
| Perc | 6 | 55 | 11 | 18 | 27 | 49 | 44 | 59 | 25 | 88 | 64 | 36 | 12 | 89 | 96 | 10 | 26 | 39 | 19 | 56 | 69 |

Here's a stoutly built son of Command out of a most impressive Regent cow - this fellow has lots of presence, stands wide and is full of capacity.

164 **DUNOON S952^{SV}**
 Calved: 17/08/2021 BHR21S952 Register: HBR

TOPBOS LEADING EDGE L292^{PV} TE MANIA CANNON C134^{SV}
 DUNOON BLACK HAWK Q857^{SV} DUNOON DANDLOO G737^{SV}
 DUNOON BLACKBIRD L785[#] DUNOON DANDLOO A063[#]

Selection Indexes: \$A \$212, \$A-L \$392, \$G \$274, \$G-L \$458

TACE

Structural Assessment: F7, R5, F7, R6, 5, 5, Scrotal 43, Sheath 5, Temp. 2

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -3.3 | -3.3 | -3.7 | +7.3 | +69 | +119 | +156 | +154 | +18 | +3.0 | -5.9 | +90 | +3.7 | -2.4 | -3.9 | +0.4 | +1.8 | -0.12 | +9 | +0.96 | +0.96 |
| Acc | 54% | 43% | 68% | 73% | 72% | 69% | 69% | 67% | 62% | 65% | 36% | 61% | 59% | 61% | 61% | 54% | 64% | 51% | 50% | 60% | 60% |
| Perc | 88 | 64 | 68 | 97 | 2 | 2 | 2 | 2 | 44 | 18 | 18 | 4 | 81 | 93 | 96 | 53 | 59 | 15 | 93 | 72 | 45 |

When we're still getting paid on weight, these high growth bulls out of time proven cows come into their own, 119 for 400 day wt means his feeder steers are all in the first group to go!

165 **DUNOON S969^{SV}**
 Calved: 21/08/2021 BHR21S969 Register: HBR

G A R DRIVE^{PV} TUWHARETOA REGENT D145^{PV}
 DUNOON Q261^{SV} DUNOON DANDLOO H1037[#]
 DUNOON DANDLOO K006[#] DUNOON DANDLOO E085[#]

Selection Indexes: \$A \$222, \$A-L \$368, \$G \$305, \$G-L \$454

TACE

Structural Assessment: F6, R5, F6, R6, 5, 5, Scrotal 41, Sheath 5, Temp. 2

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -4.3 | -4.3 | -2.8 | +5.3 | +58 | +94 | +121 | +111 | +15 | +3.4 | -7.7 | +76 | +3.5 | +0.5 | +2.1 | -0.9 | +4.8 | -0.08 | +35 | +0.90 | +0.90 |
| Acc | 55% | 46% | 70% | 71% | 71% | 68% | 68% | 66% | 61% | 65% | 39% | 60% | 59% | 61% | 61% | 55% | 64% | 51% | 47% | 61% | 61% |
| Perc | 91 | 92 | 80 | 76 | 18 | 39 | 42 | 32 | 71 | 10 | 2 | 23 | 83 | 35 | 12 | 98 | 4 | 18 | 6 | 61 | 31 |

With 2 shots of the Dandloo cow family, this guy has lots on his side - fertility, docility, early growth and heaps of IMF! Our Dandloo cows are the type that keep on keeping on!

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



166 DUNOON S1025^{SV}

Calved: 28/08/2021 BHR21S1025 Register: HBR

Structural Assessment

| | | | | | | | | |
|---|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 40 | 5 | 2 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

HFR

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | | | | |
|--|--------|------|------|------|-----|-----|------|------|-----|------|---|-----|------|------|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +6.8 | +6.8 | -5.3 | +1.9 | +48 | +93 | +116 | +96 | +21 | +0.4 | -6.1 | +67 | +5.9 | +2.7 | +1.3 | -0.1 | +2.7 | +0.07 | +15 | +0.66 | +0.74 |
| Acc | 54% | 43% | 69% | 71% | 71% | 68% | 68% | 66% | 60% | 66% | 37% | 60% | 59% | 61% | 61% | 54% | 64% | 52% | 49% | 63% | 63% |
| Perc | 16 | 58 | 41 | 11 | 63 | 42 | 54 | 59 | 23 | 96 | 15 | 49 | 54 | 5 | 21 | 82 | 33 | 35 | 76 | 14 | 7 |

TOPBOS LEADING EDGE L292^{PV} TE MANIA GASCOYNE G333^{SV}

DUNOON BLACK HAWK Q857^{SV} **DUNOON PRINCESS M665[#]**

DUNOON BLACKBIRD L785[#] DUNOON PRINCESS E289[#]

Q857 was a son of L292 that we used, his calves show the same length and muscle as he did. A nice genetic mix in this fellow's pedigree - L785 & E289 are both still going strong.

\$

167 DUNOON S1024^{SV}

Calved: 28/08/2021 BHR21S1024 Register: HBR

Structural Assessment

| | | | | | | | | |
|---|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 5 | 6 | 5 | 5 | 45 | 5 | 2 |

Genetic Conditions:AMF,CAF,DDC,NHF,RGF

HFR

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | | | | |
|--|--------|------|------|------|-----|-----|------|------|-----|------|---|-----|------|------|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +1.1 | +1.1 | -8.0 | +5.8 | +54 | +91 | +119 | +109 | +8 | +3.2 | -6.2 | +66 | +6.2 | +1.7 | +1.1 | -0.4 | +4.4 | +0.22 | +31 | +0.96 | +0.84 |
| Acc | 57% | 48% | 70% | 74% | 74% | 70% | 70% | 68% | 62% | 66% | 40% | 62% | 60% | 62% | 62% | 55% | 64% | 53% | 59% | 65% | 66% |
| Perc | 65 | 73 | 9 | 84 | 34 | 50 | 48 | 36 | 98 | 14 | 14 | 50 | 50 | 14 | 23 | 92 | 7 | 55 | 12 | 72 | 19 |

CLUNIE RANGE LEGEND L348^{PV} TUWHARETOA REGENT D145^{PV}

MERLEWOOD PONTING P8^{SV} **DUNOON BEEAC H370[#]**

MERLEWOOD JAPARA M5[#] DUNOON BEEAC E110^{SV}

Lots of marbling here in this son of Ponting, out of a time proven old Beeac cow - H370 & H371 are flush sisters and both breed well - E110 never had a bad one!!

\$

168 DUNOON S1067^{SV}

Calved: 1/09/2021 BHR21S1067 Register: HBR

Structural Assessment

| | | | | | | | | |
|---|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 6 | 6 | 6 | 6 | 5 | 48 | 5 | 2 |

Genetic Conditions:AMF,CAF,DDC,NHF,RGF

HFR

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | | | | |
|--|--------|------|------|------|-----|-----|------|------|-----|------|---|-----|-------|------|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +3.8 | +3.8 | -4.1 | +3.2 | +47 | +81 | +105 | +75 | +19 | +5.5 | -6.3 | +58 | +10.5 | -0.2 | +0.4 | +0.6 | +3.7 | +0.98 | +10 | +0.98 | +0.82 |
| Acc | 60% | 48% | 74% | 76% | 76% | 74% | 73% | 70% | 64% | 72% | 41% | 64% | 64% | 65% | 65% | 59% | 67% | 54% | 64% | 66% | 66% |
| Perc | 42 | 51 | 61 | 30 | 66 | 78 | 77 | 88 | 32 | 1 | 12 | 76 | 10 | 52 | 36 | 40 | 14 | 99 | 92 | 75 | 16 |

LAWSONS MOMENTOUS M518^{PV} TE MANIA BARTEL B219^{PV}

MURDEDUKE QUARTERBACK Q011^{PV} **DUNOON DANDLOO E116^{PV}**

MURDEDUKE BARUNAH N026^{PV} DUNOON DANDLOO B009^{SV}

A low birth Quarterback son who is out of a great old cow - E116 is in top shape, she's always first through the gate when we move paddocks, or first into the yards when mustering is on - sound as a bell!

\$

169 DUNOON S1247^{SV}

Calved: 20/09/2021 BHR21S1247 Register: HBR

Structural Assessment

| | | | | | | | | |
|---|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 42 | 1 | 5 |

Genetic Conditions:AMF,CAF,DDC,NHF,RGF

HFR

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | | | | |
|--|--------|------|------|------|-----|------|------|------|-----|------|---|------|-------|------|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | -8.2 | -8.2 | -4.4 | +7.5 | +74 | +124 | +171 | +152 | +16 | +1.9 | -2.1 | +104 | +11.3 | -4.5 | -4.6 | +0.8 | +3.0 | -0.18 | +17 | +1.26 | +1.12 |
| Acc | 53% | 41% | 67% | 71% | 71% | 68% | 69% | 66% | 59% | 64% | 34% | 59% | 57% | 59% | 60% | 53% | 62% | 48% | 45% | 61% | 61% |
| Perc | 97 | 99 | 56 | 97 | 1 | 1 | 1 | 2 | 60 | 57 | 96 | 1 | 7 | 99 | 98 | 27 | 26 | 11 | 67 | 98 | 81 |

G A R DRIVE^{PV} MERRIDALE GAFFA G4^{SV}

DUNOON Q057^{SV} **DUNOON DANDLOO N012[#]**

DUNOON PRINCESS N029[#] DUNOON DANDLOO L418[#]

Another late September born bull by Q057, boy, he sure wacks some growth into the equation!! Our Gaffa cows really do a nice job - and they do it year after year!

\$

170 DUNOON S1065^{SV}

Calved: 1/09/2021 BHR21S1065 Register: HBR

Structural Assessment

| | | | | | | | | |
|---|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 46 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

HFR

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | | | | | | | | |
|--|--------|------|------|------|-----|-----|------|------|-----|------|---|-----|------|------|------|------|-------|-------|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +4.4 | +4.4 | -4.2 | +2.9 | +50 | +90 | +114 | +95 | +17 | +4.1 | -4.6 | +70 | +4.8 | +0.3 | +1.1 | -0.2 | +3.6 | +0.45 | +30 | +0.72 | +0.78 |
| Acc | 62% | 49% | 74% | 75% | 74% | 72% | 72% | 69% | 63% | 70% | 40% | 62% | 63% | 64% | 64% | 58% | 66% | 52% | 60% | 69% | 69% |
| Perc | 36 | 5 | 59 | 24 | 49 | 53 | 57 | 61 | 49 | 4 | 52 | 39 | 69 | 40 | 23 | 86 | 15 | 82 | 14 | 23 | 10 |

EF COMMANDO 1366^{PV} ARDROSSAN EQUATOR A241^{PV}

MILLAH MURRAH PARATROOPER P15^{PV} **DUNOON DANDLOO L1155[#]**


MILLAH MURRAH ELA M9^{PV} DUNOON DANDLOO E384[#]

It's not common to see a Paratrooper that's +3.6 for IMF! Nice data here, with a young bull with plenty of shape through his hind quarter. L1155 is a very consistent breeder.

\$

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



171 **DUNOON S1058^{SV}**
 Calved: 30/08/2021 BHR21S1058 Register: HBR

EF COMMANDO 1366^{PV} TE MANIA INFINITY 04 379 AB[#]
MILLAH MURRAH PARATROOPER P15^{PV} **DUNOON LOWAN G385[#]**
 MILLAH MURRAH ELA M9^{PV} DUNOON LOWAN B194^{PV}

Selection Indexes: \$A \$217, \$A-L \$367, \$G \$286, \$G-L \$440

TACE

Structural Assessment: F R F R [Images] Scrotal Sheath Temp. 6 6 5 5 5 5 41 5 1

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 23 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|-----|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +5.9 | +5.9 | -4.8 | +3.4 | +55 | +102 | +123 | +97 | +19 | +3.2 | -3.6 | +69 | +6.1 | -0.9 | -1.5 | +0.8 | +1.8 | +0.23 | +17 | +0.88 | +0.98 |
| Acc | 63% | 50% | 74% | 75% | 74% | 73% | 72% | 69% | 64% | 70% | 41% | 63% | 63% | 64% | 64% | 59% | 66% | 53% | 62% | 71% | 70% |
| Perc | 23 | 60 | 49 | 34 | 28 | 19 | 38 | 57 | 32 | 14 | 79 | 43 | 52 | 69 | 72 | 27 | 59 | 57 | 66 | 56 | 51 |

HFR

172 **DUNOON S1235^{SV}**
 Calved: 17/09/2021 BHR21S1235 Register: HBR

RENNYLEA L519^{PV} TE MANIA GASCOYNE G333^{SV}
DUNOON Q143^{SV} **DUNOON DANDLOO M016[#]**
 DUNOON PRINCESS M523[#] DUNOON DANDLOO K242[#]

Selection Indexes: \$A \$203, \$A-L \$355, \$G \$270, \$G-L \$427

TACE

Structural Assessment: F R F R [Images] Scrotal Sheath Temp. 6 5 6 6 5 5 38 5 2

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 23 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +10.1 | +10.1 | -8.9 | +0.4 | +38 | +78 | +100 | +92 | +11 | +0.1 | -4.9 | +64 | +8.9 | +1.5 | +0.5 | +0.4 | +3.9 | +0.28 | +26 | +0.68 | +0.90 |
| Acc | 55% | 45% | 69% | 72% | 71% | 68% | 69% | 66% | 60% | 65% | 36% | 59% | 58% | 60% | 60% | 54% | 63% | 49% | 47% | 65% | 65% |
| Perc | 2 | 18 | 5 | 3 | 94 | 83 | 84 | 65 | 93 | 98 | 43 | 59 | 20 | 16 | 34 | 53 | 12 | 64 | 23 | 17 | 31 |

173 **DUNOON S1066^{SV}**
 Calved: 1/09/2021 BHR21S1066 Register: HBR

LAWSONS MOMENTOUS M518^{PV} TE MANIA EMPEROR E343^{PV}
DUNOON Q772^{SV} **DUNOON DANDLOO M183[#]**
 DUNOON DANDLOO M1219[#] DUNOON DANDLOO J291[#]

Selection Indexes: \$A \$199, \$A-L \$347, \$G \$265, \$G-L \$416

TACE

Structural Assessment: F R F R [Images] Scrotal Sheath Temp. 6 5 6 6 5 6 43 5 2

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 23 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +0.1 | +0.1 | -3.1 | +5.1 | +51 | +89 | +116 | +111 | +13 | +2.0 | -5.8 | +66 | +4.9 | +1.8 | +1.9 | -0.1 | +3.0 | +0.50 | +0 | +0.62 | +0.68 |
| Acc | 54% | 45% | 69% | 70% | 70% | 68% | 68% | 66% | 60% | 65% | 39% | 59% | 59% | 61% | 61% | 54% | 63% | 51% | 46% | 63% | 63% |
| Perc | 72 | 82 | 77 | 73 | 46 | 54 | 53 | 33 | 81 | 53 | 20 | 50 | 68 | 12 | 14 | 82 | 26 | 86 | 99 | 10 | 3 |

174 **DUNOON S1192^{SV}**
 Calved: 5/09/2021 BHR21S1192 Register: HBR

CLUNIE RANGE LEGEND L348^{PV} DUNOON HOGAN H194^{SV}
MERLEWOOD PONTING P8^{SV} **DUNOON LOWAN L1298[#]**
 MERLEWOOD JAPARA M5[#] DUNOON LOWAN H025[#]

Selection Indexes: \$A \$191, \$A-L \$343, \$G \$259, \$G-L \$414

TACE

Structural Assessment: F R F R [Images] Scrotal Sheath Temp. 6 6 6 6 5 5 41 5 1

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 23 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -4.4 | -4.4 | -4.0 | +7.4 | +62 | +106 | +139 | +141 | +14 | +2.4 | -5.2 | +76 | +4.7 | -2.3 | -3.5 | +0.1 | +3.7 | -0.04 | +41 | +0.70 | +1.04 |
| Acc | 53% | 41% | 68% | 74% | 73% | 69% | 69% | 66% | 59% | 64% | 33% | 59% | 57% | 59% | 59% | 52% | 62% | 48% | 54% | 64% | 64% |
| Perc | 91 | 99 | 63 | 97 | 8 | 12 | 11 | 5 | 80 | 36 | 34 | 21 | 70 | 92 | 94 | 72 | 14 | 22 | 2 | 20 | 65 |

175 **DUNOON S1088^{PV}**
 Calved: 1/09/2021 BHR21S1088 Register: HBR

LAWSONS MOMENTOUS M518^{PV} DUNOON HARRINGTON H617^{SV}
DUNOON Q772^{SV} **DUNOON LOWAN M585^{SV}**
 DUNOON DANDLOO M1219[#] DUNOON LOWAN K078[#]

Selection Indexes: \$A \$211, \$A-L \$340, \$G \$281, \$G-L \$414

TACE

Structural Assessment: F R F R [Images] Scrotal Sheath Temp. 6 6 6 6 5 5 43 5 2

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

January 23 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +3.2 | +3.2 | -2.0 | +4.4 | +46 | +85 | +114 | +80 | +23 | +2.9 | -3.8 | +62 | +8.5 | +1.4 | +1.9 | +0.5 | +2.7 | +0.56 | +36 | +0.60 | +0.92 |
| Acc | 54% | 42% | 67% | 70% | 70% | 67% | 68% | 65% | 59% | 65% | 33% | 58% | 57% | 59% | 60% | 52% | 62% | 49% | 44% | 59% | 59% |
| Perc | 47 | 46 | 88 | 57 | 71 | 66 | 59 | 83 | 12 | 20 | 74 | 64 | 24 | 18 | 14 | 47 | 33 | 90 | 5 | 8 | 35 |

HFR

January 23 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



176 **DUNOON S1255^{SV}**
 Calved: 21/09/2021 BHR21S1255 Register: HBR

RENNYLEA L519^{PV} DUNOON HOGAN H194^{SV}
DUNOON Q124^{SV} **DUNOON JAPARA K1226[#]**
 DUNOON PRINCESS M014[#] DUNOON JAPARA G505[#]

Selection Indexes: \$A \$216, \$A-L \$325, \$G \$300, \$G-L \$411

Structural Assessment: F6, R6, F6, R6, 5, 5, 37, 5, 1

Genetic Conditions: AMF,CAF,DDC,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDir | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|-------|------|------|-----|-----|------|-----|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +3.2 | +3.2 | -3.0 | +3.4 | +45 | +83 | +107 | +66 | +23 | +0.2 | -3.5 | +70 | +12.2 | +0.2 | +0.3 | +0.5 | +3.5 | +0.10 | +31 | +0.42 | +0.78 |
| Acc | 53% | 43% | 67% | 71% | 70% | 67% | 68% | 65% | 60% | 64% | 35% | 58% | 57% | 59% | 60% | 53% | 62% | 48% | 44% | 61% | 61% |
| Perc | 47 | 94 | 78 | 34 | 75 | 74 | 72 | 94 | 12 | 98 | 81 | 39 | 4 | 42 | 37 | 47 | 17 | 39 | 12 | 1 | 10 |

Lots of EMA here with this L519 grandson, plus nice marbling and that easy to use birth weight. Old K1226 is a hard working cow who always brings in a nice calf.

177 **DUNOON S1021^{SV}**
 Calved: 28/08/2021 BHR21S1021 Register: HBR

CLUNIE RANGE LEGEND L348^{PV} DUNOON GABBA G548^{PV}
MERLEWOOD PONTING P8^{SV} **DUNOON DANDLOO K480[#]**
 MERLEWOOD JAPARA M5[#] DUNOON DANDLOO F109[#]

Selection Indexes: \$A \$182, \$A-L \$344, \$G \$245, \$G-L \$410

Structural Assessment: F6, R5, F6, R6, 6, 5, 43, 5, 1

Genetic Conditions: AMF,CAC,DDC,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDir | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|-------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -6.0 | -6.0 | -5.8 | +6.8 | +60 | +103 | +143 | +153 | +12 | +4.2 | -4.7 | +75 | +6.1 | -0.9 | -1.3 | +0.1 | +3.8 | +0.09 | +39 | +0.76 | +0.82 |
| Acc | 56% | 45% | 71% | 75% | 74% | 70% | 71% | 68% | 61% | 66% | 37% | 61% | 58% | 61% | 61% | 54% | 63% | 51% | 56% | 61% | 61% |
| Perc | 94 | 88 | 33 | 94 | 11 | 16 | 8 | 2 | 89 | 3 | 49 | 23 | 52 | 69 | 68 | 72 | 13 | 38 | 3 | 30 | 16 |

Another Ponting son with plenty of grow and horse power - his docility and fertility scores are very good, with handy carcase numbers and 'kitchen window looks'!

178 **DUNOON S1052^{SV}**
 Calved: 30/08/2021 BHR21S1052 Register: HBR

CLUNIE RANGE LEGEND L348^{PV} MERRIDALE GAFFA G4^{SV}
MERLEWOOD PONTING P8^{SV} **DUNOON JAPARA L1338[#]**
 MERLEWOOD JAPARA M5[#] DUNOON JAPARA G376[#]

Selection Indexes: \$A \$193, \$A-L \$345, \$G \$253, \$G-L \$408

Structural Assessment: F6, R6, F6, R6, 5, 5, 44, 5, 1

Genetic Conditions: AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDir | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|-------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -4.2 | -4.2 | -4.9 | +5.1 | +56 | +105 | +133 | +126 | +14 | +3.1 | -4.4 | +76 | +7.1 | +0.3 | +0.9 | +0.6 | +1.5 | +0.31 | +41 | +0.64 | +0.92 |
| Acc | 56% | 44% | 71% | 74% | 74% | 70% | 70% | 67% | 61% | 66% | 37% | 61% | 59% | 61% | 61% | 54% | 64% | 51% | 56% | 59% | 59% |
| Perc | 91 | 76 | 47 | 73 | 23 | 14 | 20 | 14 | 74 | 16 | 58 | 22 | 38 | 40 | 27 | 40 | 68 | 67 | 2 | 12 | 35 |

Loads of shape in this Ponting son, they are all the same, indicates such a strong breeding sire, they're genuine 'head turners', with capacity and balance - two shots of the Japara cow family here.

179 **DUNOON S1197^{SV}**
 Calved: 5/09/2021 BHR21S1197 Register: APR

CLUNIE RANGE LEGEND L348^{PV} TUWHARETOA REGENT D145^{PV}
MERLEWOOD PONTING P8^{SV} **DUNOON PRINCESS K1073[#]**
 MERLEWOOD JAPARA M5[#] TUWHARETOA B53[#]

Selection Indexes: \$A \$188, \$A-L \$331, \$G \$251, \$G-L \$395

Structural Assessment: F6, R5, F6, R6, 5, 5, 41, 5, 1

Genetic Conditions: AMF,CAF,DDF,NHF,RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDir | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|-------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -12.1 | -12.1 | -2.1 | +7.6 | +60 | +109 | +136 | +144 | +10 | +2.1 | -5.9 | +79 | +8.2 | +0.7 | +0.9 | +0.5 | +2.4 | -0.14 | +35 | +0.72 | +0.90 |
| Acc | 58% | 49% | 72% | 75% | 74% | 71% | 71% | 68% | 62% | 66% | 41% | 62% | 60% | 62% | 62% | 56% | 65% | 53% | 57% | 60% | 60% |
| Perc | 99 | 99 | 87 | 98 | 12 | 8 | 15 | 4 | 94 | 49 | 18 | 16 | 27 | 31 | 27 | 47 | 41 | 14 | 7 | 23 | 31 |

A mix of two strong breeding sires here - Regent & Ponting, it's so easy to use bulls that breed one after the other, you know what you'll get, these Ponting sons will be the same!

180 **DUNOON S1208^{SV}**
 Calved: 9/09/2021 BHR21S1208 Register: HBR

RENNYLEA L508^{PV} DUNOON DECIMAL D342^{PV}
DUNOON Q769^{SV} **DUNOON PRINCESS K895[#]**
 DUNOON PRINCESS E284[#] DUNOON PRINCESS F965[#]

Selection Indexes: \$A \$173, \$A-L \$329, \$G \$233, \$G-L \$391

Structural Assessment: F5, R5, F6, R6, 6, 6, 43, 5, 1

Genetic Conditions: AMF,CAF,DDF,NHF,RGF


January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT,200WT,DOC,Genomics

| | CEDir | CEDir | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|-------|------|------|-----|------|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -8.5 | -8.5 | -3.7 | +6.3 | +56 | +103 | +135 | +142 | +15 | +1.6 | -6.5 | +84 | +2.3 | +2.1 | +2.4 | -0.8 | +2.8 | -0.08 | +34 | +0.64 | +0.98 |
| Acc | 54% | 44% | 69% | 71% | 70% | 67% | 67% | 65% | 60% | 64% | 36% | 59% | 58% | 60% | 60% | 54% | 63% | 50% | 44% | 61% | 61% |
| Perc | 97 | 78 | 68 | 90 | 24 | 16 | 16 | 5 | 73 | 69 | 10 | 9 | 92 | 9 | 9 | 98 | 31 | 18 | 7 | 12 | 51 |

This September youngster has a double cross of the Princess cow family, plus L508 and Decimal makes for a robust pedigree, as the figures indicate, this fellow's calves will have some growth.

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDir | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|-------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



181 DUNOON S1040^{SV}

Calved: 28/08/2021 BHR21S1040 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 42 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDC,NHF,RGF

CLUNIE RANGE LEGEND L348^{PV} DUNOON DECIMAL D342^{PV}
MERLEWOOD PONTING P8^{SV} **DUNOON DANDLOO K1399[#]**
 MERLEWOOD JAPARA M5[#] DUNOON DANDLOO G062^{PV}

These Ponting sons just keep coming, if you haven't got one by now, there's not many left - a solid boy here, and so good in the structure and docility, an ideal bull for some nice cows.

\$

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | |
|--|--------|-------|------|------|-----|------|------|------|-----|------|------|-----|------|------|------|------|-------|---|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | -13.2 | -13.2 | -4.6 | +7.0 | +65 | +110 | +135 | +130 | +6 | +2.3 | -4.7 | +85 | +9.7 | -0.6 | -1.5 | +0.7 | +2.2 | -0.02 | +47 | +0.66 | +0.88 |
| Acc | 56% | 45% | 70% | 74% | 74% | 70% | 70% | 68% | 61% | 66% | 37% | 61% | 59% | 61% | 61% | 54% | 64% | 51% | 56% | 61% | 61% |
| Perc | 99 | 97 | 53 | 95 | 4 | 7 | 17 | 11 | 99 | 40 | 49 | 8 | 15 | 62 | 72 | 33 | 47 | 24 | 1 | 14 | 26 |

182 DUNOON S963^{SV}

Calved: 19/08/2021 BHR21S963 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 40 | 5 | 2 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

TOPBOS LEADING EDGE L292^{PV} HOOVER DAM[#]
DUNOON Q891^{SV} **DUNOON DANDLOO L1140[#]**
 DUNOON DANDLOO H712[#] DUNOON DANDLOO H712[#]

A solid grandson of the L292 bull, with that typical bulk that the L292's became known for, lots of capacity is a good tell tale of correct conformation - it's certainly the case here!

\$

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | |
|--|--------|------|------|------|-----|-----|------|------|-----|------|------|-----|------|------|------|------|-------|---|-------|-------|----|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +2.4 | +2.4 | -7.0 | +5.3 | +53 | +91 | +123 | +132 | +13 | +2.6 | -5.4 | +69 | +5.8 | -0.1 | -1.3 | +1.1 | -0.1 | +21 | +0.78 | +0.84 | |
| Acc | 55% | 45% | 71% | 72% | 70% | 70% | 67% | 62% | 68% | 39% | 61% | 61% | 62% | 63% | 56% | 65% | 53% | 49% | 60% | 60% | |
| Perc | 54 | 39 | 17 | 76 | 38 | 48 | 39 | 9 | 82 | 29 | 29 | 42 | 56 | 50 | 68 | 14 | 97 | 13 | 46 | 34 | 19 |

183 DUNOON S979^{SV}

Calved: 23/08/2021 BHR21S979 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 40 | 5 | 1 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

LAWSONS MOMENTOUS M518^{PV} DUNOON HOGAN H194^{SV}
DUNOON Q772^{SV} **DUNOON LUBRA K1181[#]**
 DUNOON DANDLOO M1219[#] DUNOON LUBRA G614[#]

S979 is a son of Q772, who was one of our best M518 sons, who got stuck in a wombat hole and was gone before we found him! Quiet with nice marbling is always useable.

\$

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | |
|--|--------|------|------|------|-----|-----|------|------|-----|------|------|-----|------|------|------|------|-------|---|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +0.1 | +0.1 | -7.3 | +5.0 | +44 | +92 | +116 | +100 | +19 | +2.1 | -4.9 | +61 | +3.1 | +0.4 | +0.6 | -0.3 | +4.0 | +0.39 | +37 | +0.56 | +0.70 |
| Acc | 54% | 43% | 67% | 71% | 70% | 68% | 68% | 65% | 60% | 64% | 34% | 59% | 58% | 60% | 61% | 53% | 63% | 49% | 46% | 60% | 60% |
| Perc | 72 | 95 | 14 | 71 | 77 | 46 | 53 | 51 | 36 | 49 | 43 | 66 | 86 | 37 | 32 | 89 | 10 | 76 | 4 | 5 | 4 |

184 DUNOON S1091^{SV}

Calved: 3/09/2021 BHR21S1091 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 41 | 5 | 2 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

G A R DRIVE^{PV} H P C A INTENSITY[#]
DUNOON Q261^{SV} **DUNOON ARCHER L397[#]**
 DUNOON DANDLOO K006[#] DUNOON ARCHER G074[#]

Some serious growth here, there's not many bulls left today, if you're still looking for a bull to run with some cows, this fellow will do the trick - his calves will be impressive!

\$

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | |
|--|--------|-------|------|------|-----|------|------|------|-----|------|------|-----|------|------|------|------|-------|---|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | -12.7 | -12.7 | -5.3 | +7.8 | +60 | +101 | +140 | +144 | +16 | +2.2 | -4.1 | +72 | +8.1 | -2.6 | -2.8 | +0.6 | +3.8 | -0.16 | +28 | +1.06 | +0.90 |
| Acc | 55% | 46% | 70% | 71% | 71% | 68% | 69% | 67% | 61% | 65% | 38% | 60% | 59% | 61% | 61% | 54% | 64% | 51% | 47% | 60% | 60% |
| Perc | 99 | 89 | 41 | 98 | 12 | 21 | 10 | 4 | 63 | 44 | 67 | 31 | 28 | 94 | 89 | 40 | 13 | 12 | 18 | 86 | 31 |

185 DUNOON S1207^{SV}

Calved: 9/09/2021 BHR21S1207 Register: HBR

| Structural Assessment | | | | | | | | |
|-----------------------|---|---|---|---|---|---------|--------|-------|
| F | R | F | R | F | R | Scrotal | Sheath | Temp. |
| 6 | 5 | 6 | 6 | 5 | 5 | 41 | 5 | 2 |

Genetic Conditions:AMF,CAF,DDF,NHF,RGF

RENNYLEA L519^{PV} LAWSONS KI EVIDENT H H6201^{SV}
DUNOON Q813^{SV} **DUNOON ELINE M922[#]**
 DUNOON DANDLOO M1335[#] DUNOON ELINE C436[#]

Another Q813 son here that offers the same strong points as the bull two lots ago - just good sound, quiet bulls that will get the job done without any fuss!

\$

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | | | | | Traits Observed: BWT,200WT,DOC,Genomics | | | |
|--|--------|------|------|------|-----|-----|-----|------|-----|------|------|-----|------|------|------|------|-------|---|------|-------|-------|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle | |
| EBVs | +2.5 | +2.5 | -2.8 | +3.4 | +43 | +76 | +94 | +82 | +14 | +2.5 | -3.3 | +55 | +8.8 | -0.5 | -1.6 | +0.7 | +3.5 | +0.43 | +30 | +0.60 | +0.78 |
| Acc | 53% | 43% | 69% | 71% | 71% | 68% | 68% | 66% | 59% | 65% | 35% | 59% | 58% | 60% | 60% | 53% | 63% | 49% | 46% | 61% | 61% |
| Perc | 53 | 78 | 80 | 34 | 81 | 88 | 90 | 81 | 77 | 33 | 85 | 81 | 21 | 60 | 73 | 33 | 17 | 80 | 14 | 8 | 10 |

| January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs | | | | | | | | | | | | | | | | | | | | | |
|---|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |



186 **DUNOON S1003^{SV}**
 Calved: 25/08/2021 BHR21S1003 Register: HBR

CLUNIE RANGE LEGEND L348^{PV} TE MANIA CANNON C134^{SV}
MERLEWOOD PONTING P8^{SV} **DUNOON DANDLOO G261[#]**
 MERLEWOOD JAPARA M5[#] DUNOON DANDLOO C011[#]

Time proven genetics with this fellow, out of an old G cow - longevity is often overlooked, but in fact, it's possibly one of the most important profit drivers in most operations!

HFR

Selection Indexes: \$A \$177, \$A-L \$317, \$G \$222, \$G-L \$365

Structural Assessment: F5, R5, F6, R6, 5, 5, 40, 5, 1

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | +2.7 | +2.7 | -7.7 | +4.0 | +46 | +85 | +110 | +101 | +14 | +2.1 | -4.6 | +54 | +8.0 | -0.9 | -1.2 | +1.4 | +0.2 | +0.08 | +27 | +0.66 | +0.84 |
| Acc | 55% | 43% | 70% | 75% | 74% | 70% | 71% | 68% | 62% | 66% | 35% | 61% | 58% | 60% | 61% | 54% | 63% | 50% | 57% | 61% | 63% |
| Perc | 52 | 68 | 11 | 48 | 70 | 66 | 68 | 49 | 75 | 49 | 52 | 84 | 29 | 69 | 66 | 6 | 94 | 36 | 22 | 14 | 19 |

187 **DUNOON S984^{SV}**
 Calved: 23/08/2021 BHR21S984 Register: HBR

V A R DISCOVERY 2240^{PV} LAWSONS NOVAK E313^{SV}
DUNOON NETHERBY N098^{SV} **DUNOON BLACKBIRD L785[#]**
 DUNOON JAPARA K091[#] THE GRANGE YR BLACKBIRD C78^{PV}

A late August born N098 son, out of a strong breeding Novak cow, from the powerful 'Blackbird' cow family, once the steers are gone, you're left with the heifers, that's when good cows come into play!

Selection Indexes: \$A \$175, \$A-L \$277, \$G \$253, \$G-L \$354

Structural Assessment: F6, R5, F6, R6, 5, 5, 40, 5, 2

Genetic Conditions: AMF, CAF, DDC, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -7.2 | -7.2 | +0.8 | +5.7 | +57 | +96 | +119 | +99 | +21 | +2.0 | -3.8 | +65 | +5.1 | -1.2 | -1.3 | +0.0 | +3.6 | -0.47 | +19 | +0.64 | +0.74 |
| Acc | 58% | 48% | 68% | 74% | 73% | 71% | 71% | 69% | 63% | 68% | 40% | 63% | 62% | 63% | 63% | 57% | 66% | 53% | 55% | 64% | 64% |
| Perc | 96 | 99 | 99 | 83 | 20 | 35 | 47 | 54 | 21 | 53 | 74 | 55 | 65 | 76 | 68 | 77 | 15 | 2 | 52 | 12 | 7 |

188 **DUNOON S1281^{SV}**
 Calved: 26/09/2021 BHR21S1281 Register: HBR

THE ROCK K8^{PV} TUWHARETOA REGENT D145^{PV}
DUNOON Q943^{SV} **DUNOON BEEAC L1318[#]**
 DUNOON DANDLOO J762[#] DUNOON BEEAC F309[#]

Another late September youngster, out of a high producing Regent daughter from the Beeac cow line - L1318 is a really solid cow!

Selection Indexes: \$A \$165, \$A-L \$300, \$G \$213, \$G-L \$350

Structural Assessment: F6, R5, F6, R6, 6, 6, 40, 4, 2

Genetic Conditions: AMF, CAF, DDC, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -1.7 | -1.7 | -4.6 | +4.9 | +47 | +85 | +114 | +120 | +18 | +2.1 | -4.5 | +62 | +9.0 | -1.5 | -1.6 | +1.6 | +1.3 | +0.02 | +30 | +1.06 | +0.92 |
| Acc | 55% | 45% | 69% | 73% | 72% | 69% | 69% | 67% | 61% | 66% | 39% | 60% | 59% | 61% | 61% | 54% | 64% | 51% | 48% | 60% | 60% |
| Perc | 82 | 98 | 53 | 69 | 64 | 68 | 58 | 20 | 47 | 49 | 55 | 63 | 20 | 81 | 73 | 3 | 73 | 29 | 15 | 86 | 35 |

189 **DUNOON S1215^{SV}**
 Calved: 10/09/2021 BHR21S1215 Register: APR

G A R DRIVE^{PV} V A R DISCOVERY 2240^{PV}
DUNOON Q261^{SV} **DUNOON TOOFAR N1131[#]**
 DUNOON DANDLOO K006[#] DUNOON K1002[#]

Plenty of carcass in this guy, in fact, theres not many bulls for sale that are +12 for EMA and +4.6 for IMF! Feedlots will jump at his steers when they look at his numbers.

Selection Indexes: \$A \$179, \$A-L \$275, \$G \$251, \$G-L \$347

Structural Assessment: F6, R5, F6, R6, 6, 6, 39, 5, 2

Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|------|-----|------|------|------|-----|-------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -12.6 | -12.6 | -2.0 | +6.7 | +48 | +86 | +109 | +99 | +14 | +2.0 | -4.4 | +61 | +12.4 | -1.5 | -0.8 | +0.9 | +4.6 | +0.22 | +29 | +1.18 | +0.88 |
| Acc | 55% | 45% | 68% | 71% | 71% | 68% | 68% | 66% | 60% | 66% | 37% | 60% | 59% | 61% | 61% | 54% | 64% | 51% | 45% | 59% | 59% |
| Perc | 99 | 99 | 88 | 93 | 60 | 65 | 68 | 54 | 76 | 53 | 58 | 66 | 4 | 81 | 59 | 22 | 5 | 55 | 15 | 95 | 26 |

190 **DUNOON S1019^{SV}**
 Calved: 28/08/2021 BHR21S1019 Register: HBR

CLUNIE RANGE LEGEND L348^{PV} DUNOON KANGA K1387^{PV}
MERLEWOOD PONTING P8^{SV} **DUNOON SCOTCH LASS M1168[#]**
 MERLEWOOD JAPARA M5[#] DUNOON SCOTCH LASS J873[#]

We always like to finish the sale with a good bull, this son of Ponting is +4.3 for IMF, and will breed a nice line of calves, he's very sound and quiet, just right for those who have been missing out all day!

Selection Indexes: \$A \$148, \$A-L \$266, \$G \$200, \$G-L \$320

Structural Assessment: F6, R5, F6, R6, 5, 6, 41, 5, 1


Genetic Conditions: AMF, CAF, DDF, NHF, RGF

January 2023 TransTasman Angus Cattle Evaluation Traits Observed: BWT, 200WT, DOC, Genomics

| | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | Doc | Claw | Angle |
|------|-------|--------|------|------|-----|-----|-----|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| EBVs | -5.7 | -5.7 | -6.6 | +6.2 | +43 | +74 | +98 | +104 | +8 | +1.5 | -6.0 | +48 | +1.0 | +0.3 | +0.3 | -0.5 | +4.3 | +0.24 | +37 | +0.78 | +1.20 |
| Acc | 54% | 42% | 69% | 74% | 73% | 70% | 69% | 67% | 59% | 64% | 35% | 60% | 57% | 60% | 60% | 53% | 63% | 49% | 55% | 59% | 59% |
| Perc | 94 | 94 | 22 | 89 | 81 | 91 | 87 | 45 | 99 | 73 | 17 | 93 | 96 | 40 | 37 | 94 | 8 | 58 | 4 | 34 | 91 |

January 2023 TransTasman Angus Cattle Evaluation - Breed Average EBVs

| TACE | CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBY | IMF | NFI-F | DOC | Claw | Angle |
|---------|-------|--------|------|------|-----|-----|------|------|------|------|------|-----|------|------|------|------|------|-------|-----|-------|-------|
| Brd Avg | +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 |





TransTasman Angus Cattle Evaluation - January 2023 Reference Tables

| BREED AVERAGE EBVs | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|--------------|--------|------|-----|-------|------|------|-----|--------|------|-----|------|-----------|------|------|------|---------|-----|-------|-------|-------|-------|------|-------|-----------|--|--|--|-------------------|--|--|--|
| Brd Avg | Calving Ease | | | | Birth | | | | Growth | | | | Fertility | | | | Carcass | | | | Other | | | | Structure | | | | Selection Indexes | | | |
| | CEDir | CEDirs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | SC | DTC | CWT | EMA | RIB | P8 | RBV | IMF | NF-F | DOC | Claw | Angle | Leg | SA-\$ | SA-L | | | | | | | |
| +2.2 | +2.7 | -4.8 | +4.1 | +50 | +90 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +0.19 | +21 | +0.85 | +0.98 | +1.03 | +197 | +340 | | | | | | | | | |

* Breed average represents the average EBV of all 2021 drop Australian Angus and Angus-influenced seedstock animals analysed in the January 2023 TransTasman Angus Cattle Evaluation

| PERCENTILE BANDS TABLE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|--------------|-----------|-----------|---------|---------|---------|---------|---------|---------|-----------|---------|---------|---------|---------|---------|-------|-------|-------|-----------|-------|---------|-------------------|-------|--------|---------------|-------|------|-------|-----|-------|
| % Band | Calving Ease | | | Birth | | | Growth | | | Fertility | | | Carcass | | | Other | | | Structure | | | Selection Indexes | | | | | | | | |
| | Less | More | Diffculty | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | SC | Shorter | Calving | Time to | EMA | RIB | P8 | Yield | IMF | Greater | Efficiency | More | Docile | Lower | Score | Claw | Angle | Leg | SA-\$ |
| 1% | +10.8 | +9.8 | -10.7 | -0.3 | +70 | +122 | +161 | +158 | +28 | +4.7 | -7.9 | +98 | +14.4 | +4.0 | +4.7 | +1.9 | +5.9 | -0.51 | +43 | +0.44 | +0.60 | +0.74 | +273 | +449 | | | | | | |
| 5% | +9.0 | +8.2 | -8.8 | +1.1 | +64 | +112 | +147 | +140 | +25 | +3.9 | -7.0 | +87 | +11.8 | +2.7 | +3.1 | +1.5 | +4.6 | -0.30 | +36 | +0.56 | +0.72 | +0.84 | +252 | +419 | | | | | | |
| 10% | +7.8 | +7.3 | -7.8 | +1.8 | +60 | +107 | +140 | +130 | +23 | +3.4 | -6.5 | +82 | +10.5 | +2.0 | +2.3 | +1.2 | +4.0 | -0.19 | +32 | +0.62 | +0.78 | +0.88 | +241 | +403 | | | | | | |
| 15% | +7.0 | +6.5 | -7.2 | +2.3 | +58 | +104 | +136 | +124 | +22 | +3.2 | -6.1 | +79 | +9.6 | +1.6 | +1.8 | +1.1 | +3.6 | -0.12 | +29 | +0.66 | +0.80 | +0.90 | +234 | +393 | | | | | | |
| 20% | +6.3 | +5.9 | -6.8 | +2.6 | +57 | +101 | +132 | +119 | +21 | +2.9 | -5.8 | +77 | +8.9 | +1.3 | +1.4 | +1.0 | +3.3 | -0.06 | +27 | +0.70 | +0.84 | +0.94 | +228 | +384 | | | | | | |
| 25% | +5.6 | +5.4 | -6.3 | +2.9 | +55 | +99 | +129 | +116 | +20 | +2.8 | -5.6 | +75 | +8.4 | +1.0 | +1.0 | +0.9 | +3.1 | -0.01 | +26 | +0.72 | +0.86 | +0.94 | +222 | +377 | | | | | | |
| 30% | +5.1 | +4.9 | -6.0 | +3.2 | +54 | +97 | +127 | +112 | +20 | +2.6 | -5.4 | +73 | +7.9 | +0.8 | +0.7 | +0.8 | +2.9 | +0.03 | +24 | +0.76 | +0.88 | +0.96 | +218 | +370 | | | | | | |
| 35% | +4.5 | +4.5 | -5.7 | +3.4 | +53 | +95 | +124 | +109 | +19 | +2.5 | -5.2 | +71 | +7.4 | +0.5 | +0.5 | +0.7 | +2.7 | +0.07 | +22 | +0.78 | +0.92 | +0.98 | +213 | +364 | | | | | | |
| 40% | +4.0 | +4.0 | -5.4 | +3.6 | +52 | +94 | +122 | +106 | +18 | +2.3 | -5.0 | +69 | +7.0 | +0.3 | +0.2 | +0.6 | +2.5 | +0.11 | +22 | +0.80 | +0.94 | +1.00 | +209 | +358 | | | | | | |
| 45% | +3.4 | +3.6 | -5.1 | +3.8 | +51 | +92 | +120 | +103 | +18 | +2.2 | -4.9 | +68 | +6.6 | +0.1 | -0.1 | +0.6 | +2.3 | +0.14 | +21 | +0.82 | +0.96 | +1.02 | +205 | +352 | | | | | | |
| 50% | +2.9 | +3.1 | -4.8 | +4.0 | +50 | +91 | +117 | +101 | +17 | +2.1 | -4.7 | +66 | +6.2 | -0.1 | -0.3 | +0.5 | +2.1 | +0.18 | +20 | +0.84 | +0.96 | +1.02 | +201 | +346 | | | | | | |
| 55% | +2.3 | +2.6 | -4.5 | +4.3 | +49 | +89 | +115 | +98 | +17 | +2.0 | -4.5 | +65 | +5.9 | -0.3 | -0.6 | +0.4 | +2.0 | +0.22 | +19 | +0.86 | +0.98 | +1.04 | +197 | +340 | | | | | | |
| 60% | +1.7 | +2.1 | -4.2 | +4.5 | +48 | +87 | +113 | +95 | +16 | +1.9 | -4.4 | +63 | +5.5 | -0.5 | -0.8 | +0.3 | +1.8 | +0.25 | +18 | +0.88 | +1.00 | +1.06 | +192 | +333 | | | | | | |
| 65% | +1.0 | +1.6 | -3.9 | +4.7 | +47 | +86 | +111 | +92 | +16 | +1.7 | -4.2 | +62 | +5.1 | -0.7 | -1.1 | +0.3 | +1.6 | +0.29 | +17 | +0.92 | +1.04 | +1.08 | +187 | +326 | | | | | | |
| 70% | +0.3 | +1.1 | -3.6 | +4.9 | +46 | +84 | +108 | +89 | +15 | +1.6 | -4.0 | +60 | +4.7 | -0.9 | -1.4 | +0.2 | +1.4 | +0.33 | +16 | +0.94 | +1.06 | +1.10 | +182 | +318 | | | | | | |
| 75% | -0.5 | +0.5 | -3.2 | +5.2 | +45 | +82 | +106 | +86 | +14 | +1.5 | -3.8 | +58 | +4.3 | -1.1 | -1.7 | +0.1 | +1.3 | +0.38 | +15 | +0.98 | +1.08 | +1.10 | +176 | +310 | | | | | | |
| 80% | -1.4 | -0.3 | -2.8 | +5.5 | +43 | +80 | +103 | +82 | +14 | +1.3 | -3.6 | +56 | +3.8 | -1.4 | -2.0 | +0.0 | +1.0 | +0.43 | +14 | +1.00 | +1.10 | +1.14 | +169 | +300 | | | | | | |
| 85% | -2.5 | -1.1 | -2.4 | +5.8 | +42 | +77 | +99 | +78 | +13 | +1.1 | -3.3 | +53 | +3.3 | -1.7 | -2.5 | -0.1 | +0.8 | +0.49 | +13 | +1.04 | +1.14 | +1.16 | +160 | +287 | | | | | | |
| 90% | -4.1 | -2.3 | -1.7 | +6.3 | +40 | +74 | +94 | +72 | +12 | +0.9 | -2.9 | +50 | +2.5 | -2.1 | -3.0 | -0.3 | +0.5 | +0.57 | +11 | +1.10 | +1.18 | +1.18 | +149 | +270 | | | | | | |
| 95% | -6.7 | -4.2 | -0.8 | +7.0 | +36 | +69 | +87 | +63 | +10 | +0.5 | -2.2 | +45 | +1.4 | -2.7 | -3.8 | -0.6 | +0.1 | +0.70 | +8 | +1.18 | +1.26 | +1.24 | +131 | +242 | | | | | | |
| 99% | -12.3 | -8.0 | +1.3 | +8.4 | +29 | +58 | +72 | +44 | +7 | -0.2 | -0.6 | +35 | -0.9 | -4.0 | -5.4 | -1.1 | -0.7 | +0.94 | +1 | +1.32 | +1.40 | +1.34 | +97 | +191 | | | | | | |
| | More | Diffculty | Longer | Heavier | Lighter | Lighter | Lighter | Lighter | Lighter | Lighter | Lighter | Lighter | Smaller | Smaller | Less | Less | Lower | Less | Lower | Less | Higher | Higher | Lower | Lower | Profitability | | | | | |
| | Diffculty | Calving | More | Heavier | Lighter | Lighter | Lighter | Lighter | Lighter | Lighter | Lighter | Lighter | Smaller | Smaller | Less | Less | Lower | Less | Lower | Less | Higher | Higher | Lower | Lower | Profitability | | | | | |

* The percentile bands represent the distribution of EBVs across the 2021 drop Australian Angus and Angus-influenced seedstock animals analysed in the January 2023 TransTasman Angus Cattle Evaluation.

TransTasman Angus Cattle Evaluation - January 2023 Reference Tables

| BREED AVERAGE EBVs | | | | | | | | | | |
|--------------------|------|------|------|------|-------|-------|--------|--------|-------|------|
| | \$A | \$D | \$GN | \$GS | \$A-L | \$D-L | \$GN-L | \$GS-L | \$PRO | \$T |
| Brd Avg | +197 | +163 | +260 | +182 | +340 | +294 | +407 | +382 | +145 | +182 |

* Breed average represents the average EBV of all 2021 drop Australian Angus and Angus-influenced seedstock animals analysed in the January 2023 TransTasman Angus Cattle Evaluation .

| PERCENTILE BANDS TABLE | | | | | | | | | | |
|------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| % Band | \$A | \$D | \$GN | \$GS | \$A-L | \$D-L | \$GN-L | \$GS-L | \$PRO | \$T |
| 1% | +273 | +228 | +363 | +260 | +449 | +390 | +540 | +512 | +227 | +236 |
| 5% | +252 | +210 | +335 | +238 | +419 | +363 | +503 | +475 | +204 | +221 |
| 10% | +241 | +200 | +320 | +226 | +403 | +349 | +484 | +455 | +192 | +213 |
| 15% | +234 | +194 | +309 | +219 | +393 | +340 | +471 | +443 | +184 | +208 |
| 20% | +228 | +188 | +301 | +212 | +384 | +332 | +460 | +433 | +177 | +203 |
| 25% | +222 | +184 | +293 | +207 | +377 | +326 | +451 | +424 | +171 | +200 |
| 30% | +218 | +180 | +287 | +202 | +370 | +320 | +443 | +416 | +166 | +196 |
| 35% | +213 | +176 | +281 | +197 | +364 | +314 | +435 | +409 | +162 | +193 |
| 40% | +209 | +173 | +275 | +193 | +358 | +309 | +428 | +401 | +157 | +190 |
| 45% | +205 | +169 | +270 | +189 | +352 | +304 | +420 | +394 | +153 | +187 |
| 50% | +201 | +166 | +264 | +184 | +346 | +298 | +413 | +387 | +148 | +184 |
| 55% | +197 | +162 | +258 | +180 | +340 | +293 | +405 | +380 | +144 | +181 |
| 60% | +192 | +158 | +252 | +175 | +333 | +287 | +397 | +373 | +139 | +177 |
| 65% | +187 | +154 | +245 | +170 | +326 | +281 | +388 | +364 | +134 | +174 |
| 70% | +182 | +150 | +238 | +165 | +318 | +274 | +379 | +356 | +128 | +170 |
| 75% | +176 | +145 | +230 | +159 | +310 | +267 | +368 | +346 | +122 | +166 |
| 80% | +169 | +139 | +221 | +152 | +300 | +258 | +356 | +335 | +115 | +161 |
| 85% | +160 | +132 | +210 | +144 | +287 | +247 | +340 | +321 | +106 | +155 |
| 90% | +149 | +123 | +195 | +132 | +270 | +233 | +320 | +302 | +94 | +147 |
| 95% | +131 | +107 | +173 | +115 | +242 | +209 | +287 | +269 | +75 | +135 |
| 99% | +97 | +80 | +132 | +83 | +191 | +165 | +227 | +209 | +41 | +112 |
| | Lower Profitability | Lower Profitability | Lower Profitability | Lower Profitability | Lower Profitability | Lower Profitability | Lower Profitability | Lower Profitability | Lower Profitability | Lower Profitability |
| | Greater Profitability | Greater Profitability | Greater Profitability | Greater Profitability | Greater Profitability | Greater Profitability | Greater Profitability | Greater Profitability | Greater Profitability | Greater Profitability |

* The percentile bands represent the distribution of EBVs across the 2021 drop Australian Angus and Angus-influenced seedstock animals analysed in the January 2023 TransTasman Angus Cattle Evaluation .

REFERENCE SIRES

| January 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | | | | | | |
|--|-------------|-------|------|-----|------|------|------|------|------|-------|------|------|------|------|-----|-------|-------|-------|--------|
| Name | Ident | CEDir | BW | 200 | 400 | 600 | MCW | SS | CWT | EMA | Rib | P8 | RBY | IMF | Doc | \$A | \$A-L | \$GN | \$GN-L |
| DUNOON PRIME MINISTER P758 ^{SV} | BHRP758 | +3.1 | +5.7 | +58 | +106 | +143 | +128 | +4.4 | +74 | +10.1 | -0.6 | -2.2 | +0.9 | +3.4 | +43 | \$241 | \$419 | \$312 | \$494 |
| MERLEWOOD PONTING P8 ^{SV} | HODP8 | -7.6 | +6.5 | +60 | +109 | +138 | +149 | +3.7 | +74 | +5.1 | +0.4 | -0.5 | -0.2 | +3.2 | +45 | \$187 | \$353 | \$248 | \$417 |
| MILLAH MURRAH PARATROOPER P15 ^{PV} | NMMP15 | +7.0 | +3.1 | +66 | +118 | +145 | +115 | +3.1 | +90 | +8.5 | -1.0 | -1.3 | +0.5 | +2.3 | +29 | \$267 | \$451 | \$358 | \$547 |
| MURDEDUKE QUARTERBACK Q011 ^{PV} | CSWQ011 | +6.4 | +2.6 | +55 | +103 | +138 | +121 | +4.5 | +76 | +6.2 | +0.6 | +0.5 | -0.6 | +5.0 | +20 | \$235 | \$414 | \$319 | \$504 |
| BOOROOMOOKA PARAGON P96 ^{PV} | NGMP96 | -0.1 | +3.4 | +59 | +117 | +158 | +130 | +3.1 | +106 | +12.6 | -1.4 | -0.3 | +1.2 | +3.0 | +40 | \$287 | \$473 | \$366 | \$557 |
| BALDRIDGE COMMAND C036 ^{PV} | USA18219911 | +9.7 | +2.6 | +61 | +104 | +130 | +96 | +0.3 | +72 | +12.1 | -3.3 | -5.1 | +1.7 | +1.5 | +27 | \$253 | \$407 | \$333 | \$492 |
| TE MANIA PARENTHESIS P446 ^{PV} | VTMP446 | +4.8 | +3.6 | +57 | +104 | +129 | +116 | +3.5 | +69 | +1.3 | +0.4 | +1.2 | -0.7 | +3.9 | +7 | \$239 | \$419 | \$314 | \$499 |
| CHILTERN PARK MOE M6 ^{PV} | GTNM6 | +6.5 | +2.9 | +53 | +102 | +135 | +92 | +1.8 | +80 | +6.9 | -0.1 | +1.4 | +0.0 | +2.0 | +47 | \$244 | \$402 | \$317 | \$480 |
| BREED AV. 2021 BORN CALVES | | +2.2 | +4.1 | +50 | +90 | +117 | +101 | +2.1 | +66 | +6.4 | -0.1 | -0.3 | +0.5 | +2.2 | +21 | +197 | +340 | +260 | +407 |



(CATTLE) AND WAYBILL

C0720

284UUD039

This form cannot be used where eligibility for the EU market is required.

Part A To be completed by the owner or person who is responsible for the husbandry of the cattle.

Owner of cattle RR + SA HARBISON F/T (FULL TRADING NAME)
Property/place where the journey commenced DUNDOON (ADDRESS)
2137 JINGEWIC RD HOLBROOK 2644 NSW (TOWN/SUBURB) (STATE)

Property Identification Code (PIC) of this property NK320485
This MUST be the PIC of the property that the stock is being moved from

| Number | Description (BREED, SEX, E.G. HEREFORD CROSS STEERS) | Brands or Earmarks (IF PRESENT OR REQUIRED) |
|--------|--|---|
| 190 | ANGUS BULLS | (H) |
| | | |
| | | |
| | | |
| | | |

190 Total
Consigned to VARIOUS Use the Attachment Forms for consignments that require more lines to describe the stock. (See Explanatory Notes)

(ADDRESS) (NAME OF PERSON OR BUSINESS) (TOWN/SUBURB) (STATE) (LOCATION ADDRESS) (EXPIRY DATE)

Destination (if different) of cattle
Destination PIC (REQ: WA & TAS) _____
NLIS devices used on these cattle Number of ear tags 190 Number of rumen devices _____

Details of other statutory documents relating to this movement e.g. health statement
DOCUMENT TYPE NUMBER OFFICE OF ISSUE (EXPIRY DATE)

- Have any of the cattle in this consignment ever in their lives been treated with a hormonal growth promotant (HGP)? (Use a second document for mixed consignments.)
Yes No
- Have the cattle in this consignment ever in their lives been fed feed containing animal fats?
Yes No (See Explanatory Notes)
- Has the owner stated above owned these cattle since their birth?
Yes No If No, how long were the cattle obtained or purchased? (If purchased at different times, tick the box corresponding to the time of the most recent purchase.)
A. Less than 2 months B. 2-6 months C. 6-12 months D. more than 12 months
- In the past 60 days, have any of these cattle been fed by-product stockfeeds?
Yes No If Yes, attach a list of the by-product stockfeeds, date when last fed and a copy of an analyst's report if available.

ERP database or placed under any restrictions because of chemical residues?

Yes No If Yes, give details:

6 Are any of the cattle in this consignment still within a Withholding Period (WHP) or Export Slaughter Interval (ESI) as set by APVMA or SAFEMEAT, following treatment with any veterinary drug or chemical?
Yes No If Yes, give details: (Record additional details in question 9)

CHEMICAL PRODUCT DATE APPLIED / / 20 WHP DATE FIRST FED/GRAZED / / 20 DATE FEEDING/GRAZING CEASED / / 20 ESI (IF SET) / / 20

7 In the past 60 days, have any of the cattle in this consignment consumed any material that was still within a withholding period when harvested, collected or first grazed?
Yes No If Yes, give details:

CHEMICAL PRODUCT DATE APPLIED / / 20 GRAZING WHP DATE FIRST FED/GRAZED / / 20 DATE FEEDING/GRAZING CEASED / / 20

8 In the past 42 days, were any of these cattle

- grazed in a spray risk area; or
 - fed fodders cut from a spray drift risk area? (See Explanatory Notes for definition of spray drift risk area.)
- Yes No If Yes, Date sprayed: / / 20

9 Please include any additional information below eg: vaccination programs, animal health certification, additional declarations, etc.

Declaration

I, JOCK HARBISON FULL NAME
TIMARU 17 CAMPBELLS RD ADDRESS
WANTAGON 2644 ADDRESS
L P A ADDRESS CONT.

declare that, I am the owner or the person responsible for the husbandry of the cattle and that all the information in part A of this document is true and correct. I also declare that I have read and understood all the questions that I have answered, that I have read and understood the explanatory notes, and that, while under my control, the cattle were not fed restricted animal material (including meat and bone meal) in breach of State or Territory legislation.

Signature* Jock Harbison Date* 27 / 02 / 2023
*Only the person whose name appears above may sign this declaration, or make amendments which must be initialled.

Tel no. _____ Fax no. _____
Email. dunooncattleco@bigpond.com

Part B To be completed by the person in charge of the cattle while they are being moved. Completion of this part is optional in SA and VIC.

Movement commenced: / / 20 : (am/pm)


Vehicle registration number(s)*: _____

I, _____ FULL NAME
am the person in charge of the cattle during the movement and declare all the information in Part B is true and correct.

Signature _____ Date / / 20 Tel no. _____

*When more than one truck is carrying the cattle, other vehicle registration numbers are to be recorded.

Location Map



“Dunoon”, 2137 Jingellic Road, HOLBROOK, NSW, Australia 2644

Taking Delivery of Your New Bull

To help your new bull or bulls settle into their new home as well as possible, the following points may be of some help.

- All Dunoon bulls are run in large mobs all their life, so they've always had plenty of mates around, and have “never” been alone.
- It's a good idea to have some of your own cattle in the yards when your new bull(s) arrive, a handfull of steers, or PTIC cows or even an old bull; just something to keep them company, whilst they survey their new surroundings.
- At Dunoon, we handle our cattle quietly and confidently, we always give our cattle respect, and our cattle respect us. We use gators and a ute, with controlled use of obedient dogs. The bulls have not been handled with horses.
- Handle your new bull(s) quietly and with respect and he'll settle into his new home well, and will be easy to handle whenever the need arises.

Full Catalogue Design by Sam Hamilton, Angus Australia
“Enchancing & Promoting the value of Angus”

ph: [02] 6773 4613 email: sam@angusaustralia.com.au

www.angusaustralia.com.au





Elders

**WITH YOU
EVERY
STEP OF
THE WAY**



What is the TransTasman Angus Cattle Evaluation?

The TransTasman Angus Cattle Evaluation is the genetic evaluation program adopted by Angus Australia for Angus and Angus influenced beef cattle. The TransTasman Angus Cattle Evaluation uses Best Linear Unbiased Prediction (BLUP) technology to produce Estimated Breeding Values (EBVs) of recorded cattle for a range of important production traits (e.g. weight, carcass, fertility).

The TransTasman Angus Cattle Evaluation is an international genetic evaluation and includes pedigree, performance and genomic information from the Angus Australia and Angus New Zealand databases, along with selected information from the American and Canadian Angus Associations.

The TransTasman Angus Cattle Evaluation utilises a range of genetic evaluation software, including the internationally recognised BLUPF90 family of programs, and BREEDPLAN® beef genetic evaluation analytical software, as developed by the Animal Genetics and Breeding Unit (AGBU), a joint institute of NSW Agriculture and the University of New England, and Meat and Livestock Australia Limited (MLA).

What is an EBV?

An animal's breeding value can be defined as its genetic merit for each trait. While it is not possible to determine an animal's true breeding value, it is possible to estimate it. These estimates of an animal's true breeding value are called EBVs (Estimated Breeding Values).

EBVs are expressed as the difference between an individual animal's genetics and a historical genetic level (i.e. group of animals) within the TACE genetic evaluation, and are reported in the units in which the measurements are taken.

Using EBVs to Compare the Genetics of Two Animals

TACE EBVs can be used to estimate the expected difference in the genetics of two animals, with the expected difference equating to half the difference in the EBVs of the animals, all other things being equal (e.g. they are joined to the same animal/s).

For example, a bull with a 200 Day Growth EBV of +60 would be expected to produce progeny that are, on average, 10 kg heavier at 200 days of age than a bull with a 200 Day Growth EBV of +40 kg (i.e. 20 kg difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

Or similarly, a bull with an IMF EBV of +3.0 would be expected to produce progeny with on average, 1% more intramuscular fat in a 400 kg carcass than a bull with a IMF EBV of +1.0 (i.e. 2% difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

Using EBVs to Benchmark an Animal's Genetics with the Breed

EBVs can also be used to benchmark an animal's genetics relative to the genetics of other Angus or Angus infused animals recorded with Angus Australia.

To benchmark an animal's genetics relative to other Angus animals, an animal's EBV can be compared to the EBV reference tables, which provide:

- the breed average EBV
- the percentile bands table

The current breed average EBV is listed on the bottom of each page in this publication, while the current EBV reference tables are included at the end of these introductory notes. For easy reference, the percentile band in which an animal's EBV ranks is also published in association with the EBV.

Considering Accuracy

An accuracy value is published with each EBV, and is usually displayed as a percentage value immediately below the EBV.

The accuracy value provides an indication of the reliability of the EBV in estimating the animal's genetics (or true breeding value), and is an indication of the amount of information that has been used in the calculation of the EBV.

EBVs with accuracy values below 50% should be considered as preliminary or of low accuracy, 50-74% as of medium accuracy, 75-90% of medium to high accuracy, and 90% or greater as high accuracy.

Description of TACE EBVs

EBVs are calculated for a range of traits within TACE, covering calving ease, growth, fertility, maternal performance, carcass merit, feed efficiency and structural soundness. A description of each EBV included in this publication is provided on the following page.

UNDERSTANDING ESTIMATED BREEDING VALUES (EBVS)

| | | | | |
|--------------------|------------|-----------------|--|--|
| Calving Ease/Birth | CEDir | % | Genetic differences in the ability of a sire's calves to be born unassisted from 2 year old heifers. | Higher EBVs indicate fewer calving difficulties in 2 year old heifers. |
| | CEPtrs | % | Genetic differences in the ability of a sire's daughters to calve unassisted at 2 years of age. | Higher EBVs indicate fewer calving difficulties in 2 year old heifers. |
| | GL | days | Genetic differences between animals in the length of time from the date of conception to the birth of the calf. | Lower EBVs indicate shorter gestation length. |
| | BW | kg | Genetic differences between animals in calf weight at birth. | Lower EBVs indicate lighter birth weight. |
| Growth | 200 Day | kg | Genetic differences between animals in live weight at 200 days of age due to genetics for growth. | Higher EBVs indicate heavier live weight. |
| | 400 Day | kg | Genetic differences between animals in live weight at 400 days of age. | Higher EBVs indicate heavier live weight. |
| | 600 Day | kg | Genetic differences between animals in live weight at 600 days of age. | Higher EBVs indicate heavier live weight. |
| | MCW | kg | Genetic differences between animals in live weight of cows at 5 years of age. | Higher EBVs indicate heavier mature weight. |
| | Milk | kg | Genetic differences between animals in live weight at 200 days of age due to the maternal contribution of its dam. | Higher EBVs indicate heavier live weight. |
| Fertility | DtC | days | Genetic differences between animals in the time from the start of the joining period (i.e. when the female is introduced to a bull) until subsequent calving. | Lower EBVs indicate shorter time to calving. |
| | SS | cm | Genetic differences between animals in scrotal circumference at 400 days of age. | Higher EBVs indicate larger scrotal circumference. |
| Carcase | CWT | kg | Genetic differences between animals in hot standard carcase weight at 750 days of age. | Higher EBVs indicate heavier carcase weight. |
| | EMA | cm ² | Genetic differences between animals in eye muscle area at the 12/13th rib site in a 400 kg carcase. | Higher EBVs indicate larger eye muscle area. |
| | Rib Fat | mm | Genetic differences between animals in fat depth at the 12/13th rib site in a 400 kg carcase. | Higher EBVs indicate more fat. |
| | P8 Fat | mm | Genetic differences between animals in fat depth at the P8 rump site in a 400 kg carcase. | Higher EBVs indicate more fat. |
| | RBY | % | Genetic differences between animals in boned out saleable meat from a 400 kg carcase. | Higher EBVs indicate higher yield. |
| | IMF | % | Genetic differences between animals in intramuscular fat (marbling) at the 12/13th rib site in a 400 kg carcase. | Higher EBVs indicate more intramuscular fat. |
| Feed/Temp. | NFI-F | kg/day | Genetic differences between animals in feed intake at a standard weight and rate of weight gain when animals are in a feedlot finishing phase. | Lower EBVs indicate more feed efficiency. |
| | Doc | % | Genetic differences between animals in temperament. | Higher EBVs indicate better temperament. |
| Structure | Claw Set | score | Genetic differences in claw set structure (shape and evenness of claws). | Lower EBVs indicate a lower score. |
| | Foot Angle | score | Genetic differences in foot angle (strength of pastern, depth of heel). | Lower EBVs indicate a lower score. |
| | Leg Angle | score | Genetic differences in rear leg structure when viewed from the side (angle at front of the hock). | Lower EBVs indicate a lower score. |
| Selection Index | \$A | \$ | Genetic differences between animals in net profitability per cow joined in a typical commercial self replacing herd using Angus bulls. This selection index is not specific to a particular market end-point, but identifies animals that will improve overall net profitability in the majority of commercial, self replacing, grass and grain finishing beef production systems. | Higher selection indexes indicate greater profitability. |
| | \$A-L | \$ | Genetic differences between animals in net profitability per cow joined in a typical commercial self replacing herd using Angus bulls. This selection index is not specific to a particular market end-point, but identifies animals that will improve overall net profitability in the majority of commercial, self replacing, grass and grain finishing beef production systems. The \$A-L index is similar to the \$A index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low. While the \$A aims to maintain mature cow weight, the \$A-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions. | Higher selection indexes indicate greater profitability. |

RECESSIVE GENETIC CONDITIONS

This is information for bull buyers about the recessive genetic conditions, Arthrogyriposis Multiplex (AM), Hydrocephalus (NH), Contractural Arachnodactyly (CA) and Developmental Duplications (DD).

Putting undesirable Genetic Recessive Conditions in perspective

All animals, including humans, carry single copies (alleles) of undesirable or “broken” genes. In single copy form, these undesirable alleles usually cause no harm to the individual.

But when animals carry 2 copies of certain undesirable or “broken” alleles it often results in bad consequences. Advances in genomics have facilitated the development of accurate diagnostic tests to enable the identification and management of numerous undesirable or “broken” genes.

Angus Australia is proactive in providing its members and their clients with relevant tools and information to assist them in the management of known undesirable genes and our members are leading the industry in their use of this technology.

What are AM, NH, CA and DD?

AM, NH, CA and DD are all recessive conditions caused by “broken” alleles within the DNA of individual animals. When a calf inherits 2 copies of the AM or NH alleles their development is so adversely affected that they will be still-born.

In other cases, such as CA and DD, calves carrying 2 copies of the broken allele may reach full-term. In such cases the animal may either appear relatively normal, or show physical symptoms that affect their health and/or performance.

How are the conditions inherited?

Research in the U.S. and Australia indicates that AM, NH, CA and DD are simply inherited recessive conditions. This means that a single gene (or pair of alleles) controls the condition.

For this mode of inheritance two copies of the undesirable allele need to be present before the condition is seen; in which case you may get an abnormal calf. A more common example of a trait with a simple recessive pattern of inheritance is black and red coat colour.

Animals with only one copy of the undesirable allele (and one copy of the normal form of the allele) appear normal and are known as “carriers”.

What happens when carriers are mated to other animals?

Carriers, will on average, pass the undesirable allele to a random half (50 %) of their progeny.

When a carrier bull and carrier cow is mated, there is a 25% chance that the resultant calf will inherit two normal alleles, a 50% chance that the mating will result in a carrier (i.e. with just 1 copy of the undesirable allele), and a 25% chance that the calf will inherit two copies of the undesirable gene.

If animals tested free of the undesirable gene are mated to carrier animals the condition will not be expressed at all. All calves will appear normal, but approximately half (50%) could be expected to be carriers.

How is the genetic status of animals reported?

DNA-based diagnostic tests have been developed which can be used to determine whether an individual animal is either a carrier or free of the alleles resulting in AM, NH, CA or DD.

Angus Australia uses advanced software to calculate the probability of (untested) animals to being carriers of AM, NH, CA or DD. The software uses the test results of any relatives in the calculations and the probabilities may change as new results for additional animals become available.

The genetic status of animals is being reported using five categories:

| | |
|------|--|
| AMF | Tested AM free |
| AMFU | Based on Pedigree AM free - Animal has not been tested |
| AM_% | _% probability the animal is an AM carrier |
| AMC | Tested AM-Carrier |
| AMA | AM-Affected |

For NH, CA and DD, simply replace AM in the above table with NH, CA or DD.


Registration certificates and the Angus Australia web-database display these codes. This information is displayed on the animal details page and can be accessed by conducting an “Database Search” from the Angus Australia website or looking up individual animals listed in a sale catalogue.

Implications for Commercial Producers

Your decision on the importance of the genetic condition status of replacement bulls should depend on the genetics of your cow herd (which bulls you previously used) and whether some female progeny will be retained or sold as breeders.

Most Angus breeders are proactive and transparent in managing known genetic conditions, endeavouring to provide the best information available. The greatest risk to the commercial sector from undesirable genetic recessive conditions comes from unregistered bulls with unknown genetic background. The genetic condition testing that Angus Australia seedstock producers are investing in provides buyers of registered Angus bulls with unmatched quality assurance.

For further information contact Angus Australia's Breed Development & Extension Manager on (02) 6773 4618.



Merlewood Ponting P8^{sv}

IF NOT DELIVERED, PLEASE RETURN TO
'DUNOON', 2137 Jingellic Rd, HOLBROOK NSW 2644

PRINT
POST
PP100005432

SURFACE
MAIL

POSTAGE
PAID
AUSTRALIA

Sale Catalogue Volume 12: ISSUE 1 February 2023



Autumn Bull Sale



Monday 27th February 2023 at 1.00pm