

# Speriby North Bull Sale

**55 APR ANGUS BULLS**



**ON PROPERTY &**  
 **AuctionsPlus**

**Friday 19th May 2023,  
1pm**

**Welcome:**

The Speriby North team welcomes you to our 25th annual on property sale of Angus bulls.

The sale bulls have either been tested for Arthrogrrosis Multiplex (AM), Contractural Arachnodactyl (CA), Neuropathic Hydrocephalus (NH), Developmental Duplication (DD) or are pedigree free. All bulls are suitable for breeding over straight Angus herds. They have tested free of Pestivirus and have received their annual 7 in 1 vaccine booster, two doses of Vibrovax (note this may leave a lump on the bull), Pestigard and 3 day sickness vaccines.

All sale bulls have been tested with the high density genomic product, Angus GS™. This product has been utilised to enhance the accuracy of the TransTasman Angus Cattle Evaluation EBVs, allowing purchasers the opportunity to fine tune their breeding programs and genetic selections.

The auction will be a video auction as well as being interfaced with AuctionsPlus. The sale bulls can be viewed online prior to the auction at [speribynorth.com.au](http://speribynorth.com.au) or [colinsay.com.au](http://colinsay.com.au) by following the links to the Speriby North Bull Sale. The bulls will be penned from 10am sale day. Inspections prior to sale day are welcomed and can be arranged by appointment with selling agents, Colin Say & Co. Pty. Ltd.

There are 20 reference sires presented in our sale. We hope you find suitable bulls for your herd whose progeny will meet tomorrow's market requirements. *Arthur Cox*

---

**Fertility:**

The reproductive examination of sale bulls was completed by Dr Tamara Birrer BVSc (Birrer Veterinary Services, BULLCHECK No. 4377) on the 8th and 9th March 2023. This included physical examination of each bull; measurement of scrotal circumference and examination of internal and external reproductive organs. Semen was collected and examined crush site for density, swirl, and motility. Morphological examination was performed by Dr Kim Kelly BVSc, Kelly Ag Morphology Services, Dalby in March 2023. Following the standards of the Australian Cattle Veterinarians, it is of the opinion of Dr Birrer that all bulls presented in this sale have adequate reproductive organs and semen quality, thus indicating a high confidence of the bulls' fertility.

**Guarantee:**

In the unlikely event of infertility, provided it is not caused by injury, stress or disease contracted after our sale, we will issue you with a credit equal to the purchase price minus the salvage value to be used at the next Speriby North Bull Sale. A Veterinary Certificate shall be produced by the purchaser within twelve months of the purchase date.

**Payment:**

The sale is GST exclusive. Accounts will be forwarded by selling agents Colin Say & Co. Pty. Ltd and settled within seven days. A 2% rebate will be available to outside agents introducing approved buyers in writing to the selling agents 24 hours prior to the sale, and settling on their behalf within 7 days.

**Refreshments:**

Morning tea and lunch will be provided. Thank you to Rangers Valley Feedlot for supplying the meat for the BBQ.

**Insurance:**

Insurance will be available on sale day.

**Indemnity:**

All persons attending the sale agree to indemnify the vendor from and against any liability, loss, damage, expense or claim which the vendor may incur, including to a third party, during or after the sale in all respects. Any person attending the sale does so at his/her own risk.

**PLEASE BRING THIS CATALOGUE TO THE SALE**

# UNDERSTANDING THE TRANSTASMAN ANGUS CATTLE EVALUATION (TACE)



**TACE**

TransTasman Angus Cattle Evaluation

## What is the TransTasman Angus Cattle Evaluation?

The TransTasman Angus Cattle Evaluation is the genetic evaluation program adopted by Angus Australia for Angus and Angus influenced beef cattle. The TransTasman Angus Cattle Evaluation uses Best Linear Unbiased Prediction (BLUP) technology to produce Estimated Breeding Values (EBVs) of recorded cattle for a range of important production traits (e.g. weight, carcase, fertility).

The TransTasman Angus Cattle Evaluation is an international genetic evaluation and includes pedigree, performance and genomic information from the Angus Australia and Angus New Zealand databases, along with selected information from the American and Canadian Angus Associations.

The TransTasman Angus Cattle Evaluation utilises a range of genetic evaluation software, including the internationally recognised BLUPF90 family of programs, and BREEDPLAN® beef genetic evaluation analytical software, as developed by the Animal Genetics and Breeding Unit (AGBU), a joint institute of NSW Agriculture and the University of New England, and Meat and Livestock Australia Limited (MLA).

## What is an EBV?

An animal's breeding value can be defined as its genetic merit for each trait. While it is not possible to determine an animal's true breeding value, it is possible to estimate it. These estimates of an animal's true breeding value are called EBVs (Estimated Breeding Values).

EBVs are expressed as the difference between an individual animal's genetics and a historical genetic level (i.e. group of animals) within the TACE genetic evaluation, and are reported in the units in which the measurements are taken.

## Using EBVs to Compare the Genetics of Two Animals

TACE EBVs can be used to estimate the expected difference in the genetics of two animals, with the expected difference equating to half the difference in the EBVs of the animals, all other things being equal (e.g. they are joined to the same animal/s).

For example, a bull with a 200 Day Growth EBV of +60 would be expected to produce progeny that are, on average, 10 kg heavier at 200 days of age than a bull with a 200 Day Growth EBV of +40 kg (i.e. 20 kg difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

Or similarly, a bull with an IMF EBV of +3.0 would be expected to produce progeny with on average, 1% more intramuscular fat in a 400 kg carcase than a bull with a IMF EBV of +1.0 (i.e. 2% difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

## Using EBVs to Benchmark an Animal's Genetics with the Breed

EBVs can also be used to benchmark an animal's genetics relative to the genetics of other Angus or Angus infused animals recorded with Angus Australia.

To benchmark an animal's genetics relative to other Angus animals, an animal's EBV can be compared to the EBV reference tables, which provide:

- the breed average EBV
- the percentile bands table

The current breed average EBV is listed on the bottom of each page in this publication, while the current EBV reference tables are included at the end of these introductory notes. For easy reference, the percentile band in which an animal's EBV ranks is also published in association with the EBV.

## Considering Accuracy

An accuracy value is published with each EBV, and is usually displayed as a percentage value immediately below the EBV.

The accuracy value provides an indication of the reliability of the EBV in estimating the animal's genetics (or true breeding value), and is an indication of the amount of information that has been used in the calculation of the EBV.

EBVs with accuracy values below 50% should be considered as preliminary or of low accuracy, 50-74% as of medium accuracy, 75-90% of medium to high accuracy, and 90% or greater as high accuracy.

## Description of TACE EBVs

EBVs are calculated for a range of traits within TACE, covering calving ease, growth, fertility, maternal performance, carcase merit, feed efficiency and structural soundness. A description of each EBV included in this publication is provided on the following page.

# UNDERSTANDING ESTIMATED BREEDING VALUES (EBVs)

Calving Ease/Birth	CEDir	%	Genetic differences in the ability of a sire's calves to be born unassisted from 2 year old heifers.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
	CEDtrs	%	Genetic differences in the ability of a sire's daughters to calve unassisted at 2 years of age.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
Growth	GL	days	Genetic differences between animals in the length of time from the date of conception to the birth of the calf.	Lower EBVs indicate shorter gestation length.
	BW	kg	Genetic differences between animals in calf weight at birth.	Lower EBVs indicate lighter birth weight.
Fertility	200 Day	kg	Genetic differences between animals in live weight at 200 days of age due to genetics for growth.	Higher EBVs indicate heavier live weight.
	400 Day	kg	Genetic differences between animals in live weight at 400 days of age.	Higher EBVs indicate heavier live weight.
Carcase	600 Day	kg	Genetic differences between animals in live weight at 600 days of age.	Higher EBVs indicate heavier live weight.
	MCW	kg	Genetic differences between animals in live weight of cows at 5 years of age.	Higher EBVs indicate heavier mature weight.
Feed/Temp.	Milk	kg	Genetic differences between animals in live weight at 200 days of age due to the maternal contribution of its dam.	Higher EBVs indicate heavier live weight.
	DtC	days	Genetic differences between animals in the time from the start of the joining period (i.e. when the female is introduced to a bull) until subsequent calving.	Lower EBVs indicate shorter time to calving.
Structure	SS	cm	Genetic differences between animals in scrotal circumference at 400 days of age.	Higher EBVs indicate larger scrotal circumference.
	CWT	kg	Genetic differences between animals in hot standard carcase weight at 750 days of age.	Higher EBVs indicate heavier carcase weight.
Selection Index	EMA	cm <sup>2</sup>	Genetic differences between animals in eye muscle area at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate larger eye muscle area.
	Rib Fat	mm	Genetic differences between animals in fat depth at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more fat.
Selection Index	P8 Fat	mm	Genetic differences between animals in fat depth at the P8 rump site in a 400 kg carcase.	Higher EBVs indicate more fat.
	RBY	%	Genetic differences between animals in boned out saleable meat from a 400 kg carcase.	Higher EBVs indicate higher yield.
Selection Index	IMF	%	Genetic differences between animals in intramuscular fat (marbling) at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more intramuscular fat.
	NFI-F	kg/day	Genetic differences between animals in feed intake at a standard weight and rate of weight gain when animals are in a feedlot finishing phase.	Lower EBVs indicate more feed efficiency.
Selection Index	Doc	%	Genetic differences between animals in temperament.	Higher EBVs indicate better temperament.
	Claw Set	score	Genetic differences in claw set structure (shape and evenness of claws).	Lower EBVs indicate a lower score.
Selection Index	Foot Angle	score	Genetic differences in foot angle (strength of pastern, depth of heel).	Lower EBVs indicate a lower score.
	Leg Angle	score	Genetic differences in rear leg structure when viewed from the side (angle at front of the hock).	Lower EBVs indicate a lower score.
Selection Index	\$A	\$	Genetic differences between animals in net profitability per cow joined in a typical commercial self replacing herd using Angus bulls. This selection index is not specific to a particular market end-point, but identifies animals that will improve overall net profitability in the majority of commercial, self replacing, grass and grain finishing beef production systems.	Higher selection indexes indicate greater profitability.
	\$A-L	\$	Genetic differences between animals in net profitability per cow joined in a typical commercial self replacing herd using Angus bulls. This selection index is not specific to a particular market end-point, but identifies animals that will improve overall net profitability in the majority of commercial, self replacing, grass and grain finishing beef production systems.  The \$A-L index is similar to the \$A index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low.  While the \$A aims to maintain mature cow weight, the \$A-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.	Higher selection indexes indicate greater profitability.

# UNDERSTANDING ESTIMATED BREEDING VALUES (EBVs)

## Selection Indexes

	\$D	\$	<p>Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting the domestic supermarket trade. Steers are either finished using pasture, pasture supplemented by grain, or grain (e.g. 50 -70 days) with steers assumed to be slaughtered at 510kg live weight (280kg carcase weight with 12mm P8 fat depth) at 16 months of age.</p>	Higher selection indexes indicate greater profitability.
	\$D-L	\$	<p>Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting the domestic supermarket trade. Steers are either finished using pasture, pasture supplemented by grain, or grain (e.g. 50 -70 days) with steers assumed to be slaughtered at 510kg live weight (280kg carcase weight with 12mm P8 fat depth) at 16 months of age.</p> <p>The \$D-L index is similar to the \$D index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low.</p> <p>While the \$D aims to maintain mature cow weight, the \$D-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.</p>	Higher selection indexes indicate greater profitability.
	\$GN	\$	<p>Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture grown steers with a 250 day feedlot finishing period for the grain fed high quality, highly marbled markets. Steers are assumed to be slaughtered at 800 kg live weight (455 kg carcase weight with 30 mm P8 fat depth) at 24 months of age, with a significant premium for steers that exhibit superior marbling.</p>	Higher selection indexes indicate greater profitability.
	\$GN-L	\$	<p>Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture grown steers with a 250 day feedlot finishing period for the grain fed high quality, highly marbled markets. Steers are assumed to be slaughtered at 800 kg live weight (455 kg carcase weight with 30 mm P8 fat depth) at 24 months of age, with a significant premium for steers that exhibit superior marbling.</p> <p>The \$GN-L index is similar to the \$GN index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low.</p> <p>While the \$GN aims to maintain mature cow weight, the \$GN-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.</p>	Higher selection indexes indicate greater profitability.
	\$GS	\$	<p>Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture finished steers. Steers are assumed to be slaughtered at 650 kg live weight (350 kg carcase weight with 12 mm P8 fat depth) at 22 months of age. Emphasis has been placed on eating quality and tenderness to favour animals that are suited to MSA requirements.</p>	Higher selection indexes indicate greater profitability.
	\$GS-L	\$	<p>Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture finished steers. Steers are assumed to be slaughtered at 650 kg live weight (350 kg carcase weight with 12 mm P8 fat depth) at 22 months of age. Emphasis has been placed on eating quality and tenderness to favour animals that are suited to MSA requirements.</p> <p>The \$GS-L index is similar to the \$GS index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low.</p> <p>While the \$GS aims to maintain mature cow weight, the \$GS-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.</p>	Higher selection indexes indicate greater profitability.
	\$PRO	\$	<p>Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd based in New Zealand that targets the production of grass finished steers for the AngusPure programme. Steers are assumed marketed at approximately 530 kg live weight (290 kg carcase weight with 10 mm P8 fat depth) at 20 months of age, with a significant premium for steers that exhibit superior marbling.</p>	Higher selection indexes indicate greater profitability.
	\$T	\$	<p>Genetic difference between animals in net profitability per cow joined in a situation where Angus bulls are being used as a terminal sire over mature breeding females and all progeny, both male and female, are slaughtered. The Angus Terminal Sire Index focusses on increasing growth, carcase yield and eating quality. Daughters are not retained for breeding and therefore no emphasis is given to female fertility or maternal traits.</p>	Higher selection indexes indicate greater profitability.

# RECESSIVE GENETIC CONDITIONS

This is information for bull buyers about the recessive genetic conditions, Arthrogryposis Multiplex (AM), Hydrocephalus (NH), Contractural Arachnodactyly (CA) and Developmental Duplications (DD).

## Putting undesirable Genetic Recessive Conditions in perspective

All animals, including humans, carry single copies (alleles) of undesirable or “broken” genes. In single copy form, these undesirable alleles usually cause no harm to the individual.

But when animals carry 2 copies of certain undesirable or “broken” alleles it often results in bad consequences. Advances in genomics have facilitated the development of accurate diagnostic tests to enable the identification and management of numerous undesirable or “broken” genes.

Angus Australia is proactive in providing its members and their clients with relevant tools and information to assist them in the management of known undesirable genes and our members are leading the industry in their use of this technology.

## What are AM, NH, CA and DD?

AM, NH, CA and DD are all recessive conditions caused by “broken” alleles within the DNA of individual animals. When a calf inherits 2 copies of the AM or NH alleles their development is so adversely affected that they will be still-born.

In other cases, such as CA and DD, calves carrying 2 copies of the broken allele may reach full-term. In such cases the animal may either appear relatively normal, or show physical symptoms that affect their health and/or performance.

## How are the conditions inherited?

Research in the U.S. and Australia indicates that AM, NH, CA and DD are simply inherited recessive conditions. This means that a single gene (or pair of alleles) controls the condition.

For this mode of inheritance two copies of the undesirable allele need to be present before the condition is seen; in which case you may get an abnormal calf. A more common example of a trait with a simple recessive pattern of inheritance is black and red coat colour.

Animals with only one copy of the undesirable allele (and one copy of the normal form of the allele) appear normal and are known as “carriers”.

## What happens when carriers are mated to other animals?

Carriers, will on average, pass the undesirable allele to a random half (50 %) of their progeny.

When a carrier bull and carrier cow is mated, there is a 25% chance that the resultant calf will inherit two normal alleles, a 50% chance that the mating will result in a carrier (i.e. with just 1 copy of the undesirable allele), and a 25% chance that the calf will inherit two copies of the undesirable gene.

If animals tested free of the undesirable gene are mated to carrier animals the condition will not be expressed at all. All calves will appear normal, but approximately half (50%) could be expected to be carriers.

## How is the genetic status of animals reported?

DNA-based diagnostic tests have been developed which can be used to determine whether an individual animal is either a carrier or free of the alleles resulting in AM, NH, CA or DD.

Angus Australia uses advanced software to calculate the probability of (untested) animals to being carriers of AM, NH, CA or DD. The software uses the test results of any relatives in the calculations and the probabilities may change as new results for additional animals become available.

The genetic status of animals is being reported using five categories:

AMF	Tested AM free
AMFU	Based on Pedigree AM free - Animal has not been tested
AM_%	-% probability the animal is an AM carrier
AMC	Tested AM-Carrier
AMA	AM-Affected

For NH, CA and DD, simply replace AM in the above table with NH, CA or DD.

Registration certificates and the Angus Australia web-database display these codes. This information is displayed on the animal details page and can be accessed by conducting an “Database Search” from the Angus Australia website or looking up individual animals listed in a sale catalogue.

## Implications for Commercial Producers

Your decision on the importance of the genetic condition status of replacement bulls should depend on the genetics of your cow herd (which bulls you previously used) and whether some female progeny will be retained or sold as breeders.

Most Angus breeders are proactive and transparent in managing known genetic conditions, endeavouring to provide the best information available. The greatest risk to the commercial sector from undesirable genetic recessive conditions comes from unregistered bulls with unknown genetic background. The genetic condition testing that Angus Australia seedstock producers are investing in provides buyers of registered Angus bulls with unmatched quality assurance.

For further information contact Angus Australia's Breed Development & Extension Manager on (02) 6773 4618.

# TransTasman Angus Cattle Evaluation - Mid April 2023 Reference Tables



## BREED AVERAGE EBVs

	Calving Ease CEDir	Birth CEDir	Growth GL	Fertility SS	Milk DTC	MCW CWT	RIB EIMA	P8 RBY	Other DOC	Structure Claw	Angle Leg	Selection Indexes \$A-L												
Brd Avg	+2.2	+2.6	-4.8	+4.1	+5.0	+90	+117	+100	+17	+2.1	-4.6	+66	+6.4	+0.0	-0.3	+0.5	+2.2	+0.19	+20	+0.84	+0.97	+1.03	+197	+339

\* Breed average represents the average EBV of all 2021 drop Australian Angus and Angus-influenced seedstock animals analysed in the Mid April 2023 TransTasman Angus Cattle Evaluation

## PERCENTILE BANDS TABLE

% Band	Calving Ease CEDir	Birth CEDir	Growth GL	Fertility SS	Milk DTC	MCW CWT	RIB EIMA	P8 RBY	Other DOC	Structure Claw	Angle Leg	Selection Indexes \$A												
1%	+10.9	+9.9	-10.7	-0.4	+70	+122	+162	+160	+28	+4.8	-8.0	+98	+14.6	+4.2	+5.0	+2.0	+5.9	-0.53	+43	+0.42	+0.60	+0.76	+273	+448
5%	+9.1	+8.3	-8.8	+1.0	+64	+112	+148	+140	+25	+3.9	-7.0	+88	+11.9	+2.8	+3.3	+1.5	+4.6	-0.31	+36	+0.54	+0.72	+0.84	+252	+418
10%	+7.9	+7.3	-7.9	+1.8	+61	+107	+140	+131	+23	+3.5	-6.5	+83	+10.6	+2.1	+2.4	+1.3	+4.1	-0.20	+32	+0.62	+0.76	+0.88	+241	+403
15%	+7.0	+6.5	-7.2	+2.2	+58	+104	+136	+124	+22	+3.2	-6.1	+80	+9.7	+1.7	+1.8	+1.1	+3.7	-0.12	+29	+0.66	+0.80	+0.90	+233	+392
20%	+6.3	+5.9	-6.7	+2.6	+57	+101	+132	+120	+21	+3.0	-5.8	+77	+9.0	+1.3	+1.4	+1.0	+3.3	-0.06	+27	+0.68	+0.84	+0.94	+227	+383
25%	+5.7	+5.4	-6.3	+2.9	+55	+99	+129	+116	+20	+2.8	-5.6	+75	+8.4	+1.0	+1.1	+0.9	+3.1	-0.01	+26	+0.72	+0.86	+0.96	+222	+376
30%	+5.1	+4.9	-6.0	+3.2	+54	+97	+126	+112	+20	+2.6	-5.4	+73	+7.9	+0.8	+0.8	+0.8	+2.9	+0.03	+24	+0.74	+0.88	+0.96	+217	+369
35%	+4.5	+4.4	-5.7	+3.4	+53	+95	+124	+109	+19	+2.5	-5.2	+71	+7.4	+0.6	+0.5	+0.7	+2.7	+0.07	+23	+0.76	+0.90	+0.98	+213	+363
40%	+3.9	+4.0	-5.3	+3.6	+52	+94	+122	+106	+18	+2.3	-5.0	+69	+7.0	+0.3	+0.2	+0.6	+2.5	+0.11	+22	+0.80	+0.92	+1.00	+209	+357
45%	+3.4	+3.5	-5.0	+3.8	+51	+92	+119	+103	+18	+2.2	-4.8	+68	+6.6	+0.1	-0.1	+0.6	+2.3	+0.14	+21	+0.82	+0.94	+1.02	+204	+351
50%	+2.8	+3.0	-4.7	+4.1	+50	+90	+117	+100	+17	+2.1	-4.7	+66	+6.2	-0.1	-0.3	+0.5	+2.1	+0.18	+20	+0.84	+0.96	+1.02	+200	+345
55%	+2.2	+2.6	-4.5	+4.3	+49	+89	+115	+97	+17	+2.0	-4.5	+65	+5.8	-0.3	-0.6	+0.4	+1.9	+0.22	+19	+0.86	+0.98	+1.04	+196	+338
60%	+1.6	+2.1	-4.2	+4.5	+48	+87	+113	+95	+16	+1.9	-4.3	+63	+5.5	-0.5	-0.9	+0.3	+1.8	+0.25	+18	+0.88	+1.00	+1.06	+191	+332
65%	+0.9	+1.5	-3.8	+4.7	+47	+85	+110	+92	+15	+1.7	-4.2	+61	+5.1	-0.7	-1.1	+0.3	+1.6	+0.29	+17	+0.90	+1.02	+1.08	+186	+325
70%	+0.2	+1.0	-3.5	+4.9	+46	+84	+108	+88	+15	+1.6	-4.0	+60	+4.7	-0.9	-1.4	+0.2	+1.4	+0.34	+16	+0.94	+1.06	+1.10	+181	+317
75%	-0.6	+0.4	-3.2	+5.2	+45	+82	+105	+85	+14	+1.5	-3.8	+58	+4.2	-1.2	-1.7	+0.1	+1.2	+0.38	+15	+0.96	+1.08	+1.10	+175	+308
80%	-1.6	-0.4	-2.8	+5.5	+43	+79	+102	+81	+13	+1.3	-3.5	+56	+3.7	-1.4	-2.1	+0.0	+1.0	+0.44	+14	+1.00	+1.10	+1.14	+168	+298
85%	-2.7	-1.3	-2.3	+5.9	+42	+77	+98	+77	+12	+1.1	-3.2	+53	+3.2	-1.8	-2.5	-0.2	+0.8	+0.50	+12	+1.04	+1.14	+1.16	+159	+285
90%	-4.3	-2.5	-1.6	+6.3	+39	+73	+93	+71	+11	+0.9	-2.8	+50	+2.4	-2.2	-3.1	-0.3	+0.5	+0.58	+11	+1.08	+1.18	+1.24	+147	+268
95%	-7.0	-4.3	-0.7	+7.0	+36	+68	+86	+61	+10	+0.5	-2.1	+45	+1.2	-2.8	-3.9	-0.6	+0.0	+0.71	+8	+1.16	+1.26	+1.24	+129	+240
99%	-12.7	-8.3	+1.4	+8.4	+29	+57	+71	+42	+6	-0.3	-0.3	+35	-1.1	-4.1	-5.6	-1.1	-0.8	+0.96	+1	+1.30	+1.40	+1.34	+95	+187

\* The percentile bands represent the distribution of EBVs across the 2021 drop Australian Angus and Angus-influenced seedstock animals analysed in the Mid April 2023 TransTasman Angus Cattle Evaluation .

# TransTasman Angus Cattle Evaluation - Mid April 2023 Reference Tables



BREED AVERAGE EBVs									
	\$A	\$D	\$GN	\$GS	\$A-L	\$D-L	\$GN-L	\$GS-L	\$PRO
Brd Avg	+197	+163	+259	+181	+339	+293	+405	+381	+145
									+181

\* Breed average represents the average EBV of all 2021 drop Australian Angus and Angus-influenced seedstock animals analysed in the Mid April 2023 TransTasman Angus Cattle Evaluation.

PERCENTILE BANDS TABLE									
% Band	\$A	\$D	\$GN	\$GS	\$A-L	\$D-L	\$GN-L	\$GS-L	\$PRO
1%	+273	+228	+363	+260	+448	+390	+539	+512	+227
5%	+252	+210	+335	+238	+418	+363	+503	+474	+204
10%	+241	+200	+319	+226	+403	+349	+483	+455	+192
15%	+233	+194	+308	+218	+392	+339	+470	+442	+184
20%	+227	+188	+300	+212	+383	+332	+459	+432	+177
25%	+222	+184	+293	+206	+376	+325	+450	+423	+171
30%	+217	+180	+286	+202	+369	+319	+442	+415	+166
35%	+213	+176	+280	+197	+363	+314	+434	+407	+161
40%	+209	+172	+274	+192	+357	+308	+427	+400	+157
45%	+204	+169	+269	+188	+351	+303	+419	+393	+152
50%	+200	+165	+263	+184	+345	+298	+411	+386	+148
55%	+196	+161	+257	+179	+338	+292	+404	+379	+143
60%	+191	+157	+250	+174	+332	+286	+395	+371	+138
65%	+186	+153	+244	+169	+325	+280	+387	+363	+133
70%	+181	+149	+237	+164	+317	+273	+377	+354	+128
75%	+175	+144	+229	+158	+308	+266	+367	+344	+121
80%	+168	+138	+220	+151	+298	+257	+354	+333	+114
85%	+159	+131	+208	+142	+285	+246	+338	+318	+105
90%	+147	+121	+194	+131	+268	+231	+318	+299	+93
95%	+129	+106	+171	+113	+240	+208	+284	+266	+73
99%	+95	+77	+129	+80	+187	+161	+224	+203	+38

\* The percentile bands represent the distribution of EBVs across the 2021 drop Australian Angus and Angus-influenced seedstock animals analysed in the Mid April 2023 TransTasman Angus Cattle Evaluation.

**Reference Sire****GB FIREBALL 672<sup>PV</sup>****USA18690054**

Date of Birth: 20/10/2016

Register: HBR

Mating Type: Natural

AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+2.7	+5.9	-5.0	+2.6	+63	+99	+130	+124	+12	+2.8	-6.1
Acc	89%	64%	99%	99%	98%	98%	98%	92%	83%	98%	46%
Perc	51	20	45	20	7	25	24	16	88	23	15
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+77	+14.5	-2.1	-3.6	+1.0	+5.1	-0.17	+7	+0.96	+0.92	+0.86
Acc	86%	88%	86%	83%	78%	87%	60%	98%	99%	98%	92%
Perc	20	2	89	94	18	3	12	96	73	36	7

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$273	1	\$217	3

*Traits Observed:  
Genomics***Reference Sire****AJC Q654<sup>SV</sup>****NXOQ654**

Date of Birth: 05/08/2019

Register: APR

Mating Type: Natural

AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGF

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+8.5	+11.3	-3.6	+4.1	+61	+121	+164	+153	+21	+4.5	-7.7
Acc	72%	53%	91%	95%	93%	92%	88%	80%	70%	85%	41%
Perc	8	1	69	50	9	2	1	2	21	2	2
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+92	+9.7	+0.2	-1.5	+0.6	+3.7	+0.25	+13	+1.14	+0.88	+0.80
Acc	76%	60%	65%	65%	56%	65%	55%	37%	60%	60%	59%
Perc	3	15	43	71	40	14	59	82	94	27	3

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$283	1	\$236	1

*Traits Observed:  
CE,BWT,200WT,400WT,SC,Genomics***Reference Sire****AJC Q736<sup>SV</sup>****NXOQ736**

Date of Birth: 13/08/2019

Register: APR

Mating Type: AI

AMFU,CAFU,DDF,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+10.2	+5.5	-6.6	+0.9	+49	+99	+128	+110	+18	+1.9	-4.0
Acc	70%	55%	84%	92%	89%	86%	84%	80%	71%	78%	48%
Perc	3	24	22	5	54	25	28	34	42	57	68
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+70	+10.2	-1.0	-3.3	+0.6	+6.6	+0.40	+18	+1.00	+0.90	+1.06
Acc	76%	67%	69%	69%	63%	71%	63%	55%	65%	65%	64%
Perc	38	12	71	92	40	1	77	61	79	32	58

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$246	8	\$194	15

*Traits Observed:  
GL,BWT,200WT,400WT,SC,Genomics***Reference Sire****AJC Q210<sup>SV</sup>****NXOQ210**

Date of Birth: 09/07/2019

Register: APR

Mating Type: Natural

AMFU,CAFU,DDFU,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+10.9	+6.9	-8.2	+1.1	+44	+72	+91	+42	+22	+2.9	-8.3
Acc	61%	51%	73%	76%	75%	73%	75%	71%	67%	74%	41%
Perc	1	13	8	6	78	91	92	99	14	21	1
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+57	+10.5	+0.9	+1.6	+0.1	+4.7	+0.21	+17	+1.22	+1.10	+0.98
Acc	67%	65%	66%	66%	58%	69%	59%	52%	68%	68%	66%
Perc	78	11	27	18	72	5	54	67	97	78	31

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$272	2	\$219	3

*Traits Observed:  
BWT,200WT,400WT,600WT,SC,Genomics*

**Reference Sire****AJC Q177<sup>SV</sup>****NXOQ177**

Date of Birth: 06/07/2019

Register: APR

Mating Type: AI

AMF,CAF,DDF,NHF

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+2.5	+1.4	-4.1	+4.5	+55	+117	+138	+131	+18	+2.4	-6.2
Acc	70%	55%	83%	86%	83%	82%	81%	77%	68%	78%	47%
Perc	53	66	61	60	27	3	13	10	45	37	14
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+86	+7.9	-2.6	-4.5	+1.3	+4.5	+0.59	+22	+0.80	+0.86	+1.00
Acc	72%	65%	67%	68%	61%	69%	60%	53%	66%	66%	65%
Perc	7	30	94	97	9	6	91	39	40	23	38

**Selection Indexes**

\$A	\$D		\$GN		\$GS		
\$256	4	\$231	1	\$331	7	\$243	4

Traits Observed:  
GL,BWT,200WT,400WT,SC,Genomics

**Reference Sire****AJC Q118<sup>SV</sup>****NXOQ118**

Date of Birth: 28/06/2019

Register: APR

Mating Type: AI

AMFU,CAFU,DDF,NHNU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+10.5	+8.1	-6.3	+2.7	+59	+116	+153	+146	+21	+2.5	-5.8
Acc	65%	52%	83%	86%	84%	82%	80%	75%	67%	75%	40%
Perc	2	6	25	21	15	4	3	4	20	33	20
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+100	+5.4	-0.2	-0.2	-0.4	+3.8	+0.05	+12	+1.20	+1.14	+1.00
Acc	72%	65%	67%	67%	59%	69%	59%	53%	68%	68%	65%
Perc	1	61	52	47	91	13	32	86	97	84	38

**Selection Indexes**

\$A	\$D		\$GN		\$GS		
\$240	11	\$197	12	\$318	11	\$229	9

Traits Observed:  
GL,BWT,200WT,400WT,SC,Genomics

**Reference Sire****AJC Q80<sup>SV</sup>****NXOQ80**

Date of Birth: 21/06/2019

Register: APR

Mating Type: AI

AMF,CAF,DDF,NHNU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+10.8	+7.6	-6.7	+2.6	+52	+101	+130	+104	+22	+4.3	-5.5
Acc	68%	50%	82%	93%	91%	89%	86%	78%	66%	81%	40%
Perc	2	8	20	20	43	20	24	44	14	3	27
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+70	+13.8	-0.5	+0.0	+1.2	+5.0	+0.75	+11	+1.08	+1.02	+1.14
Acc	74%	62%	65%	65%	57%	67%	57%	47%	66%	66%	64%
Perc	39	2	60	43	11	4	96	90	89	61	80

**Selection Indexes**

\$A	\$D		\$GN		\$GS		
\$283	1	\$231	1	\$376	1	\$276	1

Traits Observed:  
GL,BWT,200WT,400WT,SC,Genomics

**Reference Sire****AJC P940<sup>SV</sup>****NXOP940**

Date of Birth: 12/08/2018

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHNU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+6.0	+5.8	-1.0	+2.6	+56	+95	+129	+89	+21	+3.4	-7.6
Acc	69%	52%	74%	91%	89%	85%	84%	79%	70%	78%	40%
Perc	23	21	94	20	22	36	26	69	19	11	2
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+71	+4.9	+1.8	+1.9	-0.8	+5.4	+0.54	+13	+1.22	+1.08	+0.92
Acc	74%	60%	64%	65%	56%	65%	54%	36%	63%	63%	60%
Perc	35	67	13	14	97	2	88	85	97	74	16

**Selection Indexes**

\$A	\$D		\$GN		\$GS		
\$273	1	\$213	4	\$368	1	\$265	1

Traits Observed:  
BWT,200WT(x2),400WT,SC,Genomics

RENNYLEA C511<sup>PV</sup>  
**SIRE: NORH708 RENNYLEA H708<sup>PV</sup>**  
RENNYLEA E176<sup>PV</sup>  
AJC F615<sup>SV</sup>  
**DAM: NXON481 AJC N481#**  
AJC G42<sup>#</sup>

**Statistics:** Number of Herds: 1, Prog Analysed: 18, Genomic Prog: 13

W H S LIMELIGHT 64V<sup>#</sup>  
**SIRE: NXOL99 AJC L99<sup>PV</sup>**  
AJC J112<sup>SV</sup>  
H P C A PROCEED<sup>PV</sup>  
**DAM: NXON131 AJC N131#**  
AJC G12<sup>#</sup>

**Statistics:** Number of Herds: 1, Prog Analysed: 21, Genomic Prog: 10

AYRVALE BARTEL E7<sup>PV</sup>  
**SIRE: ASRM9 GATES MENTOR M9<sup>SV</sup>**  
GATES G13 VICKY K93<sup>#</sup>  
AJC E91<sup>PV</sup>  
**DAM: NXON3 AJC N3#**  
AJC L81<sup>#</sup>

G A R PROPHET<sup>SV</sup>  
**SIRE: NXOK102 AJC K102<sup>SV</sup>**  
AJC H623<sup>#</sup>  
AYRVALE GRADE G5<sup>PV</sup>  
**DAM: NXOK39 AJC K39#**  
AJC H37<sup>#</sup>

**Statistics:** Number of Herds: 1, Prog Analysed: 45, Genomic Prog: 38

**Reference Sire****AJC P838<sup>SV</sup>****NXOP838**

Date of Birth: 03/08/2018

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHF

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+1.4	+6.9	-2.5	+6.3	+70	+114	+164	+137	+19	+1.8	-6.4
Acc	67%	52%	73%	90%	87%	84%	82%	77%	69%	76%	41%
Perc	62	13	83	90	1	5	1	7	35	61	11
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+93	+5.3	-1.1	-1.7	+0.1	+3.5	+0.03	+14	+0.92	+0.94	+1.00
Acc	72%	60%	64%	64%	56%	65%	55%	40%	64%	64%	63%
Perc	3	62	73	74	72	17	30	78	66	41	38

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$270	2	\$209	6

*Traits Observed:*  
BWT,200WT(x2),400WT,600WT,SC,Genomics

**Reference Sire****AJC P760<sup>SV</sup>****NXOP760**

Date of Birth: 30/07/2018

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+8.9	+7.0	-4.0	+3.0	+50	+92	+131	+112	+23	+2.6	-7.7
Acc	69%	53%	73%	87%	84%	82%	81%	76%	69%	76%	40%
Perc	6	12	62	27	51	45	22	31	9	29	2
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+67	+10.4	+1.8	+2.2	+0.3	+3.8	+0.76	+16	+1.00	+1.02	+1.06
Acc	71%	59%	63%	63%	55%	65%	54%	39%	63%	63%	60%
Perc	47	11	13	12	60	13	97	72	79	61	58

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$261	3	\$204	8

*Traits Observed:*  
BWT,200WT(x2),400WT,600WT,SC,Genomics

**Reference Sire****AJC P740<sup>SV</sup>****NXOP740**

Date of Birth: 29/07/2018

Register: APR

Mating Type: Natural

AMF,CAF,DDF,NHF

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+5.8	+6.1	+0.8	+5.1	+72	+121	+176	+132	+26	+4.0	-5.8
Acc	64%	52%	72%	81%	79%	76%	77%	74%	68%	73%	42%
Perc	24	19	99	73	1	2	1	10	4	4	20
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+105	+15.1	-0.5	-2.0	+0.9	+3.3	+0.25	+14	+1.16	+1.18	+1.12
Acc	68%	61%	64%	64%	57%	66%	54%	39%	63%	63%	61%
Perc	1	1	60	79	23	20	59	79	95	89	76

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$310	1	\$237	1

*Traits Observed:*  
BWT,200WT(x2),400WT,600WT,SC,Genomics

**Reference Sire****AJC P321<sup>SV</sup>****NXOP321**

Date of Birth: 11/07/2018

Register: APR

Mating Type: AI

AMF,CAF,DDF,NHF

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	-5.6	+1.3	-7.4	+4.6	+59	+98	+130	+132	+21	+2.1	-4.9
Acc	69%	57%	84%	90%	87%	86%	84%	79%	70%	79%	47%
Perc	93	67	14	62	14	28	24	10	19	49	42
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+86	+6.7	+1.5	+0.4	-0.9	+5.6	+0.38	+14	+1.22	+0.88	+0.86
Acc	74%	66%	68%	69%	63%	69%	59%	56%	68%	68%	66%
Perc	7	44	17	36	98	2	75	80	97	27	7

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$198	53	\$145	74

*Traits Observed:*  
GL,BWT,200WT,400WT,600WT,SC,Genomics

AYRVALE GENERAL G18<sup>PV</sup>SIRE: NXOK138 AJC K138<sup>SV</sup>AJC H53<sup>#</sup>G A R PROPHET<sup>SV</sup>

DAM: NXOK16 AJC K16#

AJC E100<sup>#</sup>**Statistics:** Number of Herds: 1, Prog Analysed: 43, Genomic Prog: 27AYRVALE GENERAL G18<sup>PV</sup>SIRE: NXOK138 AJC K138<sup>SV</sup>AJC H53<sup>#</sup>G A R PROPHET<sup>SV</sup>

DAM: NXOK19 AJC K19#

AJC H586<sup>#</sup>**Statistics:** Number of Herds: 1, Prog Analysed: 25, Genomic Prog: 17G A R PROPHET<sup>SV</sup>SIRE: NXOK135 AJC K135<sup>SV</sup>AJC H502<sup>#</sup>RENNYLEA C574<sup>PV</sup>

DAM: NXOJ47 AJC J47#

AJC G40<sup>#</sup>**Statistics:** Number of Herds: 1, Prog Analysed: 34, Genomic Prog: 24

**Reference Sire****AJC P226<sup>SV</sup>****NXOP226**

Date of Birth: 04/07/2018

Register: APR

Mating Type: Natural

AMF,CAF,DDF,NHF

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	-0.1	+8.5	-2.4	+4.3	+65	+121	+150	+145	+15	+3.0	-7.2
Acc	66%	51%	72%	88%	85%	83%	82%	77%	67%	77%	39%
Perc	72	5	84	55	4	2	4	4	70	18	4
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+86	+8.6	-0.4	-0.9	+0.4	+2.7	+0.46	+20	+0.94	+1.00	+1.00
Acc	71%	60%	64%	64%	56%	64%	53%	39%	64%	64%	63%
Perc	7	23	57	60	53	33	82	46	70	57	38

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$261	3	\$229	1

\$A	\$D	\$GN	\$GS
\$261	3	\$338	5

*Traits Observed:*  
CE,BWT,200WT(x2),400WT,600WT,SC,Genomics

**Reference Sire****AJC P115<sup>SV</sup>****NXOP115**

Date of Birth: 16/06/2018

Register: APR

Mating Type: Natural

AMF,CAF,DDF,NHF

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+4.9	+9.4	-5.9	+6.0	+61	+108	+134	+115	+16	+3.9	-6.1
Acc	69%	54%	70%	92%	90%	85%	84%	79%	71%	79%	39%
Perc	32	2	31	87	10	10	18	26	58	5	15
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+67	+9.0	-1.6	-3.4	+0.5	+2.3	+0.53	+14	+0.88	+0.60	+0.92
Acc	73%	59%	63%	64%	55%	64%	53%	35%	64%	64%	60%
Perc	47	20	82	93	47	44	87	81	58	1	16

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$261	3	\$229	1

*Traits Observed:*  
CE,BWT,200WT(x2),400WT,SC,Genomics

**Reference Sire****AJC P84<sup>SV</sup>****NXOP84**

Date of Birth: 12/06/2018

Register: APR

Mating Type: Natural

AMFU,CAFU,DDFU,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+4.5	+2.4	-7.2	+4.9	+55	+102	+141	+113	+17	+2.3	-5.2
Acc	66%	51%	72%	89%	86%	84%	82%	77%	67%	78%	38%
Perc	35	57	15	68	27	18	10	30	52	40	34
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+68	+8.7	-4.5	-4.8	+0.9	+4.1	+0.15	+18	+1.06	+0.84	+0.88
Acc	72%	60%	64%	64%	56%	65%	53%	38%	65%	65%	61%
Perc	44	23	99	98	23	10	46	62	87	19	9

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$244	9	\$214	4

*Traits Observed:*  
BWT,200WT(x2),400WT,600WT,SC,Genomics

**Reference Sire****AJC P20<sup>SV</sup>****NXOP20**

Date of Birth: 04/06/2018

Register: APR

Mating Type: Natural

AMFU,CAFU,DDFU,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+8.7	+9.3	-6.9	+0.7	+48	+96	+131	+106	+18	+4.3	-7.2
Acc	63%	50%	73%	81%	80%	78%	77%	75%	67%	69%	40%
Perc	7	2	18	4	60	33	22	41	41	3	4
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+67	+4.2	+3.3	+3.3	-0.7	+4.1	+0.36	+19	+1.08	+1.26	+1.24
Acc	69%	61%	64%	65%	57%	65%	53%	38%	57%	57%	56%
Perc	48	75	3	5	96	10	73	56	89	95	95

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$240	11	\$193	16

*Traits Observed:*  
BWT,200WT(x2),400WT,600WT,SC,Genomics

RENNYLEA C574<sup>PV</sup>SIRE: NXOJ45 AJC J45<sup>SV</sup>AJC G33<sup>#</sup>AYRVALE GENETIC G11<sup>PV</sup>DAM: NXOM128 AJC M128<sup>#</sup>AJC K116<sup>#</sup>**Statistics:** Number of Herds: 1, Prog Analysed: 30, Genomic Prog: 17A A R TEN X 7008 S A<sup>SV</sup>SIRE: NURJ292 MURRAY TEN X J292<sup>SV</sup>MURRAY AFRICA G257<sup>#</sup>AJC J45<sup>SV</sup>DAM: NXOM153 AJC M153<sup>#</sup>AJC K82<sup>#</sup>**Statistics:** Number of Herds: 1, Prog Analysed: 62, Genomic Prog: 41A A R TEN X 7008 S A<sup>SV</sup>SIRE: NURJ292 MURRAY TEN X J292<sup>SV</sup>MURRAY AFRICA G257<sup>#</sup>AYRVALE GENETIC G11<sup>PV</sup>DAM: NXOM2 AJC M2<sup>SV</sup>AJC K791<sup>#</sup>**Statistics:** Number of Herds: 1, Prog Analysed: 34, Genomic Prog: 24RENNYLEA C574<sup>PV</sup>SIRE: NXOJ45 AJC J45<sup>SV</sup>AJC G33<sup>#</sup>AYRVALE GENETIC G11<sup>PV</sup>DAM: NXOM271 AJC M271<sup>#</sup>AJC G96<sup>#</sup>**Statistics:** Number of Herds: 1, Prog Analysed: 11, Genomic Prog: 6

**Reference Sire****AJC N255<sup>SV</sup>****NXON255**

Date of Birth: 17/07/2017

Register: APR

Mating Type: AI

AMFU,CAFU,DDF,NHNU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+5.6	+5.8	-5.1	+4.6	+49	+83	+112	+96	+18	+4.2	-7.4
Acc	73%	58%	82%	95%	93%	91%	90%	83%	79%	83%	44%
Perc	26	21	44	62	58	71	63	58	40	3	3
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+61	+7.4	+1.1	-0.1	+0.1	+5.6	+0.67	+11	+0.84	+1.00	+0.90
Acc	78%	63%	67%	68%	59%	68%	58%	46%	65%	65%	64%
Perc	66	35	24	45	72	2	94	90	49	57	12

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$247	7	\$196	13

\$A	\$D	\$GN	\$GS
\$247	7	\$326	8

*Traits Observed:*  
GL,CE,BWT,200WT(x2),400WT,SC,Genomics

**Reference Sire****AJC N219<sup>SV</sup>****NXON219**

Date of Birth: 14/07/2017

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHNU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+4.9	+7.6	-4.1	+3.5	+54	+114	+148	+115	+30	+4.3	-5.3
Acc	71%	56%	75%	95%	93%	90%	88%	82%	79%	81%	42%
Perc	32	8	61	37	33	4	6	26	1	3	31
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+93	+10.2	-3.6	-3.6	+1.0	+2.5	+0.15	+17	+1.36	+1.30	+1.06
Acc	77%	64%	68%	69%	61%	68%	55%	33%	63%	63%	59%
Perc	3	12	99	94	18	38	46	66	99	97	58

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$243	9	\$207	6

\$A	\$D	\$GN	\$GS
\$243	9	\$308	16

*Traits Observed:*  
BWT,200WT(x2),400WT,SC,Genomics

**Reference Sire****AJC N162<sup>SV</sup>****NXON162**

Date of Birth: 09/07/2017

Register: APR

Mating Type: AI

AMFU,CAFU,DDF,NHNU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	-10.7	+6.0	-6.7	+8.2	+67	+112	+155	+152	+21	+2.2	-4.6
Acc	73%	61%	85%	95%	93%	90%	89%	83%	80%	81%	48%
Perc	99	19	20	99	3	6	3	2	18	44	51
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+89	+10.4	-1.5	-2.0	+0.2	+4.0	+0.14	+12	+1.14	+0.96	+0.96
Acc	78%	66%	69%	69%	63%	69%	59%	55%	70%	70%	68%
Perc	5	11	81	79	66	11	44	87	94	46	25

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$208	41	\$155	63

\$A	\$D	\$GN	\$GS
\$208	41	\$290	28

*Traits Observed:*  
GL,BWT,200WT(x2),400WT,SC,Genomics

**Reference Sire****AJC N118<sup>SV</sup>****NXON118**

Date of Birth: 03/07/2017

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHNU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+1.7	+8.1	-0.7	+5.9	+62	+105	+154	+140	+19	+3.4	-4.7
Acc	66%	51%	72%	88%	85%	83%	82%	77%	68%	77%	38%
Perc	59	6	95	85	8	14	3	6	35	11	48
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+87	+9.7	-2.6	-3.2	+0.8	+3.5	+0.13	+13	+0.84	+1.06	+1.02
Acc	71%	59%	63%	63%	55%	65%	53%	33%	57%	59%	57%
Perc	6	15	94	91	28	17	43	82	49	70	45

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$237	13	\$179	32

\$A	\$D	\$GN	\$GS
\$237	13	\$308	16

*Traits Observed:*  
BWT,200WT(x2),400WT,600WT,SC,Genomics

## EBV Quick Reference for Speriby North Angus

Animal Ident	Calving Ease		Growth		Fertility		Carcass		Feed		Temp.		Structural		Selection Indexes											
	CEDir	CEDtrs	GL	BW/T	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	RIB	P8	RBY	IMF	NFI/F	Doc	Claw	Angle	Leg	\$A	\$D	\$GS	\$GN
1 NXO21S63	+9.2	+5.3	-7.9	-0.1	+4.6	+81	+105	+79	+23	+2.5	-7.8	+58	+5.2	+0.5	-0.1	+0.2	+3.2	-0.09	+9	+0.94	+1.02	+0.86	\$384	\$192	\$216	\$300
2 NXO21S47	+8.7	+7.0	-4.2	+1.6	+47	+92	+117	+90	+21	+2.2	-5.5	+66	+6.3	+0.3	-1.3	+0.4	+4.1	+0.21	+17	+0.64	+0.56	+0.90	\$392	\$194	\$220	\$307
3 NXO21S29	+2.7	+6.6	-6.6	+4.5	+60	+116	+153	+145	+13	+2.1	-4.3	+86	+8.3	-2.4	-3.7	+0.6	+5.2	+0.05	+14	+1.06	+1.16	+1.14	\$439	\$202	\$238	\$331
4 NXO21S79	+8.5	+7.9	-8.4	+0.7	+55	+98	+133	+128	+13	+2.2	-5.5	+85	+2.7	-1.8	-2.9	-0.3	+4.4	-0.46	+12	+1.14	+0.88	+0.84	\$402	\$171	\$201	\$286
5 NXO21S144	+5.3	+8.3	-2.7	+4.3	+59	+118	+162	+148	+20	+4.2	-6.1	+94	+14.0	-0.9	-2.5	+1.3	+4.1	+0.37	+15	+1.16	+1.12	+1.04	\$490	\$229	\$277	\$358
6 NXO21S93	+6.8	+8.6	-6.4	+3.7	+59	+111	+152	+120	+23	+2.3	-6.5	+89	+8.5	+4.1	+4.9	-0.7	+3.3	+0.10	+17	+1.18	+1.06	+0.96	\$467	\$216	\$266	\$365
7 NXO21S254	+3.8	+8.2	-7.0	+3.8	+66	+119	+167	+161	+15	+2.1	-5.0	+97	+15.8	-2.9	-3.9	+1.6	+3.6	-0.05	+12	+1.24	+1.14	+1.06	\$489	\$221	\$271	\$362
8 NXO21S157	+2.4	+5.1	-6.0	+4.5	+63	+106	+147	+131	+17	+2.0	-7.4	+85	+11.9	-0.9	-1.7	+0.9	+3.9	-0.36	+11	+1.10	+1.02	+1.00	\$468	\$226	\$273	\$367
9 NXO21S1058	+8.8	+8.0	-1.3	+1.0	+53	+98	+137	+108	+24	+2.4	-6.4	+75	+7.8	+1.3	+1.7	+0.3	+4.0	+0.20	+16	+1.18	+0.92	+0.96	\$446	\$208	\$256	\$350
10 NXO21S499	+7.4	+7.1	-2.3	+3.2	+58	+106	+142	+111	+24	+4.1	-6.0	+87	+10.6	-0.3	-1.4	+0.9	+3.1	+0.01	+16	+1.06	+0.96	+0.82	\$450	\$220	\$259	\$348
11 NXO21S39	+10.3	+10.3	-5.6	+2.8	+56	+107	+149	+120	+28	+4.1	-7.0	+89	+11.2	+0.1	-1.8	+0.9	+3.6	+0.48	+10	+1.22	+0.98	+0.84	\$472	\$223	\$271	\$352
12 NXO21S287	+1.1	+4.7	-8.9	+6.4	+68	+118	+157	+143	+15	+3.6	-6.2	+89	+8.5	-1.4	-2.8	+0.0	+4.1	+0.07	+16	+0.92	+1.02	+0.92	\$450	\$210	\$249	\$343
13 NXO21S390	+7.2	+4.2	-3.5	+1.1	+62	+107	+136	+114	+16	+3.2	-5.5	+88	+8.9	-0.7	-0.4	+0.1	+3.8	-0.01	+12	+1.06	+1.14	+1.02	\$441	\$214	\$248	\$355
14 NXO21S407	+5.4	+4.0	-0.1	+3.7	+59	+94	+121	+98	+17	+3.1	-7.3	+71	+10.6	+0.0	-0.2	+0.6	+3.3	+0.06	+9	+1.02	+0.98	+0.88	\$434	\$223	\$257	\$356
15 NXO21S501	+2.9	+2.5	-0.6	+4.2	+71	+123	+162	+139	+26	+4.9	-7.5	+97	+8.4	-1.7	-2.7	+0.9	+2.6	+0.43	-	+1.32	+1.34	+0.92	\$482	\$240	\$274	\$366
16 NXO21S590	+6.3	+5.0	-5.9	+5.2	+55	+97	+134	+116	+21	+1.1	-6.0	+76	+9.1	-1.0	-1.2	+0.6	+3.7	+0.07	+14	+1.02	+0.88	+0.98	\$422	\$198	\$237	\$328
17 NXO21S910	-4.1	+6.1	-3.0	+5.9	+61	+100	+135	+109	+16	+1.9	-5.5	+84	+6.2	+0.4	-0.6	-0.8	+5.1	+0.19	+15	+1.18	+1.00	+1.00	\$373	\$173	\$216	\$319
18 NXO21S962	+4.5	+6.0	-2.0	+6.4	+70	+119	+172	+162	+18	+3.0	-5.3	+96	+8.0	-2.1	-3.4	+0.4	+4.0	+0.49	+12	+1.02	+1.00	+1.02	\$468	\$200	\$252	\$342
19 NXO21S121	+10.8	+10.0	-7.2	+1.0	+47	+94	+123	+89	+21	+4.6	-7.1	+63	+11.2	+2.0	+2.0	+0.2	+5.0	+0.99	+11	+1.20	+0.98	+1.14	\$449	\$222	\$270	\$360
20 NXO21S159	+7.2	+4.6	-3.1	+1.6	+45	+86	+105	+69	+19	+3.4	-5.7	+63	+9.8	+0.4	+0.1	+0.2	+6.2	+0.58	+13	+1.00	+0.86	+0.84	\$401	\$209	\$249	\$353
21 NXO21S244	+8.5	+9.9	-4.0	+3.5	+57	+106	+140	+121	+21	+3.0	-7.7	+92	+6.3	-0.7	-0.5	+0.2	+4.0	-0.04	+12	+1.08	+1.04	+1.20	\$468	\$226	\$261	\$348
22 NXO21S55	+5.9	+6.5	-4.2	+3.2	+58	+97	+129	+107	+15	+2.6	-6.3	+84	+14.9	+1.2	+1.2	+0.8	+3.2	-0.33	+10	+1.02	+0.98	+0.84	\$451	\$224	\$267	\$367
23 NXO21S139	+0.2	+5.4	-4.7	+5.2	+62	+99	+140	+110	+13	+3.8	-7.7	+75	+10.7	+0.2	+0.4	+0.5	+3.2	+0.09	+11	+1.32	+1.34	+1.24	\$441	\$217	\$267	\$352
24 NXO21S171	+3.4	+7.6	-7.4	+5.8	+57	+94	+129	+103	+15	+4.8	-9.2	+73	+9.4	+0.0	-0.8	+0.2	+4.5	+0.35	+15	+1.12	+1.08	+0.92	\$451	\$226	\$273	\$353
25 NXO21S193	+2.1	+3.8	-4.0	+4.4	+60	+102	+143	+126	+22	+3.6	-6.4	+93	+7.6	+0.0	-0.5	+0.2	+4.1	+0.25	+11	+1.18	+0.90	+0.88	\$424	\$193	\$239	\$330
26 NXO21S402	-4.1	-6.0	-11.5	+7.4	+72	+115	+162	+150	+21	+4.1	-7.9	+106	+9.6	+0.5	-1.2	-0.4	+4.7	+0.40	+15	+1.08	+0.80	+0.84	\$437	\$195	\$251	\$350
27 NXO21S644	+0.2	+6.1	-6.7	+5.3	+61	+109	+142	+124	+14	+2.5	-5.3	+74	+8.2	-1.9	-3.0	+0.3	+3.6	-0.05	+18	+0.98	+1.04	+1.00	\$406	\$195	\$224	\$313
28 NXO21S595	+3.9	+3.7	-1.8	+5.3	+64	+107	+151	+147	+19	+0.0	-4.9	+87	+5.3	-3.5	-5.0	+0.6	+3.6	-0.18	+19	+0.78	+0.96	+1.04	\$411	\$178	\$212	\$304
29 NXO21S87	+9.4	+7.3	-9.8	+2.2	+50	+98	+127	+101	+25	+2.8	-6.1	+70	+11.6	+0.2	+0.3	+0.8	+4.5	+0.37	+10	+1.04	+1.26	+1.30	\$444	\$220	\$260	\$358
30 NXO21S44	+1.0	+4.4	-5.0	+5.4	+63	+98	+139	+127	+11	+1.5	-5.8	+87	+6.7	-3.2	-4.3	+0.5	+4.4	-0.29	+9	+0.90	+0.84	+1.04	\$407	\$186	\$228	\$319
31 NXO21S662	+6.0	+7.2	-5.8	+2.9	+54	+110	+133	+127	+16	+2.8	-6.8	+74	+10.9	-1.3	-1.9	+1.4	+3.2	+0.48	+16	+1.08	+0.90	+1.00	\$462	\$238	\$255	\$339
32 NXO21S659	+0.9	-2.5	-0.6	+5.5	+61	+110	+147	+103	+28	+1.3	-5.8	+92	+8.9	-2.5	-0.9	+0.4	+2.7	-0.36	+18	+1.24	+0.94	+1.02	\$406	\$207	\$243	\$340
33 NXO21S591	+7.3	+10.7	-1.8	+2.4	+61	+107	+137	+104	+20	+1.9	-6.6	+88	+6.5	-0.8	-1.2	+0.2	+2.9	+0.35	+14	+1.16	+0.94	+0.90	\$452	\$228	\$256	\$355

**TACE**   
Industrian Animal Genetic Evaluation

## EBV Quick Reference for Speriby North Angus

Animal Ident	Calving Ease		Growth		Fertility		Carcass		Feed		Structural		Selection Indexes													
	CEDir	CEDtrs	GL	BW/T	200	400	MCW	Milk	SS	DTC	CWT	EMA	RIB	P8	RBY	IMF	NFI/F	Doc	Claw	Angle	Leg	\$A	\$D	\$GS	\$GN	
34 NXO21S364	+0.2	+7.5	-2.8	+4.0	+64	+113	+150	+156	+12	+4.0	-7.7	+88	+9.1	-0.4	-2.0	+0.5	+4.3	-0.04	+11	+1.02	+0.98	+1.00	\$467	\$217	\$252	\$338
35 NXO21S325	+5.2	+6.2	-8.1	+2.3	+53	+90	+116	+98	+14	+1.7	-6.5	+69	+12.5	-0.5	-0.1	+1.1	+3.4	-0.14	+10	+1.24	+1.14	+0.98	\$427	\$218	\$251	\$348
36 NXO21S281	+4.8	+8.1	+0.7	+3.9	+59	+98	+138	+106	+25	+2.2	-6.6	+86	+11.4	+2.5	+1.7	-0.2	+4.1	+0.46	+12	+1.08	+1.08	+1.06	\$442	\$207	\$262	\$367
37 NXO21S149	+3.2	+6.8	-1.1	+4.8	+66	+102	+150	+122	+19	+2.5	-6.4	+94	+9.7	+0.1	-1.5	+0.3	+3.8	-0.02	+11	+1.26	+1.06	+1.12	\$447	\$204	\$262	\$359
38 NXO21S766	+3.9	+6.1	-4.0	+6.5	+70	+115	+160	+134	+23	+2.7	-6.3	+94	+13.3	-2.4	-4.8	+0.9	+3.4	+0.37	+14	+0.90	+0.74	+0.96	\$471	\$225	\$273	\$370
39 NXO21S871	+9.6	+6.1	-8.7	+2.2	+55	+101	+136	+110	+21	+5.0	-6.4	+66	+6.1	+1.8	+1.1	-0.1	+3.8	+0.30	+15	+1.00	+1.02	+1.00	\$430	\$200	\$241	\$326
40 NXO21S643	-2.7	+4.9	-2.5	+7.8	+70	+126	+173	+160	+18	+4.7	-6.3	+105	+10.5	-3.0	-4.7	+1.1	+3.3	-0.15	+12	+1.46	+1.26	+0.98	\$459	\$215	\$256	\$333
41 NXO21S322	-1.1	+4.4	-5.2	+4.4	+59	+93	+120	+106	+9	+1.4	-5.0	+66	+12.3	-2.9	-4.3	+1.9	+2.6	-0.02	+7	+0.94	+1.18	+1.00	\$385	\$201	\$222	\$314
42 NXO21S94	+12.8	+10.5	-6.0	-0.4	+41	+88	+115	+95	+25	+0.5	-5.6	+71	+4.1	+0.8	-0.5	-0.4	+5.6	+0.22	+13	+0.88	+0.96	+0.94	\$383	\$173	\$206	\$299
43 NXO21S138	+6.7	+5.7	-6.1	+4.5	+53	+100	+135	+120	+18	+2.4	-6.9	+86	+9.0	+0.2	-0.7	+0.7	+3.0	-0.05	+14	+1.28	+1.08	+0.94	\$432	\$206	\$239	\$315
44 NXO21S828	-3.0	+6.9	-8.0	+6.7	+65	+115	+155	+138	+20	+2.3	-4.3	+97	+5.1	-2.6	-3.7	-0.1	+3.4	+0.16	+14	+0.84	+0.76	+0.86	\$380	\$169	\$198	\$286
45 NXO21S968	+5.8	+6.5	-3.8	+3.3	+56	+98	+131	+95	+18	+3.3	-6.9	+67	+10.1	+0.8	+1.4	-0.1	+4.8	+0.35	+13	+1.12	+1.16	+1.10	\$447	\$222	\$272	\$373
46 NXO21S77	+1.6	+7.5	-3.2	+5.8	+62	+115	+150	+136	+16	+1.7	-5.0	+92	+15.1	-2.4	-4.7	+1.8	+2.8	+0.26	+18	+1.22	+0.72	+0.80	\$448	\$223	\$252	\$341
47 NXO21S273	+5.3	+7.3	-4.9	+2.8	+61	+102	+130	+104	+12	+2.4	-7.4	+71	+4.8	+2.0	+2.8	-0.9	+4.3	+0.43	+21	+1.04	+1.06	+0.98	\$448	\$222	\$259	\$366
48 NXO21S275	+4.7	+1.1	-8.7	+2.5	+59	+97	+135	+128	+22	+0.5	-6.2	+81	+6.2	-1.1	-2.0	+0.1	+4.3	+0.16	+18	+1.00	+0.86	+1.02	\$408	\$181	\$219	\$319
49 NXO21S556	+7.5	+7.3	-8.7	+3.4	+50	+100	+132	+89	+31	+3.3	-7.7	+85	+6.8	-0.6	-1.3	+0.0	+4.1	+0.41	+16	+1.06	+1.24	+1.18	\$429	\$215	\$252	\$337
50 NXO21S467	+7.2	+10.3	-7.8	+2.5	+61	+119	+143	+108	+22	+2.6	-7.2	+97	+4.9	+0.8	+2.2	-0.4	+2.3	+0.12	+19	+1.20	+1.22	+0.92	\$470	\$245	\$263	\$361
51 NXO21S478	+8.1	+4.0	-3.8	+1.4	+48	+83	+114	+76	+24	+2.2	-7.6	+70	+3.3	+5.0	+5.5	-1.8	+6.5	+0.70	+14	+1.38	+1.06	+1.06	\$404	\$186	\$244	\$356
52 NXO21S516	+1.5	+2.6	-5.5	+5.6	+58	+99	+129	+118	+16	+1.0	-5.7	+75	+10.0	-1.5	-1.9	+0.5	+3.9	-0.22	+12	+1.14	+0.92	+0.80	\$402	\$195	\$225	\$322
53 NXO21S1061	+7.1	+10.1	-2.0	+2.6	+54	+104	+133	+120	+23	+4.2	-7.7	+70	+10.5	-2.6	-4.1	+1.5	+3.2	+0.42	+16	+1.36	+1.16	+0.86	\$460	\$232	\$257	\$333
54 NXO21S231	+0.2	+8.0	-9.2	+3.8	+64	+102	+137	+128	+14	+2.4	-8.2	+78	+3.6	+0.1	-1.1	-0.7	+4.8	-0.19	+8	+1.16	+1.04	+0.96	\$432	\$201	\$239	\$336
55 NXO21S103	+10.5	+8.6	-4.7	+0.1	+39	+75	+90	+64	+21	+0.7	-7.0	+54	+8.5	+4.3	+2.0	+0.7	+4.8	+0.46	+11	+1.06	+0.90	+1.08	\$400	\$213	\$242	\$343

TACE	CEDir	CEDtrs	GL	BW/T	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	RIB	P8	RBY	IMF	NFI/F	Doc	Claw	Angle	Leg	\$A	\$D	\$GS	\$GN
Indonesian Angus Cattle Evaluation	+2.2	+2.6	-4.8	+4.1	+50	+90	+117	+100	+17	+2.1	-4.6	+66	+6.4	+0.0	-0.3	+0.5	+2.2	+0.19	+20	+0.84	+0.97	+1.03	+197	+163	+259	+181

**Lot 1****AJC S63<sup>PV</sup>****NXO21S63**

Date of Birth: 18/06/2021

Register: APR

Mating Type: AI

AMFU,CAFU,DDF,NNHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+9.2	+5.3	-7.9	-0.1	+46	+81	+105	+79	+23	+2.5	-7.8
Acc	61%	46%	81%	75%	74%	72%	74%	69%	62%	74%	34%
Perc	5	26	10	2	70	76	75	83	11	33	2
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+58	+5.2	+0.5	-0.1	+0.2	+3.2	-0.09	+9	+0.94	+1.02	+0.86
Acc	62%	62%	63%	63%	56%	66%	50%	52%	68%	68%	64%
Perc	74	63	36	45	66	22	18	93	70	61	7

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$232	17	\$192	17

\$A	\$D	\$GN	\$GS
\$230	21	\$300	21

*Traits Observed:*  
GL,CE,BWT,200WT,400WT,600WT(x2),SC,Genomics

Purchaser.....

\$.....

**Lot 2****AJC S47<sup>PV</sup>****NXO21S47**

Date of Birth: 16/06/2021

Register: APR

Mating Type: Natural

AMF,CAF,DDF,NNHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+8.7	+7.0	-4.2	+1.6	+47	+92	+117	+90	+21	+2.2	-5.5
Acc	56%	45%	69%	73%	72%	69%	71%	67%	60%	70%	35%
Perc	7	12	59	9	63	44	50	68	19	44	27
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+66	+6.3	+0.3	-1.3	+0.4	+4.1	+0.21	+17	+0.64	+0.56	+0.90
Acc	60%	58%	60%	61%	53%	64%	52%	34%	63%	63%	60%
Perc	50	49	40	67	53	10	54	67	13	1	12

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$234	15	\$194	15

\$A	\$D	\$GN	\$GS
\$307	16	\$220	15

*Traits Observed:*  
CE,BWT,200WT,400WT,600WT(x2),SC,Genomics

Purchaser.....

\$.....

**Lot 3****AJC S29<sup>PV</sup>****NXO21S29**

Date of Birth: 15/06/2021

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NNHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+2.7	+6.6	-6.6	+4.5	+60	+116	+153	+145	+13	+2.1	-4.3
Acc	55%	45%	70%	74%	73%	70%	72%	68%	61%	71%	37%
Perc	51	15	22	60	11	3	3	4	80	49	60
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+86	+8.3	-2.4	-3.7	+0.6	+5.2	+0.05	+14	+1.06	+1.16	+1.14
Acc	62%	59%	61%	62%	54%	65%	53%	35%	59%	59%	56%
Perc	7	26	92	94	40	3	32	78	87	87	80

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$248	7	\$202	9

\$A	\$D	\$GN	\$GS
\$331	7	\$238	6

*Traits Observed:*  
CE,BWT,200WT,400WT,600WT(x2),SC,Genomics

Purchaser.....

\$.....

**Lot 4****AJC S79<sup>PV</sup>****NXO21S79**

Date of Birth: 20/06/2021

Register: APR

Mating Type: AI

AMFU,CAFU,DDF,NNHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+8.5	+7.9	-8.4	+0.7	+55	+98	+133	+128	+13	+2.2	-5.5
Acc	60%	45%	81%	75%	74%	72%	74%	69%	62%	74%	34%
Perc	8	7	7	4	26	28	19	12	81	44	27
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+85	+2.7	-1.8	-2.9	-0.3	+4.4	-0.46	+12	+1.14	+0.88	+0.84
Acc	62%	62%	63%	63%	56%	66%	49%	52%	68%	68%	65%
Perc	8	88	85	89	88	7	2	85	94	27	5

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$215	33	\$171	43

\$A	\$D	\$GN	\$GS
\$286	31	\$201	31

*Traits Observed:*  
GL,CE,BWT,200WT,400WT,600WT(x2),SC,Genomics

Purchaser.....

\$.....

**Lot 5****AJC S144<sup>PV</sup>****NXO21S144**

Date of Birth: 30/06/2021

Register: APR

Mating Type: Natural

AMFU,CAFU,DDFU,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+5.3	+8.3	-2.7	+4.3	+59	+118	+162	+148	+20	+4.2	-6.1
Acc	56%	44%	72%	74%	73%	71%	73%	68%	60%	72%	36%
Perc	28	5	81	55	13	3	1	3	24	3	15
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+94	+14.0	-0.9	-2.5	+1.3	+4.1	+0.37	+15	+1.16	+1.12	+1.04
Acc	61%	58%	60%	61%	53%	64%	51%	34%	60%	60%	59%
Perc	3	2	69	85	9	10	74	73	95	81	51

**Selection Indexes**

\$A	\$D	\$GN		\$GS	
\$280	1	\$229	1	\$358	2

*Traits Observed:*  
CE,BWT,200WT,400WT,600WT(x2),SC,Genomics

Purchaser.....  
\$.....

**Lot 6****AJC S93<sup>PV</sup>****NXO21S93**

Date of Birth: 21/06/2021

Register: APR

Mating Type: Natural

AMF,CAF,DDF,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+6.8	+8.6	-6.4	+3.7	+59	+111	+152	+120	+23	+2.3	-6.5
Acc	55%	42%	70%	74%	72%	71%	73%	66%	59%	72%	32%
Perc	17	4	24	41	15	7	4	20	9	40	10
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+89	+8.5	+4.1	+4.9	-0.7	+3.3	+0.10	+17	+1.18	+1.06	+0.96
Acc	60%	56%	58%	59%	50%	62%	49%	30%	60%	61%	59%
Perc	5	24	2	2	96	20	39	66	96	70	25

**Selection Indexes**

\$A	\$D	\$GN		\$GS	
\$274	1	\$216	3	\$365	1

*Traits Observed:*  
CE,BWT,200WT,400WT,600WT(x2),SC,Genomics

Purchaser.....  
\$.....

**Lot 7****AJC S254<sup>PV</sup>****NXO21S254**

Date of Birth: 14/07/2021

Register: APR

Mating Type: AI

AMF,CAF,DDF,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+3.8	+8.2	-7.0	+3.8	+66	+119	+167	+161	+15	+2.1	-5.0
Acc	61%	45%	82%	75%	73%	72%	74%	69%	62%	73%	34%
Perc	41	6	17	44	4	2	1	1	66	49	39
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+97	+15.8	-2.9	-3.9	+1.6	+3.6	-0.05	+12	+1.24	+1.14	+1.06
Acc	63%	63%	63%	63%	57%	66%	51%	55%	70%	70%	66%
Perc	2	1	96	95	4	16	21	85	98	84	58

**Selection Indexes**

\$A	\$D	\$GN		\$GS	
\$279	1	\$221	2	\$362	2

*Traits Observed:*  
GL,CE,BWT,200WT,400WT,600WT(x2),SC,Genomics

Purchaser.....  
\$.....

**Lot 8****AJC S157<sup>PV</sup>****NXO21S157**

Date of Birth: 02/07/2021

Register: APR

Mating Type: AI

AMFU,CAFU,DDFU,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+2.4	+5.1	-6.0	+4.5	+63	+106	+147	+131	+17	+2.0	-7.4
Acc	61%	46%	83%	75%	74%	72%	74%	70%	63%	74%	34%
Perc	54	28	29	60	6	12	6	10	55	53	3
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+85	+11.9	-0.9	-1.7	+0.9	+3.9	-0.36	+11	+1.10	+1.02	+1.00
Acc	63%	63%	63%	63%	56%	66%	50%	52%	68%	68%	64%
Perc	8	5	69	74	23	12	4	90	91	61	38

**Selection Indexes**

\$A	\$D	\$GN		\$GS	
\$283	1	\$226	2	\$367	1

*Traits Observed:*  
GL,CE,BWT,200WT,400WT,600WT(x2),SC,Genomics

Purchaser.....  
\$.....

**Lot 9****AJC S1058<sup>SV</sup>****NXO21S1058**

Date of Birth: 08/10/2021

Register: APR

Mating Type: Natural

AMF,CAF,DDF,NHF

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBVs</b>	<b>+8.8</b>	<b>+8.0</b>	<b>-1.3</b>	<b>+1.0</b>	<b>+53</b>	<b>+98</b>	<b>+137</b>	<b>+108</b>	<b>+24</b>	<b>+2.4</b>	<b>-6.4</b>
Acc	55%	44%	69%	73%	72%	69%	70%	68%	61%	68%	34%
Perc	6	7	92	5	37	29	14	37	7	37	11
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBVs</b>	<b>+75</b>	<b>+7.8</b>	<b>+1.3</b>	<b>+1.7</b>	<b>+0.3</b>	<b>+4.0</b>	<b>+0.20</b>	<b>+16</b>	<b>+1.18</b>	<b>+0.92</b>	<b>+0.96</b>
Acc	60%	56%	59%	59%	51%	62%	49%	33%	63%	63%	59%
Perc	24	31	20	17	60	11	52	71	96	36	25

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$266	2	\$208	6

\$A	\$D	\$GN	\$GS
\$350	3	\$256	2

**AJC S499<sup>PV</sup>****NXO21S499**

Date of Birth: 28/07/2021

Register: APR

Mating Type: AI

AMF,CAF,DDF,NHF

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBVs</b>	<b>+7.4</b>	<b>+7.1</b>	<b>-2.3</b>	<b>+3.2</b>	<b>+58</b>	<b>+106</b>	<b>+142</b>	<b>+111</b>	<b>+24</b>	<b>+4.1</b>	<b>-6.0</b>
Acc	56%	44%	82%	72%	73%	71%	73%	67%	60%	73%	34%
Perc	13	11	85	30	18	12	9	32	8	4	17
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBVs</b>	<b>+87</b>	<b>+10.6</b>	<b>-0.3</b>	<b>-1.4</b>	<b>+0.9</b>	<b>+3.1</b>	<b>+0.01</b>	<b>+16</b>	<b>+1.06</b>	<b>+0.96</b>	<b>+0.82</b>
Acc	61%	57%	59%	60%	51%	63%	49%	27%	57%	57%	54%
Perc	6	10	55	69	23	24	28	68	87	46	4

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$269	2	\$220	3

\$A	\$D	\$GN	\$GS
\$348	3	\$259	2

**AJC S39<sup>PV</sup>****NXO21S39**

Date of Birth: 15/06/2021

Register: APR

Mating Type: AI

AMFU,CAFU,DDF,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBVs</b>	<b>+10.3</b>	<b>+10.3</b>	<b>-5.6</b>	<b>+2.8</b>	<b>+56</b>	<b>+107</b>	<b>+149</b>	<b>+120</b>	<b>+28</b>	<b>+4.1</b>	<b>-7.0</b>
Acc	57%	46%	82%	74%	74%	71%	72%	69%	61%	71%	37%
Perc	2	1	36	23	25	11	5	20	2	4	5
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBVs</b>	<b>+89</b>	<b>+11.2</b>	<b>+0.1</b>	<b>-1.8</b>	<b>+0.9</b>	<b>+3.6</b>	<b>+0.48</b>	<b>+10</b>	<b>+1.22</b>	<b>+0.98</b>	<b>+0.84</b>
Acc	62%	59%	61%	61%	54%	64%	52%	34%	56%	56%	54%
Perc	5	8	45	76	23	16	83	91	97	52	5

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$277	1	\$223	2

\$A	\$D	\$GN	\$GS
\$352	2	\$271	1

**AJC S287<sup>SV</sup>****NXO21S287**

Date of Birth: 17/07/2021

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBVs</b>	<b>+1.1</b>	<b>+4.7</b>	<b>-8.9</b>	<b>+6.4</b>	<b>+68</b>	<b>+118</b>	<b>+157</b>	<b>+143</b>	<b>+15</b>	<b>+3.6</b>	<b>-6.2</b>
Acc	56%	45%	71%	74%	73%	71%	72%	69%	64%	66%	34%
Perc	64	32	5	91	2	3	2	5	70	8	14
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBVs</b>	<b>+89</b>	<b>+8.5</b>	<b>-1.4</b>	<b>-2.8</b>	<b>+0.0</b>	<b>+4.1</b>	<b>+0.07</b>	<b>+16</b>	<b>+0.92</b>	<b>+1.02</b>	<b>+0.92</b>
Acc	62%	58%	60%	61%	53%	63%	51%	34%	60%	60%	57%
Perc	5	24	79	88	77	10	35	68	66	61	16

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$258	4	\$210	5

\$A	\$D	\$GN	\$GS
\$343	4	\$249	3

Traits Observed:  
BWT,CE,BWT,200WT,400WT(x2),600WT,SC,GenomicsAJC K138<sup>SV</sup>**SIRE: NXOP838 AJC P838<sup>SV</sup>**AJC K516<sup>#</sup>W H S LIMELIGHT 64V<sup>#</sup>**DAM: NXOL81 AJC L81<sup>#</sup>**AJC J153<sup>#</sup>

**Lot 13****AJC S390<sup>PV</sup>****NXO21S390**

Date of Birth: 22/07/2021

Register: APR

Mating Type: AI

AMFU,CAFU,DDFU,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+7.2	+4.2	-3.5	+1.1	+62	+107	+136	+114	+16	+3.2	-5.5
Acc	61%	46%	82%	75%	74%	72%	74%	69%	62%	74%	34%
Perc	14	37	70	6	7	11	15	28	60	14	27
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+88	+8.9	-0.7	-0.4	+0.1	+3.8	-0.01	+12	+1.06	+1.14	+1.02
Acc	63%	63%	64%	64%	56%	67%	51%	55%	69%	69%	66%
Perc	5	21	64	51	72	13	25	86	87	84	45

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$262	3	\$214	4

*Traits Observed:*  
GL,CE,BWT,200WT,400WT(x2),600WT,SC,Genomics

Purchaser.....

\$.....

**Lot 14****AJC S407<sup>PV</sup>****NXO21S407**

Date of Birth: 24/07/2021

Register: APR

Mating Type: AI

AMFU,CAFU,DDFU,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+5.4	+4.0	-0.1	+3.7	+59	+94	+121	+98	+17	+3.1	-7.3
Acc	61%	46%	83%	75%	74%	72%	73%	69%	63%	73%	34%
Perc	27	40	97	41	13	38	42	55	51	16	3
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+71	+10.6	+0.0	-0.2	+0.6	+3.3	+0.06	+9	+1.02	+0.98	+0.88
Acc	62%	63%	63%	63%	56%	66%	50%	52%	67%	67%	63%
Perc	36	10	47	47	40	20	34	93	82	52	9

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$271	2	\$223	2

*Traits Observed:*  
GL,CE,BWT,200WT,400WT(x2),600WT,SC,Genomics

Purchaser.....

\$.....

**Lot 15****AJC S501<sup>PV</sup>****NXO21S501**

Date of Birth: 28/07/2021

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+2.9	+2.5	-0.6	+4.2	+71	+123	+162	+139	+26	+4.9	-7.5
Acc	55%	43%	68%	74%	72%	70%	72%	67%	60%	71%	32%
Perc	50	56	96	53	1	1	2	6	4	1	3
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+97	+8.4	-1.7	-2.7	+0.9	+2.6	+0.43	-	+1.32	+1.34	+0.92
Acc	60%	57%	59%	59%	51%	63%	49%	-	57%	57%	53%
Perc	2	25	84	87	23	36	79	-	99	98	16

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$285	1	\$240	1

*Traits Observed:*  
CE,BWT,200WT,400WT(x2),600WT,SC,Genomics

Purchaser.....

\$.....

**Lot 16****AJC S590<sup>PV</sup>****NXO21S590**

Date of Birth: 04/08/2021

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+6.3	+5.0	-5.9	+5.2	+55	+97	+134	+116	+21	+1.1	-6.0
Acc	54%	43%	67%	72%	71%	69%	72%	66%	60%	71%	32%
Perc	20	29	31	74	27	31	17	25	18	84	17
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+76	+9.1	-1.0	-1.2	+0.6	+3.7	+0.07	+14	+1.02	+0.88	+0.98
Acc	59%	56%	59%	59%	51%	62%	49%	27%	57%	57%	54%
Perc	22	19	71	66	40	14	35	80	82	27	31

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$250	6	\$198	12

*Traits Observed:*  
CE,BWT,200WT,400WT(x2),600WT,SC,Genomics

Purchaser.....

\$.....

**Lot 17****AJC S910<sup>SV</sup>****NXO21S910**

Date of Birth: 02/09/2021

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBVs</b>	<b>-4.1</b>	<b>+6.1</b>	<b>-3.0</b>	<b>+5.9</b>	<b>+61</b>	<b>+100</b>	<b>+135</b>	<b>+109</b>	<b>+16</b>	<b>+1.9</b>	<b>-5.5</b>
Acc	56%	46%	69%	73%	73%	70%	71%	68%	63%	69%	35%
Perc	90	19	77	85	9	22	16	35	64	57	27
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBVs</b>	<b>+84</b>	<b>+6.2</b>	<b>+0.4</b>	<b>-0.6</b>	<b>-0.8</b>	<b>+5.1</b>	<b>+0.19</b>	<b>+15</b>	<b>+1.18</b>	<b>+1.00</b>	<b>+1.00</b>
Acc	61%	57%	59%	60%	52%	62%	49%	33%	63%	63%	59%
Perc	9	50	38	55	97	3	51	73	96	57	38

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$228	20	\$173	39

\$A	\$D	\$GN	\$GS
\$228	20	\$319	11

*Traits Observed:*  
BWT,200WT(x2),400WT,600WT,SC,Genomics

Purchaser.....

\$.....

**Lot 18****AJC S962<sup>SV</sup>****NXO21S962**

Date of Birth: 10/09/2021

Register: APR

Mating Type: Natural

AMF,CAF,DDF,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBVs</b>	<b>+4.5</b>	<b>+6.0</b>	<b>-2.0</b>	<b>+6.4</b>	<b>+70</b>	<b>+119</b>	<b>+172</b>	<b>+162</b>	<b>+18</b>	<b>+3.0</b>	<b>-5.3</b>
Acc	55%	44%	69%	73%	72%	70%	70%	67%	61%	65%	34%
Perc	35	19	88	91	2	2	1	1	41	18	31
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBVs</b>	<b>+96</b>	<b>+8.0</b>	<b>-2.1</b>	<b>-3.4</b>	<b>+0.4</b>	<b>+4.0</b>	<b>+0.49</b>	<b>+12</b>	<b>+1.02</b>	<b>+1.00</b>	<b>+1.02</b>
Acc	61%	57%	59%	60%	52%	63%	50%	32%	61%	61%	59%
Perc	2	29	89	93	53	11	84	87	82	57	45

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$261	3	\$200	11

\$A	\$D	\$GN	\$GS
\$261	3	\$342	4

*Traits Observed:*  
BWT,200WT(x2),400WT,600WT,SC,Genomics

Purchaser.....

\$.....

**Lot 19****AJC S121<sup>PV</sup>****NXO21S121**

Date of Birth: 27/06/2021

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBVs</b>	<b>+10.8</b>	<b>+10.0</b>	<b>-7.2</b>	<b>+1.0</b>	<b>+47</b>	<b>+94</b>	<b>+123</b>	<b>+89</b>	<b>+21</b>	<b>+4.6</b>	<b>-7.1</b>
Acc	55%	43%	69%	74%	73%	71%	73%	67%	60%	72%	34%
Perc	2	1	15	5	66	39	38	69	18	2	5
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBVs</b>	<b>+63</b>	<b>+11.2</b>	<b>+2.0</b>	<b>+2.0</b>	<b>+0.2</b>	<b>+5.0</b>	<b>+0.99</b>	<b>+11</b>	<b>+1.20</b>	<b>+0.98</b>	<b>+1.14</b>
Acc	61%	58%	60%	60%	52%	63%	50%	32%	59%	59%	56%
Perc	61	8	11	13	66	4	99	90	97	52	80

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$274	1	\$222	2

\$A	\$D	\$GN	\$GS
\$274	1	\$360	2

*Traits Observed:*  
CE,BWT,200WT,400WT,600WT(x2),SC,Genomics

Purchaser.....

\$.....

**Lot 20****AJC S159<sup>PV</sup>****NXO21S159**

Date of Birth: 03/07/2021

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBVs</b>	<b>+7.2</b>	<b>+4.6</b>	<b>-3.1</b>	<b>+1.6</b>	<b>+45</b>	<b>+86</b>	<b>+105</b>	<b>+69</b>	<b>+19</b>	<b>+3.4</b>	<b>-5.7</b>
Acc	54%	42%	68%	74%	72%	70%	72%	67%	59%	71%	33%
Perc	14	33	76	9	73	64	75	91	36	11	22
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBVs</b>	<b>+63</b>	<b>+9.8</b>	<b>+0.4</b>	<b>+0.1</b>	<b>+0.2</b>	<b>+6.2</b>	<b>+0.58</b>	<b>+13</b>	<b>+1.00</b>	<b>+0.86</b>	<b>+0.84</b>
Acc	60%	57%	59%	60%	51%	63%	50%	29%	59%	59%	59%
Perc	62	15	38	41	66	1	90	83	79	23	5

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$258	4	\$209	6

\$A	\$D	\$GN	\$GS
\$258	4	\$353	2

*Traits Observed:*  
CE,BWT,200WT,400WT,600WT(x2),SC,Genomics

Purchaser.....

\$.....

**Lot 21****AJC S244<sup>PV</sup>****NXO21S244**

Date of Birth: 14/07/2021

Register: APR

Mating Type: Natural

AMFU, CAFU, DDF, NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+8.5	+9.9	-4.0	+3.5	+57	+106	+140	+121	+21	+3.0	-7.7
Acc	55%	43%	69%	74%	73%	70%	72%	67%	59%	71%	33%
Perc	8	1	62	37	20	11	11	19	19	18	2
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+92	+6.3	-0.7	-0.5	+0.2	+4.0	-0.04	+12	+1.08	+1.04	+1.20
Acc	60%	57%	59%	60%	51%	63%	50%	30%	56%	57%	54%
Perc	3	49	64	53	66	11	22	86	89	66	91

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$271	2	\$226	2

\$348	3	\$261	1
-------	---	-------	---

*Traits Observed:*  
CE, BW, 200WT, 400WT, 600WT(x2), SC, Genomics

GATES MENTOR M9<sup>SV</sup>**SIRE: NXOQ80 AJC Q80<sup>SV</sup>**AJC N3<sup>#</sup>AJC J45<sup>SV</sup>**DAM: NXOQ393 AJC Q393<sup>SV</sup>**AJC N1008<sup>#</sup>

Purchaser.....

\$.....

**Lot 22****AJC S355<sup>PV</sup>****NXO21S355**

Date of Birth: 22/07/2021

Register: APR

Mating Type: AI

AMF, CAF, DDF, NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+5.9	+6.5	-4.2	+3.2	+58	+97	+129	+107	+15	+2.6	-6.3
Acc	61%	46%	83%	74%	74%	72%	73%	69%	63%	74%	36%
Perc	23	15	59	30	17	30	25	39	72	29	12
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+84	+14.9	+1.2	+1.2	+0.8	+3.2	-0.33	+10	+1.02	+0.98	+0.84
Acc	63%	64%	64%	64%	57%	67%	52%	56%	70%	70%	67%
Perc	9	1	22	23	28	22	5	92	82	52	5

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$278	1	\$224	2

\$367	1	\$267	1
-------	---	-------	---

*Traits Observed:*  
GL, CE, BW, 200WT, 400WT, 600WT, SC, Genomics

Purchaser.....

\$.....

**Lot 23****AJC S139<sup>PV</sup>****NXO21S139**

Date of Birth: 29/06/2021

Register: APR

Mating Type: AI

AMFU, CAFU, DDF, NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+0.2	+5.4	-4.7	+5.2	+62	+99	+140	+110	+13	+3.8	-7.7
Acc	60%	45%	81%	74%	73%	72%	74%	69%	62%	74%	34%
Perc	70	25	50	74	7	25	10	34	85	6	2
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+75	+10.7	+0.2	+0.4	+0.5	+3.2	+0.09	+11	+1.32	+1.34	+1.24
Acc	62%	62%	63%	62%	56%	66%	49%	52%	68%	68%	64%
Perc	24	10	43	36	47	22	37	89	99	98	95

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$274	1	\$217	3

\$352	2	\$267	1
-------	---	-------	---

*Traits Observed:*  
GL, CE, BW, 200WT, 400WT, 600WT(x2), SC, Genomics

Purchaser.....

\$.....

**Lot 24****AJC S171<sup>PV</sup>****NXO21S171**

Date of Birth: 05/07/2021

Register: APR

Mating Type: Natural

AMFU, CAFU, DDF, NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+3.4	+7.6	-7.4	+5.8	+57	+94	+129	+103	+15	+4.8	-9.2
Acc	52%	43%	68%	72%	70%	68%	71%	66%	60%	71%	34%
Perc	45	8	14	84	19	39	26	46	71	1	1
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+73	+9.4	+0.0	-0.8	+0.2	+4.5	+0.35	+15	+1.12	+1.08	+0.92
Acc	59%	58%	60%	60%	52%	64%	51%	32%	57%	57%	53%
Perc	30	17	47	59	66	6	71	73	92	74	16

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$278	1	\$226	2

\$353	2	\$273	1
-------	---	-------	---

*Traits Observed:*  
CE, BW, 200WT, 400WT, 600WT(x2), SC, Genomics

Purchaser.....

\$.....

**Lot 25****AJC S193<sup>SV</sup>****NXO21S193**

Date of Birth: 08/07/2021

Register: APR

Mating Type: Natural

AMFU, CAFU, DDF, NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBVs</b>	<b>+2.1</b>	<b>+3.8</b>	<b>-4.0</b>	<b>+4.4</b>	<b>+60</b>	<b>+102</b>	<b>+143</b>	<b>+126</b>	<b>+22</b>	<b>+3.6</b>	<b>-6.4</b>
Acc	56%	45%	70%	74%	72%	70%	73%	68%	61%	71%	36%
Perc	56	42	62	57	12	18	8	14	15	8	11
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBVs</b>	<b>+93</b>	<b>+7.6</b>	<b>+0.0</b>	<b>-0.5</b>	<b>+0.2</b>	<b>+4.1</b>	<b>+0.25</b>	<b>+11</b>	<b>+1.18</b>	<b>+0.90</b>	<b>+0.88</b>
Acc	61%	58%	60%	61%	53%	63%	51%	35%	61%	61%	59%
Perc	3	33	47	53	66	10	59	89	96	32	9

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$249	7	\$193	16

*Traits Observed:*  
BWT, 200WT, 400WT, 600WT(x2), SC, Genomics

Purchaser.....

\$.....

**Lot 26****AJC S402<sup>SV</sup>****NXO21S402**

Date of Birth: 23/07/2021

Register: APR

Mating Type: Natural

AMFU, CAFU, DDFU, NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBVs</b>	<b>-4.1</b>	<b>-6.0</b>	<b>-11.5</b>	<b>+7.4</b>	<b>+72</b>	<b>+115</b>	<b>+162</b>	<b>+150</b>	<b>+21</b>	<b>+4.1</b>	<b>-7.9</b>
Acc	56%	47%	71%	74%	73%	70%	72%	69%	62%	71%	37%
Perc	90	98	1	97	1	4	1	3	18	4	2
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBVs</b>	<b>+106</b>	<b>+9.6</b>	<b>+0.5</b>	<b>-1.2</b>	<b>-0.4</b>	<b>+4.7</b>	<b>+0.40</b>	<b>+15</b>	<b>+1.08</b>	<b>+0.80</b>	<b>+0.84</b>
Acc	62%	59%	61%	61%	54%	64%	52%	38%	61%	61%	59%
Perc	1	16	36	66	91	5	77	77	89	13	5

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$258	4	\$195	14

*Traits Observed:*  
BWT, 200WT, 400WT(x2), 600WT, SC, Genomics

Purchaser.....

\$.....

**Lot 27****AJC S644<sup>PV</sup>****NXO21S644**

Date of Birth: 08/08/2021

Register: APR

Mating Type: Natural

AMFU, CAFU, DDF, NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBVs</b>	<b>+0.2</b>	<b>+6.1</b>	<b>-6.7</b>	<b>+5.3</b>	<b>+61</b>	<b>+109</b>	<b>+142</b>	<b>+124</b>	<b>+14</b>	<b>+2.5</b>	<b>-5.3</b>
Acc	54%	43%	67%	71%	71%	69%	69%	66%	59%	68%	33%
Perc	70	19	20	76	9	8	9	16	78	33	31
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBVs</b>	<b>+74</b>	<b>+8.2</b>	<b>-1.9</b>	<b>-3.0</b>	<b>+0.3</b>	<b>+3.6</b>	<b>-0.05</b>	<b>+18</b>	<b>+0.98</b>	<b>+1.04</b>	<b>+1.00</b>
Acc	59%	57%	59%	59%	51%	62%	49%	28%	60%	60%	57%
Perc	28	27	87	89	60	16	21	57	76	66	38

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$237	13	\$195	14

*Traits Observed:*  
BWT, 200WT(x2), 400WT, 600WT, SC, Genomics

Purchaser.....

\$.....

**Lot 28****AJC S595<sup>PV</sup>****NXO21S595**

Date of Birth: 05/08/2021

Register: APR

Mating Type: Natural

AMFU, CAFU, DDF, NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBVs</b>	<b>+3.9</b>	<b>+3.7</b>	<b>-1.8</b>	<b>+5.3</b>	<b>+64</b>	<b>+107</b>	<b>+151</b>	<b>+147</b>	<b>+19</b>	<b>+0.0</b>	<b>-4.9</b>
Acc	54%	42%	67%	72%	71%	68%	69%	66%	60%	65%	32%
Perc	40	43	89	76	5	11	4	4	35	98	42
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBVs</b>	<b>+87</b>	<b>+5.3</b>	<b>-3.5</b>	<b>-5.0</b>	<b>+0.6</b>	<b>+3.6</b>	<b>-0.18</b>	<b>+19</b>	<b>+0.78</b>	<b>+0.96</b>	<b>+1.04</b>
Acc	59%	56%	59%	59%	51%	62%	49%	26%	59%	60%	57%
Perc	6	62	98	99	40	16	11	54	36	46	51

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$229	19	\$178	33

*Traits Observed:*  
BWT, 200WT, 400WT(x2), 600WT, SC, Genomics

Purchaser.....

\$.....

**Lot 29****AJC S87<sup>PV</sup>****NXO21S87**

Date of Birth: 21/06/2021

Register: APR

Mating Type: Natural

AMFU,CAFU,DDFU,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+9.4	+7.3	-9.8	+2.2	+50	+98	+127	+101	+25	+2.8	-6.1
Acc	56%	44%	69%	74%	73%	71%	73%	67%	60%	72%	35%
Perc	4	10	3	14	48	29	29	49	6	23	15
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+70	+11.6	+0.2	+0.3	+0.8	+4.5	+0.37	+10	+1.04	+1.26	+1.30
Acc	61%	58%	60%	61%	52%	64%	51%	32%	57%	57%	56%
Perc	39	6	43	38	28	6	74	92	85	95	98

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$270	2	\$220	3

*Traits Observed:*  
CE,BWT,200WT,400WT,600WT(x2),SC,Genomics

Purchaser.....

\$.....

**Lot 30****AJC S44<sup>PV</sup>****NXO21S44**

Date of Birth: 16/06/2021

Register: APR

Mating Type: AI

AMFU,CAFU,DDF,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+1.0	+4.4	-5.0	+5.4	+63	+98	+139	+127	+11	+1.5	-5.8
Acc	60%	44%	81%	75%	73%	72%	74%	69%	61%	73%	32%
Perc	65	35	45	78	6	29	12	14	90	72	20
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+87	+6.7	-3.2	-4.3	+0.5	+4.4	-0.29	+9	+0.90	+0.84	+1.04
Acc	62%	61%	62%	62%	55%	65%	48%	51%	67%	67%	64%
Perc	7	44	97	97	47	7	6	94	62	19	51

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$241	10	\$186	23

*Traits Observed:*  
GL,CE,BWT,200WT,400WT,600WT(x2),SC,Genomics

Purchaser.....

\$.....

**Lot 31****AJC S662<sup>PV</sup>****NXO21S662**

Date of Birth: 08/08/2021

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+6.0	+7.2	-5.8	+2.9	+54	+110	+133	+127	+16	+2.8	-6.8
Acc	54%	42%	69%	72%	71%	69%	71%	66%	59%	71%	34%
Perc	23	11	33	25	30	7	19	13	61	23	7
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+74	+10.9	-1.3	-1.9	+1.4	+3.2	+0.48	+16	+1.08	+0.90	+1.00
Acc	59%	57%	59%	60%	52%	63%	50%	31%	59%	59%	57%
Perc	26	9	77	77	7	22	83	71	89	32	38

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$267	2	\$238	1

*Traits Observed:*  
CE,BWT,200WT,400WT(x2),600WT,SC,Genomics

Purchaser.....

\$.....

**Lot 32****AJC S659<sup>PV</sup>****NXO21S659**

Date of Birth: 08/08/2021

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+0.9	-2.5	-0.6	+5.5	+61	+110	+147	+103	+28	+1.3	-5.8
Acc	54%	42%	69%	72%	71%	69%	69%	66%	59%	68%	32%
Perc	65	90	96	79	10	7	6	45	2	79	20
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+92	+8.9	-2.5	-0.9	+0.4	+2.7	-0.36	+18	+1.24	+0.94	+1.02
Acc	60%	57%	59%	60%	51%	63%	49%	31%	63%	63%	60%
Perc	3	21	93	60	53	33	4	62	98	41	45

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$257	4	\$207	7

*Traits Observed:*  
BWT,200WT(x2),400WT,600WT,SC,Genomics

Purchaser.....

\$.....

**Lot 33****AJC S391<sup>PV</sup>****NXO21S391**

Date of Birth: 22/07/2021

Register: APR

Mating Type: Natural

AMF,CAF,DDF,NHF

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+7.3	+10.7	-1.8	+2.4	+61	+107	+137	+104	+20	+1.9	-6.6
Acc	54%	43%	67%	72%	71%	69%	70%	66%	60%	70%	33%
Perc	14	1	89	17	10	10	13	44	27	57	9
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+88	+6.5	-0.8	-1.2	+0.2	+2.9	+0.35	+14	+1.16	+0.94	+0.90
Acc	59%	55%	58%	58%	50%	61%	48%	27%	61%	61%	57%
Perc	6	46	67	66	66	29	71	80	95	41	12

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$272	2	\$228	2

*Traits Observed:*  
BWT,200WT,400WT(x2),600WT,SC,Genomics

Purchaser.....

\$.....

**Lot 34****AJC S364<sup>PV</sup>****NXO21S364**

Date of Birth: 22/07/2021

Register: APR

Mating Type: AI

AMFU,CAFU,DDF,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+0.2	+7.5	-2.8	+4.0	+64	+113	+150	+156	+12	+4.0	-7.7
Acc	62%	47%	82%	75%	74%	72%	74%	69%	63%	74%	35%
Perc	70	9	79	48	5	5	4	2	90	4	2
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+88	+9.1	-0.4	-2.0	+0.5	+4.3	-0.04	+11	+1.02	+0.98	+1.00
Acc	63%	62%	63%	63%	56%	66%	50%	52%	68%	68%	65%
Perc	5	19	57	79	47	8	22	90	82	52	38

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$261	3	\$217	3

*Traits Observed:*  
GL,CE,BWT,200WT,400WT(x2),600WT,SC,Genomics

Purchaser.....

\$.....

**Lot 35****AJC S325<sup>PV</sup>****NXO21S325**

Date of Birth: 15/07/2021

Register: APR

Mating Type: AI

AMFU,CAFU,DDF,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+5.2	+6.2	-8.1	+2.3	+53	+90	+116	+98	+14	+1.7	-6.5
Acc	61%	46%	83%	73%	74%	73%	73%	70%	63%	70%	35%
Perc	29	18	9	16	34	52	52	54	74	65	10
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+69	+12.5	-0.5	-0.1	+1.1	+3.4	-0.14	+10	+1.24	+1.14	+0.98
Acc	64%	64%	65%	65%	57%	68%	52%	55%	68%	68%	64%
Perc	41	4	60	45	14	19	14	91	98	84	31

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$266	2	\$218	3

*Traits Observed:*  
GL,200WT,400WT,600WT(x2),SC,Genomics

Purchaser.....

\$.....

**Lot 36****AJC S281<sup>SV</sup>****NXO21S281**

Date of Birth: 16/07/2021

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+4.8	+8.1	+0.7	+3.9	+59	+98	+138	+106	+25	+2.2	-6.6
Acc	55%	46%	70%	73%	72%	69%	72%	69%	63%	70%	39%
Perc	33	6	99	46	14	28	12	40	5	44	9
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+86	+11.4	+2.5	+1.7	-0.2	+4.1	+0.46	+12	+1.08	+1.08	+1.06
Acc	61%	59%	61%	62%	55%	65%	52%	34%	56%	56%	54%
Perc	7	7	7	17	85	10	82	87	89	74	58

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$272	2	\$207	7

*Traits Observed:*  
BWT,200WT,400WT,600WT(x2),SC,Genomics

Purchaser.....

\$.....

**Lot 37****AJC S149<sup>SV</sup>****NXO21S149**

Date of Birth: 01/07/2021

Register: APR

Mating Type: Natural

AMFU, CAFU, DDFU, NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+3.2	+6.8	-1.1	+4.8	+66	+102	+150	+122	+19	+2.5	-6.4
Acc	54%	44%	69%	72%	71%	69%	71%	68%	63%	70%	35%
Perc	47	13	94	66	4	18	4	18	34	33	11
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+94	+9.7	+0.1	-1.5	+0.3	+3.8	-0.02	+11	+1.26	+1.06	+1.12
Acc	60%	58%	60%	61%	53%	63%	50%	29%	53%	53%	51%
Perc	3	15	45	71	60	13	24	89	99	70	76

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$272	2	\$204	8

\$A	\$D	\$GN	\$GS
\$272	2	\$359	2

**AJC S149<sup>SV</sup>****NXO21S149**

Purchaser.....

\$.....

**Lot 38****AJC S766<sup>PV</sup>****NXO21S766**

Date of Birth: 16/08/2021

Register: APR

Mating Type: Natural

AMFU, CAFU, DDFU, NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+3.9	+6.1	-4.0	+6.5	+70	+115	+160	+134	+23	+2.7	-6.3
Acc	56%	44%	68%	74%	73%	70%	72%	67%	61%	71%	33%
Perc	40	19	62	92	2	4	2	8	12	26	12
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+94	+13.3	-2.4	-4.8	+0.9	+3.4	+0.37	+14	+0.90	+0.74	+0.96
Acc	61%	57%	59%	60%	52%	63%	49%	27%	59%	59%	54%
Perc	3	3	92	98	23	19	74	77	62	7	25

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$284	1	\$225	2

\$A	\$D	\$GN	\$GS
\$284	1	\$370	1

**AJC S766<sup>PV</sup>****NXO21S766**

Purchaser.....

\$.....

**Lot 39****AJC S871<sup>PV</sup>****NXO21S871**

Date of Birth: 28/08/2021

Register: APR

Mating Type: Natural

AMFU, CAFU, DDFU, NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+9.6	+6.1	-8.7	+2.2	+55	+101	+136	+110	+21	+5.0	-6.4
Acc	55%	44%	69%	72%	71%	68%	69%	66%	60%	64%	34%
Perc	4	19	6	14	29	22	15	34	22	1	11
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+66	+6.1	+1.8	+1.1	-0.1	+3.8	+0.30	+15	+1.00	+1.02	+1.00
Acc	60%	58%	60%	60%	52%	64%	50%	30%	57%	57%	54%
Perc	52	51	13	24	81	13	66	74	79	61	38

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$249	7	\$200	10

\$A	\$D	\$GN	\$GS
\$249	7	\$326	8

Traits Observed:  
CE, BWT, 200WT(x2), 400WT, 600WT, SC, Genomics**Lot 40****AJC S643<sup>PV</sup>****NXO21S643**

Date of Birth: 07/08/2021

Register: APR

Mating Type: Natural

AMFU, CAFU, DDFU, NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	-2.7	+4.9	-2.5	+7.8	+70	+126	+173	+160	+18	+4.7	-6.3
Acc	56%	43%	71%	74%	73%	71%	73%	67%	60%	73%	34%
Perc	85	30	83	98	2	1	1	2	41	2	12
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+105	+10.5	-3.0	-4.7	+1.1	+3.3	-0.15	+12	+1.46	+1.26	+0.98
Acc	61%	58%	60%	60%	52%	63%	51%	32%	57%	57%	56%
Perc	1	11	96	98	14	20	13	88	99	95	31

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$262	3	\$215	4

\$A	\$D	\$GN	\$GS
\$262	3	\$333	6

Traits Observed:  
CE, BWT, 200WT, 400WT(x2), 600WT, SC, Genomics

Purchaser.....

\$.....

**Lot 41****AJC S322<sup>PV</sup>****NXO21S322**

Date of Birth: 19/07/2021

Register: APR

Mating Type: AI

AMF,CAF,DDF,NHF

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	-1.1	+4.4	-5.2	+4.4	+59	+93	+120	+106	+9	+1.4	-5.0
Acc	60%	45%	83%	75%	74%	72%	74%	69%	62%	74%	34%
Perc	78	35	42	57	14	44	44	41	97	76	39
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+66	+12.3	-2.9	-4.3	+1.9	+2.6	-0.02	+7	+0.94	+1.18	+1.00
Acc	62%	62%	63%	63%	56%	66%	49%	53%	68%	68%	65%
Perc	52	4	96	97	2	36	24	96	70	89	38

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$241	10	\$201	10

\$A	\$D	\$GN	\$GS
\$241	10	\$314	13

*Traits Observed:*  
GL,CE,BWT,200WT,400WT,600WT(x2),SC,Genomics

Purchaser.....

\$.....

**Lot 42****AJC S94<sup>PV</sup>****NXO21S94**

Date of Birth: 21/06/2021

Register: APR

Mating Type: Natural

AMFU,CAFU,DDFU,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+12.8	+10.5	-6.0	-0.4	+41	+88	+115	+95	+25	+0.5	-5.6
Acc	54%	43%	69%	72%	71%	69%	72%	66%	59%	71%	32%
Perc	1	1	29	1	86	58	56	60	5	95	24
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+71	+4.1	+0.8	-0.5	-0.4	+5.6	+0.22	+13	+0.88	+0.96	+0.94
Acc	59%	57%	59%	60%	51%	63%	50%	31%	60%	60%	59%
Perc	36	76	29	53	91	2	55	83	58	46	20

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$220	28	\$173	39

\$A	\$D	\$GN	\$GS
\$220	28	\$299	22

*Traits Observed:*  
CE,BWT,200WT,400WT,600WT(x2),SC,Genomics

Purchaser.....

\$.....

**Lot 43****AJC S138<sup>PV</sup>****NXO21S138**

Date of Birth: 29/06/2021

Register: APR

Mating Type: Natural

AMFU,CAFU,DDFU,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+6.7	+5.7	-6.1	+4.5	+53	+100	+135	+120	+18	+2.4	-6.9
Acc	56%	44%	72%	74%	73%	71%	73%	67%	60%	72%	33%
Perc	17	22	28	60	37	22	16	20	43	37	6
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+86	+9.0	+0.2	-0.7	+0.7	+3.0	-0.05	+14	+1.28	+1.08	+0.94
Acc	61%	58%	60%	60%	52%	63%	51%	31%	60%	60%	56%
Perc	7	20	43	57	34	26	21	79	99	74	20

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$249	6	\$206	7

\$A	\$D	\$GN	\$GS
\$249	6	\$315	12

*Traits Observed:*  
CE,BWT,200WT,400WT,600WT(x2),SC,Genomics

Purchaser.....

\$.....

**Lot 44****AJC S828<sup>SV</sup>****NXO21S828**

Date of Birth: 24/08/2021

Register: APR

Mating Type: Natural

AMF,CAF,DDF,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	-3.0	+6.9	-8.0	+6.7	+65	+115	+155	+138	+20	+2.3	-4.3
Acc	56%	46%	70%	74%	73%	71%	71%	68%	64%	69%	36%
Perc	86	13	9	93	4	4	3	7	24	40	60
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+97	+5.1	-2.6	-3.7	-0.1	+3.4	+0.16	+14	+0.84	+0.76	+0.86
Acc	61%	57%	60%	60%	53%	63%	50%	33%	60%	60%	57%
Perc	2	64	94	94	81	19	47	79	49	9	7

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$213	36	\$169	45

\$A	\$D	\$GN	\$GS
\$213	36	\$286	31

*Traits Observed:*  
BWT,200WT(x2),400WT,600WT,SC,Genomics

Purchaser.....

\$.....

**Lot 45****AJC S968<sup>PV</sup>****NXO21S968**

Date of Birth: 12/09/2021

Register: APR

Mating Type: Natural

AMF,CAF,DDF,NHF

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+5.8	+6.5	-3.8	+3.3	+56	+98	+131	+95	+18	+3.3	-6.9
Acc	54%	42%	68%	72%	73%	69%	70%	67%	60%	66%	32%
Perc	24	15	65	32	22	28	23	59	39	12	6
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+67	+10.1	+0.8	+1.4	-0.1	+4.8	+0.35	+13	+1.12	+1.16	+1.10
Acc	60%	57%	59%	59%	51%	63%	49%	25%	57%	57%	56%
Perc	48	13	29	20	81	4	71	84	92	87	70

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$279	1	\$222	2

*Traits Observed:*  
BWT,200WT(x2),400WT,600WT,SC,Genomics

Purchaser.....

\$.....

**Lot 46****AJC S77<sup>PV</sup>****NXO21S77**

Date of Birth: 19/06/2021

Register: APR

Mating Type: AI

AMF,CAF,DDF,NHF

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+1.6	+7.5	-3.2	+5.8	+62	+115	+150	+136	+16	+1.7	-5.0
Acc	57%	45%	82%	75%	73%	71%	73%	68%	61%	73%	36%
Perc	60	9	74	84	7	4	5	7	61	65	39
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+92	+15.1	-2.4	-4.7	+1.8	+2.8	+0.26	+18	+1.22	+0.72	+0.80
Acc	62%	58%	60%	61%	53%	64%	51%	32%	57%	57%	54%
Perc	3	1	92	98	2	31	61	58	97	5	3

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$265	2	\$223	2

*Traits Observed:*  
GL,CE,BWT,200WT,400WT,600WT(x2),SC,Genomics

Purchaser.....

\$.....

**Lot 47****AJC S273<sup>PV</sup>****NXO21S273**

Date of Birth: 16/07/2021

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+5.3	+7.3	-4.9	+2.8	+61	+102	+130	+104	+12	+2.4	-7.4
Acc	54%	43%	68%	73%	73%	70%	72%	68%	61%	71%	33%
Perc	28	10	47	23	9	18	23	44	86	37	3
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+71	+4.8	+2.0	+2.8	-0.9	+4.3	+0.43	+21	+1.04	+1.06	+0.98
Acc	61%	58%	60%	61%	52%	64%	50%	28%	54%	54%	51%
Perc	36	68	11	8	98	8	79	42	85	70	31

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$271	2	\$222	2

*Traits Observed:*  
BWT,200WT,400WT,600WT(x2),SC,Genomics

Purchaser.....

\$.....

**Lot 48****AJC S275<sup>PV</sup>****NXO21S275**

Date of Birth: 16/07/2021

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+4.7	+1.1	-8.7	+2.5	+59	+97	+135	+128	+22	+0.5	-6.2
Acc	56%	46%	71%	73%	72%	70%	72%	68%	61%	70%	36%
Perc	33	69	6	18	13	30	16	13	15	95	14
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+81	+6.2	-1.1	-2.0	+0.1	+4.3	+0.16	+18	+1.00	+0.86	+1.02
Acc	61%	58%	60%	61%	54%	63%	51%	39%	64%	64%	61%
Perc	13	50	73	79	72	8	47	61	79	23	45

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$236	14	\$181	29

*Traits Observed:*  
BWT,200WT,400WT,600WT(x2),SC,Genomics

Purchaser.....

\$.....

**Lot 49****AJC S356<sup>PV</sup>****NXO21S356**

Date of Birth: 22/07/2021

Register: APR

Mating Type: Natural

AMFU, CAFU, DDF, NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+7.5	+7.3	-8.7	+3.4	+50	+100	+132	+89	+31	+3.3	-7.7
Acc	56%	45%	68%	75%	74%	71%	72%	68%	63%	72%	34%
Perc	13	10	6	34	52	23	20	69	1	12	2
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+85	+6.8	-0.6	-1.3	+0.0	+4.1	+0.41	+16	+1.06	+1.24	+1.18
Acc	62%	58%	60%	61%	53%	64%	50%	25%	56%	56%	53%
Perc	8	42	62	67	77	10	78	70	87	94	88

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$261	3	\$215	4

\$A	\$D	\$GN	\$GS
\$261	3	\$337	5

*Traits Observed:*  
BWT, 200WT, 400WT(x2), 600WT, SC, Genomics

Purchaser.....

\$.....

**Lot 50****AJC S467<sup>PV</sup>****NXO21S467**

Date of Birth: 27/07/2021

Register: APR

Mating Type: Natural

AMFU, CAFU, DDF, NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+7.2	+10.3	-7.8	+2.5	+61	+119	+143	+108	+22	+2.6	-7.2
Acc	54%	42%	67%	72%	71%	69%	70%	66%	59%	71%	33%
Perc	14	1	11	18	10	2	9	37	14	29	4
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+97	+4.9	+0.8	+2.2	-0.4	+2.3	+0.12	+19	+1.20	+1.22	+0.92
Acc	60%	57%	59%	60%	51%	62%	50%	33%	61%	61%	59%
Perc	2	67	29	12	91	44	42	53	97	93	16

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$278	1	\$245	1

\$A	\$D	\$GN	\$GS
\$278	1	\$361	2

*Traits Observed:*  
BWT, 200WT, 400WT(x2), 600WT, SC, Genomics

Purchaser.....

\$.....

**Lot 51****AJC S478<sup>PV</sup>****NXO21S478**

Date of Birth: 27/07/2021

Register: APR

Mating Type: Natural

AMFU, CAFU, DDF, NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+8.1	+4.0	-3.8	+1.4	+48	+83	+114	+76	+24	+2.2	-7.6
Acc	55%	43%	69%	74%	73%	70%	72%	68%	61%	72%	34%
Perc	9	40	65	7	59	72	58	86	6	44	2
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+70	+3.3	+5.0	+5.5	-1.8	+6.5	+0.70	+14	+1.38	+1.06	+1.06
Acc	61%	58%	60%	61%	52%	64%	50%	27%	53%	54%	49%
Perc	39	84	1	1	99	1	95	77	99	70	58

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$252	6	\$186	23

\$A	\$D	\$GN	\$GS
\$252	6	\$356	2

*Traits Observed:*  
CE, BWT, 200WT, 400WT(x2), 600WT, SC, Genomics

Purchaser.....

\$.....

**Lot 52****AJC S516<sup>PV</sup>****NXO21S516**

Date of Birth: 30/07/2021

Register: APR

Mating Type: AI

AMFU, CAFU, DDF, NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+1.5	+2.6	-5.5	+5.6	+58	+99	+129	+118	+16	+1.0	-5.7
Acc	61%	46%	82%	74%	73%	71%	73%	69%	62%	74%	34%
Perc	61	55	37	81	15	25	26	23	60	87	22
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+75	+10.0	-1.5	-1.9	+0.5	+3.9	-0.22	+12	+1.14	+0.92	+0.80
Acc	62%	63%	63%	63%	56%	66%	51%	55%	70%	70%	67%
Perc	24	13	81	77	47	12	9	88	94	36	3

**Selection Indexes**

\$A	\$D	\$GN	\$GS
\$241	10	\$195	14

\$A	\$D	\$GN	\$GS
\$241	10	\$322	9

*Traits Observed:*  
GL, CE, BWT, 200WT, 400WT(x2), 600WT, SC, Genomics

Purchaser.....

\$.....

**Lot 53****AJC S1061<sup>PV</sup>****NXO21S1061**

Date of Birth: 09/10/2021

Register: APR

Mating Type: Natural

AMFU,CAFU,DDFU,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+7.1	+10.1	-2.0	+2.6	+54	+104	+133	+120	+23	+4.2	-7.7
Acc	58%	46%	71%	74%	74%	72%	72%	68%	62%	71%	34%
Perc	15	1	88	20	32	15	18	19	10	3	2
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+70	+10.5	-2.6	-4.1	+1.5	+3.2	+0.42	+16	+1.36	+1.16	+0.86
Acc	62%	58%	60%	61%	52%	63%	50%	26%	51%	51%	49%
Perc	38	11	94	96	5	22	79	69	99	87	7

**Selection Indexes**

\$A	\$D	\$GN		\$GS	
\$266	2	\$232	1	\$333	6

*Traits Observed:*  
BWT,200WT(x2),400WT,600WT,SC,Genomics

Purchaser.....

\$.....

**Lot 54****AJC S231<sup>PV</sup>****NXO21S231**

Date of Birth: 12/07/2021

Register: APR

Mating Type: AI

AMFU,CAFU,DDFU,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+0.2	+8.0	-9.2	+3.8	+64	+102	+137	+128	+14	+2.4	-8.2
Acc	61%	46%	83%	75%	74%	72%	75%	70%	63%	74%	36%
Perc	70	7	4	44	5	18	14	12	79	37	1
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+78	+3.6	+0.1	-1.1	-0.7	+4.8	-0.19	+8	+1.16	+1.04	+0.96
Acc	63%	63%	64%	63%	57%	67%	50%	53%	67%	67%	63%
Perc	18	81	45	64	96	4	11	94	95	66	25

**Selection Indexes**

\$A	\$D	\$GN		\$GS	
\$252	6	\$201	10	\$336	5

*Traits Observed:*  
GL,CE,BWT,200WT,400WT,600WT(x2),SC,Genomics

Purchaser.....

\$.....

**Lot 55****AJC S103<sup>PV</sup>****NXO21S103**

Date of Birth: 23/06/2021

Register: APR

Mating Type: Natural

AMFU,CAFU,DDF,NHFU

**Mid April 2023 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBVs	+10.5	+8.6	-4.7	+0.1	+39	+75	+90	+64	+21	+0.7	-7.0
Acc	55%	43%	69%	74%	73%	70%	72%	67%	60%	72%	33%
Perc	2	4	50	2	91	88	93	94	23	92	5
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+54	+8.5	+1.3	+2.0	+0.7	+4.8	+0.46	+11	+1.06	+0.90	+1.08
Acc	61%	57%	59%	60%	51%	63%	50%	31%	60%	60%	57%
Perc	84	24	20	13	34	4	82	89	87	32	65

**Selection Indexes**

\$A	\$D	\$GN		\$GS	
\$257	4	\$213	4	\$343	4

*Traits Observed:*  
CE,BWT,200WT,400WT,600WT(x2),SC,Genomics

Purchaser.....

\$.....

**THANK YOU**

The Cox family would like to thank everyone for attending our annual bull sale. This year is particularly special to us as it marks 25 years of on-property bull sales.

We are extremely grateful and thank all our valued clients for purchasing Speriby North genetics. We look forward to continuing future associations with you.

A special thank you to everyone who has helped in any way in the preparation and running of our sales. We couldn't have done it without you.

Arthur, Sandra, Simone and Cindy



# DISCLAIMER AND PRIVACY INFORMATION

## Attention Buyer

Animal details included in this catalogue, including but not limited to pedigree, DNA information, Estimated Breeding Values (EBVs) and Index values, are based on information provided by the breeder or owner of the animal. Whilst all reasonable care has been taken to ensure that the information provided in this catalogue was correct at the time of publication, Angus Australia will assume no responsibility for the accuracy or completeness of the information, nor for the outcome (including consequential loss) of any action taken based on this information.

## Parent Verification Suffixes

The animals listed within this catalogue including its pedigree, are displaying a Parent Verification Suffix which indicates the DNA parent verification status that has been conducted on the animal. The Parent Verification Suffixes that will appear at the end of each animal's name.

The suffix displayed at the end of each animal's name indicates the DNA parentage verification that has been conducted by Angus Australia.

PV : both parents have been verified by DNA.

SV : the sire has been verified by DNA.

DV : the dam has been verified by DNA.

# : DNA verification has not been conducted.

E : DNA verification has identified that the sire and/or dam may possibly be incorrect, but this cannot be confirmed conclusively.

## Privacy Information

In order for Angus Australia to process the transfer of a registered animal in this catalogue, the vendor will need to provide certain information to Angus Australia and the buyer consents to the collection and disclosure of that information by Angus Australia in certain circumstances. If the buyer does not wish for his or her information to be stored and disclosed by Angus Australia, the buyer must complete the form included below and forward it to Angus Australia. If the form is not completed, the buyer will be taken to have consented to the disclosure of such information.

.....

## BUYERS OPTION TO OPT OUT OF DISCLOSING PERSONAL INFORMATION TO ANGUS AUSTRALIA

If you do not complete this form, you will be taken to have consented to Angus Australia using your name, address and phone number for the purposes of effecting a change of registration of the animal(s) that you have purchased, maintaining its database and disclosing that information to its members on its website.

I, the buyer of animals with the following idents.....

.....

from member.....(name) do not consent to Angus Australia using my name, address and phone number for the purposes of effecting a change of registration of the animals I have mentioned above that I have purchased, maintaining its database and disclosing that information to its members on its website.

Name: ..... Signature: .....

Date: .....

Please forward this completed consent form to Angus Australia, 86 Glen Innes Road, Armidale NSW 2350.

.....



If you have any questions or queries regarding any of the above, please contact Angus Australia on (02) 6773 4600 or email [office@angusaustralia.com.au](mailto:office@angusaustralia.com.au)



**PERSONALISED SERVICE  
LEADING BY RESULTS**

Est. 1958

- » Regular Cattle Sales
- » Regular Prime Lamb & Sheep Sales
- » Stud Stock Sales
- » Selling to Feedlots
- » Consignment of Stock
- » Market Appraisals
- » Auctions Plus
- » Rural Property Sales

Colin Say & Co Pty Ltd. Licensed Auctioneers - Stock, Station & Real Estate Agents

118 Wentworth Street Glen Innes NSW 2370

(02) 6732 1266

[www.colinsay.com.au](http://www.colinsay.com.au)

[office@colinsay.com.au](mailto:office@colinsay.com.au)

**Steve Daley 0400 406 667**

**Shad Bailey 0458 322 283**

**Craig Thomas 0428 669 500**

**Nathan Purvis 0427 324 078**



**rma**network.

Accredited Member



**achmea** 

**Farm Insurance**

**Specialist agricultural insurer,  
Achmea Australia, supports the 25th Annual  
Speriby North Angus Bull Sale**



**“**Contact me directly to insure your bulls  
with Achmea Australia.”

**ROBERT BUTLER**, Farm Insurance Specialist

**0448 108 867** | [robert.butler@achmea.com.au](mailto:robert.butler@achmea.com.au)

**[www.achmea.com.au](http://www.achmea.com.au)**

Insurance issued by Achmea Schadeverzekeringen N.V. (Achmea) ABN 86 158 237 702 AFSL 433984. The information in this advertisement or article is general advice only and does not take into account your individual objectives, financial situation or needs (your personal circumstances). Before using this information to decide whether to purchase the insurance policy, you should consider your personal circumstances and the relevant Policy Wording available from the 'Downloads' section of our website [www.achmea.com.au](http://www.achmea.com.au).

# HOME OF OUTSTANDING GENETICS


23 sale bulls are in the top 10% for IMF% per the Mid April 2023 TransTasman Angus Cattle Evaluation.

Home grown sires published in the Angus Australia Sire Summary Autumn 2023 trait and selection index leaders:

- AJC Q736 - IMF% leader
- AJC Q654 - leader for Angus Breeding Low Feed Cost (\$A-L) index
- AJC P740 - leader for 600 day weight, Angus Breeding (\$A) index & Angus Breeding Low Feed Cost (\$A-L) index

Speriby North steers continue to perform under feedlot conditions. Rangers Valley Feedlot have purchased Speriby North steers for more than 29 years.

## DIRECTIONS:




**PHONE:** 02 6737 3655

**MOBILE:** 0427 373 655

**WEB:** [speribynorth.com.au](http://speribynorth.com.au)

**FOLLOW** speribynorthangus **ON**



## Speriby North Heifers

**FOR SALE IN JUNE ONLY ON**



Weaner heifers

\*Offered in Deck Lots \*Sire Identified \*Date of Birth & Treatments Recorded

For more information -



**Ben Sharpe**

**Ray White Tenterfield**

**0428 364 487**

**Arthur Cox**

**02 6737 3655**

**[speribynorth@bigpond.com](mailto:speribynorth@bigpond.com)**